



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 12:49 PM UTC

PDB ID : 6KYI / pdb_00006kyi
Title : Rice Rubisco in complex with sulfate ions
Authors : Matsumura, H.; Yoshizawa, T.; Tanaka, S.; Yoshikawa, H.
Deposited on : 2019-09-19
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3183 (1.76-1.76)
Clashscore	190562	3299 (1.76-1.76)
Ramachandran outliers	187476	3274 (1.76-1.76)
Sidechain outliers	187428	3274 (1.76-1.76)
RSRZ outliers	180081	3183 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	477	
1	B	477	
2	S	175	
2	T	175	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 9736 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ribulose biphosphate carboxylase large chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	431	Total	C	N	O	S	0	4	0
			3396	2147	603	624	22			
1	B	438	Total	C	N	O	S	0	4	0
			3457	2187	610	638	22			

- Molecule 2 is a protein called Ribulose biphosphate carboxylase small chain, chloroplastic.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	S	119	Total	C	N	O	S	0	0	0
			998	661	160	172	5			
2	T	120	Total	C	N	O	S	0	0	0
			1005	666	161	173	5			

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	324	Total O 324 324	0	0
5	S	116	Total O 116 116	0	0
5	B	307	Total O 307 307	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	T	96	Total	O	0	0
			96	96		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Ribulose biphosphate carboxylase large chain



- Molecule 1: Ribulose biphosphate carboxylase large chain



- Chain S: 



4 Data and refinement statistics

Property	Value	Source
Space group	I 4	Depositor
Cell constants a, b, c, α , β , γ	110.06Å 110.06Å 199.75Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.03 – 1.75 42.03 – 1.75	Depositor EDS
% Data completeness (in resolution range)	99.9 (42.03-1.75) 99.9 (42.03-1.75)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.95 (at 1.75Å)	Xtriage
Refinement program	PHENIX 1.15.2_3472	Depositor
R, R_{free}	0.129 , 0.143 (Not available) , 0.302	Depositor DCC
R_{free} test set	5946 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	19.5	Xtriage
Anisotropy	0.026	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 37.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.40$, $\langle L^2 \rangle = 0.23$	Xtriage
Estimated twinning fraction	0.459 for h,-k,-l	Xtriage
F_o, F_c correlation	0.84	EDS
Total number of atoms	9736	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.14	0/3477	0.37	0/4707
1	B	0.14	0/3543	0.37	0/4804
2	S	0.13	0/1029	0.38	0/1395
2	T	0.13	0/1037	0.38	0/1407
All	All	0.14	0/9086	0.37	0/12313

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3396	0	3305	25	0
1	B	3457	0	3351	41	0
2	S	998	0	1004	10	0
2	T	1005	0	1011	11	0
3	A	10	0	0	0	0
3	B	15	0	0	0	0
4	A	12	0	16	2	0
5	A	324	0	0	6	1
5	B	307	0	0	2	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	S	116	0	0	2	0
5	T	96	0	0	0	0
All	All	9736	0	8687	86	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:T:55:HIS:CE1	2:T:57:SER:HG	1.91	0.88
1:B:90:VAL:CG1	1:B:98:ILE:HG12	2.11	0.80
1:B:90:VAL:HG13	1:B:98:ILE:HG12	1.65	0.77
1:A:247[B]:CYS:SG	5:B:653:HOH:O	2.51	0.68
1:B:173:THR:HG23	1:B:201:LYS:HD3	1.76	0.68
2:T:55:HIS:CE1	2:T:57:SER:HB3	2.28	0.67
2:T:55:HIS:CE1	2:T:57:SER:OG	2.50	0.64
2:T:55:HIS:CE1	2:T:57:SER:CB	2.82	0.63
1:B:121:VAL:HG11	1:B:309:MET:HE3	1.85	0.59
1:A:410:PRO:HD3	1:A:461:ILE:HD13	1.85	0.58
1:B:90:VAL:HG11	1:B:98:ILE:HG12	1.83	0.57
1:B:204:GLU:HB2	1:B:268[A]:ASP:OD2	2.05	0.57
1:B:170:LEU:HD22	1:B:402:PHE:HE2	1.70	0.56
1:A:70:TRP:N	5:A:607:HOH:O	2.39	0.56
1:B:177:LYS:HG2	1:B:178:LEU:HG	1.88	0.55
2:T:55:HIS:HE1	2:T:57:SER:HB3	1.72	0.55
1:A:171:GLY:HA3	1:A:401:GLN:HE21	1.72	0.54
1:B:201:LYS:HG3	1:B:239:TYR:HD2	1.73	0.54
1:A:177:LYS:NZ	5:A:606:HOH:O	2.38	0.53
1:B:156:GLN:HG2	2:T:109:VAL:HG11	1.90	0.52
1:B:330:THR:HG23	1:B:379:SER:O	2.10	0.52
5:A:881:HOH:O	1:B:301:ILE:HD11	2.10	0.51
1:B:90:VAL:HG11	1:B:98:ILE:CG1	2.41	0.51
1:A:342:THR:HA	1:A:345:PHE:CE2	2.46	0.51
1:A:171:GLY:HA3	1:A:401:GLN:NE2	2.27	0.50
2:S:104:ASP:OD2	2:S:107:ARG:HG2	2.12	0.50
1:B:94:ASP:OD2	1:B:131:ARG:NH2	2.45	0.49
1:A:83:ARG:NH1	5:A:610:HOH:O	2.42	0.49
1:B:201:LYS:HG2	1:B:202:ASP:O	2.13	0.48
1:B:214:TRP:CD2	1:B:253:ARG:HG2	2.48	0.48
1:B:387:MET:HE1	1:B:402:PHE:CZ	2.49	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:273:GLY:HA3	1:B:273:GLY:HA3	1.94	0.47
2:S:11:LYS:HG3	2:S:17:TYR:CE1	2.49	0.47
2:S:31:GLU:OE1	5:S:201:HOH:O	2.20	0.47
1:B:21:LYS:HE3	1:B:52:GLU:HB2	1.96	0.47
4:A:504:GOL:H31	5:A:881:HOH:O	2.14	0.47
1:B:382:ILE:HD12	1:B:390:LEU:HD11	1.97	0.47
1:A:155:ILE:HG12	1:A:375:ILE:HG12	1.97	0.47
1:B:197:LEU:HG	1:B:417:ALA:HB1	1.97	0.47
2:S:35:ARG:NH2	5:S:203:HOH:O	2.39	0.46
1:B:138:LEU:O	1:B:316:LYS:NZ	2.49	0.46
4:A:504:GOL:H11	5:A:881:HOH:O	2.15	0.46
1:B:90:VAL:CG1	1:B:98:ILE:CG1	2.88	0.46
1:A:168:PRO:HD2	1:A:424:LEU:HD11	1.96	0.45
2:T:11:LYS:HG3	2:T:17:TYR:CE1	2.50	0.45
1:B:327:HIS:HA	1:B:377:VAL:HB	1.99	0.45
1:B:266:MET:HA	1:B:292:HIS:O	2.17	0.45
1:B:77:LEU:HD23	1:B:77:LEU:HA	1.77	0.44
1:B:203:ASP:HB3	1:B:206:VAL:HG23	2.00	0.44
1:A:29:TYR:CG	1:A:83:ARG:HD2	2.53	0.43
1:A:266:MET:HA	1:A:292:HIS:O	2.19	0.43
2:S:10:LYS:HB3	2:S:49:PHE:CE1	2.53	0.43
2:S:107:ARG:HD2	2:S:111:LEU:HD23	2.00	0.43
1:B:90:VAL:C	1:B:92:GLY:H	2.25	0.43
1:B:128:LYS:HG2	5:B:811:HOH:O	2.18	0.43
2:S:13:GLU:O	2:S:16:SER:OG	2.36	0.43
2:T:55:HIS:HE1	2:T:57:SER:CB	2.30	0.43
1:A:327:HIS:HA	1:A:377:VAL:HB	2.01	0.42
1:A:356:LYS:NZ	1:A:363:PHE:O	2.47	0.42
1:B:342:THR:HA	1:B:345:PHE:CE2	2.54	0.42
1:A:315:ALA:HB1	1:A:349:LEU:HD21	2.01	0.42
1:A:204:GLU:H	1:A:204:GLU:CD	2.26	0.42
1:B:414:ALA:HB3	1:B:415:PRO:HD3	2.01	0.42
1:B:382:ILE:HG22	1:B:402:PHE:CE1	2.54	0.42
2:S:111:LEU:HD12	2:S:112:ILE:HG12	2.01	0.42
2:T:107:ARG:O	2:T:109:VAL:HG13	2.19	0.42
2:S:111:LEU:CD1	2:S:112:ILE:HG12	2.49	0.42
1:B:411:TRP:CD1	2:T:1:MET:HG3	2.55	0.42
1:B:175:LYS:HA	1:B:176:PRO:C	2.46	0.41
1:A:201:LYS:HB2	1:A:239:TYR:CD2	2.55	0.41
1:A:284:CYS:HB3	1:A:289:LEU:O	2.20	0.41
1:A:185:TYR:OH	1:A:202:ASP:HA	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:178:LEU:HB3	1:B:211:PHE:CZ	2.56	0.41
1:B:208:SER:HB2	1:B:214:TRP:HB3	2.03	0.41
1:B:330:THR:HG21	1:B:380:GLY:O	2.20	0.41
1:A:62:SER:CB	1:A:82:GLY:H	2.34	0.41
1:B:377:VAL:HG22	1:B:399:VAL:HB	2.02	0.41
1:B:239:TYR:HB3	1:B:266:MET:HB2	2.02	0.40
1:A:158:GLU:CD	1:A:325:HIS:HE2	2.23	0.40
1:A:293:ILE:HB	1:A:325:HIS:O	2.21	0.40
1:A:385:TRP:NE1	1:A:462:TRP:O	2.52	0.40
1:A:40:PHE:O	1:A:98:ILE:HA	2.22	0.40
2:S:33:LEU:HD11	2:S:112:ILE:HG21	2.03	0.40
1:B:177:LYS:HE2	1:B:203:ASP:OD1	2.22	0.40
1:B:225:ILE:HD11	1:B:238:HIS:HB3	2.04	0.40
2:T:37:LYS:HD2	2:T:37:LYS:HA	1.83	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:761:HOH:O	5:B:610:HOH:O[3_555]	2.07	0.13

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	428/477 (90%)	412 (96%)	13 (3%)	3 (1%)	18	7
1	B	438/477 (92%)	424 (97%)	13 (3%)	1 (0%)	43	27
2	S	117/175 (67%)	110 (94%)	7 (6%)	0	100	100
2	T	118/175 (67%)	111 (94%)	7 (6%)	0	100	100
All	All	1101/1304 (84%)	1057 (96%)	40 (4%)	4 (0%)	30	15

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	62	SER
1	A	177	LYS
1	B	62	SER
1	A	369	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	351/386 (91%)	351 (100%)	0	100	100
1	B	358/386 (93%)	358 (100%)	0	100	100
2	S	108/149 (72%)	107 (99%)	1 (1%)	70	60
2	T	109/149 (73%)	109 (100%)	0	100	100
All	All	926/1070 (86%)	925 (100%)	1 (0%)	88	85

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	S	55	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	123	ASN
1	A	184	ASN
1	A	401	GLN
1	B	156	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	B	502	-	4,4,4	0.24	0	6,6,6	0.08	0
4	GOL	A	503	-	5,5,5	0.87	0	5,5,5	1.19	0
3	SO4	B	501	-	4,4,4	0.23	0	6,6,6	0.14	0
3	SO4	A	502	-	4,4,4	0.23	0	6,6,6	0.10	0
3	SO4	A	501	-	4,4,4	0.23	0	6,6,6	0.13	0
4	GOL	A	504	-	5,5,5	1.07	0	5,5,5	0.90	0
3	SO4	B	503	-	4,4,4	0.23	0	6,6,6	0.09	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	504	-	-	2/4/4/4	-
4	GOL	A	503	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	503	GOL	O1-C1-C2-C3
4	A	503	GOL	O1-C1-C2-O2
4	A	504	GOL	C1-C2-C3-O3
4	A	504	GOL	O2-C2-C3-O3


There are no ring outliers.


1 monomer is involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	504	GOL	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	431/477 (90%)	1.37	91 (21%) 2 2	7, 16, 28, 40	4 (0%)
1	B	438/477 (91%)	1.39	89 (20%) 3 3	7, 17, 28, 44	4 (0%)
2	S	119/175 (68%)	1.56	36 (30%) 1 1	15, 19, 26, 30	0
2	T	120/175 (68%)	1.79	49 (40%) 0 1	15, 21, 28, 37	0
All	All	1108/1304 (84%)	1.45	265 (23%) 2 2	7, 17, 28, 44	8 (0%)

All (265) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	92	GLY	8.7
1	B	91	VAL	7.8
1	B	22	LEU	7.4
1	A	87	ILE	6.8
1	B	20	TYR	6.0
1	A	22	LEU	5.5
1	B	332	VAL	5.3
1	A	21	LYS	5.2
1	A	48	VAL	5.2
1	B	178	LEU	4.8
2	S	83	LEU	4.5
1	B	382	ILE	4.5
1	B	48	VAL	4.5
1	B	211	PHE	4.4
1	A	189[A]	CYS	4.4
2	T	105	ASN	4.4
1	A	464	ALA	4.4
1	B	331	VAL	4.3
1	B	451	TRP	4.3
1	B	90	VAL	4.2
1	B	381	GLY	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	180	LEU	4.1
1	A	461	ILE	4.1
2	T	106	VAL	4.1
1	A	94	ASP	4.0
1	A	92	GLY	4.0
2	T	34	LEU	4.0
1	B	93	GLU	3.9
2	T	71	LEU	3.9
1	A	73	GLY	3.8
1	A	47	GLY	3.8
1	A	23	THR	3.7
2	T	120	PRO	3.7
1	A	74	LEU	3.7
1	B	391	THR	3.6
2	S	106	VAL	3.6
1	A	63	THR	3.6
1	A	438	ALA	3.6
1	A	463	LYS	3.6
1	B	404	GLY	3.5
1	A	339	ARG	3.5
1	B	174	ILE	3.5
1	B	402	PHE	3.5
2	T	23	VAL	3.5
2	T	21	LEU	3.5
1	B	434	GLY	3.5
1	B	254	ALA	3.4
2	S	92	ALA	3.4
1	A	77	LEU	3.4
1	A	364	PHE	3.3
2	T	107	ARG	3.3
2	T	109	VAL	3.3
1	B	439	ARG	3.3
1	A	462	TRP	3.2
1	A	91	VAL	3.2
1	A	70	TRP	3.2
1	A	56	ALA	3.2
1	B	301	ILE	3.2
2	T	49	PHE	3.2
1	B	23	THR	3.2
1	B	444	ILE	3.1
1	A	49	PRO	3.1
1	A	345	PHE	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	S	42	LEU	3.0
1	A	451	TRP	3.0
1	A	359	ALA	3.0
1	B	458	ALA	3.0
1	A	128	LYS	2.9
1	A	79	ARG	2.9
1	B	456	ALA	2.9
1	B	385	TRP	2.9
1	A	46	PRO	2.9
1	B	49	PRO	2.9
1	B	176	PRO	2.9
2	T	19	PRO	2.9
1	A	392	GLU	2.9
1	B	77	LEU	2.9
2	T	111	LEU	2.9
1	A	393	ILE	2.9
2	T	100	ILE	2.9
2	T	112	ILE	2.9
1	B	462	TRP	2.9
1	A	306	ASN	2.9
2	T	74	PHE	2.8
2	S	84	LYS	2.8
2	T	82	VAL	2.8
2	T	17	TYR	2.8
2	S	34	LEU	2.8
2	T	83	LEU	2.8
1	B	21	LYS	2.8
1	B	403	GLY	2.8
2	S	23	VAL	2.8
1	B	105	LEU	2.8
2	T	24	GLU	2.8
1	A	71	THR	2.8
2	T	14	THR	2.8
1	A	328	ALA	2.7
1	B	394	PHE	2.7
1	B	47	GLY	2.7
2	S	51	TYR	2.7
1	A	382	ILE	2.7
1	B	175	LYS	2.7
2	S	91	LYS	2.7
1	A	414	ALA	2.7
1	B	55	ALA	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	66	TRP	2.7
2	S	69	TRP	2.7
1	A	374	VAL	2.7
1	B	157	VAL	2.7
1	B	131	ARG	2.6
1	B	383	HIS	2.6
1	A	447	SER	2.6
1	A	330[A]	THR	2.6
1	A	329	GLY	2.6
1	A	169	LEU	2.6
1	B	97	TYR	2.6
2	S	82	VAL	2.6
1	A	445	ILE	2.6
1	A	441	GLY	2.6
2	T	114	PHE	2.6
1	A	107	LEU	2.6
1	B	339	ARG	2.6
1	B	437	LEU	2.6
2	T	26	LEU	2.6
1	A	90	VAL	2.6
2	S	93	TYR	2.6
2	T	47	VAL	2.6
1	B	457	ALA	2.6
1	B	32	LYS	2.6
2	S	26	LEU	2.6
2	S	111	LEU	2.6
2	T	76	CYS	2.6
2	S	119	PRO	2.6
1	A	439	ARG	2.6
2	T	75	GLY	2.5
2	T	77	THR	2.5
1	B	459	CYS	2.5
1	B	348	LEU	2.5
1	A	78	ASP	2.5
1	A	269	TYR	2.5
1	B	24	TYR	2.5
1	A	58	ALA	2.5
1	A	301	ILE	2.5
2	S	20	PRO	2.5
2	T	101	ILE	2.5
2	S	71	LEU	2.5
2	T	15	LEU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	T	20	PRO	2.5
2	S	6	ILE	2.5
1	B	450	LYS	2.4
1	B	89	PRO	2.4
2	T	94	PRO	2.4
2	T	119	PRO	2.4
1	A	55	ALA	2.4
1	A	369	VAL	2.4
1	B	377	VAL	2.4
1	B	461	ILE	2.4
1	A	404	GLY	2.4
1	B	411	TRP	2.4
2	S	49	PHE	2.4
1	A	113	VAL	2.4
1	A	338	GLU	2.4
1	A	126	GLY	2.4
2	S	8	GLY	2.4
1	B	390	LEU	2.4
2	T	42	LEU	2.4
2	T	79	ALA	2.4
2	S	77	THR	2.4
2	T	22	THR	2.4
2	T	38	TRP	2.4
2	T	66	TRP	2.4
1	B	94	ASP	2.4
2	T	78	ASP	2.4
1	B	25	TYR	2.4
2	S	30	ILE	2.4
1	B	247[A]	CYS	2.3
2	S	19	PRO	2.3
2	T	40	PRO	2.3
2	S	116	ALA	2.3
1	B	362	ILE	2.3
1	A	121	VAL	2.3
1	B	95	ASN	2.3
1	B	65	THR	2.3
1	B	58	ALA	2.3
1	B	438	ALA	2.3
2	T	44	PHE	2.3
2	T	97	PHE	2.3
2	T	117	TYR	2.3
2	S	105	ASN	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	28	GLU	2.3
1	A	399	VAL	2.3
1	B	428	VAL	2.3
2	T	3	VAL	2.3
1	A	72	ASP	2.3
2	S	95	ASP	2.3
1	A	142	PRO	2.3
1	A	75	THR	2.3
1	A	459	CYS	2.3
1	B	389	ALA	2.3
2	S	86	LEU	2.3
1	B	127	PHE	2.3
1	B	100	TYR	2.3
1	B	124	VAL	2.3
1	B	26	THR	2.2
1	B	173	THR	2.2
2	S	80	THR	2.2
1	B	99	ALA	2.2
1	A	123	ASN	2.2
1	A	143	THR	2.2
1	A	173	THR	2.2
2	T	8	GLY	2.2
2	S	2	GLN	2.2
1	B	345	PHE	2.2
1	B	185	TYR	2.2
1	A	444	ILE	2.2
2	S	9	ILE	2.2
2	T	115	ILE	2.2
1	A	44	PRO	2.2
1	B	101	VAL	2.2
2	S	3	VAL	2.2
2	S	50	VAL	2.2
2	T	50	VAL	2.2
1	B	172	CYS	2.2
1	A	256	PHE	2.2
1	B	311	PHE	2.2
1	A	80	TYR	2.2
1	A	103	TYR	2.2
2	T	91	LYS	2.2
1	A	293	ILE	2.2
1	A	358	ARG	2.1
1	A	138	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	214	TRP	2.1
1	B	70	TRP	2.1
2	S	4	TRP	2.1
2	S	66	TRP	2.1
1	A	24	TYR	2.1
2	T	33	LEU	2.1
1	B	96	GLN	2.1
2	T	4	TRP	2.1
1	A	410	PRO	2.1
1	B	46	PRO	2.1
1	B	108	PHE	2.1
1	A	140	ILE	2.1
1	A	42[A]	VAL	2.1
1	A	377	VAL	2.1
1	B	369	VAL	2.1
1	B	399	VAL	2.1
1	A	51	GLU	2.1
1	A	318	LEU	2.1
2	S	21	LEU	2.1
1	A	31	THR	2.1
1	A	148	PHE	2.1
1	A	363	PHE	2.1
2	S	12	PHE	2.1
1	B	73	GLY	2.0
1	A	157	VAL	2.0
1	A	407	LEU	2.0
1	B	388	PRO	2.0
1	B	30	GLU	2.0
1	A	127	PHE	2.0
1	B	87	ILE	2.0
2	T	35	ARG	2.0
1	A	39	ALA	2.0
1	A	177	LYS	2.0
1	A	305	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GOL	A	503	6/6	0.79	0.18	20,21,22,32	0
3	SO4	B	501	5/5	0.80	0.20	29,32,33,33	0
4	GOL	A	504	6/6	0.81	0.15	16,19,22,23	0
3	SO4	A	502	5/5	0.86	0.16	23,23,30,40	0
3	SO4	A	501	5/5	0.90	0.16	20,22,27,30	0
3	SO4	B	502	5/5	0.91	0.11	26,26,28,29	0
3	SO4	B	503	5/5	0.93	0.12	18,21,27,27	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around SO4 B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around SO4 B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.