



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:02 PM UTC

PDB ID : 6KYV / pdb_00006kyv
Title : Crystal Structure of RIG-I and hairpin RNA with G-U wobble base pairs
Authors : Kim, K.-H.; Hwang, J.; Kim, J.H.; Son, K.-P.; Jang, Y.; Kim, M.; Kang, S.-J.;
Lee, J.-O.; Choi, B.-S.
Deposited on : 2019-09-20
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)
RNA backbone	3983	1109 (3.20-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	22	 82% 5% 14%
1	C	22	 82% 9% 9%
1	E	22	 82% 9% 9%
1	G	22	 59% 32% 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	I	22	77% 14% 9%
1	K	22	73% 18% 9%
2	B	684	86% 12% .
2	D	684	% 88% 11% .
2	F	684	% 86% 13% .
2	H	684	86% 12% .
2	J	684	% 83% 15% .
2	L	684	88% 11% .

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 34612 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called RNA (5'-R(*GP*GP*UP*AP*GP*AP*CP*GP*CP*UP*UP*CP*GP*GP*CP*GP*UP*UP*UP*GP*CP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	22	Total	C	N	O	P	0	0	0
			465	208	80	156	21			
1	C	22	Total	C	N	O	P	0	0	0
			465	208	80	156	21			
1	E	22	Total	C	N	O	P	0	0	0
			465	208	80	156	21			
1	G	22	Total	C	N	O	P	0	0	0
			465	208	80	156	21			
1	I	22	Total	C	N	O	P	0	0	0
			465	208	80	156	21			
1	K	22	Total	C	N	O	P	0	0	0
			465	208	80	156	21			

- Molecule 2 is a protein called Probable ATP-dependent RNA helicase DDX58.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	672	Total	C	N	O	S	0	0	0
			5288	3374	900	981	33			
2	D	672	Total	C	N	O	S	0	0	0
			5294	3377	902	982	33			
2	F	672	Total	C	N	O	S	0	0	0
			5289	3376	904	976	33			
2	H	672	Total	C	N	O	S	0	0	0
			5329	3403	909	984	33			
2	J	672	Total	C	N	O	S	0	0	0
			5310	3388	908	981	33			
2	L	672	Total	C	N	O	S	0	0	0
			5306	3384	906	983	33			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	239	SER	-	expression tag	UNP O95786
B	240	ASN	-	expression tag	UNP O95786
B	241	ALA	-	expression tag	UNP O95786
D	239	SER	-	expression tag	UNP O95786
D	240	ASN	-	expression tag	UNP O95786
D	241	ALA	-	expression tag	UNP O95786
F	239	SER	-	expression tag	UNP O95786
F	240	ASN	-	expression tag	UNP O95786
F	241	ALA	-	expression tag	UNP O95786
H	239	SER	-	expression tag	UNP O95786
H	240	ASN	-	expression tag	UNP O95786
H	241	ALA	-	expression tag	UNP O95786
J	239	SER	-	expression tag	UNP O95786
J	240	ASN	-	expression tag	UNP O95786
J	241	ALA	-	expression tag	UNP O95786
L	239	SER	-	expression tag	UNP O95786
L	240	ASN	-	expression tag	UNP O95786
L	241	ALA	-	expression tag	UNP O95786

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Zn	0	0
			1	1		
3	D	1	Total	Zn	0	0
			1	1		
3	F	1	Total	Zn	0	0
			1	1		
3	H	1	Total	Zn	0	0
			1	1		
3	J	1	Total	Zn	0	0
			1	1		
3	L	1	Total	Zn	0	0
			1	1		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: RNA (5'-R(*GP*GP*UP*AP*GP*AP*CP*GP*CP*UP*UP*CP*GP*GP*CP*GP*UP*UP*UP*GP*CP*C)-3')

Chain A: 



- Molecule 1: RNA (5'-R(*GP*GP*UP*AP*GP*AP*CP*GP*CP*UP*UP*CP*GP*GP*CP*GP*UP*UP*UP*GP*CP*C)-3')

Chain C: 




- Molecule 1: RNA (5'-R(*GP*GP*UP*AP*GP*AP*CP*GP*CP*UP*UP*CP*GP*GP*CP*GP*UP*UP*UP*GP*CP*C)-3')

Chain E: 



- Molecule 1: RNA (5'-R(*GP*GP*UP*AP*GP*AP*CP*GP*CP*UP*UP*CP*GP*GP*CP*GP*UP*UP*UP*GP*CP*C)-3')

Chain G: 



- Molecule 1: RNA (5'-R(*GP*GP*UP*AP*GP*AP*CP*GP*CP*UP*UP*CP*GP*GP*CP*GP*UP*UP*UP*GP*CP*C)-3')

Chain I: 




- Molecule 1: RNA (5'-R(*GP*GP*UP*AP*GP*AP*CP*GP*CP*UP*UP*CP*GP*GP*CP*GP*UP*UP*UP*GP*CP*C)-3')

Chain K: 73% 18% 9%




- Molecule 2: Probable ATP-dependent RNA helicase DDX58

Chain B: 86% 12%




- Molecule 2: Probable ATP-dependent RNA helicase DDX58


Chain D: 88% 11%



- Molecule 2: Probable ATP-dependent RNA helicase DDX58


Chain F: 86% 13%






- Molecule 2: Probable ATP-dependent RNA helicase DDX58

Chain H: 86% 12%




- Molecule 2: Probable ATP-dependent RNA helicase DDX58

Chain J: 83% 15%



- Molecule 2: Probable ATP-dependent RNA helicase DDX58

Chain L: 88% 11%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	112.17Å 175.13Å 308.96Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	36.56 – 3.00 36.56 – 3.00	Depositor EDS
% Data completeness (in resolution range)	95.6 (36.56-3.00) 90.0 (36.56-3.00)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.89 (at 3.00Å)	Xtriage
Refinement program	PHENIX 1.13_2998	Depositor
R, R_{free}	0.222 , 0.274 0.222 , 0.272	Depositor DCC
R_{free} test set	5998 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	59.0	Xtriage
Anisotropy	0.307	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 31.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	34612	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.08	0/518	0.20	0/806
1	C	0.09	0/518	0.21	0/806
1	E	0.09	0/518	0.21	0/806
1	G	0.08	0/518	0.20	0/806
1	I	0.09	0/518	0.22	0/806
1	K	0.09	0/518	0.23	0/806
2	B	0.08	0/5393	0.25	0/7292
2	D	0.08	0/5399	0.26	0/7299
2	F	0.09	0/5394	0.25	0/7291
2	H	0.08	0/5435	0.25	0/7340
2	J	0.08	0/5415	0.25	0/7317
2	L	0.08	0/5411	0.25	0/7313
All	All	0.08	0/35555	0.25	0/48688

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	465	0	238	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	465	0	238	3	0
1	E	465	0	238	2	0
1	G	465	0	238	5	0
1	I	465	0	238	2	0
1	K	465	0	238	2	0
2	B	5288	0	5232	49	0
2	D	5294	0	5241	45	0
2	F	5289	0	5245	51	0
2	H	5329	0	5316	48	0
2	J	5310	0	5283	57	0
2	L	5306	0	5267	43	0
3	B	1	0	0	0	0
3	D	1	0	0	0	0
3	F	1	0	0	0	0
3	H	1	0	0	0	0
3	J	1	0	0	0	0
3	L	1	0	0	0	0
All	All	34612	0	33012	299	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (299) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:866:ARG:HG2	2:F:867:GLN:HG2	1.61	0.80
2:L:479:MET:HE2	2:L:548:TYR:HB3	1.70	0.73
2:L:600:VAL:O	2:L:606:ASN:ND2	2.23	0.72
2:F:525:MET:HB2	2:F:531:GLU:HB2	1.71	0.71
2:D:657:LYS:H	2:D:692:ASN:HB2	1.55	0.70
2:J:517:GLN:HG2	2:J:521:MET:HE3	1.76	0.67
2:H:825:VAL:HG21	2:H:915:LYS:HB3	1.78	0.66
1:K:13:G:O2'	1:K:14:G:O4'	2.13	0.66
2:D:859:ARG:NH1	2:D:883:GLU:OE2	2.30	0.65
2:H:466:ARG:NH1	2:H:555:SER:O	2.31	0.64
2:D:664:ARG:O	2:D:849:LYS:NZ	2.30	0.63
2:J:845:ARG:HD3	2:J:846:PRO:HD2	1.80	0.63
1:C:11:U:N3	2:D:498:GLN:O	2.30	0.63
1:E:13:G:O2'	1:E:14:G:O4'	2.14	0.63
2:H:669:GLN:O	2:H:849:LYS:NZ	2.25	0.63
1:I:13:G:O2'	1:I:14:G:O4'	2.16	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:559:ARG:HD3	2:F:646:TRP:HD1	1.64	0.61
2:D:644:LYS:HB2	2:D:660:ILE:HD11	1.81	0.61
2:F:483:GLU:OE2	2:F:502:ARG:NH2	2.33	0.61
2:H:647:ILE:HD12	2:H:695:ILE:HD11	1.83	0.61
2:J:564:LEU:HD21	2:J:598:GLU:HG2	1.83	0.61
1:G:13:G:O2'	1:G:14:G:O4'	2.16	0.60
2:H:568:LYS:HE2	2:H:594:LEU:HD11	1.83	0.60
2:J:653:LEU:HB3	2:J:656:LEU:HD12	1.84	0.60
2:L:825:VAL:HG21	2:L:915:LYS:HB3	1.82	0.60
2:B:814:LYS:HE3	2:B:893:VAL:HG11	1.83	0.59
2:F:524:GLN:NE2	2:F:900:GLY:O	2.35	0.59
2:F:478:LEU:HD21	2:F:593:LYS:HG3	1.83	0.59
2:B:705:ASP:OD2	2:B:732:ARG:NH2	2.36	0.59
2:B:395:LEU:HD12	2:B:788:LYS:HD3	1.84	0.58
1:C:13:G:O2'	1:C:14:G:O4'	2.16	0.58
2:J:466:ARG:NH1	2:J:555:SER:O	2.36	0.58
2:H:644:LYS:HD2	2:H:660:ILE:HD11	1.84	0.58
2:D:469:ASP:HB3	2:D:472:LYS:HB3	1.86	0.58
1:E:19:U:OP2	2:F:637:ARG:NH1	2.37	0.57
2:J:825:VAL:HG21	2:J:915:LYS:HB3	1.85	0.57
2:F:825:VAL:HG21	2:F:915:LYS:HB3	1.87	0.57
2:L:387:MET:HE2	2:L:434:LEU:HA	1.85	0.57
2:J:493:LEU:HA	2:J:496:LEU:HD13	1.87	0.57
2:J:483:GLU:HB3	2:J:487:LYS:HE3	1.86	0.57
2:J:394:LYS:NZ	2:J:435:ASP:OD1	2.32	0.57
2:L:644:LYS:HB2	2:L:660:ILE:HD11	1.86	0.56
2:J:483:GLU:OE1	2:J:502:ARG:NH2	2.38	0.56
2:L:758:GLU:O	2:L:762:ASN:ND2	2.39	0.56
2:H:494:GLU:OE2	2:H:502:ARG:NH1	2.28	0.56
2:D:640:VAL:HG12	2:D:660:ILE:HD12	1.88	0.56
2:F:807:LYS:HG3	2:F:897:ILE:HD11	1.88	0.56
2:H:424:LEU:HD11	2:H:768:LEU:HG	1.87	0.56
2:L:525:MET:O	2:L:528:LYS:NZ	2.39	0.56
2:D:559:ARG:HD3	2:D:646:TRP:HD1	1.69	0.56
2:F:859:ARG:NH1	2:F:883:GLU:OE2	2.39	0.56
2:D:825:VAL:HG21	2:D:915:LYS:HB3	1.88	0.55
2:H:524:GLN:NE2	2:H:900:GLY:O	2.40	0.55
2:L:348:PRO:HB2	2:L:382:PRO:HB2	1.88	0.55
2:B:524:GLN:NE2	2:B:900:GLY:O	2.39	0.55
2:H:859:ARG:NH1	2:H:883:GLU:OE2	2.40	0.55
2:B:350:ILE:O	2:B:354:ASN:ND2	2.30	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:867:GLN:H	2:D:576:ALA:HA	1.72	0.55
2:B:718:VAL:HB	2:B:747:VAL:HG13	1.89	0.55
1:A:13:G:O2'	1:A:14:G:O4'	2.16	0.54
2:B:637:ARG:HH22	2:B:671:THR:HB	1.71	0.54
1:C:11:U:O2'	1:C:13:G:O6	2.24	0.54
2:H:378:SER:O	2:H:384:ASN:ND2	2.40	0.54
2:L:525:MET:HB2	2:L:531:GLU:HB2	1.90	0.54
2:D:494:GLU:OE2	2:D:502:ARG:NH1	2.41	0.54
2:J:625:ASN:O	2:J:628:THR:OG1	2.23	0.54
2:B:644:LYS:HB2	2:B:660:ILE:HD11	1.90	0.54
2:J:292:LYS:NZ	2:J:341:ASN:O	2.41	0.54
2:J:634:VAL:HG12	2:J:715:TYR:HB3	1.89	0.53
2:D:856:PHE:HD2	2:D:877:VAL:HG21	1.73	0.53
2:L:647:ILE:HD12	2:L:695:ILE:HD11	1.89	0.53
2:F:632:LEU:HD11	2:F:715:TYR:HB2	1.89	0.53
2:D:657:LYS:HB2	2:D:692:ASN:H	1.73	0.53
2:D:378:SER:O	2:D:384:ASN:ND2	2.42	0.53
2:D:610:LYS:NZ	2:D:716:GLU:OE1	2.42	0.53
2:H:525:MET:HB2	2:H:531:GLU:HB2	1.91	0.53
2:J:510:GLU:OE2	2:J:546:ARG:NH2	2.42	0.53
1:G:21:C:OP2	2:H:664:ARG:NH1	2.42	0.53
1:G:9:C:O2	2:H:511:GLN:NE2	2.38	0.53
2:B:844:SER:OG	2:D:844:SER:OG	2.21	0.52
2:H:662:THR:O	2:H:678:GLN:NE2	2.38	0.52
2:L:293:VAL:HG22	2:L:368:LEU:HB3	1.90	0.52
2:J:644:LYS:HB2	2:J:660:ILE:HD11	1.92	0.52
2:B:825:VAL:HG21	2:B:915:LYS:HB3	1.92	0.52
2:J:888:LYS:HA	2:J:908:TRP:HE1	1.75	0.52
2:B:467:ILE:HG13	2:B:468:SER:H	1.73	0.52
2:F:699:VAL:HG12	2:F:700:ALA:H	1.74	0.52
2:L:640:VAL:HG12	2:L:660:ILE:HD12	1.92	0.51
2:B:387:MET:HE2	2:B:434:LEU:HA	1.92	0.51
2:H:299:GLN:HB3	2:H:301:PRO:HD2	1.91	0.51
2:J:270:LYS:NZ	2:J:702:GLU:OE2	2.43	0.51
2:J:411:SER:HB2	2:J:725:ILE:HD12	1.91	0.51
2:F:387:MET:HE2	2:F:434:LEU:HA	1.92	0.51
2:J:661:LEU:HD22	2:J:682:LEU:HD21	1.92	0.51
2:F:411:SER:HB2	2:F:725:ILE:HD12	1.93	0.51
2:H:348:PRO:HB2	2:H:382:PRO:HB2	1.93	0.51
2:D:292:LYS:HD2	2:D:365:ILE:HG13	1.93	0.51
2:J:586:LEU:HD23	2:J:589:ARG:HD2	1.93	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:466:ARG:NH1	2:F:555:SER:O	2.39	0.51
2:F:479:MET:HE2	2:F:548:TYR:HB3	1.92	0.51
2:L:262:ILE:HB	2:L:408:LEU:HD23	1.94	0.50
2:L:350:ILE:O	2:L:354:ASN:ND2	2.34	0.50
2:H:759:LYS:NZ	2:H:763:ASP:OD2	2.36	0.50
2:H:821:ALA:O	2:H:824:ARG:NH1	2.41	0.50
2:H:858:LYS:HA	2:H:877:VAL:HG12	1.93	0.50
2:B:532:SER:OG	2:B:866:ARG:NH2	2.43	0.50
2:B:559:ARG:HD3	2:B:646:TRP:HD1	1.76	0.50
2:J:274:SER:HB3	2:J:408:LEU:HD11	1.93	0.50
2:J:387:MET:HE2	2:J:434:LEU:HA	1.94	0.50
2:J:647:ILE:HD12	2:J:695:ILE:HD11	1.92	0.50
2:J:454:TYR:OH	2:J:734:ARG:NH2	2.44	0.50
2:F:856:PHE:HD2	2:F:877:VAL:HG21	1.76	0.50
2:H:249:GLU:OE1	2:H:445:ASN:ND2	2.40	0.50
2:J:281:HIS:HA	2:J:284:LYS:HE2	1.93	0.50
2:L:480:ARG:HG3	2:L:504:PHE:HE2	1.77	0.50
2:H:666:LYS:O	2:H:849:LYS:NZ	2.44	0.50
2:F:286:PRO:HD2	2:F:289:GLN:HB2	1.94	0.49
2:D:524:GLN:NE2	2:D:895:GLU:OE2	2.45	0.49
2:J:245:ASN:N	2:J:448:GLU:OE2	2.44	0.49
2:B:476:ALA:HA	2:B:479:MET:HE3	1.93	0.49
2:J:348:PRO:HB2	2:J:382:PRO:HB2	1.94	0.49
2:F:596:GLU:O	2:F:599:SER:OG	2.30	0.49
2:J:807:LYS:HB2	2:J:895:GLU:HB3	1.94	0.49
2:J:384:ASN:O	2:J:388:PHE:N	2.38	0.49
2:B:647:ILE:HD12	2:B:695:ILE:HD11	1.94	0.49
2:B:295:PHE:HB3	2:B:345:ILE:HG13	1.95	0.49
2:D:246:TYR:OH	2:D:268:CYS:O	2.26	0.48
2:J:251:ALA:HB2	2:J:273:VAL:HG13	1.96	0.48
2:B:475:ILE:HG22	2:B:479:MET:HE2	1.95	0.48
2:D:540:LEU:O	2:D:544:HIS:ND1	2.46	0.48
2:F:299:GLN:HB3	2:F:301:PRO:HD2	1.95	0.48
2:D:655:PHE:O	2:D:692:ASN:ND2	2.46	0.48
2:D:821:ALA:O	2:D:824:ARG:NH1	2.40	0.48
2:B:496:LEU:HD23	2:B:516:VAL:HG13	1.96	0.48
2:L:270:LYS:NZ	2:L:702:GLU:OE2	2.36	0.48
2:H:469:ASP:HB3	2:H:472:LYS:HB3	1.95	0.47
2:H:411:SER:HB2	2:H:725:ILE:HD12	1.95	0.47
2:L:809:LEU:HB2	2:L:893:VAL:HG13	1.95	0.47
2:H:815:ALA:HB2	2:H:866:ARG:HH11	1.79	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:J:467:ILE:HG13	2:J:468:SER:H	1.79	0.47
2:H:275:LEU:HB3	2:H:313:TYR:CE1	2.49	0.47
2:J:485:LEU:HB3	2:J:541:TYR:CZ	2.50	0.47
2:J:744:ASN:HB3	2:J:747:VAL:HG23	1.96	0.47
2:D:387:MET:HE2	2:D:434:LEU:HA	1.96	0.47
2:F:843:VAL:HG13	2:F:865:ALA:HB2	1.97	0.47
2:J:299:GLN:HB3	2:J:301:PRO:HD2	1.96	0.47
2:B:640:VAL:HG12	2:B:660:ILE:HD12	1.97	0.47
2:D:699:VAL:HG12	2:D:700:ALA:H	1.79	0.47
2:B:394:LYS:NZ	2:B:435:ASP:OD1	2.48	0.46
2:B:637:ARG:HD2	2:B:662:THR:HB	1.96	0.46
2:J:525:MET:HB2	2:J:531:GLU:HB2	1.96	0.46
2:L:411:SER:HB2	2:L:725:ILE:HD12	1.96	0.46
2:L:432:ALA:HB1	2:L:784:GLN:HG3	1.97	0.46
2:B:469:ASP:HB3	2:B:472:LYS:HB3	1.96	0.46
2:D:344:ILE:HG22	2:D:346:LEU:HD13	1.97	0.46
2:B:299:GLN:HB3	2:B:301:PRO:HD2	1.97	0.46
2:B:568:LYS:HE2	2:B:594:LEU:HD11	1.97	0.46
2:F:647:ILE:HD12	2:F:695:ILE:HD11	1.98	0.46
1:A:11:U:N3	2:B:498:GLN:O	2.49	0.46
2:F:701:ASP:HB3	2:F:726:GLN:HE22	1.79	0.46
2:J:404:GLN:HE21	2:J:406:ILE:HD11	1.80	0.46
2:J:863:PHE:HB3	2:J:870:SER:HA	1.98	0.46
2:F:661:LEU:HB2	2:F:694:LEU:HD11	1.98	0.46
2:F:759:LYS:NZ	2:F:763:ASP:OD2	2.47	0.46
2:H:379:LYS:H	2:H:379:LYS:HG3	1.53	0.46
2:D:322:THR:OG1	2:J:320:ARG:NH2	2.49	0.46
2:H:275:LEU:HB3	2:H:313:TYR:HE1	1.80	0.46
2:B:411:SER:HB2	2:B:725:ILE:HD12	1.98	0.45
2:H:387:MET:HE2	2:H:434:LEU:HA	1.97	0.45
2:J:858:LYS:HA	2:J:877:VAL:HG12	1.98	0.45
2:D:596:GLU:O	2:D:599:SER:OG	2.32	0.45
2:L:725:ILE:HD11	2:L:758:GLU:HG3	1.97	0.45
2:D:305:GLN:OE1	2:D:306:GLN:NE2	2.50	0.45
2:F:742:THR:HG21	2:F:747:VAL:HB	1.98	0.45
2:B:482:THR:HB	2:B:545:LEU:HD21	1.99	0.45
2:H:246:TYR:HE1	2:H:268:CYS:HB2	1.81	0.45
2:L:347:THR:HB	2:L:350:ILE:HD13	1.98	0.45
2:B:637:ARG:NH2	2:B:671:THR:HB	2.32	0.45
2:D:888:LYS:HZ2	2:D:891:SER:HG	1.62	0.45
2:F:809:LEU:HB2	2:F:893:VAL:HG13	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:570:PHE:O	2:L:574:VAL:HG23	2.17	0.45
2:D:845:ARG:HB2	2:D:863:PHE:HE1	1.82	0.44
2:H:632:LEU:HD11	2:H:715:TYR:HB2	2.00	0.44
2:B:460:PHE:HB3	2:B:748:ILE:HD12	1.99	0.44
2:B:682:LEU:HD22	2:B:706:ILE:HG21	1.99	0.44
2:J:640:VAL:HG12	2:J:660:ILE:HD12	1.99	0.44
2:J:809:LEU:HB2	2:J:893:VAL:HG13	1.99	0.44
2:B:719:GLY:O	2:B:754:ASN:ND2	2.48	0.44
2:F:320:ARG:NH1	2:F:341:ASN:OD1	2.50	0.44
2:J:378:SER:O	2:J:384:ASN:ND2	2.47	0.44
2:J:618:LEU:HD13	2:J:656:LEU:HD11	2.00	0.44
2:D:768:LEU:HD21	2:D:776:PHE:CZ	2.52	0.44
2:H:699:VAL:HG12	2:H:700:ALA:H	1.83	0.44
2:F:355:LEU:HD11	2:F:363:LEU:HD21	2.00	0.44
2:F:395:LEU:HD11	2:F:784:GLN:HB3	1.99	0.44
2:F:644:LYS:HD2	2:F:660:ILE:HD11	1.98	0.44
2:B:348:PRO:HB2	2:B:382:PRO:HB2	1.98	0.44
2:D:559:ARG:HD3	2:D:646:TRP:CD1	2.52	0.44
2:B:843:VAL:HG13	2:B:865:ALA:HB2	2.00	0.44
2:B:866:ARG:HG2	2:B:867:GLN:HG2	2.00	0.44
2:L:493:LEU:HA	2:L:496:LEU:HD13	1.99	0.44
2:L:632:LEU:HD11	2:L:715:TYR:HB2	2.00	0.44
2:F:347:THR:HB	2:F:350:ILE:HD13	2.00	0.43
2:F:559:ARG:HD3	2:F:646:TRP:CD1	2.51	0.43
2:J:699:VAL:HG12	2:J:700:ALA:H	1.83	0.43
2:J:858:LYS:HG2	2:J:875:ILE:HD12	2.00	0.43
2:B:320:ARG:HD2	2:F:332:VAL:HG11	1.99	0.43
2:B:564:LEU:HG	2:B:568:LYS:HE3	2.00	0.43
2:D:456:PRO:HD2	2:D:728:ARG:HD3	2.00	0.43
2:D:888:LYS:NZ	2:D:891:SER:OG	2.39	0.43
2:F:295:PHE:HB3	2:F:345:ILE:HG13	2.01	0.43
2:F:374:CYS:HB2	2:F:434:LEU:HD11	1.99	0.43
2:F:557:HIS:HB3	2:F:639:LEU:HD21	2.00	0.43
2:H:856:PHE:HD2	2:H:877:VAL:HG21	1.84	0.43
2:L:773:GLU:OE2	2:L:777:ARG:NH1	2.50	0.43
2:F:640:VAL:HG12	2:F:660:ILE:HD12	2.00	0.43
2:H:640:VAL:HG12	2:H:660:ILE:HD12	2.00	0.43
2:L:564:LEU:HD11	2:L:597:LEU:HD13	1.99	0.43
2:D:810:CYS:HB2	2:D:873:TRP:HZ2	1.84	0.43
2:F:559:ARG:NH2	2:F:562:ASP:OD1	2.39	0.43
2:H:773:GLU:OE2	2:H:777:ARG:NH1	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:J:789:PHE:O	2:J:793:SER:OG	2.27	0.43
2:H:286:PRO:HD2	2:H:289:GLN:HB2	2.00	0.43
2:H:656:LEU:HA	2:H:692:ASN:HD21	1.83	0.43
2:L:295:PHE:HB3	2:L:345:ILE:HG13	2.01	0.43
2:L:493:LEU:HD12	2:L:496:LEU:HD22	2.01	0.43
2:L:520:CYS:HA	2:L:523:PHE:HD1	1.84	0.43
2:B:466:ARG:NH1	2:B:555:SER:O	2.52	0.43
2:H:295:PHE:HB3	2:H:345:ILE:HG13	2.00	0.43
2:B:856:PHE:HD2	2:B:877:VAL:HG21	1.84	0.42
2:L:249:GLU:OE1	2:L:445:ASN:ND2	2.51	0.42
2:H:634:VAL:HG12	2:H:715:TYR:HB3	2.01	0.42
2:D:350:ILE:O	2:D:354:ASN:ND2	2.38	0.42
2:J:598:GLU:HA	2:J:601:SER:HB2	2.01	0.42
2:L:603:ASP:HB3	2:L:606:ASN:ND2	2.34	0.42
2:B:346:LEU:HD23	2:B:351:LEU:HB2	2.01	0.42
2:F:888:LYS:HA	2:F:908:TRP:HE1	1.84	0.42
1:K:18:U:H2'	1:K:19:U:C6	2.54	0.42
2:D:887:ILE:HB	2:D:892:PHE:HE2	1.85	0.42
2:L:262:ILE:HG12	2:L:440:ALA:HB3	2.01	0.42
2:B:483:GLU:OE1	2:B:502:ARG:NH2	2.48	0.42
2:F:639:LEU:HA	2:F:642:ALA:HB3	2.01	0.42
1:G:10:U:O2'	1:G:11:U:H2'	2.19	0.42
2:J:390:TYR:CE2	2:J:402:LEU:HB3	2.55	0.42
2:J:856:PHE:HD2	2:J:877:VAL:HG21	1.84	0.42
2:L:580:ASP:O	2:L:584:GLN:HG2	2.20	0.42
2:L:457:GLN:NE2	2:L:458:LYS:O	2.53	0.42
2:L:460:PHE:HB3	2:L:748:ILE:HD12	2.02	0.42
2:D:482:THR:HB	2:D:545:LEU:HD21	2.02	0.42
2:L:826:ILE:HG22	2:L:827:GLU:HG3	2.00	0.42
2:J:767:ARG:O	2:J:770:THR:OG1	2.37	0.42
2:B:632:LEU:HD11	2:B:715:TYR:HB2	2.01	0.42
2:F:482:THR:HB	2:F:545:LEU:HD21	2.01	0.42
2:J:494:GLU:OE1	2:J:494:GLU:N	2.52	0.42
2:B:666:LYS:O	2:B:849:LYS:NZ	2.40	0.41
2:D:728:ARG:NH2	2:D:758:GLU:OE1	2.50	0.41
2:H:281:HIS:O	2:H:284:LYS:HG2	2.20	0.41
2:L:767:ARG:O	2:L:770:THR:OG1	2.36	0.41
2:B:483:GLU:CD	2:B:502:ARG:HH21	2.28	0.41
2:F:479:MET:HG3	2:F:545:LEU:HD22	2.02	0.41
2:F:517:GLN:HG2	2:F:521:MET:HE3	2.02	0.41
2:F:530:GLU:OE2	2:F:533:ARG:NE	2.53	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:644:LYS:HB2	2:F:660:ILE:HD11	2.02	0.41
2:H:246:TYR:CE1	2:H:268:CYS:HB2	2.56	0.41
2:D:502:ARG:HD2	2:D:509:TYR:CD1	2.56	0.41
2:D:356:LYS:HE2	2:D:356:LYS:HB3	1.84	0.41
2:H:442:VAL:HG21	2:H:449:LEU:HD22	2.03	0.41
2:H:580:ASP:OD1	2:H:581:GLU:N	2.51	0.41
2:H:807:LYS:HE2	2:H:816:LEU:HD13	2.03	0.41
2:J:511:GLN:O	2:J:515:THR:OG1	2.32	0.41
2:L:853:PHE:CZ	2:L:856:PHE:HB2	2.56	0.41
2:B:513:ILE:HD12	2:B:513:ILE:HA	1.91	0.41
2:F:812:LYS:HB3	2:F:869:CYS:SG	2.61	0.41
1:G:3:U:H2'	1:G:4:A:C8	2.56	0.41
2:H:561:LYS:NZ	2:H:565:ASP:OD2	2.40	0.41
2:H:685:PHE:CE1	2:H:694:LEU:HB2	2.56	0.41
2:J:559:ARG:HD3	2:J:646:TRP:HD1	1.86	0.41
2:L:467:ILE:HG13	2:L:468:SER:H	1.86	0.41
2:L:768:LEU:HD21	2:L:776:PHE:CZ	2.56	0.41
2:L:845:ARG:O	2:L:861:LYS:N	2.49	0.41
2:B:525:MET:SD	2:B:534:ILE:HD12	2.60	0.41
2:B:878:LYS:HA	2:B:883:GLU:HA	2.02	0.41
2:D:395:LEU:HD13	2:D:785:THR:HA	2.03	0.41
2:F:596:GLU:O	2:F:600:VAL:HG23	2.21	0.41
2:F:640:VAL:HG21	2:F:697:THR:HG23	2.01	0.41
2:L:520:CYS:HA	2:L:523:PHE:CD1	2.56	0.41
1:A:13:G:O2'	1:A:14:G:OP2	2.39	0.40
2:F:673:MET:HE3	2:F:673:MET:HB2	1.96	0.40
1:I:1:G:O2'	2:J:830:HIS:ND1	2.42	0.40
2:J:811:ARG:CZ	2:J:904:LEU:HG	2.51	0.40
2:J:861:LYS:HE3	2:J:863:PHE:CZ	2.56	0.40
2:D:374:CYS:HB2	2:D:434:LEU:HD11	2.03	0.40
2:H:859:ARG:HH12	2:H:878:LYS:HB2	1.87	0.40
2:L:347:THR:HG22	2:L:348:PRO:HD2	2.03	0.40
2:B:867:GLN:HE22	2:D:575:ARG:HG3	1.86	0.40
2:F:632:LEU:HD21	2:F:643:LEU:HD13	2.04	0.40
2:J:283:LYS:HD3	2:J:283:LYS:HA	1.85	0.40
2:D:683:ASP:O	2:D:686:LYS:HD3	2.21	0.40
2:H:723:LYS:HE3	2:H:723:LYS:HB2	1.89	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	666/684 (97%)	644 (97%)	22 (3%)	0	100	100
2	D	666/684 (97%)	643 (96%)	23 (4%)	0	100	100
2	F	666/684 (97%)	646 (97%)	20 (3%)	0	100	100
2	H	666/684 (97%)	644 (97%)	22 (3%)	0	100	100
2	J	666/684 (97%)	647 (97%)	19 (3%)	0	100	100
2	L	666/684 (97%)	645 (97%)	21 (3%)	0	100	100
All	All	3996/4104 (97%)	3869 (97%)	127 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	575/611 (94%)	575 (100%)	0	100	100
2	D	576/611 (94%)	576 (100%)	0	100	100
2	F	574/611 (94%)	574 (100%)	0	100	100
2	H	584/611 (96%)	584 (100%)	0	100	100
2	J	580/611 (95%)	580 (100%)	0	100	100
2	L	579/611 (95%)	579 (100%)	0	100	100
All	All	3468/3666 (95%)	3468 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	349	GLN
2	B	495	ASN
2	B	500	GLN
2	B	691	HIS
2	B	868	ASN
2	D	340	ASN
2	D	380	GLN
2	D	445	ASN
2	D	511	GLN
2	D	876	HIS
2	F	380	GLN
2	F	507	GLN
2	F	726	GLN
2	F	782	HIS
2	H	354	ASN
2	H	912	HIS
2	J	287	GLN
2	J	336	GLN
2	J	549	ASN
2	J	625	ASN
2	L	376	ASN
2	L	380	GLN
2	L	507	GLN
2	L	782	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	21/22 (95%)	4 (19%)	0
1	C	21/22 (95%)	3 (14%)	0
1	E	21/22 (95%)	3 (14%)	0
1	G	21/22 (95%)	3 (14%)	0
1	I	21/22 (95%)	4 (19%)	0
1	K	21/22 (95%)	4 (19%)	0
All	All	126/132 (95%)	21 (16%)	0

All (21) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	11	U
1	A	12	C
1	A	13	G
1	A	14	G
1	C	12	C
1	C	13	G
1	C	14	G
1	E	12	C
1	E	13	G
1	E	14	G
1	G	12	C
1	G	13	G
1	G	14	G
1	I	12	C
1	I	13	G
1	I	14	G
1	I	20	G
1	K	11	U
1	K	12	C
1	K	13	G
1	K	14	G

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	22/22 (100%)	-0.27	0	100	100	44, 51, 95, 96	0
1	C	22/22 (100%)	-0.39	0	100	100	41, 52, 93, 96	0
1	E	22/22 (100%)	-0.33	0	100	100	37, 51, 108, 111	0
1	G	22/22 (100%)	-0.46	0	100	100	41, 51, 95, 101	0
1	I	22/22 (100%)	-0.19	0	100	100	47, 57, 110, 116	0
1	K	22/22 (100%)	-0.22	0	100	100	48, 59, 105, 113	0
2	B	672/684 (98%)	-0.12	2 (0%)	90	79	29, 56, 81, 101	0
2	D	672/684 (98%)	0.03	6 (0%)	81	61	37, 61, 90, 103	0
2	F	672/684 (98%)	0.01	5 (0%)	84	66	37, 59, 89, 100	0
2	H	672/684 (98%)	-0.02	1 (0%)	92	86	41, 61, 84, 102	0
2	J	672/684 (98%)	0.03	4 (0%)	85	69	36, 64, 94, 112	0
2	L	672/684 (98%)	0.03	2 (0%)	90	79	36, 64, 92, 110	0
All	All	4164/4236 (98%)	-0.02	20 (0%)	87	72	29, 60, 90, 116	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	794	GLN	3.2
2	H	794	GLN	3.0
2	B	782	HIS	2.9
2	D	331	ASN	2.9
2	J	576	ALA	2.7
2	F	492	ASP	2.6
2	L	576	ALA	2.5
2	J	520	CYS	2.5
2	L	867	GLN	2.5
2	F	797	PRO	2.3
2	F	495	ASN	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	867	GLN	2.2
2	J	868	ASN	2.2
2	D	513	ILE	2.2
2	J	498	GLN	2.2
2	D	717	TYR	2.1
2	B	529	ASP	2.1
2	D	906	SER	2.1
2	D	492	ASP	2.1
2	F	794	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	ZN	J	1001	1/1	0.96	0.06	100,100,100,100	0
3	ZN	L	1001	1/1	0.96	0.06	89,89,89,89	0
3	ZN	H	1001	1/1	0.97	0.04	65,65,65,65	0
3	ZN	B	1001	1/1	0.99	0.04	62,62,62,62	0
3	ZN	D	1001	1/1	0.99	0.05	76,76,76,76	0
3	ZN	F	1001	1/1	0.99	0.05	77,77,77,77	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around ZN J 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN L 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN H 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN B 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around ZN D 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ZN F 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**6.5 Other polymers** ⓘ

There are no such residues in this entry.