



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 07:05 AM UTC

PDB ID : 3KZQ / pdb_00003kzq
Title : The crystal structure of the protein with unknown function from *Vibrio parahaemolyticus* RIMD 2210633
Authors : Zhang, R.; Weger, A.; Shackelford, G.; Joachimiak, A.; Midwest Center for Structural Genomics (MCSG)
Deposited on : 2009-12-08
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	208	% 84% 13% ...
1	B	208	78% 18% ...
1	C	208	81% 17% ..
1	D	208	82% 16% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	208	 81% 18% .
1	F	208	 80% 16% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PG6	A	209	-	-	X	-
2	PG6	B	212	-	-	X	-
2	PG6	C	209	-	-	X	-
2	PG6	E	209	-	-	X	-
2	PG6	E	210	-	-	X	-
2	PG6	E	211	-	-	X	-
4	GOL	C	210	-	-	X	-
4	GOL	D	209	-	-	X	-
4	GOL	F	209	-	-	X	-

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 11141 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative uncharacterized protein VP2116.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	206	Total	C	N	O	S	0	0	0
			1671	1079	270	310	12			
1	B	206	Total	C	N	O	S	0	0	0
			1671	1079	270	310	12			
1	C	206	Total	C	N	O	S	0	0	0
			1671	1079	270	310	12			
1	D	206	Total	C	N	O	S	0	0	0
			1671	1079	270	310	12			
1	E	206	Total	C	N	O	S	0	0	0
			1671	1079	270	310	12			
1	F	206	Total	C	N	O	S	0	0	0
			1671	1079	270	310	12			

- Molecule 2 is 1-(2-METHOXY-ETHOXY)-2-{2-[2-(2-METHOXY-ETHOXY)-ETHOXY]-ETHOXY}-ETHANE (CCD ID: PG6) (formula: C₁₂H₂₆O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			18	12	6		
2	B	1	Total	C	O	0	0
			18	12	6		
2	C	1	Total	C	O	0	0
			15	10	5		
2	E	1	Total	C	O	0	0
			12	8	4		
2	E	1	Total	C	O	0	0
			18	12	6		
2	E	1	Total	C	O	0	0
			18	12	6		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	3	Total	Mg	0	0
			3	3		
3	E	1	Total	Mg	0	0
			1	1		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	140	Total	O	0	0
			140	140		
5	B	176	Total	O	0	0
			176	176		
5	C	172	Total	O	0	0
			172	172		
5	D	133	Total	O	0	0
			133	133		
5	E	179	Total	O	0	0
			179	179		
5	F	164	Total	O	0	0
			164	164		




- Molecule 1: Putative uncharacterized protein VP2116

Chain E: 81% 18% .



- Molecule 1: Putative uncharacterized protein VP2116

Chain F: 80% 16% ..



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	86.30Å 118.11Å 206.67Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	31.78 – 2.10 31.78 – 2.10	Depositor EDS
% Data completeness (in resolution range)	98.4 (31.78-2.10) 98.4 (31.78-2.10)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.39 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.179 , 0.218 0.189 , 0.226	Depositor DCC
R_{free} test set	6103 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	24.8	Xtriage
Anisotropy	0.234	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 34.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	11141	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.65% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, PG6, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.28	3/1714 (0.2%)	1.22	3/2328 (0.1%)
1	B	1.47	7/1714 (0.4%)	1.25	9/2328 (0.4%)
1	C	1.38	2/1714 (0.1%)	1.20	6/2328 (0.3%)
1	D	1.29	3/1714 (0.2%)	1.15	3/2328 (0.1%)
1	E	1.43	3/1714 (0.2%)	1.27	11/2328 (0.5%)
1	F	1.35	1/1714 (0.1%)	1.23	4/2328 (0.2%)
All	All	1.37	19/10284 (0.2%)	1.22	36/13968 (0.3%)

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	52	PRO	CA-C	10.58	1.57	1.51
1	A	52	PRO	CA-C	7.07	1.56	1.52
1	B	52	PRO	CA-C	6.93	1.55	1.51
1	B	39	VAL	C-O	6.75	1.31	1.24
1	A	95	VAL	CA-CB	6.12	1.62	1.54
1	F	12	MET	SD-CE	-5.66	1.65	1.79
1	B	51	MET	SD-CE	-5.45	1.66	1.79
1	B	170	TYR	CA-C	-5.45	1.47	1.52
1	D	146	MET	CG-SD	5.45	1.94	1.80
1	B	206	MET	SD-CE	-5.24	1.66	1.79
1	B	64	LYS	CA-C	5.22	1.59	1.52
1	D	184	ILE	CA-CB	5.21	1.60	1.54
1	C	94	ALA	CA-CB	5.18	1.61	1.53
1	E	121	PRO	CA-C	5.09	1.56	1.52
1	C	49	LEU	CG-CD2	5.08	1.69	1.52
1	E	18	GLY	CA-C	5.08	1.57	1.52
1	E	162	ALA	CA-CB	5.06	1.61	1.53
1	B	154	VAL	N-CA	5.05	1.52	1.46
1	A	104	TYR	N-CA	-5.02	1.40	1.46

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	93	ARG	NE-CZ-NH2	-8.43	111.62	119.20
1	C	40	VAL	N-CA-CB	-7.53	102.52	110.72
1	F	164	SER	CA-CB-OG	-7.43	96.23	111.10
1	E	146	MET	CG-SD-CE	-7.37	84.69	100.90
1	E	51	MET	CA-C-N	-7.33	112.83	120.38
1	E	51	MET	C-N-CA	-7.33	112.83	120.38
1	B	191	THR	N-CA-CB	-7.20	99.22	110.30
1	F	146	MET	CG-SD-CE	-6.75	86.06	100.90
1	E	83	THR	CA-C-N	-6.71	113.03	120.14
1	E	83	THR	C-N-CA	-6.71	113.03	120.14
1	E	93	ARG	CG-CD-NE	-6.63	97.40	112.00
1	C	40	VAL	CG1-CB-CG2	6.57	125.26	110.80
1	C	120	MET	CG-SD-CE	-6.51	86.58	100.90
1	A	20	LYS	CD-CE-NZ	-6.49	91.13	111.90
1	E	93	ARG	CD-NE-CZ	6.16	133.02	124.40
1	F	83	THR	CA-C-N	-5.98	113.81	119.85
1	F	83	THR	C-N-CA	-5.98	113.81	119.85
1	B	33	VAL	CB-CA-C	-5.81	100.69	111.79
1	A	135	ILE	CA-CB-CG2	5.81	120.37	110.50
1	E	93	ARG	NE-CZ-NH1	5.72	127.22	121.50
1	C	169	SER	N-CA-CB	-5.70	101.41	111.39
1	C	95	VAL	N-CA-CB	5.68	118.26	110.54
1	B	96	ILE	CB-CA-C	-5.60	104.80	111.97
1	A	191	THR	N-CA-CB	-5.60	101.70	110.44
1	E	149	THR	N-CA-C	-5.60	105.18	112.23
1	B	201	ARG	CG-CD-NE	-5.50	99.90	112.00
1	D	164	SER	CA-CB-OG	-5.37	100.36	111.10
1	B	201	ARG	CB-CA-C	-5.35	101.75	110.85
1	B	20	LYS	CA-C-N	-5.34	113.13	119.05
1	B	20	LYS	C-N-CA	-5.34	113.13	119.05
1	C	146	MET	CG-SD-CE	-5.26	89.33	100.90
1	D	44	ALA	CA-C-N	5.23	125.23	120.21
1	D	44	ALA	C-N-CA	5.23	125.23	120.21
1	B	98	ALA	N-CA-C	-5.22	105.67	111.36
1	B	164	SER	CA-CB-OG	-5.07	100.96	111.10
1	E	202	ILE	N-CA-C	-5.06	105.77	110.53

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1671	0	1653	33	0
1	B	1671	0	1653	33	0
1	C	1671	0	1653	39	0
1	D	1671	0	1653	26	0
1	E	1671	0	1653	57	0
1	F	1671	0	1653	32	0
2	A	18	0	26	9	0
2	B	18	0	26	9	0
2	C	15	0	19	9	0
2	E	48	0	67	57	0
3	B	3	0	0	0	0
3	E	1	0	0	0	0
4	C	18	0	24	9	0
4	D	12	0	16	6	0
4	F	18	0	24	7	0
5	A	140	0	0	2	0
5	B	176	0	0	7	0
5	C	172	0	0	5	0
5	D	133	0	0	1	0
5	E	179	0	0	8	0
5	F	164	0	0	4	0
All	All	11141	0	10120	233	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (233) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:12:MET:HE3	1:F:91:SER:CB	1.77	1.13
1:F:12:MET:HE3	1:F:91:SER:HB3	1.25	1.11
1:B:97:ALA:HB2	1:B:146:MET:HE3	1.32	1.06
1:A:158:GLN:HE22	2:A:209:PG6:H111	1.21	1.05
1:F:12:MET:CE	1:F:91:SER:HB3	1.87	1.05
1:B:2:ASN:HB3	5:B:1030:HOH:O	1.58	1.03

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:29:GLN:OE1	1:B:191:THR:HG21	1.56	1.02
4:C:211:GOL:H32	5:C:216:HOH:O	1.62	1.00
1:E:158:GLN:NE2	2:E:211:PG6:H12	1.78	0.97
1:F:104:TYR:H	4:F:209:GOL:H32	1.28	0.96
1:A:158:GLN:OE1	2:A:209:PG6:H122	1.66	0.95
1:C:12:MET:CE	1:C:91:SER:HB3	1.96	0.95
1:E:20:LYS:HD3	2:E:209:PG6:H22	1.49	0.94
1:E:17:TRP:O	2:E:209:PG6:H41	1.67	0.93
1:C:12:MET:HE3	1:C:91:SER:CB	1.98	0.93
1:E:113:HIS:HE1	2:E:209:PG6:H12	1.35	0.92
1:C:55:MET:HE2	2:C:209:PG6:H91	1.53	0.91
1:C:55:MET:HB2	2:C:209:PG6:H71	1.51	0.90
1:A:29:GLN:OE1	1:A:191:THR:HG21	1.71	0.89
1:B:15:TRP:HD1	2:B:212:PG6:H41	1.37	0.89
1:E:52:PRO:HD3	2:E:210:PG6:H51	1.53	0.89
2:E:209:PG6:H13	5:E:1092:HOH:O	1.72	0.89
1:C:82:CYS:O	4:C:210:GOL:H31	1.72	0.88
1:B:51:MET:HE1	1:B:59:LEU:HD22	1.55	0.86
1:C:12:MET:HE3	1:C:91:SER:OG	1.75	0.86
1:A:158:GLN:HE22	2:A:209:PG6:C11	1.87	0.86
1:E:55:MET:HE3	2:E:210:PG6:H92	1.60	0.84
1:B:97:ALA:CB	1:B:146:MET:HE3	2.08	0.83
1:E:52:PRO:CD	2:E:210:PG6:H51	2.09	0.83
1:E:106:GLN:HG3	2:E:211:PG6:O6	1.77	0.83
1:B:181:TYR:O	2:E:210:PG6:H72	1.80	0.79
1:C:12:MET:HE3	1:C:91:SER:HB3	1.59	0.79
1:E:104:TYR:H	2:E:211:PG6:H81	1.48	0.78
1:C:118:ARG:CB	1:C:120:MET:HE2	2.14	0.78
1:B:51:MET:HE2	1:B:55:MET:C	2.10	0.76
1:E:49:LEU:HD21	2:E:210:PG6:H41	1.68	0.76
2:E:211:PG6:H91	5:E:764:HOH:O	1.86	0.75
1:A:51:MET:HE3	1:A:55:MET:HG2	1.69	0.74
1:E:113:HIS:HE1	2:E:209:PG6:C1	2.00	0.74
1:D:104:TYR:HB3	4:D:209:GOL:H31	1.70	0.73
1:F:12:MET:HE2	1:F:122:PRO:HB2	1.69	0.72
1:C:118:ARG:HB2	1:C:120:MET:CE	2.18	0.72
1:E:106:GLN:HG3	2:E:211:PG6:C12	2.20	0.72
1:F:104:TYR:N	4:F:209:GOL:H32	2.05	0.71
1:A:90:GLN:NE2	1:A:93:ARG:HH11	1.89	0.71
1:E:49:LEU:HD21	2:E:210:PG6:C4	2.20	0.71
1:C:55:MET:HB2	2:C:209:PG6:C7	2.21	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:17:TRP:O	2:E:209:PG6:C4	2.38	0.70
1:A:104:TYR:OH	2:A:209:PG6:H123	1.93	0.69
1:A:158:GLN:NE2	2:A:209:PG6:H111	2.04	0.69
1:F:12:MET:HE3	1:F:91:SER:OG	1.92	0.69
1:C:118:ARG:HB3	1:C:120:MET:HE2	1.76	0.68
1:D:14:SER:H	4:D:210:GOL:H31	1.56	0.68
1:C:77:ASP:OD2	1:E:113:HIS:HD2	1.77	0.67
1:C:12:MET:CE	1:C:91:SER:CB	2.65	0.66
1:F:105:GLU:H	4:F:209:GOL:H11	1.61	0.66
1:E:158:GLN:HE22	2:E:211:PG6:H12	1.60	0.65
1:B:90:GLN:NE2	1:B:93:ARG:HH11	1.95	0.65
1:C:118:ARG:HB2	1:C:120:MET:HE2	1.77	0.65
1:A:51:MET:HE1	1:A:59:LEU:HD12	1.78	0.65
1:E:55:MET:HE3	2:E:210:PG6:C9	2.27	0.64
1:C:52:PRO:HG3	2:C:209:PG6:H41	1.79	0.64
1:A:90:GLN:HE21	1:A:93:ARG:NH1	1.96	0.64
1:E:4:LYS:HD2	1:E:6:TYR:CZ	2.33	0.64
1:B:146:MET:HA	1:B:146:MET:HE2	1.79	0.63
1:B:27:LYS:HE2	1:B:105:GLU:OE2	1.99	0.63
1:E:103:SER:HA	2:E:211:PG6:C11	2.28	0.63
1:E:113:HIS:CE1	2:E:209:PG6:C1	2.82	0.62
1:C:2:ASN:ND2	1:C:35:GLN:HE22	1.98	0.62
1:D:94:ALA:HB1	1:D:107:MET:HE2	1.80	0.62
1:A:20:LYS:HE2	1:A:24:GLU:OE2	1.99	0.62
1:D:102:ASP:HA	4:D:209:GOL:H11	1.82	0.61
1:C:118:ARG:HD3	1:C:120:MET:HE1	1.81	0.61
1:E:55:MET:CE	2:E:210:PG6:H112	2.29	0.61
1:C:52:PRO:HG3	2:C:209:PG6:H32	1.83	0.61
1:A:90:GLN:HE21	1:A:93:ARG:HH11	1.47	0.61
1:D:90:GLN:NE2	1:D:93:ARG:HH11	1.99	0.60
1:A:104:TYR:CE1	2:A:209:PG6:H123	2.36	0.60
1:B:181:TYR:O	2:E:210:PG6:C7	2.51	0.59
1:A:51:MET:CE	1:A:55:MET:HG2	2.31	0.59
1:D:14:SER:HB3	1:D:66:ILE:CD1	2.32	0.59
1:F:14:SER:H	4:F:211:GOL:H31	1.67	0.59
1:E:158:GLN:HE21	2:E:211:PG6:H12	1.67	0.59
1:B:14:SER:HB3	1:B:66:ILE:CD1	2.33	0.59
1:B:29:GLN:OE1	1:B:191:THR:CG2	2.44	0.59
1:E:55:MET:HE3	2:E:210:PG6:H112	1.85	0.59
1:E:113:HIS:CE1	2:E:209:PG6:H12	2.27	0.59
1:D:107:MET:HE3	1:D:111:ILE:HD11	1.84	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:106:GLN:HG3	2:E:211:PG6:H121	1.84	0.59
1:C:179:ASP:HB2	5:C:253:HOH:O	2.02	0.58
1:B:15:TRP:CD1	2:B:212:PG6:H41	2.29	0.58
1:E:103:SER:HA	2:E:211:PG6:H112	1.85	0.58
1:D:155:PHE:O	1:D:158:GLN:HB2	2.02	0.58
1:E:104:TYR:CB	2:E:211:PG6:H81	2.33	0.58
1:D:39:VAL:HA	1:D:158:GLN:HE22	1.68	0.58
1:E:104:TYR:CE1	2:E:211:PG6:H13	2.39	0.58
1:B:93:ARG:O	1:B:146:MET:HE1	2.03	0.57
1:C:12:MET:HE1	5:C:213:HOH:O	2.02	0.57
1:F:69:GLN:HB2	5:F:227:HOH:O	2.04	0.57
1:E:104:TYR:OH	2:E:211:PG6:H13	2.05	0.57
1:E:86:ARG:NH1	5:E:229:HOH:O	2.38	0.57
1:E:102:ASP:C	2:E:211:PG6:H82	2.30	0.57
1:E:104:TYR:H	2:E:211:PG6:C8	2.16	0.57
1:A:90:GLN:NE2	1:A:93:ARG:NH1	2.54	0.56
1:E:104:TYR:HB2	2:E:211:PG6:H81	1.88	0.56
1:F:31:PRO:HD2	1:F:34:ILE:HD12	1.87	0.56
1:E:20:LYS:CD	2:E:209:PG6:H22	2.30	0.55
1:F:86:ARG:HH12	4:F:211:GOL:H11	1.71	0.55
1:A:51:MET:HE2	1:A:55:MET:C	2.32	0.55
1:D:40:VAL:H	1:D:158:GLN:HE21	1.55	0.55
1:A:104:TYR:CZ	2:A:209:PG6:H123	2.42	0.55
1:B:35:GLN:HG3	5:B:370:HOH:O	2.07	0.55
1:B:179:ASP:O	2:E:210:PG6:H12	2.06	0.55
1:C:55:MET:CB	2:C:209:PG6:H71	2.31	0.54
1:D:2:ASN:H	1:D:178:ASN:ND2	2.06	0.54
1:B:51:MET:CE	1:B:59:LEU:HD22	2.34	0.54
1:A:51:MET:HE1	1:A:59:LEU:CD1	2.38	0.53
1:C:118:ARG:CB	1:C:120:MET:CE	2.80	0.53
1:C:2:ASN:HD21	1:C:35:GLN:HE22	1.56	0.53
1:E:72:THR:HG23	2:E:209:PG6:H42	1.90	0.53
1:D:4:LYS:HD2	1:D:6:TYR:CZ	2.44	0.53
1:A:124:GLU:HG3	5:A:529:HOH:O	2.08	0.53
1:F:39:VAL:HA	1:F:158:GLN:HE22	1.74	0.52
1:E:105:GLU:HB2	2:E:211:PG6:H102	1.92	0.52
1:A:54:GLU:CD	1:A:54:GLU:H	2.19	0.51
2:E:211:PG6:H51	5:E:231:HOH:O	2.10	0.51
1:B:39:VAL:HA	1:B:158:GLN:HE22	1.74	0.51
1:C:52:PRO:HB3	2:C:209:PG6:H32	1.93	0.51
1:E:46:ASP:CG	1:E:93:ARG:HH22	2.19	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:13:CYS:SG	2:B:212:PG6:H42	2.50	0.51
1:E:206:MET:N	5:E:291:HOH:O	2.43	0.51
1:B:33:VAL:HG22	5:B:265:HOH:O	2.11	0.50
1:F:40:VAL:H	1:F:158:GLN:HE21	1.59	0.50
2:B:212:PG6:C1	5:B:646:HOH:O	2.59	0.50
1:C:84:PRO:CD	4:C:210:GOL:H12	2.42	0.50
1:B:90:GLN:HE21	1:B:93:ARG:HH11	1.58	0.49
1:F:196:LYS:HE3	5:F:337:HOH:O	2.12	0.49
1:C:13:CYS:HA	4:C:212:GOL:H31	1.94	0.49
1:E:103:SER:HA	2:E:211:PG6:H111	1.92	0.49
1:E:158:GLN:NE2	2:E:211:PG6:C1	2.65	0.49
1:A:20:LYS:HD2	5:A:210:HOH:O	2.11	0.49
1:E:55:MET:HG3	2:E:210:PG6:H61	1.95	0.49
2:B:212:PG6:H11	5:B:646:HOH:O	2.13	0.49
1:C:111:ILE:HD13	1:C:131:LEU:HD13	1.95	0.49
1:D:2:ASN:H	1:D:178:ASN:HD21	1.59	0.49
1:D:102:ASP:HA	4:D:209:GOL:C1	2.43	0.48
1:B:31:PRO:HD2	1:B:34:ILE:HD12	1.95	0.48
1:C:118:ARG:CD	1:C:120:MET:HE1	2.44	0.48
1:E:49:LEU:CD2	2:E:210:PG6:H41	2.41	0.48
1:E:143:LYS:HE3	1:E:147:ASP:OD2	2.14	0.48
1:D:102:ASP:C	4:D:209:GOL:H11	2.39	0.48
1:A:206:MET:HE2	1:A:206:MET:HB3	1.77	0.48
1:F:102:ASP:C	4:F:209:GOL:H31	2.39	0.48
1:D:90:GLN:HE21	1:D:93:ARG:HH11	1.62	0.48
1:A:14:SER:HB3	1:A:66:ILE:CD1	2.44	0.47
1:C:40:VAL:H	1:C:158:GLN:NE2	2.12	0.47
1:E:104:TYR:CZ	2:E:211:PG6:H13	2.49	0.47
1:E:54:GLU:HB2	2:E:210:PG6:H91	1.96	0.47
1:B:1:MET:HG2	1:B:3:ILE:HD11	1.97	0.47
1:A:120:MET:HE2	1:A:127:THR:HG23	1.96	0.47
1:B:169:SER:HB2	2:B:212:PG6:H71	1.96	0.47
1:C:4:LYS:HE3	1:C:37:GLU:OE1	2.15	0.47
1:E:104:TYR:OH	2:E:211:PG6:C1	2.63	0.47
1:E:152:GLU:OE1	1:E:152:GLU:HA	2.13	0.47
1:F:199:ARG:O	1:F:203:ILE:HG12	2.15	0.47
1:D:40:VAL:H	1:D:158:GLN:NE2	2.12	0.47
2:B:212:PG6:H61	5:B:239:HOH:O	2.14	0.47
1:D:60:GLU:O	1:D:64:LYS:HG3	2.15	0.47
1:F:20:LYS:HB3	1:F:21:PRO:HD3	1.96	0.47
1:B:27:LYS:CE	1:B:105:GLU:OE2	2.63	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:158:GLN:HE22	2:E:211:PG6:C1	2.27	0.46
1:A:55:MET:SD	1:A:86:ARG:HG2	2.55	0.46
1:C:56:GLN:OE1	4:C:210:GOL:O2	2.31	0.46
1:F:12:MET:CE	1:F:91:SER:CB	2.62	0.46
1:F:40:VAL:H	1:F:158:GLN:NE2	2.14	0.46
1:E:102:ASP:HA	2:E:211:PG6:H82	1.98	0.46
2:E:209:PG6:H32	2:E:209:PG6:H52	1.49	0.46
1:E:72:THR:HA	2:E:209:PG6:H62	1.96	0.45
1:C:111:ILE:HD13	1:C:131:LEU:CD1	2.45	0.45
1:D:181:TYR:N	1:D:181:TYR:CD2	2.84	0.45
1:F:27:LYS:HE2	5:F:254:HOH:O	2.15	0.45
1:C:84:PRO:HD2	4:C:210:GOL:H12	1.98	0.45
1:D:90:GLN:NE2	1:D:93:ARG:NH1	2.65	0.45
1:A:90:GLN:NE2	1:A:93:ARG:HD2	2.32	0.44
1:D:151:LEU:C	1:D:151:LEU:HD23	2.42	0.44
1:E:55:MET:HE3	2:E:210:PG6:C11	2.47	0.44
1:E:103:SER:C	2:E:211:PG6:H111	2.43	0.44
1:F:151:LEU:O	1:F:151:LEU:HG	2.13	0.44
1:B:51:MET:HE3	1:B:55:MET:SD	2.57	0.44
1:A:29:GLN:OE1	1:A:191:THR:CG2	2.55	0.44
2:E:209:PG6:H11	5:E:789:HOH:O	2.17	0.44
1:A:104:TYR:CE1	2:A:209:PG6:H112	2.53	0.44
1:D:102:ASP:CA	4:D:209:GOL:H11	2.47	0.44
1:E:44:ALA:HA	1:E:45:PRO:HD3	1.86	0.44
1:E:104:TYR:N	2:E:211:PG6:H81	2.26	0.44
1:A:93:ARG:HB3	1:A:151:LEU:HD21	2.01	0.43
1:F:14:SER:HB3	1:F:66:ILE:CD1	2.48	0.43
1:F:192:GLU:HG3	5:F:1084:HOH:O	2.17	0.43
1:D:201:ARG:HA	1:D:201:ARG:HD3	1.76	0.43
1:C:114:ALA:HA	1:C:120:MET:HE3	2.00	0.43
2:E:209:PG6:H31	5:E:221:HOH:O	2.18	0.43
1:A:142:PHE:CZ	1:A:146:MET:HE2	2.53	0.43
1:B:86:ARG:HH12	2:B:212:PG6:H12	1.83	0.43
1:C:104:TYR:HB3	4:C:211:GOL:H12	2.00	0.43
1:B:90:GLN:NE2	1:B:93:ARG:NH1	2.63	0.42
1:C:52:PRO:CG	2:C:209:PG6:H32	2.47	0.42
1:A:135:ILE:HG22	1:A:137:LEU:HG	2.01	0.42
1:B:199:ARG:O	1:B:203:ILE:HG12	2.18	0.42
1:E:40:VAL:HG22	1:E:158:GLN:HE21	1.85	0.42
1:F:138:ASN:HB3	1:F:141:GLN:HG2	2.00	0.42
1:E:151:LEU:C	1:E:151:LEU:HD23	2.44	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:C:210:GOL:H11	5:C:350:HOH:O	2.19	0.42
1:A:104:TYR:OH	2:A:209:PG6:C12	2.65	0.42
1:B:93:ARG:C	1:B:146:MET:HE1	2.44	0.42
1:C:83:THR:HA	4:C:210:GOL:H12	2.01	0.42
1:D:115:TYR:HB2	1:D:122:PRO:HB3	2.02	0.42
1:E:49:LEU:HG	2:E:210:PG6:H22	2.01	0.42
1:F:97:ALA:HB2	1:F:151:LEU:HD13	2.02	0.42
1:F:121:PRO:HA	1:F:122:PRO:HD2	1.94	0.41
1:B:40:VAL:H	1:B:158:GLN:HE21	1.68	0.41
1:F:20:LYS:HA	1:F:23:ILE:HG22	2.02	0.41
1:D:206:MET:C	5:D:223:HOH:O	2.63	0.41
1:F:75:ASN:OD1	1:F:77:ASP:HB2	2.20	0.41
1:A:201:ARG:HD3	1:A:201:ARG:HA	1.84	0.41
1:F:105:GLU:H	4:F:209:GOL:C1	2.29	0.41
1:C:120:MET:HE3	1:C:120:MET:HB2	1.86	0.41
1:F:1:MET:HG2	1:F:3:ILE:HD11	2.02	0.41
2:C:209:PG6:H41	2:C:209:PG6:H61	1.80	0.41
1:D:20:LYS:HA	1:D:23:ILE:HG22	2.03	0.41
1:F:150:LEU:O	1:F:154:VAL:HG23	2.21	0.40
2:B:212:PG6:C5	5:B:239:HOH:O	2.69	0.40
1:C:158:GLN:NE2	5:C:229:HOH:O	2.53	0.40
2:E:211:PG6:H101	5:E:223:HOH:O	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	204/208 (98%)	201 (98%)	3 (2%)	0	100	100
1	B	204/208 (98%)	201 (98%)	3 (2%)	0	100	100
1	C	204/208 (98%)	201 (98%)	3 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	204/208 (98%)	199 (98%)	5 (2%)	0	100	100
1	E	204/208 (98%)	201 (98%)	3 (2%)	0	100	100
1	F	204/208 (98%)	200 (98%)	4 (2%)	0	100	100
All	All	1224/1248 (98%)	1203 (98%)	21 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	184/185 (100%)	176 (96%)	8 (4%)	26	27
1	B	184/185 (100%)	179 (97%)	5 (3%)	39	45
1	C	184/185 (100%)	172 (94%)	12 (6%)	15	13
1	D	184/185 (100%)	180 (98%)	4 (2%)	45	53
1	E	184/185 (100%)	181 (98%)	3 (2%)	55	64
1	F	184/185 (100%)	178 (97%)	6 (3%)	33	37
All	All	1104/1110 (100%)	1066 (97%)	38 (3%)	32	35

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	LEU
1	A	58	LYS
1	A	80	LYS
1	A	86	ARG
1	A	135	ILE
1	A	163	LYS
1	A	164	SER
1	A	191	THR
1	B	33	VAL
1	B	57	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	59	LEU
1	B	81	LEU
1	B	191	THR
1	C	4	LYS
1	C	30	LEU
1	C	40	VAL
1	C	58	LYS
1	C	59	LEU
1	C	125	GLU
1	C	137	LEU
1	C	147	ASP
1	C	151	LEU
1	C	159	LEU
1	C	192	GLU
1	C	203	ILE
1	D	59	LEU
1	D	135	ILE
1	D	146	MET
1	D	192	GLU
1	E	25	LYS
1	E	53	PRO
1	E	150	LEU
1	F	1	MET
1	F	64	LYS
1	F	80	LYS
1	F	141	GLN
1	F	151	LEU
1	F	164	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (37) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	ASN
1	A	90	GLN
1	A	123	HIS
1	A	140	GLN
1	A	176	GLN
1	B	48	ASN
1	B	65	GLN
1	B	90	GLN
1	B	130	GLN
1	B	158	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	205	ASN
1	C	2	ASN
1	C	29	GLN
1	C	35	GLN
1	C	156	GLN
1	C	158	GLN
1	D	2	ASN
1	D	35	GLN
1	D	90	GLN
1	D	156	GLN
1	D	158	GLN
1	D	178	ASN
1	E	2	ASN
1	E	29	GLN
1	E	35	GLN
1	E	69	GLN
1	E	106	GLN
1	E	113	HIS
1	E	158	GLN
1	E	205	ASN
1	F	28	GLN
1	F	130	GLN
1	F	140	GLN
1	F	144	ASN
1	F	156	GLN
1	F	158	GLN
1	F	205	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 18 ligands modelled in this entry, 4 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PG6	E	211	-	17,17,17	1.26	0	16,16,16	1.15	1 (6%)
2	PG6	A	209	-	17,17,17	1.06	0	16,16,16	0.90	0
4	GOL	D	210	-	5,5,5	0.59	0	5,5,5	0.76	0
4	GOL	F	209	-	5,5,5	0.52	0	5,5,5	1.11	0
4	GOL	C	210	-	5,5,5	0.46	0	5,5,5	1.09	0
2	PG6	B	212	-	17,17,17	0.66	0	16,16,16	0.53	0
2	PG6	C	209	-	14,14,17	1.09	0	13,13,16	1.55	3 (23%)
4	GOL	F	211	-	5,5,5	0.32	0	5,5,5	0.73	0
4	GOL	C	211	-	5,5,5	0.34	0	5,5,5	1.63	1 (20%)
4	GOL	C	212	-	5,5,5	0.48	0	5,5,5	0.90	0
2	PG6	E	209	-	11,11,17	1.18	0	10,10,16	1.71	3 (30%)
4	GOL	F	210	-	5,5,5	0.74	0	5,5,5	1.55	1 (20%)
4	GOL	D	209	-	5,5,5	0.75	0	5,5,5	1.27	1 (20%)
2	PG6	E	210	3	17,17,17	1.05	0	16,16,16	1.82	5 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PG6	E	211	-	-	11/15/15/15	-
2	PG6	A	209	-	-	10/15/15/15	-
4	GOL	D	210	-	-	3/4/4/4	-
4	GOL	F	209	-	-	2/4/4/4	-
4	GOL	C	210	-	-	0/4/4/4	-
2	PG6	B	212	-	-	10/15/15/15	-
2	PG6	C	209	-	-	8/12/12/15	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	F	211	-	-	2/4/4/4	-
4	GOL	C	211	-	-	4/4/4/4	-
4	GOL	C	212	-	-	4/4/4/4	-
2	PG6	E	209	-	-	6/9/9/15	-
4	GOL	F	210	-	-	3/4/4/4	-
4	GOL	D	209	-	-	2/4/4/4	-
2	PG6	E	210	3	-	9/15/15/15	-

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	210	PG6	O2-C3-C2	4.05	128.80	110.35
2	E	209	PG6	O3-C6-C7	3.41	125.92	110.35
2	C	209	PG6	O2-C3-C2	3.18	124.83	110.35
4	F	210	GOL	C3-C2-C1	3.16	123.39	111.80
2	E	210	PG6	C1-O1-C2	2.70	129.19	112.90
4	D	209	GOL	O2-C2-C1	-2.44	99.09	109.18
2	C	209	PG6	O2-C4-C5	2.42	121.36	110.35
2	E	210	PG6	C8-O4-C7	2.41	123.82	113.26
2	E	209	PG6	C1-O1-C2	2.31	126.81	112.90
2	E	210	PG6	O5-C9-C8	2.23	120.53	110.35
2	E	211	PG6	C8-O4-C7	2.21	122.93	113.26
4	C	211	GOL	O2-C2-C3	2.18	118.19	109.18
2	E	209	PG6	O2-C3-C2	2.08	119.83	110.35
2	E	210	PG6	C6-O3-C5	2.07	122.32	113.26
2	C	209	PG6	O4-C7-C6	2.03	119.61	110.35

There are no chirality outliers.

All (74) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	C	212	GOL	O1-C1-C2-C3
4	C	212	GOL	C1-C2-C3-O3
4	D	210	GOL	O1-C1-C2-O2
4	D	210	GOL	O1-C1-C2-C3
4	F	209	GOL	C1-C2-C3-O3
4	F	211	GOL	O1-C1-C2-O2
2	E	210	PG6	C2-C3-O2-C4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	209	PG6	C5-C4-O2-C3
2	C	209	PG6	C4-C5-O3-C6
2	E	209	PG6	C5-C4-O2-C3
2	E	211	PG6	C4-C5-O3-C6
2	E	210	PG6	O1-C2-C3-O2
2	E	211	PG6	O5-C10-C11-O6
2	A	209	PG6	O2-C4-C5-O3
2	C	209	PG6	O1-C2-C3-O2
2	A	209	PG6	C3-C2-O1-C1
2	B	212	PG6	O2-C4-C5-O3
2	E	211	PG6	C10-C11-O6-C12
2	B	212	PG6	C10-C11-O6-C12
4	C	212	GOL	O1-C1-C2-O2
2	E	210	PG6	O4-C8-C9-O5
2	C	209	PG6	C9-C8-O4-C7
2	E	210	PG6	O5-C10-C11-O6
2	E	211	PG6	O3-C6-C7-O4
4	C	211	GOL	O1-C1-C2-C3
4	C	211	GOL	C1-C2-C3-O3
4	D	209	GOL	O1-C1-C2-C3
4	F	210	GOL	O1-C1-C2-C3
4	F	210	GOL	C1-C2-C3-O3
4	F	211	GOL	O1-C1-C2-C3
2	E	210	PG6	O3-C6-C7-O4
2	E	211	PG6	O1-C2-C3-O2
2	B	212	PG6	O3-C6-C7-O4
4	C	211	GOL	O1-C1-C2-O2
4	C	211	GOL	O2-C2-C3-O3
4	C	212	GOL	O2-C2-C3-O3
4	D	209	GOL	O2-C2-C3-O3
2	C	209	PG6	O2-C4-C5-O3
2	A	209	PG6	C8-C9-O5-C10
2	E	210	PG6	O2-C4-C5-O3
2	A	209	PG6	O5-C10-C11-O6
2	B	212	PG6	O5-C10-C11-O6
2	E	211	PG6	O4-C8-C9-O5
2	A	209	PG6	O4-C8-C9-O5
4	F	210	GOL	O2-C2-C3-O3
4	D	210	GOL	C1-C2-C3-O3
2	A	209	PG6	C11-C10-O5-C9
2	A	209	PG6	C7-C6-O3-C5
2	E	209	PG6	O1-C2-C3-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	209	PG6	C6-C7-O4-C8
2	E	210	PG6	C4-C5-O3-C6
2	C	209	PG6	C5-C4-O2-C3
2	E	209	PG6	C6-C7-O4-C8
2	E	211	PG6	C11-C10-O5-C9
2	A	209	PG6	C9-C8-O4-C7
2	E	209	PG6	C3-C2-O1-C1
2	E	211	PG6	C8-C9-O5-C10
4	F	209	GOL	O2-C2-C3-O3
2	E	211	PG6	C2-C3-O2-C4
2	E	209	PG6	C2-C3-O2-C4
2	C	209	PG6	C3-C2-O1-C1
2	B	212	PG6	C7-C6-O3-C5
2	C	209	PG6	C8-C9-O5-C10
2	E	210	PG6	C11-C10-O5-C9
2	B	212	PG6	C5-C4-O2-C3
2	B	212	PG6	C3-C2-O1-C1
2	E	210	PG6	C8-C9-O5-C10
2	B	212	PG6	C8-C9-O5-C10
2	B	212	PG6	C11-C10-O5-C9
2	E	209	PG6	O2-C4-C5-O3
2	B	212	PG6	O4-C8-C9-O5
2	E	211	PG6	O2-C4-C5-O3
2	E	211	PG6	C6-C7-O4-C8
2	C	209	PG6	O4-C8-C9-O5

There are no ring outliers.

13 monomers are involved in 106 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	211	PG6	27	0
2	A	209	PG6	9	0
4	D	210	GOL	1	0
4	F	209	GOL	5	0
4	C	210	GOL	6	0
2	B	212	PG6	9	0
2	C	209	PG6	9	0
4	F	211	GOL	2	0
4	C	211	GOL	2	0
4	C	212	GOL	1	0
2	E	209	PG6	14	0
4	D	209	GOL	5	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	210	PG6	16	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	206/208 (99%)	-0.14	2 (0%) 79 81	8, 16, 28, 35	0
1	B	206/208 (99%)	-0.65	0 100 100	6, 14, 26, 31	0
1	C	206/208 (99%)	-0.56	1 (0%) 87 88	8, 15, 27, 33	0
1	D	206/208 (99%)	-0.33	0 100 100	10, 18, 30, 34	0
1	E	206/208 (99%)	-0.65	1 (0%) 87 88	6, 13, 25, 35	0
1	F	206/208 (99%)	-0.57	0 100 100	7, 14, 26, 32	0
All	All	1236/1248 (99%)	-0.48	4 (0%) 90 91	6, 15, 27, 35	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	168	ASN	2.7
1	A	135	ILE	2.5
1	A	192	GLU	2.1
1	C	147	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PG6	A	209	18/18	0.60	0.35	21,62,82,83	0
2	PG6	C	209	15/18	0.70	0.24	38,54,73,73	0
2	PG6	E	211	18/18	0.74	0.24	21,48,63,65	0
2	PG6	B	212	18/18	0.77	0.24	58,72,77,78	0
2	PG6	E	210	18/18	0.78	0.20	23,44,66,67	0
4	GOL	D	209	6/6	0.79	0.22	47,57,59,63	0
4	GOL	C	211	6/6	0.80	0.19	47,52,54,56	0
4	GOL	F	210	6/6	0.80	0.17	50,55,57,58	0
4	GOL	D	210	6/6	0.83	0.16	48,57,59,64	0
2	PG6	E	209	12/18	0.83	0.19	16,31,51,53	0
4	GOL	C	212	6/6	0.85	0.16	55,56,57,57	0
4	GOL	F	209	6/6	0.87	0.14	40,46,49,50	0
4	GOL	C	210	6/6	0.88	0.12	43,45,48,52	0
4	GOL	F	211	6/6	0.88	0.15	58,62,63,64	0
3	MG	E	212	1/1	0.96	0.06	34,34,34,34	0
3	MG	B	211	1/1	0.97	0.08	34,34,34,34	0
3	MG	B	209	1/1	0.97	0.05	33,33,33,33	0
3	MG	B	210	1/1	0.99	0.05	30,30,30,30	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around PG6 A 209:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PG6 C 209:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PG6 E 211:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PG6 B 212:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PG6 E 210:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around PG6 E 209:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.