



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:13 AM UTC

PDB ID : 7KZ5 / pdb_00007kz5
Title : Crystal structure of KabA from Bacillus cereus UW85 in complex with the plp external aldimine adduct with kanosamine-6-phosphate
Authors : Prasertanan, T.; Palmer, D.R.J.; Sanders, D.A.R.
Deposited on : 2020-12-10
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	445	2% 90% 8%
1	B	445	2% 86% 13%
1	C	445	% 88% 11%
1	D	445	2% 86% 13%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 15818 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Aminotransferase class I/II-fold pyridoxal phosphate-dependent enzyme.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	439	Total	C	N	O	S	0	3	0
			3563	2276	608	664	15			
1	B	439	Total	C	N	O	S	0	5	0
			3577	2286	611	665	15			
1	C	439	Total	C	N	O	S	0	5	0
			3572	2285	609	662	16			
1	D	439	Total	C	N	O	S	0	5	0
			3573	2283	608	667	15			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP C0JRF5
A	0	ALA	-	expression tag	UNP C0JRF5
A	1	MET	-	expression tag	UNP C0JRF5
A	2	ASP	-	expression tag	UNP C0JRF5
B	-1	GLY	-	expression tag	UNP C0JRF5
B	0	ALA	-	expression tag	UNP C0JRF5
B	1	MET	-	expression tag	UNP C0JRF5
B	2	ASP	-	expression tag	UNP C0JRF5
C	-1	GLY	-	expression tag	UNP C0JRF5
C	0	ALA	-	expression tag	UNP C0JRF5
C	1	MET	-	expression tag	UNP C0JRF5
C	2	ASP	-	expression tag	UNP C0JRF5
D	-1	GLY	-	expression tag	UNP C0JRF5
D	0	ALA	-	expression tag	UNP C0JRF5
D	1	MET	-	expression tag	UNP C0JRF5
D	2	ASP	-	expression tag	UNP C0JRF5

- Molecule 2 is 3-deoxy-3-[(E)-({3-hydroxy-2-methyl-5-[(phosphonooxy)methyl]pyridin-4-yl)methylidene)amino]-6-O-phosphono- α -D-glucopyranose (CCD ID: O1G) (formula: $C_{14}H_{22}N_2O_{13}P_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	14	2	13	2		
2	B	1	Total	C	N	O	P	0	0
			31	14	2	13	2		
2	C	1	Total	C	N	O	P	0	0
			31	14	2	13	2		
2	D	1	Total	C	N	O	P	0	0
			31	14	2	13	2		

- Molecule 3 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Na	0	0
			1	1		
3	C	1	Total	Na	0	0
			1	1		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total 4	C 2	O 2	0	0
4	A	1	Total 4	C 2	O 2	0	0
4	B	1	Total 4	C 2	O 2	0	0
4	B	1	Total 4	C 2	O 2	0	0
4	B	1	Total 4	C 2	O 2	0	0
4	B	1	Total 4	C 2	O 2	0	0
4	B	1	Total 4	C 2	O 2	0	0
4	B	1	Total 4	C 2	O 2	0	0
4	B	1	Total 4	C 2	O 2	0	0
4	B	1	Total 4	C 2	O 2	0	0
4	B	1	Total 4	C 2	O 2	0	0
4	B	1	Total 4	C 2	O 2	0	0
4	B	1	Total 4	C 2	O 2	0	0
4	B	1	Total 4	C 2	O 2	0	0
4	B	1	Total 4	C 2	O 2	0	0
4	B	1	Total 4	C 2	O 2	0	0
4	C	1	Total 4	C 2	O 2	0	0
4	C	1	Total 4	C 2	O 2	0	0
4	C	1	Total 4	C 2	O 2	0	0
4	C	1	Total 4	C 2	O 2	0	0
4	C	1	Total 4	C 2	O 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	335	Total O 335 335	0	0
5	B	280	Total O 280 280	0	0
5	C	339	Total O 339 339	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	D	249	Total 249	O 249	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Aminotransferase class I/II-fold pyridoxal phosphate-dependent enzyme




- Molecule 1: Aminotransferase class I/II-fold pyridoxal phosphate-dependent enzyme




- Molecule 1: Aminotransferase class I/II-fold pyridoxal phosphate-dependent enzyme



- Molecule 1: Aminotransferase class I/II-fold pyridoxal phosphate-dependent enzyme





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	66.67Å 66.60Å 111.78Å 77.35° 81.06° 87.91°	Depositor
Resolution (Å)	46.75 – 1.60 46.75 – 1.60	Depositor EDS
% Data completeness (in resolution range)	92.8 (46.75-1.60) 92.8 (46.75-1.60)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.40 (at 1.60Å)	Xtriage
Refinement program	PHENIX dev_2398	Depositor
R, R_{free}	0.175 , 0.215 0.177 , 0.216	Depositor DCC
R_{free} test set	11353 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	17.9	Xtriage
Anisotropy	0.089	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 45.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	0.035 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	15818	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.80% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, O1G, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.89	0/3624	0.92	1/4885 (0.0%)
1	B	0.81	1/3642 (0.0%)	0.85	0/4910
1	C	0.88	0/3640	0.93	2/4906 (0.0%)
1	D	0.79	1/3637 (0.0%)	0.87	0/4903
All	All	0.84	2/14543 (0.0%)	0.89	3/19604 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	299	ASN	CG-OD1	5.45	1.33	1.23
1	B	328	ALA	C-O	-5.10	1.18	1.24

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	28	LYS	N-CA-C	6.59	121.69	112.93
1	C	99	LEU	CA-C-N	-5.79	113.85	119.87
1	C	99	LEU	C-N-CA	-5.79	113.85	119.87

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3563	0	3644	35	0
1	B	3577	0	3659	46	0
1	C	3572	0	3664	36	0
1	D	3573	0	3655	43	0
2	A	31	0	8	1	0
2	B	31	0	8	1	0
2	C	31	0	8	2	0
2	D	31	0	8	0	0
3	A	1	0	0	0	0
3	C	1	0	0	0	0
4	A	64	0	95	11	0
4	B	56	0	83	10	0
4	C	44	0	66	10	0
4	D	40	0	60	4	0
5	A	335	0	0	6	0
5	B	280	0	0	8	0
5	C	339	0	0	5	0
5	D	249	0	0	1	0
All	All	15818	0	14958	160	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (160) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:333:ARG:HH11	4:C:510:EDO:H11	1.29	0.94
1:A:68:ARG:HH22	1:D:54:LYS:NZ	1.75	0.83
1:C:349[A]:MET:HE1	1:C:355:TRP:HE1	1.44	0.82
1:D:193:ILE:HG23	1:D:197:THR:HG21	1.61	0.81
1:B:204:HIS:HD2	1:B:210:CYS:H	1.28	0.79
1:D:126:VAL:HG22	1:D:266[B]:VAL:HG23	1.64	0.79
1:C:13:SER:HB3	1:C:351:GLU:O	1.83	0.79
1:A:68:ARG:HH22	1:D:54:LYS:HZ3	1.31	0.77
1:B:388:VAL:HA	4:B:504:EDO:H12	1.65	0.76
1:A:330:ARG:HH22	1:A:432:ASN:HD21	1.35	0.73
1:B:204:HIS:CD2	1:B:210:CYS:H	2.07	0.72
1:B:325[A]:VAL:HG12	1:B:355:TRP:HD1	1.56	0.71
1:C:111:LYS:HE3	5:C:721:HOH:O	1.90	0.71
1:D:34:ILE:H	1:D:51:ASN:HD21	1.39	0.71
1:D:206:TYR:H	1:D:232:GLN:NE2	1.89	0.70
1:B:325[A]:VAL:HG12	1:B:355:TRP:CD1	2.26	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:388:VAL:HG13	4:B:504:EDO:H11	1.76	0.68
1:B:432:ASN:O	1:B:436:GLU:HG3	1.94	0.68
4:A:508:EDO:H11	1:B:100:PRO:HA	1.76	0.67
1:C:82:LEU:HD22	5:C:722:HOH:O	1.95	0.66
1:D:193:ILE:HG23	1:D:197:THR:CG2	2.27	0.65
1:C:333:ARG:NH1	4:C:510:EDO:H11	2.10	0.64
1:B:46:LYS:NZ	1:B:62:ASP:O	2.27	0.64
1:D:82:LEU:O	4:D:505:EDO:H21	1.98	0.63
1:A:251:ASN:ND2	1:A:253:TYR:H	1.97	0.62
1:D:123:LYS:HD3	4:D:502:EDO:H21	1.81	0.61
1:B:204:HIS:HE1	1:B:228:GLU:OE1	1.85	0.59
1:D:178:ASP:O	1:D:409[A]:ASN:ND2	2.35	0.59
1:C:213:LYS:O	1:C:217:GLU:HG3	2.04	0.58
1:B:213:LYS:HG2	5:B:621:HOH:O	2.02	0.57
1:C:13:SER:HB2	1:C:237:SER:H	1.68	0.57
1:C:348:ARG:HG3	4:C:507:EDO:H11	1.85	0.57
1:D:29:GLU:OE2	1:D:29:GLU:N	2.32	0.57
1:A:111:LYS:NZ	1:A:115:GLU:HG3	2.20	0.56
1:B:70:ASN:ND2	1:C:28:LYS:HE3	2.20	0.56
1:D:194:THR:O	1:D:197:THR:HG22	2.05	0.56
1:D:246:ILE:HB	1:D:266[B]:VAL:HG12	1.88	0.56
4:B:508:EDO:H21	5:B:866:HOH:O	2.05	0.55
1:D:10:SER:OG	1:D:12:HIS:HD2	1.89	0.55
1:B:92:ILE:HG22	1:B:96:LYS:HE3	1.88	0.55
1:B:179:HIS:NE2	1:B:409[A]:ASN:OD1	2.39	0.55
1:C:417[A]:ILE:HG21	4:C:508:EDO:H11	1.89	0.55
1:D:153:MET:CE	1:D:201:LEU:HD23	2.37	0.55
1:A:51:ASN:ND2	5:A:611:HOH:O	2.39	0.54
1:A:91:ILE:O	1:A:95:LEU:HG	2.06	0.54
1:A:251:ASN:HD21	1:A:253:TYR:HD2	1.55	0.53
1:B:20:LEU:HD11	1:B:326:PHE:HD1	1.73	0.53
1:D:246:ILE:HB	1:D:266[B]:VAL:CG1	2.39	0.53
1:B:402:TYR:CE1	4:B:502:EDO:H21	2.43	0.53
1:D:124:LYS:H	1:D:268:ASN:HD22	1.56	0.53
1:A:396:LYS:HB3	1:A:400:LYS:HZ3	1.75	0.52
1:B:41[A]:HIS:HB3	1:B:315:LYS:HB3	1.92	0.52
1:C:163:ASN:HD21	1:D:292:LYS:NZ	2.08	0.52
1:A:365:GLY:HA2	4:A:505:EDO:H12	1.91	0.51
1:C:10:SER:OG	1:C:12:HIS:HD2	1.93	0.51
1:C:98:VAL:HG22	1:C:109:PHE:CE1	2.45	0.51
1:D:22:CYS:HA	1:D:27:THR:HG22	1.93	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:281:TYR:OH	1:A:289:LYS:HE3	2.11	0.51
1:B:281:TYR:OH	1:B:289:LYS:HE3	2.11	0.51
1:A:179:HIS:CE1	1:A:409[A]:ASN:HD21	2.29	0.51
1:B:5:THR:HG22	1:B:29:GLU:O	2.12	0.50
1:C:12:HIS:CE1	4:C:509:EDO:H11	2.45	0.50
1:C:41[A]:HIS:HB3	1:C:315:LYS:HB3	1.93	0.50
1:B:254:LYS:NZ	5:B:608:HOH:O	2.45	0.50
1:B:386:TYR:O	1:B:414:HIS:HE1	1.94	0.50
1:A:68:ARG:HH22	1:D:54:LYS:HZ1	1.57	0.50
1:A:330:ARG:NH2	1:A:432:ASN:HD21	2.09	0.49
1:C:188:LYS:NZ	5:C:615:HOH:O	2.45	0.49
1:D:124:LYS:HD3	1:D:125:TYR:CZ	2.48	0.49
1:C:385:TYR:CZ	4:C:504:EDO:H21	2.47	0.49
1:C:325:VAL:HG21	5:C:719:HOH:O	2.12	0.49
1:D:386:TYR:O	1:D:414:HIS:HE1	1.96	0.49
1:D:211:ASP:OD2	1:D:214:ARG:NE	2.45	0.48
4:A:508:EDO:C1	5:A:607:HOH:O	2.60	0.48
1:C:179:HIS:CE1	1:C:409:ASN:OD1	2.67	0.48
4:C:508:EDO:H21	5:C:678:HOH:O	2.13	0.48
1:A:115:GLU:HA	4:A:511:EDO:H21	1.94	0.48
1:A:414:HIS:HB3	4:A:509:EDO:H11	1.96	0.48
1:D:124:LYS:H	1:D:268:ASN:ND2	2.12	0.48
1:A:111:LYS:HZ1	1:A:115:GLU:HG3	1.79	0.48
2:A:501:O1G:H12	2:A:501:O1G:O4	2.14	0.47
1:C:91:ILE:O	1:C:95:LEU:HG	2.14	0.47
1:A:178:ASP:OD2	1:A:181:SER:OG	2.24	0.47
1:B:55:ILE:HD12	1:B:56:ASP:N	2.30	0.47
1:D:12:HIS:HE1	1:D:120:TYR:O	1.96	0.47
1:C:9:ILE:HD11	1:C:32:PHE:CD1	2.49	0.47
1:B:111:LYS:O	1:B:115:GLU:HG3	2.15	0.47
1:A:179:HIS:N	1:A:179:HIS:ND1	2.63	0.47
1:C:83:ILE:O	4:C:511:EDO:O1	2.29	0.47
1:B:344:ILE:HA	1:B:361:ARG:O	2.15	0.47
1:A:396:LYS:HB3	1:A:400:LYS:NZ	2.29	0.47
4:A:505:EDO:O2	5:A:601:HOH:O	2.20	0.47
1:A:396:LYS:HE3	1:A:400:LYS:HZ1	1.80	0.47
1:B:124:LYS:O	4:B:506:EDO:H22	2.15	0.46
1:C:111:LYS:HA	1:C:111:LYS:HD2	1.52	0.46
1:D:281:TYR:OH	1:D:289:LYS:HE3	2.15	0.46
1:D:321:ASN:O	1:D:325:VAL:HG23	2.16	0.46
2:C:501:O1G:O4	2:C:501:O1G:H12	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:28:LYS:HG2	1:D:29:GLU:OE2	2.16	0.46
1:D:156:ASN:HB2	4:D:511:EDO:H11	1.96	0.46
1:A:277:ASN:OD1	4:A:506:EDO:H12	2.16	0.45
2:C:501:O1G:N3'	2:C:501:O1G:O3	2.50	0.45
1:A:104:PHE:HB2	1:B:252:PRO:HG2	1.98	0.45
1:B:325[A]:VAL:HG11	5:B:695:HOH:O	2.15	0.45
1:A:55:ILE:O	1:D:69:LYS:HD3	2.16	0.45
1:C:329:GLN:OE1	4:C:510:EDO:H21	2.17	0.45
1:A:137:MET:HE2	1:A:137:MET:HB3	1.71	0.45
1:C:240:GLY:HA2	1:C:246:ILE:HD11	1.98	0.44
1:B:402:TYR:HE1	4:B:502:EDO:H21	1.83	0.44
1:C:349[A]:MET:HE1	1:C:355:TRP:NE1	2.23	0.44
1:A:288:LYS:NZ	5:A:625:HOH:O	2.50	0.44
4:A:508:EDO:H12	5:A:607:HOH:O	2.17	0.44
4:B:508:EDO:H12	5:B:756:HOH:O	2.18	0.44
1:B:397:LEU:HD23	4:B:513:EDO:C2	2.48	0.44
1:B:102:GLY:HA2	1:B:104:PHE:CZ	2.53	0.43
1:B:232:GLN:HG3	2:B:501:O1G:H7	1.99	0.43
1:C:212:MET:HE1	1:C:226:ILE:HG21	2.00	0.43
1:D:92:ILE:HG22	1:D:96:LYS:HE3	2.00	0.43
1:D:29:GLU:H	1:D:29:GLU:CD	2.22	0.43
1:C:326:PHE:CE2	1:C:330:ARG:HD2	2.54	0.43
1:A:178:ASP:OD1	1:A:178:ASP:C	2.61	0.43
1:B:55:ILE:H	1:B:55:ILE:HG13	1.66	0.43
1:D:83:ILE:O	5:D:601:HOH:O	2.21	0.43
1:D:122:ASN:O	4:D:502:EDO:O1	2.36	0.43
1:D:285:GLU:HB3	1:D:288:LYS:HB2	2.00	0.43
1:A:416:GLU:HG2	4:A:505:EDO:H11	2.00	0.43
1:B:385:TYR:HA	1:B:386:TYR:HA	1.85	0.43
1:B:388:VAL:HA	4:B:504:EDO:C1	2.40	0.43
1:B:34:ILE:HG21	1:B:44:LYS:HG3	2.01	0.43
1:B:44:LYS:HE2	5:B:854:HOH:O	2.19	0.42
1:D:34:ILE:H	1:D:51:ASN:ND2	2.11	0.42
1:B:213:LYS:HG3	1:B:214:ARG:N	2.34	0.42
1:B:337:GLU:HG2	5:B:801:HOH:O	2.18	0.42
1:C:49:ARG:HG2	1:C:50:GLU:HG3	2.02	0.42
1:D:385:TYR:HA	1:D:386:TYR:HA	1.89	0.42
1:D:256:PHE:HB2	1:D:317:LEU:HD13	2.00	0.42
1:A:385:TYR:HA	1:A:386:TYR:HA	1.88	0.42
1:D:102:GLY:HA2	1:D:104:PHE:CZ	2.55	0.42
1:A:196:LYS:HG2	5:A:888:HOH:O	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:385:TYR:CE2	4:C:504:EDO:H21	2.55	0.42
1:D:206:TYR:H	1:D:232:GLN:HE21	1.65	0.42
1:B:103:GLN:HA	4:B:503:EDO:H11	2.02	0.42
1:B:179:HIS:CE1	1:B:409[A]:ASN:HD21	2.37	0.42
1:A:338:LEU:HD11	1:A:439:ILE:HD13	2.02	0.41
1:A:259:CYS:C	1:B:104:PHE:HB3	2.46	0.41
1:B:27:THR:HG23	1:B:29:GLU:HG2	2.02	0.41
1:C:348:ARG:HB2	1:C:348:ARG:HH21	1.85	0.41
1:A:316:PHE:HB2	4:A:515:EDO:H12	2.03	0.41
1:B:392:LYS:NZ	5:B:618:HOH:O	2.54	0.41
1:A:414:HIS:ND1	4:A:509:EDO:H21	2.36	0.41
1:D:23:LEU:HB3	1:D:59:ILE:HD11	2.03	0.41
1:B:342:GLU:O	1:B:363:ILE:HD11	2.21	0.40
1:C:104:PHE:HB3	1:D:259:CYS:C	2.46	0.40
1:C:277:ASN:OD1	1:C:301:LYS:NZ	2.43	0.40
1:A:66:TYR:CE1	1:A:429:GLU:HG3	2.56	0.40
1:B:25:GLY:C	1:B:27:THR:H	2.28	0.40
1:B:178:ASP:OD1	1:B:178:ASP:C	2.65	0.40
1:C:137:MET:HE2	1:C:137:MET:HB3	1.83	0.40
1:C:386:TYR:O	1:C:414:HIS:HE1	2.04	0.40
1:D:34:ILE:HG23	1:D:44:LYS:HE3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	440/445 (99%)	429 (98%)	10 (2%)	1 (0%)	43	24
1	B	442/445 (99%)	425 (96%)	16 (4%)	1 (0%)	43	24
1	C	442/445 (99%)	431 (98%)	10 (2%)	1 (0%)	43	24
1	D	442/445 (99%)	431 (98%)	10 (2%)	1 (0%)	43	24

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1766/1780 (99%)	1716 (97%)	46 (3%)	4 (0%)	43 24

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	258	VAL
1	B	258	VAL
1	C	258	VAL
1	D	258	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	400/401 (100%)	398 (100%)	2 (0%)	81 70
1	B	402/401 (100%)	399 (99%)	3 (1%)	76 63
1	C	402/401 (100%)	401 (100%)	1 (0%)	87 81
1	D	402/401 (100%)	401 (100%)	1 (0%)	87 81
All	All	1606/1604 (100%)	1599 (100%)	7 (0%)	84 75

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	LYS
1	A	406	THR
1	B	251	ASN
1	B	305	LEU
1	B	330	ARG
1	C	251	ASN
1	D	305	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	41	HIS
1	A	85	GLN
1	A	103	GLN
1	A	251	ASN
1	A	278	GLN
1	A	321	ASN
1	A	364	ASN
1	A	432	ASN
1	B	36	ASN
1	B	146	GLN
1	B	195	GLN
1	B	204	HIS
1	B	223	GLN
1	B	425	ASN
1	C	12	HIS
1	C	103	GLN
1	C	122	ASN
1	C	146	GLN
1	C	163	ASN
1	C	223	GLN
1	C	271	ASN
1	C	290	ASN
1	C	379	ASN
1	C	401	ASN
1	D	12	HIS
1	D	51	ASN
1	D	70	ASN
1	D	72	GLN
1	D	80	ASN
1	D	232	GLN
1	D	268	ASN
1	D	299	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 57 ligands modelled in this entry, 2 are monoatomic - leaving 55 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	B	505	-	3,3,3	0.33	0	2,2,2	0.59	0
2	O1G	C	501	-	32,32,32	1.73	7 (21%)	44,48,48	2.10	15 (34%)
4	EDO	D	505	-	3,3,3	0.23	0	2,2,2	0.77	0
4	EDO	A	503	-	3,3,3	0.32	0	2,2,2	0.32	0
4	EDO	B	515	-	3,3,3	0.35	0	2,2,2	0.83	0
4	EDO	C	508	-	3,3,3	0.43	0	2,2,2	0.98	0
4	EDO	C	512	-	3,3,3	0.35	0	2,2,2	0.29	0
4	EDO	C	505	-	3,3,3	0.20	0	2,2,2	0.85	0
4	EDO	D	508	-	3,3,3	0.36	0	2,2,2	0.11	0
4	EDO	B	509	-	3,3,3	0.69	0	2,2,2	0.61	0
2	O1G	D	501	-	32,32,32	1.82	9 (28%)	44,48,48	1.98	16 (36%)
4	EDO	C	509	-	3,3,3	0.47	0	2,2,2	0.51	0
4	EDO	D	509	-	3,3,3	0.35	0	2,2,2	0.31	0
4	EDO	C	503	-	3,3,3	0.38	0	2,2,2	0.55	0
4	EDO	B	507	-	3,3,3	0.19	0	2,2,2	0.88	0
2	O1G	A	501	-	32,32,32	1.84	9 (28%)	44,48,48	1.76	10 (22%)
4	EDO	A	514	-	3,3,3	0.49	0	2,2,2	0.40	0
4	EDO	B	511	-	3,3,3	0.16	0	2,2,2	0.83	0
4	EDO	C	507	-	3,3,3	0.31	0	2,2,2	0.96	0
4	EDO	C	513	-	3,3,3	0.23	0	2,2,2	0.85	0
4	EDO	D	507	-	3,3,3	0.27	0	2,2,2	0.70	0
4	EDO	D	511	-	3,3,3	0.51	0	2,2,2	0.67	0
4	EDO	C	504	-	3,3,3	0.31	0	2,2,2	0.46	0
4	EDO	D	503	-	3,3,3	0.68	0	2,2,2	0.69	0
4	EDO	A	513	-	3,3,3	0.25	0	2,2,2	0.54	0
4	EDO	B	514	-	3,3,3	0.36	0	2,2,2	0.81	0
4	EDO	B	502	-	3,3,3	0.55	0	2,2,2	0.25	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	D	502	-	3,3,3	0.26	0	2,2,2	0.64	0
4	EDO	A	504	-	3,3,3	0.55	0	2,2,2	0.34	0
4	EDO	A	508	-	3,3,3	0.73	0	2,2,2	0.46	0
4	EDO	A	512	-	3,3,3	0.44	0	2,2,2	0.32	0
4	EDO	A	517	-	3,3,3	0.34	0	2,2,2	0.48	0
4	EDO	A	509	-	3,3,3	0.57	0	2,2,2	0.37	0
4	EDO	A	515	-	3,3,3	0.48	0	2,2,2	0.26	0
4	EDO	C	510	-	3,3,3	0.40	0	2,2,2	0.18	0
4	EDO	B	510	-	3,3,3	0.46	0	2,2,2	0.73	0
4	EDO	D	510	-	3,3,3	0.39	0	2,2,2	0.88	0
4	EDO	C	511	-	3,3,3	0.42	0	2,2,2	1.18	0
4	EDO	B	512	-	3,3,3	0.35	0	2,2,2	0.26	0
4	EDO	B	513	-	3,3,3	0.35	0	2,2,2	0.98	0
4	EDO	B	504	-	3,3,3	0.90	0	2,2,2	1.22	0
4	EDO	D	504	-	3,3,3	0.11	0	2,2,2	1.30	0
4	EDO	A	516	-	3,3,3	0.29	0	2,2,2	0.21	0
4	EDO	A	506	-	3,3,3	0.57	0	2,2,2	0.23	0
4	EDO	A	505	-	3,3,3	0.37	0	2,2,2	0.65	0
4	EDO	B	506	-	3,3,3	0.22	0	2,2,2	0.40	0
4	EDO	B	508	-	3,3,3	0.28	0	2,2,2	0.35	0
4	EDO	B	503	-	3,3,3	0.22	0	2,2,2	0.79	0
4	EDO	D	506	-	3,3,3	0.37	0	2,2,2	0.67	0
2	O1G	B	501	-	32,32,32	1.70	6 (18%)	44,48,48	1.89	14 (31%)
4	EDO	A	507	-	3,3,3	0.77	0	2,2,2	1.06	0
4	EDO	C	506	-	3,3,3	0.59	0	2,2,2	0.43	0
4	EDO	A	511	-	3,3,3	0.27	0	2,2,2	0.46	0
4	EDO	A	518	-	3,3,3	0.32	0	2,2,2	0.20	0
4	EDO	A	510	-	3,3,3	0.52	0	2,2,2	0.45	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	B	505	-	-	0/1/1/1	-
2	O1G	C	501	-	-	4/17/37/37	0/2/2/2
4	EDO	D	505	-	-	1/1/1/1	-
4	EDO	A	503	-	-	0/1/1/1	-
4	EDO	B	515	-	-	1/1/1/1	-
4	EDO	C	508	-	-	0/1/1/1	-
4	EDO	C	512	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	C	505	-	-	1/1/1/1	-
4	EDO	D	508	-	-	0/1/1/1	-
4	EDO	B	509	-	-	0/1/1/1	-
2	O1G	D	501	-	-	4/17/37/37	0/2/2/2
4	EDO	C	509	-	-	0/1/1/1	-
4	EDO	D	509	-	-	0/1/1/1	-
4	EDO	C	503	-	-	0/1/1/1	-
4	EDO	B	507	-	-	0/1/1/1	-
2	O1G	A	501	-	-	3/17/37/37	0/2/2/2
4	EDO	A	514	-	-	1/1/1/1	-
4	EDO	B	511	-	-	1/1/1/1	-
4	EDO	C	507	-	-	0/1/1/1	-
4	EDO	C	513	-	-	0/1/1/1	-
4	EDO	D	507	-	-	1/1/1/1	-
4	EDO	D	511	-	-	1/1/1/1	-
4	EDO	C	504	-	-	1/1/1/1	-
4	EDO	D	503	-	-	1/1/1/1	-
4	EDO	A	513	-	-	0/1/1/1	-
4	EDO	B	514	-	-	0/1/1/1	-
4	EDO	B	502	-	-	1/1/1/1	-
4	EDO	D	502	-	-	1/1/1/1	-
4	EDO	A	504	-	-	0/1/1/1	-
4	EDO	A	508	-	-	0/1/1/1	-
4	EDO	A	512	-	-	1/1/1/1	-
4	EDO	A	517	-	-	0/1/1/1	-
4	EDO	A	509	-	-	1/1/1/1	-
4	EDO	A	515	-	-	0/1/1/1	-
4	EDO	C	510	-	-	1/1/1/1	-
4	EDO	B	510	-	-	0/1/1/1	-
4	EDO	D	510	-	-	0/1/1/1	-
4	EDO	C	511	-	-	0/1/1/1	-
4	EDO	B	512	-	-	1/1/1/1	-
4	EDO	B	513	-	-	1/1/1/1	-
4	EDO	B	504	-	-	1/1/1/1	-
4	EDO	D	504	-	-	1/1/1/1	-
4	EDO	A	516	-	-	0/1/1/1	-
4	EDO	A	506	-	-	1/1/1/1	-
4	EDO	A	505	-	-	1/1/1/1	-
4	EDO	B	506	-	-	0/1/1/1	-
4	EDO	B	508	-	-	0/1/1/1	-
4	EDO	B	503	-	-	1/1/1/1	-
4	EDO	D	506	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	O1G	B	501	-	-	1/17/37/37	0/2/2/2
4	EDO	A	507	-	-	0/1/1/1	-
4	EDO	C	506	-	-	0/1/1/1	-
4	EDO	A	511	-	-	0/1/1/1	-
4	EDO	A	518	-	-	1/1/1/1	-
4	EDO	A	510	-	-	1/1/1/1	-

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	O1G	C4A-C4B	4.86	1.57	1.46
2	C	501	O1G	C4A-C4B	4.54	1.56	1.46
2	D	501	O1G	C2A-C9A	4.44	1.57	1.50
2	D	501	O1G	C4A-C4B	4.37	1.55	1.46
2	A	501	O1G	C4B-N3'	4.28	1.35	1.27
2	A	501	O1G	C4A-C4B	4.27	1.55	1.46
2	C	501	O1G	C4B-N3'	3.49	1.33	1.27
2	B	501	O1G	C4B-N3'	3.42	1.33	1.27
2	A	501	O1G	C3-N3'	3.38	1.50	1.46
2	D	501	O1G	O5-C1	3.31	1.51	1.42
2	A	501	O1G	O5-C1	3.29	1.50	1.42
2	C	501	O1G	P'-O6	3.05	1.70	1.60
2	B	501	O1G	C2-C3	-3.05	1.48	1.53
2	D	501	O1G	C4B-N3'	2.92	1.32	1.27
2	B	501	O1G	O5-C1	2.89	1.49	1.42
2	C	501	O1G	C2-C3	-2.81	1.48	1.53
2	C	501	O1G	C3-N3'	2.77	1.50	1.46
2	D	501	O1G	C3-N3'	2.70	1.50	1.46
2	C	501	O1G	O5-C1	2.64	1.49	1.42
2	A	501	O1G	C2A-C9A	2.59	1.54	1.50
2	B	501	O1G	C2A-C9A	2.55	1.54	1.50
2	A	501	O1G	C2-C3	-2.51	1.49	1.53
2	B	501	O1G	O2-C2	2.45	1.49	1.43
2	A	501	O1G	P'-O6	2.39	1.67	1.60
2	D	501	O1G	P-OP4	2.32	1.67	1.60
2	D	501	O1G	C9A-N1'	-2.28	1.29	1.33
2	D	501	O1G	C2-C3	-2.21	1.49	1.53
2	A	501	O1G	C4A-C3A	2.20	1.44	1.41
2	C	501	O1G	O5-C5	2.18	1.49	1.44
2	D	501	O1G	P'-O6	2.17	1.67	1.60
2	A	501	O1G	O5-C5	2.08	1.49	1.44

All (55) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	501	O1G	C4A-C3A-C9A	-5.45	117.07	120.14
2	C	501	O1G	C4A-C4B-N3'	-5.37	112.18	122.73
2	B	501	O1G	C3-N3'-C4B	5.29	127.40	118.19
2	A	501	O1G	C4A-C4B-N3'	-5.26	112.40	122.73
2	D	501	O1G	C4A-C4B-N3'	-4.97	112.97	122.73
2	C	501	O1G	C5A-C6A-N1'	-4.18	117.03	123.83
2	A	501	O1G	OP6-P'-O6	-3.87	96.57	106.67
2	D	501	O1G	O4-C4-C5	-3.85	99.84	109.32
2	D	501	O1G	C3-N3'-C4B	3.80	124.81	118.19
2	B	501	O1G	C4A-C4B-N3'	-3.66	115.53	122.73
2	D	501	O1G	C1-O5-C5	-3.55	106.78	113.65
2	D	501	O1G	C5A-C6A-N1'	-3.51	118.11	123.83
2	C	501	O1G	C3A-C4A-C5A	3.51	121.09	118.28
2	A	501	O1G	C3-N3'-C4B	3.48	124.24	118.19
2	C	501	O1G	O6-C6-C5	-3.40	97.43	108.99
2	A	501	O1G	OP6-P'-OP8	3.14	123.06	110.83
2	C	501	O1G	C6A-N1'-C9A	3.13	124.87	119.20
2	B	501	O1G	C5A-C6A-N1'	-3.13	118.75	123.83
2	B	501	O1G	O1-C1-C2	3.12	118.03	108.98
2	D	501	O1G	C5A-C4A-C4B	3.08	126.23	121.47
2	C	501	O1G	C3-N3'-C4B	3.04	123.48	118.19
2	D	501	O1G	C5T-C5A-C6A	-2.95	114.55	119.36
2	A	501	O1G	O6-C6-C5	-2.91	99.09	108.99
2	D	501	O1G	C3A-C4A-C5A	-2.84	116.00	118.28
2	B	501	O1G	OP7-P'-OP6	2.79	118.26	107.80
2	B	501	O1G	O5-C5-C6	-2.74	101.27	106.69
2	A	501	O1G	OP7-P'-O6	2.70	113.70	106.67
2	A	501	O1G	O1-C1-C2	2.68	116.77	108.98
2	B	501	O1G	O4-C4-C3	-2.60	103.46	109.16
2	B	501	O1G	O2-C2-C1	2.51	115.03	109.25
2	D	501	O1G	C6-C5-C4	-2.48	106.85	112.07
2	B	501	O1G	C6A-N1'-C9A	2.45	123.64	119.20
2	A	501	O1G	C2A-C9A-N1'	2.43	122.23	117.64
2	D	501	O1G	C2-C3-N3'	2.39	112.36	109.73
2	C	501	O1G	OP6-P'-OP8	2.37	120.05	110.83
2	C	501	O1G	OP6-P'-O6	-2.35	100.53	106.67
2	B	501	O1G	OP7-P'-O6	-2.34	100.58	106.67
2	C	501	O1G	O3-C3A-C9A	2.33	122.41	117.58
2	C	501	O1G	OP1-P-OP4	2.32	112.72	106.67
2	D	501	O1G	O6-P'-OP8	2.30	112.66	106.44
2	D	501	O1G	C6A-C5A-C4A	2.30	122.17	118.21
2	D	501	O1G	C6A-N1'-C9A	2.30	123.37	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	501	O1G	O6-P'-OP8	-2.27	100.30	106.44
2	B	501	O1G	O6-C6-C5	-2.26	101.31	108.99
2	A	501	O1G	C2A-C9A-C3A	-2.26	118.16	120.80
2	C	501	O1G	O4-C4-C3	-2.22	104.30	109.16
2	D	501	O1G	OP7-P'-OP6	2.18	115.98	107.80
2	C	501	O1G	OP2-P-OP4	-2.17	101.02	106.67
2	D	501	O1G	O1-C1-C2	2.15	115.21	108.98
2	A	501	O1G	O1-C1-O5	-2.11	104.15	110.41
2	D	501	O1G	O5-C1-C2	-2.09	106.62	110.30
2	C	501	O1G	O1-C1-C2	2.09	115.04	108.98
2	B	501	O1G	OP6-P'-O6	-2.06	101.29	106.67
2	B	501	O1G	O4-C4-C5	-2.06	104.25	109.32
2	B	501	O1G	C6-C5-C4	-2.01	107.84	112.07

There are no chirality outliers.

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	O1G	C4-C3-N3'-C4B
2	B	501	O1G	C4-C3-N3'-C4B
2	C	501	O1G	C5T-OP4-P-OP3
2	C	501	O1G	C4-C3-N3'-C4B
2	D	501	O1G	C2-C3-N3'-C4B
2	D	501	O1G	C4-C3-N3'-C4B
4	B	512	EDO	O1-C1-C2-O2
4	D	506	EDO	O1-C1-C2-O2
4	D	507	EDO	O1-C1-C2-O2
4	A	505	EDO	O1-C1-C2-O2
4	A	509	EDO	O1-C1-C2-O2
4	B	503	EDO	O1-C1-C2-O2
4	B	504	EDO	O1-C1-C2-O2
4	B	511	EDO	O1-C1-C2-O2
4	C	505	EDO	O1-C1-C2-O2
4	D	502	EDO	O1-C1-C2-O2
4	D	505	EDO	O1-C1-C2-O2
2	A	501	O1G	C5T-OP4-P-OP3
4	A	506	EDO	O1-C1-C2-O2
4	B	502	EDO	O1-C1-C2-O2
4	B	515	EDO	O1-C1-C2-O2
2	C	501	O1G	C4-C5-C6-O6
4	C	504	EDO	O1-C1-C2-O2
4	D	504	EDO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	B	513	EDO	O1-C1-C2-O2
4	C	510	EDO	O1-C1-C2-O2
4	D	511	EDO	O1-C1-C2-O2
2	D	501	O1G	C3A-C4A-C4B-N3'
2	D	501	O1G	C5T-OP4-P-OP1
4	A	514	EDO	O1-C1-C2-O2
4	A	518	EDO	O1-C1-C2-O2
4	A	510	EDO	O1-C1-C2-O2
4	A	512	EDO	O1-C1-C2-O2
4	D	503	EDO	O1-C1-C2-O2
2	A	501	O1G	C4-C5-C6-O6
2	C	501	O1G	C3A-C4A-C4B-N3'

There are no ring outliers.


24 monomers are involved in 39 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	501	O1G	2	0
4	D	505	EDO	1	0
4	C	508	EDO	2	0
4	C	509	EDO	1	0
2	A	501	O1G	1	0
4	C	507	EDO	1	0
4	D	511	EDO	1	0
4	C	504	EDO	2	0
4	B	502	EDO	2	0
4	D	502	EDO	2	0
4	A	508	EDO	3	0
4	A	509	EDO	2	0
4	A	515	EDO	1	0
4	C	510	EDO	3	0
4	C	511	EDO	1	0
4	B	513	EDO	1	0
4	B	504	EDO	3	0
4	A	506	EDO	1	0
4	A	505	EDO	3	0
4	B	506	EDO	1	0
4	B	508	EDO	2	0
4	B	503	EDO	1	0
2	B	501	O1G	1	0
4	A	511	EDO	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand O1G D 501



Ligand O1G A 501





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	439/445 (98%)	-0.12	7 (1%) 70 74	10, 20, 37, 95	4 (0%)
1	B	439/445 (98%)	0.03	8 (1%) 67 71	8, 22, 41, 79	5 (1%)
1	C	439/445 (98%)	-0.13	4 (0%) 81 84	6, 20, 36, 79	6 (1%)
1	D	439/445 (98%)	0.13	10 (2%) 61 64	8, 24, 44, 71	6 (1%)
All	All	1756/1780 (98%)	-0.02	29 (1%) 69 72	6, 21, 40, 95	21 (1%)

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	25	GLY	4.0
1	D	5	THR	3.8
1	C	5	THR	3.7
1	D	27	THR	3.5
1	D	55	ILE	3.4
1	B	5	THR	3.3
1	A	28	LYS	3.2
1	D	181	SER	3.1
1	D	56	ASP	3.1
1	A	179	HIS	3.0
1	A	29	GLU	2.9
1	D	179	HIS	2.8
1	B	27	THR	2.7
1	B	179	HIS	2.6
1	D	28	LYS	2.6
1	B	28	LYS	2.5
1	C	28	LYS	2.5
1	D	286	VAL	2.4
1	C	25	GLY	2.4
1	D	214	ARG	2.3
1	D	197	THR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	29	GLU	2.2
1	B	56	ASP	2.2
1	B	26	GLU	2.2
1	B	287	ASP	2.1
1	A	6	LEU	2.1
1	A	5	THR	2.1
1	A	27	THR	2.1
1	B	378	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	EDO	D	508	4/4	0.70	0.21	48,48,49,49	0
4	EDO	C	507	4/4	0.75	0.15	37,41,46,49	0
4	EDO	B	511	4/4	0.76	0.17	43,43,44,47	0
4	EDO	D	504	4/4	0.77	0.17	32,32,37,38	0
4	EDO	A	503	4/4	0.79	0.17	29,34,35,35	0
4	EDO	C	511	4/4	0.79	0.16	23,35,39,43	0
4	EDO	B	507	4/4	0.80	0.18	31,32,32,34	0
4	EDO	D	507	4/4	0.81	0.14	36,39,42,44	0
4	EDO	D	502	4/4	0.83	0.15	46,47,47,48	0
4	EDO	C	504	4/4	0.83	0.13	38,38,38,39	0
3	NA	A	502	1/1	0.83	0.14	46,46,46,46	0
4	EDO	A	518	4/4	0.83	0.14	51,51,51,52	0
4	EDO	A	506	4/4	0.85	0.20	25,29,29,35	0
4	EDO	B	508	4/4	0.85	0.13	36,38,39,42	0
3	NA	C	502	1/1	0.86	0.12	45,45,45,45	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	A	505	4/4	0.86	0.12	38,41,45,46	0
4	EDO	C	505	4/4	0.86	0.14	36,41,44,47	0
4	EDO	A	507	4/4	0.87	0.19	23,30,34,41	0
4	EDO	A	511	4/4	0.87	0.13	39,43,47,52	0
4	EDO	D	506	4/4	0.87	0.14	32,35,35,37	0
4	EDO	A	504	4/4	0.87	0.18	28,28,29,37	0
4	EDO	B	512	4/4	0.87	0.15	41,43,44,44	0
4	EDO	C	513	4/4	0.88	0.12	31,32,32,32	0
4	EDO	C	510	4/4	0.88	0.14	31,37,41,44	0
4	EDO	A	508	4/4	0.88	0.14	28,30,31,32	0
4	EDO	B	513	4/4	0.89	0.15	19,22,28,34	0
4	EDO	B	503	4/4	0.89	0.12	27,34,39,44	0
4	EDO	B	506	4/4	0.89	0.16	42,44,45,48	0
4	EDO	A	513	4/4	0.89	0.13	29,31,32,36	0
4	EDO	B	502	4/4	0.90	0.12	23,27,35,37	0
4	EDO	C	508	4/4	0.91	0.10	25,29,30,32	0
4	EDO	A	517	4/4	0.91	0.11	25,27,28,28	0
4	EDO	D	505	4/4	0.91	0.11	34,39,40,43	0
4	EDO	A	509	4/4	0.92	0.14	28,31,32,36	0
4	EDO	B	509	4/4	0.92	0.10	21,22,24,25	0
4	EDO	B	505	4/4	0.92	0.10	40,40,42,42	0
4	EDO	C	506	4/4	0.93	0.11	20,23,23,24	0
4	EDO	C	503	4/4	0.93	0.09	26,27,27,35	0
4	EDO	A	515	4/4	0.93	0.11	19,23,25,26	0
4	EDO	B	504	4/4	0.93	0.10	23,26,31,34	0
4	EDO	D	511	4/4	0.93	0.08	23,25,26,27	0
4	EDO	B	514	4/4	0.94	0.09	26,27,32,34	0
4	EDO	A	512	4/4	0.94	0.10	29,30,35,36	0
4	EDO	A	514	4/4	0.94	0.09	25,26,26,27	0
4	EDO	D	510	4/4	0.94	0.08	26,27,29,33	0
4	EDO	C	512	4/4	0.94	0.11	23,26,27,27	0
4	EDO	A	510	4/4	0.95	0.11	21,22,26,27	0
4	EDO	D	509	4/4	0.95	0.08	22,23,26,27	0
4	EDO	B	510	4/4	0.95	0.08	23,26,28,29	0
4	EDO	B	515	4/4	0.95	0.07	24,25,26,27	0
4	EDO	C	509	4/4	0.96	0.08	28,31,37,40	0
4	EDO	A	516	4/4	0.96	0.08	25,27,28,28	0
4	EDO	D	503	4/4	0.97	0.06	20,21,22,23	0
2	O1G	B	501	31/31	0.97	0.07	10,17,22,26	16
2	O1G	C	501	31/31	0.97	0.07	9,17,25,36	13
2	O1G	D	501	31/31	0.98	0.07	12,17,24,31	14
2	O1G	A	501	31/31	0.98	0.07	12,18,24,25	15

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around O1G B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around O1G C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around O1G D 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.