



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 06:58 PM UTC

PDB ID : 7KZY / pdb_00007kzy
Title : Crystal structure of Plasmodium falciparum dihydroorotate dehydrogenase bound with Inhibitor DSM778 (3-methyl-N-(1-(5-methyl-1H-pyrazol-3-yl)ethyl)-4-(1-(6-(trifluoromethyl)pyridin-3-yl)cyclopropyl)-1H-pyrrole-2-carboxamide)
Authors : Deng, X.; Phillips, M.; Tomchick, D.
Deposited on : 2020-12-10
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtrriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3183 (1.76-1.76)
Clashscore	190562	3299 (1.76-1.76)
Ramachandran outliers	187476	3274 (1.76-1.76)
Sidechain outliers	187428	3274 (1.76-1.76)
RSRZ outliers	180081	3183 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	401	3% 91% • •
1	B	401	4% 90% • 6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	ORO	B	1003	-	X	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12910 atoms, of which 6222 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydroorotate dehydrogenase (quinone), mitochondrial.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	384	Total	C	H	N	O	S	0	3	0
			6153	1953	3091	516	576	17			
1	B	378	Total	C	H	N	O	S	0	2	0
			6053	1923	3043	508	564	15			

There are 98 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-12	MET	-	initiating methionine	UNP Q08210
A	-11	GLY	-	expression tag	UNP Q08210
A	-10	HIS	-	expression tag	UNP Q08210
A	-9	HIS	-	expression tag	UNP Q08210
A	-8	HIS	-	expression tag	UNP Q08210
A	-7	HIS	-	expression tag	UNP Q08210
A	-6	HIS	-	expression tag	UNP Q08210
A	-5	HIS	-	expression tag	UNP Q08210
A	-4	ALA	-	expression tag	UNP Q08210
A	-3	GLU	-	expression tag	UNP Q08210
A	-2	ASN	-	expression tag	UNP Q08210
A	150	LEU	-	expression tag	UNP Q08210
A	151	TYR	-	expression tag	UNP Q08210
A	152	PHE	-	expression tag	UNP Q08210
A	153	GLN	-	expression tag	UNP Q08210
A	154	GLY	-	expression tag	UNP Q08210
A	155	ALA	-	expression tag	UNP Q08210
A	156	ASP	-	expression tag	UNP Q08210
A	157	PRO	-	expression tag	UNP Q08210
A	?	-	SER	deletion	UNP Q08210
A	?	-	THR	deletion	UNP Q08210
A	?	-	TYR	deletion	UNP Q08210
A	?	-	ASN	deletion	UNP Q08210
A	?	-	GLU	deletion	UNP Q08210
A	?	-	ASP	deletion	UNP Q08210

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	ASN	deletion	UNP Q08210
A	?	-	LYS	deletion	UNP Q08210
A	?	-	ILE	deletion	UNP Q08210
A	?	-	VAL	deletion	UNP Q08210
A	?	-	GLU	deletion	UNP Q08210
A	?	-	LYS	deletion	UNP Q08210
A	?	-	LYS	deletion	UNP Q08210
A	?	-	ASN	deletion	UNP Q08210
A	?	-	ASN	deletion	UNP Q08210
A	?	-	PHE	deletion	UNP Q08210
A	?	-	ASN	deletion	UNP Q08210
A	?	-	LYS	deletion	UNP Q08210
A	?	-	ASN	deletion	UNP Q08210
A	?	-	ASN	deletion	UNP Q08210
A	?	-	SER	deletion	UNP Q08210
A	?	-	HIS	deletion	UNP Q08210
A	?	-	MET	deletion	UNP Q08210
A	?	-	MET	deletion	UNP Q08210
A	?	-	LYS	deletion	UNP Q08210
A	?	-	ASP	deletion	UNP Q08210
A	?	-	ALA	deletion	UNP Q08210
A	?	-	LYS	deletion	UNP Q08210
A	?	-	ASP	deletion	UNP Q08210
A	?	-	ASN	deletion	UNP Q08210
B	-12	MET	-	initiating methionine	UNP Q08210
B	-11	GLY	-	expression tag	UNP Q08210
B	-10	HIS	-	expression tag	UNP Q08210
B	-9	HIS	-	expression tag	UNP Q08210
B	-8	HIS	-	expression tag	UNP Q08210
B	-7	HIS	-	expression tag	UNP Q08210
B	-6	HIS	-	expression tag	UNP Q08210
B	-5	HIS	-	expression tag	UNP Q08210
B	-4	ALA	-	expression tag	UNP Q08210
B	-3	GLU	-	expression tag	UNP Q08210
B	-2	ASN	-	expression tag	UNP Q08210
B	150	LEU	-	expression tag	UNP Q08210
B	151	TYR	-	expression tag	UNP Q08210
B	152	PHE	-	expression tag	UNP Q08210
B	153	GLN	-	expression tag	UNP Q08210
B	154	GLY	-	expression tag	UNP Q08210
B	155	ALA	-	expression tag	UNP Q08210
B	156	ASP	-	expression tag	UNP Q08210

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	157	PRO	-	expression tag	UNP Q08210
B	?	-	SER	deletion	UNP Q08210
B	?	-	THR	deletion	UNP Q08210
B	?	-	TYR	deletion	UNP Q08210
B	?	-	ASN	deletion	UNP Q08210
B	?	-	GLU	deletion	UNP Q08210
B	?	-	ASP	deletion	UNP Q08210
B	?	-	ASN	deletion	UNP Q08210
B	?	-	LYS	deletion	UNP Q08210
B	?	-	ILE	deletion	UNP Q08210
B	?	-	VAL	deletion	UNP Q08210
B	?	-	GLU	deletion	UNP Q08210
B	?	-	LYS	deletion	UNP Q08210
B	?	-	LYS	deletion	UNP Q08210
B	?	-	ASN	deletion	UNP Q08210
B	?	-	ASN	deletion	UNP Q08210
B	?	-	PHE	deletion	UNP Q08210
B	?	-	ASN	deletion	UNP Q08210
B	?	-	LYS	deletion	UNP Q08210
B	?	-	ASN	deletion	UNP Q08210
B	?	-	ASN	deletion	UNP Q08210
B	?	-	SER	deletion	UNP Q08210
B	?	-	HIS	deletion	UNP Q08210
B	?	-	MET	deletion	UNP Q08210
B	?	-	MET	deletion	UNP Q08210
B	?	-	LYS	deletion	UNP Q08210
B	?	-	ASP	deletion	UNP Q08210
B	?	-	ALA	deletion	UNP Q08210
B	?	-	LYS	deletion	UNP Q08210
B	?	-	ASP	deletion	UNP Q08210
B	?	-	ASN	deletion	UNP Q08210

- Molecule 2 is 3-methyl-N-[(1R)-1-(5-methyl-1H-pyrazol-3-yl)ethyl]-4-{1-[6-(trifluoromethyl)pyridin-3-yl]cyclopropyl}-1H-pyrrole-2-carboxamide (CCD ID: XCM) (formula: C₂₁H₂₂F₃N₅O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	F	H	N	O	0	0
			52	21	3	22	5	1		
2	B	1	Total	C	F	H	N	O	0	0
			52	21	3	22	5	1		

- Molecule 3 is FLAVIN MONONUCLEOTIDE (CCD ID: FMN) (formula: $C_{17}H_{21}N_4O_9P$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	P	0	0
			50	17	19	4	9	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	H	N	O	0	0
			50	17	19	4	9		

- Molecule 4 is OROTIC ACID (CCD ID: ORO) (formula: $C_5H_4N_2O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	H	N	O	0	0
			14	5	3	2	4		
4	B	1	Total	C	H	N	O	0	0
			14	5	3	2	4		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	239	Total	O	0	0
			239	239		
5	B	233	Total	O	0	0
			233	233		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Dihydroorotate dehydrogenase (quinone), mitochondrial



- Molecule 1: Dihydroorotate dehydrogenase (quinone), mitochondrial



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	51.41Å 158.19Å 62.57Å 90.00° 106.24° 90.00°	Depositor
Resolution (Å)	33.03 – 1.75 33.03 – 1.75	Depositor EDS
% Data completeness (in resolution range)	75.0 (33.03-1.75) 75.5 (33.03-1.75)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.76 (at 1.75Å)	Xtriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.165 , 0.204 0.166 , 0.206	Depositor DCC
R_{free} test set	1456 reflections (1.50%)	wwPDB-VP
Wilson B-factor (Å ²)	19.9	Xtriage
Anisotropy	0.141	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 43.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12910	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.80% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: XCM, FMN, ORO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.54	0/3124	0.63	0/4206
1	B	0.54	0/3068	0.62	0/4129
All	All	0.54	0/6192	0.63	0/8335

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3062	3091	3093	12	1
1	B	3010	3043	3045	11	1
2	A	30	22	0	1	0
2	B	30	22	0	0	0
3	A	31	19	19	1	0
3	B	31	19	19	1	0
4	A	11	3	3	0	0
4	B	11	3	3	0	0
5	A	239	0	0	3	0
5	B	233	0	0	0	0
All	All	6688	6222	6182	23	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (23) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:263:ILE:HD11	1:A:276[B]:CYS:SG	2.23	0.78
1:B:263:ILE:HD11	1:B:276:CYS:SG	2.33	0.69
1:A:329:ILE:HD11	1:A:367:VAL:HG13	1.84	0.60
1:B:215:LEU:HG	1:B:307:ILE:HD13	1.87	0.56
1:B:276:CYS:HB3	1:B:279:ASN:OD1	2.09	0.53
1:B:329:ILE:HD11	1:B:367:VAL:HG13	1.92	0.51
1:A:558:LEU:C	1:A:558:LEU:HD23	2.37	0.49
1:B:558:LEU:C	1:B:558:LEU:HD23	2.38	0.48
1:A:263:ILE:HD13	2:A:1001:XCM:N10	2.29	0.47
1:A:281:MET:HE1	5:A:1285:HOH:O	2.14	0.47
1:B:215:LEU:HD22	1:B:425:LEU:HD12	1.97	0.46
1:B:260:LYS:HB3	1:B:261:PRO:HA	1.98	0.46
1:A:456:ILE:HG23	1:A:488:PHE:CD2	2.51	0.45
1:B:226:GLY:HA3	3:B:1002:FMN:N5	2.32	0.45
1:B:269:SER:HB2	1:B:480:LYS:HE2	1.99	0.45
1:A:268:GLU:H	1:A:268:GLU:CD	2.25	0.44
1:B:305:LYS:HA	1:B:305:LYS:HE3	1.99	0.44
1:B:224:ALA:HB2	1:B:526:GLN:HB3	2.00	0.43
1:A:-7:HIS:HB3	5:A:1104:HOH:O	2.17	0.43
1:A:226:GLY:HA3	3:A:1002:FMN:N5	2.33	0.42
1:A:194:TYR:O	1:A:196:ILE:HG23	2.20	0.42
1:A:159:GLU:HG3	1:A:160:SER:H	1.85	0.40
1:A:369:GLU:HG3	5:A:1254:HOH:O	2.20	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:448:GLU:OE1	1:B:285:LYS:NZ[1_454]	2.10	0.10

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	383/401 (96%)	374 (98%)	9 (2%)	0	100	100
1	B	374/401 (93%)	361 (96%)	13 (4%)	0	100	100
All	All	757/802 (94%)	735 (97%)	22 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	343/354 (97%)	342 (100%)	1 (0%)	86	83
1	B	336/354 (95%)	334 (99%)	2 (1%)	78	71
All	All	679/708 (96%)	676 (100%)	3 (0%)	84	80

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	235	ASP
1	B	196	ILE
1	B	285	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	-5	HIS
1	A	279	ASN
1	A	354	ASN
1	B	541	GLN
1	B	548	HIS
1	B	552	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	FMN	A	1002	-	33,33,33	1.31	2 (6%)	48,50,50	1.34	6 (12%)
2	XCM	B	1001	-	32,33,33	1.88	8 (25%)	40,51,51	3.95	20 (50%)
4	ORO	B	1003	-	11,11,11	1.68	4 (36%)	14,15,15	2.40	7 (50%)
4	ORO	A	1003	-	11,11,11	1.65	2 (18%)	14,15,15	2.21	4 (28%)
2	XCM	A	1001	-	32,33,33	1.83	7 (21%)	40,51,51	3.90	16 (40%)
3	FMN	B	1002	-	33,33,33	1.15	2 (6%)	48,50,50	1.36	8 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FMN	A	1002	-	-	1/18/18/18	0/3/3/3
2	XCM	B	1001	-	-	3/23/34/34	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ORO	B	1003	-	-	2/4/4/4	0/1/1/1
4	ORO	A	1003	-	-	4/4/4/4	0/1/1/1
2	XCM	A	1001	-	-	4/23/34/34	0/4/4/4
3	FMN	B	1002	-	-	1/18/18/18	0/3/3/3

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1001	XCM	C04-N05	6.04	1.46	1.34
2	A	1001	XCM	C04-N05	5.89	1.46	1.34
3	A	1002	FMN	C4A-N5	4.13	1.39	1.30
3	B	1002	FMN	C4A-N5	3.30	1.37	1.30
2	B	1001	XCM	C12-C11	3.21	1.56	1.49
2	A	1001	XCM	C12-C11	2.95	1.55	1.49
3	A	1002	FMN	C10-N1	2.84	1.39	1.33
2	A	1001	XCM	O14-C04	-2.83	1.18	1.23
2	A	1001	XCM	C03-C04	2.83	1.52	1.47
3	B	1002	FMN	C10-N1	2.81	1.38	1.33
2	B	1001	XCM	C06-C08	2.79	1.55	1.50
4	B	1003	ORO	C5-C4	-2.68	1.37	1.42
2	B	1001	XCM	C03-C04	2.65	1.52	1.47
2	B	1001	XCM	O14-C04	-2.64	1.18	1.23
2	A	1001	XCM	C20-C18	2.52	1.54	1.52
4	A	1003	ORO	O4-C4	-2.49	1.19	1.24
4	B	1003	ORO	C4-N3	-2.46	1.34	1.38
2	B	1001	XCM	C03-N15	-2.42	1.34	1.38
4	B	1003	ORO	C6-N1	-2.28	1.33	1.38
2	B	1001	XCM	C17-C02	-2.25	1.36	1.48
2	B	1001	XCM	C18-C21	2.17	1.56	1.53
4	B	1003	ORO	O4-C4	-2.13	1.20	1.24
2	A	1001	XCM	C17-C02	-2.11	1.36	1.48
2	A	1001	XCM	C06-C08	2.11	1.54	1.50
4	A	1003	ORO	C5-C4	-2.09	1.38	1.42

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1001	XCM	C20-C18-C21	-17.53	98.14	118.58
2	A	1001	XCM	C20-C18-C21	-16.50	99.34	118.58
2	A	1001	XCM	C19-C18-C21	10.31	130.61	118.58
2	B	1001	XCM	C19-C18-C21	10.15	130.43	118.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1001	XCM	C17-C16-N15	-6.94	105.35	110.12
2	B	1001	XCM	C19-C18-C20	5.20	60.78	58.45
4	A	1003	ORO	C4-N3-C2	-5.06	120.64	125.55
2	B	1001	XCM	C18-C17-C16	-5.02	121.98	127.75
2	A	1001	XCM	C04-C03-N15	4.96	123.81	117.70
2	A	1001	XCM	C30-N29-C24	4.81	122.75	117.60
2	B	1001	XCM	C17-C16-N15	-4.80	106.82	110.12
2	B	1001	XCM	C04-C03-N15	4.73	123.52	117.70
4	B	1003	ORO	C4-N3-C2	-4.24	121.44	125.55
2	A	1001	XCM	C18-C17-C16	-4.20	122.92	127.75
2	A	1001	XCM	C21-C30-N29	-4.15	119.49	123.38
4	A	1003	ORO	C5-C4-N3	4.12	120.37	115.24
2	A	1001	XCM	F27-C25-C24	-4.00	105.39	112.43
3	A	1002	FMN	C5A-C9A-N10	3.93	121.52	117.97
2	A	1001	XCM	C19-C18-C20	3.88	60.19	58.45
4	A	1003	ORO	O4-C4-C5	-3.51	120.61	125.46
3	B	1002	FMN	C4A-C10-N10	3.44	121.41	116.48
4	B	1003	ORO	O72-C7-C6	3.39	121.57	114.27
2	B	1001	XCM	F27-C25-C24	-3.37	106.50	112.43
3	B	1002	FMN	C5A-C9A-N10	3.26	120.92	117.97
4	B	1003	ORO	C6-N1-C2	-3.21	119.21	122.65
4	B	1003	ORO	C5-C4-N3	3.17	119.18	115.24
2	A	1001	XCM	C19-C20-C18	-3.15	59.35	60.78
2	B	1001	XCM	C19-C20-C18	-3.08	59.38	60.78
4	B	1003	ORO	O71-C7-C6	-3.07	114.78	121.01
2	B	1001	XCM	C30-N29-C24	3.00	120.81	117.60
4	B	1003	ORO	O4-C4-C5	-2.99	121.33	125.46
3	A	1002	FMN	C4-N3-C2	-2.92	120.46	125.64
2	B	1001	XCM	F26-C25-C24	-2.83	107.45	112.43
2	A	1001	XCM	F28-C25-C24	-2.80	107.51	112.43
3	A	1002	FMN	C4A-C10-N10	2.79	120.48	116.48
2	B	1001	XCM	C02-C03-N15	2.78	108.87	107.53
2	B	1001	XCM	C21-C30-N29	-2.78	120.77	123.38
3	B	1002	FMN	C4-C4A-C10	2.77	121.68	116.93
2	B	1001	XCM	C22-C21-C18	-2.75	115.92	121.03
2	B	1001	XCM	C03-C02-C17	-2.70	105.66	107.02
2	A	1001	XCM	C22-C23-C24	-2.67	116.34	119.11
2	B	1001	XCM	C07-C06-C08	2.65	116.37	111.96
3	A	1002	FMN	C4A-C4-N3	2.53	119.70	113.25
2	A	1001	XCM	C07-C06-C08	2.49	116.09	111.96
3	B	1002	FMN	O3P-P-O2P	2.39	116.77	107.80
4	B	1003	ORO	N3-C2-N1	2.37	119.47	115.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1002	FMN	C9A-C5A-N5	-2.33	119.98	122.45
2	B	1001	XCM	C13-C08-N09	-2.27	107.16	111.39
2	A	1001	XCM	C22-C21-C18	-2.27	116.81	121.03
3	B	1002	FMN	C9A-N10-C10	-2.25	117.31	120.75
2	A	1001	XCM	O14-C04-C03	2.20	123.81	120.87
3	B	1002	FMN	O3P-P-O5'	-2.15	101.07	106.67
3	A	1002	FMN	O4-C4-C4A	-2.14	120.89	126.53
3	B	1002	FMN	C4-N3-C2	-2.13	121.85	125.64
2	A	1001	XCM	C03-C02-C17	-2.11	105.96	107.02
2	B	1001	XCM	C20-C19-C18	-2.06	59.84	60.78
3	B	1002	FMN	C10-C4A-N5	-2.06	120.60	124.81
2	B	1001	XCM	C12-C11-C13	-2.04	128.75	131.96
2	B	1001	XCM	C23-C22-C21	-2.03	118.36	121.17
4	A	1003	ORO	C7-C6-N1	2.02	119.16	115.47
2	B	1001	XCM	C22-C23-C24	-2.00	117.04	119.11

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1001	XCM	C17-C18-C21-C30
4	A	1003	ORO	N1-C6-C7-O71
4	A	1003	ORO	N1-C6-C7-O72
4	B	1003	ORO	N1-C6-C7-O71
4	B	1003	ORO	N1-C6-C7-O72
2	A	1001	XCM	C19-C18-C21-C30
3	A	1002	FMN	C4'-C5'-O5'-P
2	A	1001	XCM	C17-C18-C21-C22
2	B	1001	XCM	C17-C18-C21-C30
2	B	1001	XCM	C17-C18-C21-C22
4	A	1003	ORO	C5-C6-C7-O71
4	A	1003	ORO	C5-C6-C7-O72
3	B	1002	FMN	C4'-C5'-O5'-P
2	A	1001	XCM	C19-C18-C21-C22
2	B	1001	XCM	C19-C18-C21-C22

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1002	FMN	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1001	XCM	1	0
3	B	1002	FMN	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand FMN A 1002














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	384/401 (95%)	-0.16	13 (3%)	48 54	12, 27, 56, 71	3 (0%)
1	B	378/401 (94%)	-0.13	15 (3%)	42 48	11, 26, 56, 92	2 (0%)
All	All	762/802 (95%)	-0.15	28 (3%)	45 51	11, 26, 56, 92	5 (0%)

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	-4	ALA	5.3
1	A	-4	ALA	4.9
1	B	377	ASN	4.7
1	B	-5	HIS	4.7
1	A	-7	HIS	4.1
1	B	201	THR	3.9
1	A	-6	HIS	3.9
1	B	-2	ASN	3.8
1	A	-5	HIS	3.6
1	A	-3	GLU	3.2
1	B	-7	HIS	3.0
1	B	-6	HIS	3.0
1	A	201	THR	2.9
1	A	-2	ASN	2.9
1	A	379	ILE	2.8
1	B	196	ILE	2.7
1	B	471	ASN	2.7
1	B	161	TYR	2.6
1	A	161	TYR	2.5
1	B	463	ILE	2.3
1	B	473	LYS	2.3
1	A	195	ASN	2.3
1	B	159	GLU	2.2
1	A	464	ASN	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	414	PHE	2.2
1	B	414	PHE	2.2
1	A	382	ASP	2.1
1	B	261	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	XCM	A	1001	30/30	0.94	0.07	18,23,28,34	0
4	ORO	B	1003	11/11	0.94	0.06	19,23,27,30	0
2	XCM	B	1001	30/30	0.95	0.06	17,24,32,33	0
4	ORO	A	1003	11/11	0.96	0.05	17,20,25,26	0
3	FMN	A	1002	31/31	0.98	0.05	12,17,23,24	0
3	FMN	B	1002	31/31	0.98	0.05	13,16,23,25	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around XCM A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ORO B 1003:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around XCM B 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ORO A 1003:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FMN A 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FMN B 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.