



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:17 AM UTC

PDB ID : 1L0Y / pdb_0000110y
Title : T cell receptor beta chain complexed with superantigen SpeA soaked with zinc
Authors : Li, H.; Sundberg, E.J.; Mariuzza, R.A.
Deposited on : 2002-02-14
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	236	12% 73% 26%
1	C	236	10% 73% 25% .
2	B	221	7% 65% 31% ..
2	D	221	4% 68% 27% .

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7421 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 14.3.d T cell receptor beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	236	Total	C	N	O	S	0	0	0
			1784	1118	320	340	6			
1	C	236	Total	C	N	O	S	0	0	0
			1762	1105	315	336	6			

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	24	GLN	ASN	engineered mutation	UNP P01851
A	74	GLN	ASN	engineered mutation	UNP P01851
A	?	-	GLN	SEE REMARK 999	UNP P01851
A	99	GLY	-	SEE REMARK 999	UNP P01851
A	100	SER	-	SEE REMARK 999	UNP P01851
A	101	TYR	-	SEE REMARK 999	UNP P01851
A	121	GLN	ASN	engineered mutation	UNP P01851
C	24	GLN	ASN	engineered mutation	UNP P01851
C	74	GLN	ASN	engineered mutation	UNP P01851
C	?	-	GLN	SEE REMARK 999	UNP P01851
C	99	GLY	-	SEE REMARK 999	UNP P01851
C	100	SER	-	SEE REMARK 999	UNP P01851
C	101	TYR	-	SEE REMARK 999	UNP P01851
C	121	GLN	ASN	engineered mutation	UNP P01851

- Molecule 2 is a protein called Exotoxin type A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	220	Total	C	N	O	S	0	0	0
			1756	1122	282	347	5			
2	D	221	Total	C	N	O	S	0	0	0
			1791	1144	289	353	5			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	90	SER	CYS	engineered mutation	UNP P08095
D	90	SER	CYS	engineered mutation	UNP P08095

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Zn 1 1	0	0
3	B	2	Total Zn 2 2	0	0
3	C	1	Total Zn 1 1	0	0
3	D	2	Total Zn 2 2	0	0

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	81	Total O 81 81	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	54	Total 54	O 54	0	0
5	C	98	Total 98	O 98	0	0
5	D	83	Total 83	O 83	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 14.3.d T cell receptor beta chain



- Molecule 1: 14.3.d T cell receptor beta chain




- Molecule 2: Exotoxin type A



● Molecule 2: Exotoxin type A

Chain D:  4% 68% 27% .



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	71.72Å 83.73Å 93.90Å 90.00° 91.74° 90.00°	Depositor
Resolution (Å)	71.69 – 2.50 71.69 – 2.50	Depositor EDS
% Data completeness (in resolution range)	(Not available) (71.69-2.50) 97.1 (71.69-2.50)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.20 (at 2.48Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.221 , 0.262 0.221 , 0.262	Depositor DCC
R_{free} test set	1871 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	36.5	Xtriage
Anisotropy	0.213	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 46.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.027 for h,-k,-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	7421	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/1836	0.90	2/2495 (0.1%)
1	C	0.41	0/1814	0.91	2/2469 (0.1%)
2	B	0.39	0/1797	0.90	6/2438 (0.2%)
2	D	0.44	0/1832	0.89	7/2478 (0.3%)
All	All	0.42	0/7279	0.90	17/9880 (0.2%)

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	21	ILE	N-CA-C	-6.13	105.09	111.58
2	D	21	ILE	N-CA-C	-5.95	105.28	111.58
2	B	95	ARG	N-CA-C	-5.86	103.19	111.56
2	B	103	VAL	N-CA-C	5.84	116.29	108.11
1	C	108	PHE	N-CA-C	5.61	118.12	110.55
1	A	42	GLY	N-CA-C	5.41	121.42	112.66
2	D	95	ARG	N-CA-C	-5.34	103.93	111.56
2	B	76	VAL	N-CA-C	5.28	116.78	109.29
2	D	162	ASN	N-CA-C	-5.25	101.05	109.39
2	D	103	VAL	N-CA-C	5.23	115.43	108.11
1	A	108	PHE	N-CA-C	5.22	117.59	110.55
2	D	76	VAL	N-CA-C	5.16	116.29	108.96
2	D	156	ASN	N-CA-C	5.15	119.69	113.41
2	B	162	ASN	N-CA-C	-5.13	101.23	109.39
2	B	82	GLU	N-CA-C	5.12	118.36	110.42
1	C	42	GLY	N-CA-C	5.10	120.92	112.66
2	D	193	THR	N-CA-C	-5.01	101.75	109.52

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1784	0	1634	46	0
1	C	1762	0	1603	50	0
2	B	1756	0	1663	61	0
2	D	1791	0	1730	54	0
3	A	1	0	0	0	0
3	B	2	0	0	0	0
3	C	1	0	0	0	0
3	D	2	0	0	0	0
4	A	6	0	8	1	0
5	A	81	0	0	4	0
5	B	54	0	0	4	0
5	C	98	0	0	2	0
5	D	83	0	0	3	0
All	All	7421	0	6638	210	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (210) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:17:ASN:HA	2:D:19:GLN:HE22	1.19	1.04
2:B:109:ASN:HD21	2:B:139:MET:H	1.14	0.94
2:D:109:ASN:HD21	2:D:139:MET:H	1.15	0.91
1:C:250:LEU:HD11	1:C:119:LEU:HD23	1.52	0.88
2:B:121:VAL:HB	2:B:129:LEU:HB3	1.56	0.87
2:D:93:ALA:O	2:D:94:GLU:HG2	1.78	0.83
2:D:16:LYS:HB2	5:D:753:HOH:O	1.79	0.81
2:D:17:ASN:HA	2:D:19:GLN:NE2	1.96	0.78
2:B:1:GLN:HB2	2:B:182:PHE:HA	1.65	0.77
2:B:34:ASN:HD22	2:B:106:HIS:CD2	2.02	0.76
1:A:122:VAL:HG21	1:A:219:LEU:HD11	1.65	0.76
1:C:150:ARG:HD2	5:C:768:HOH:O	1.86	0.74
2:D:11:ARG:HB3	2:D:168:GLU:OE1	1.88	0.73
1:A:154:PRO:HG2	5:A:718:HOH:O	1.89	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:163:VAL:HG22	1:C:168:VAL:HG21	1.69	0.72
2:D:17:ASN:CA	2:D:19:GLN:HE22	1.99	0.72
2:B:37:SER:HB3	2:B:72:LYS:O	1.91	0.71
2:D:5:ASP:OD2	2:D:6:PRO:HD2	1.91	0.71
2:B:64:ASN:C	2:B:64:ASN:HD22	2.00	0.69
2:B:64:ASN:ND2	2:B:67:MET:H	1.91	0.68
2:B:34:ASN:HD22	2:B:106:HIS:HD2	1.39	0.68
1:C:204:HIS:HA	1:C:244:ARG:O	1.94	0.67
1:A:140:LYS:C	1:A:142:LYS:H	2.02	0.67
1:A:163:VAL:HG22	1:A:168:VAL:HG21	1.76	0.66
2:D:155:ASP:OD2	5:D:716:HOH:O	2.13	0.66
1:C:140:LYS:C	1:C:142:LYS:H	2.02	0.65
2:B:110:HIS:HD1	2:B:136:ASN:ND2	1.94	0.65
2:D:136:ASN:HD22	2:D:136:ASN:C	2.04	0.64
1:C:250:LEU:HD13	1:C:118:ASP:O	1.97	0.64
2:B:1:GLN:CB	2:B:182:PHE:HA	2.28	0.64
2:D:121:VAL:HB	2:D:129:LEU:HB3	1.80	0.62
2:D:64:ASN:ND2	2:D:67:MET:H	1.97	0.62
2:D:177:LYS:HD2	2:D:178:ASN:ND2	2.14	0.62
1:A:142:LYS:HG2	1:A:197:ARG:HD3	1.83	0.61
2:B:29:PRO:HD3	2:B:147:TYR:CZ	2.36	0.60
2:D:94:GLU:O	2:D:95:ARG:HB2	2.01	0.60
1:C:205:ASN:HB3	1:C:208:ASN:ND2	2.16	0.60
1:A:169:HIS:NE2	5:A:702:HOH:O	2.30	0.59
1:C:242:TRP:HD1	5:C:737:HOH:O	1.86	0.58
2:D:30:VAL:HG23	2:D:55:TYR:OH	2.03	0.58
2:B:43:SER:OG	2:B:65:GLN:HB2	2.03	0.58
2:B:85:HIS:O	2:B:86:LEU:HB2	2.01	0.58
1:A:132:PRO:HD3	1:A:145:LEU:HD23	1.84	0.58
1:C:195:ARG:HD2	1:C:195:ARG:N	2.18	0.58
1:C:126:LYS:O	1:C:149:ALA:HA	2.03	0.58
1:C:125:PRO:HB3	1:C:152:PHE:HB3	1.85	0.57
2:B:157:LYS:O	2:B:166:LYS:HD3	2.04	0.57
1:A:41:HIS:HB3	5:A:738:HOH:O	2.05	0.56
2:D:64:ASN:C	2:D:64:ASN:HD22	2.13	0.56
1:A:126:LYS:O	1:A:149:ALA:HA	2.05	0.55
1:A:163:VAL:HG22	1:A:168:VAL:CG2	2.36	0.55
2:B:59:LYS:HB2	2:B:89:LEU:CD1	2.37	0.55
2:B:40:GLN:HG3	2:B:45:ASP:O	2.06	0.55
1:C:219:LEU:HD22	1:C:232:PRO:HG2	1.89	0.55
1:A:206:PRO:HA	1:A:243:GLY:O	2.07	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:85:HIS:O	2:D:86:LEU:HB2	2.07	0.55
4:A:601:GOL:H31	2:B:85:HIS:ND1	2.22	0.55
1:A:132:PRO:HD2	1:A:203:TRP:CZ2	2.41	0.54
1:C:163:VAL:HG22	1:C:168:VAL:CG2	2.35	0.54
2:B:93:ALA:O	2:B:94:GLU:HG2	2.07	0.54
2:B:109:ASN:ND2	2:B:138:LYS:HB2	2.23	0.54
2:D:22:TYR:CZ	2:D:26:GLU:HG3	2.42	0.54
1:A:211:ARG:NH1	1:A:240:GLU:OE1	2.41	0.54
2:D:4:PRO:HB3	2:D:183:TRP:CZ2	2.42	0.54
1:A:159:LEU:C	1:A:159:LEU:HD23	2.33	0.54
2:D:109:ASN:ND2	2:D:138:LYS:HB2	2.22	0.54
1:C:12:VAL:HG11	1:C:219:LEU:HD12	1.91	0.53
2:B:1:GLN:HB2	2:B:182:PHE:CA	2.38	0.53
2:B:141:THR:HG22	2:B:206:THR:HG22	1.89	0.53
1:C:132:PRO:HD2	1:C:203:TRP:CZ2	2.44	0.52
2:D:34:ASN:OD1	2:D:75:ASN:HB3	2.10	0.52
1:A:60:ILE:O	1:A:60:ILE:HG13	2.08	0.52
1:C:122:VAL:HG21	1:C:219:LEU:HD11	1.91	0.52
1:C:140:LYS:C	1:C:142:LYS:N	2.67	0.52
2:B:175:ILE:HB	2:B:213:GLN:HB2	1.90	0.52
1:A:140:LYS:C	1:A:142:LYS:N	2.68	0.52
1:C:87:THR:HG23	1:C:115:THR:HA	1.91	0.52
1:C:151:GLY:HA2	1:C:189:SER:OG	2.10	0.52
2:B:77:ASP:OD1	2:B:106:HIS:HB2	2.09	0.51
2:B:149:VAL:HG12	2:B:153:LEU:HD12	1.92	0.51
1:C:78:ILE:N	1:C:78:ILE:HD12	2.24	0.51
1:C:159:LEU:C	1:C:159:LEU:HD23	2.36	0.51
1:C:181:GLU:HG3	1:C:189:SER:HB3	1.91	0.51
1:C:204:HIS:O	1:C:206:PRO:HD3	2.11	0.51
2:D:30:VAL:HG12	2:D:80:GLY:O	2.11	0.51
1:C:225:TRP:HE1	1:C:229:SER:HB2	1.75	0.51
2:D:109:ASN:HD21	2:D:139:MET:N	1.95	0.51
2:D:62:LEU:HD23	2:D:101:GLY:HA2	1.93	0.50
1:A:36:ARG:NH2	1:A:88:SER:HB2	2.26	0.50
2:B:89:LEU:HD22	2:B:96:SER:OG	2.12	0.50
2:B:30:VAL:HG12	2:B:80:GLY:O	2.12	0.49
2:D:151:LYS:HE3	2:D:155:ASP:OD1	2.11	0.49
1:A:122:VAL:HG21	1:A:219:LEU:CD1	2.39	0.49
1:C:36:ARG:HH21	1:C:88:SER:HB2	1.77	0.49
1:A:233:VAL:HG22	1:A:234:THR:N	2.27	0.49
1:A:12:VAL:HG21	1:A:219:LEU:HD12	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:59:LYS:HB2	2:B:89:LEU:HD11	1.95	0.48
2:B:60:THR:HG23	2:B:60:THR:O	2.13	0.48
2:B:127:GLN:O	2:B:127:GLN:NE2	2.46	0.48
1:A:125:PRO:HB3	1:A:152:PHE:HB3	1.95	0.48
2:D:175:ILE:HB	2:D:213:GLN:HB2	1.95	0.48
2:D:215:GLU:OE1	2:D:217:TYR:OH	2.27	0.48
1:A:203:TRP:HE3	1:A:210:PHE:CE2	2.31	0.48
1:C:194:SER:C	1:C:195:ARG:HD2	2.39	0.48
2:D:52:GLY:HA3	2:D:55:TYR:CE2	2.49	0.48
1:A:132:PRO:HD3	1:A:145:LEU:CD2	2.44	0.48
1:C:10:ASN:OD1	1:C:113:ARG:NH1	2.47	0.48
2:B:30:VAL:HG23	2:B:55:TYR:OH	2.13	0.48
2:B:39:ASP:CG	2:B:40:GLN:H	2.21	0.48
2:B:213:GLN:HA	5:B:757:HOH:O	2.13	0.48
1:C:36:ARG:NH2	1:C:88:SER:HB2	2.28	0.48
1:A:125:PRO:HG2	1:A:237:ILE:HD12	1.95	0.47
1:A:204:HIS:HA	1:A:244:ARG:O	2.14	0.47
2:D:115:LYS:HE2	2:D:210:ASN:HA	1.97	0.47
2:B:58:LEU:HD12	2:B:97:ALA:O	2.14	0.47
2:B:122:SER:HA	2:B:127:GLN:HA	1.96	0.47
2:D:94:GLU:HG3	2:D:95:ARG:HG2	1.96	0.47
1:C:14:VAL:CG1	1:C:119:LEU:HG	2.44	0.47
1:C:219:LEU:O	1:C:233:VAL:HG23	2.14	0.47
2:D:19:GLN:NE2	2:D:19:GLN:H	2.12	0.47
1:C:203:TRP:CZ2	1:C:244:ARG:HD2	2.49	0.47
2:D:64:ASN:HD22	2:D:67:MET:H	1.61	0.47
2:B:34:ASN:HB2	2:B:106:HIS:CD2	2.49	0.47
2:D:109:ASN:ND2	2:D:139:MET:H	1.97	0.47
2:B:175:ILE:N	2:B:175:ILE:HD12	2.30	0.46
1:A:205:ASN:HB3	1:A:208:ASN:ND2	2.31	0.46
1:A:159:LEU:HD23	1:A:160:SER:N	2.31	0.46
2:B:79:TYR:CD2	2:B:144:GLU:HG3	2.50	0.46
2:B:29:PRO:HD3	2:B:147:TYR:CE2	2.51	0.46
1:A:87:THR:O	1:A:88:SER:HB2	2.15	0.46
1:A:204:HIS:O	1:A:206:PRO:HD3	2.16	0.46
1:A:203:TRP:CE3	1:A:210:PHE:CE2	3.04	0.46
2:B:1:GLN:NE2	2:B:183:TRP:O	2.49	0.46
2:B:109:ASN:HD22	2:B:138:LYS:HB2	1.81	0.46
2:D:94:GLU:HG3	2:D:95:ARG:N	2.30	0.45
2:B:94:GLU:O	2:B:95:ARG:HB2	2.16	0.45
1:C:92:CYS:SG	1:C:93:ALA:N	2.89	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:131:PHE:HE1	2:B:133:ILE:HD13	1.82	0.45
2:B:151:LYS:NZ	5:B:721:HOH:O	2.49	0.45
2:B:64:ASN:HD22	2:B:67:MET:H	1.64	0.45
2:B:114:PRO:HB2	2:B:134:GLU:CG	2.47	0.45
2:B:141:THR:HA	2:B:206:THR:HA	1.98	0.45
1:A:10:ASN:OD1	1:A:113:ARG:NH1	2.50	0.44
2:B:49:ASN:HD21	2:B:57:LYS:NZ	2.16	0.44
1:A:163:VAL:HG23	1:A:163:VAL:O	2.17	0.44
1:A:145:LEU:HD21	1:A:203:TRP:CZ3	2.52	0.44
2:B:155:ASP:OD2	5:B:721:HOH:O	2.20	0.44
1:A:6:GLN:HG3	1:A:110:PRO:HD2	1.98	0.44
2:D:109:ASN:HD22	2:D:138:LYS:HB2	1.82	0.44
1:C:233:VAL:O	1:C:234:THR:C	2.61	0.44
2:B:115:LYS:HE3	2:B:210:ASN:HA	2.00	0.43
1:A:178:ALA:HA	1:A:192:LEU:HD13	2.01	0.43
2:D:1:GLN:N	2:D:180:GLU:OE1	2.45	0.43
1:A:82:ALA:HA	1:A:86:GLN:OE1	2.19	0.43
2:D:17:ASN:CA	2:D:19:GLN:NE2	2.70	0.43
2:D:47:ILE:CD1	2:D:89:LEU:HD11	2.48	0.43
2:D:60:THR:HG23	2:D:60:THR:O	2.18	0.43
1:A:219:LEU:O	1:A:233:VAL:HG23	2.18	0.43
2:B:1:GLN:HB2	2:B:182:PHE:CB	2.47	0.43
2:B:30:VAL:CG1	2:B:82:GLU:HG3	2.48	0.43
1:C:163:VAL:HG23	1:C:163:VAL:O	2.17	0.43
2:D:122:SER:HA	2:D:127:GLN:HA	2.00	0.43
2:D:151:LYS:NZ	5:D:716:HOH:O	2.24	0.43
1:C:140:LYS:O	1:C:142:LYS:N	2.52	0.43
2:B:79:TYR:CE2	2:B:144:GLU:HG3	2.54	0.43
2:B:110:HIS:HD1	2:B:136:ASN:HD22	1.67	0.42
2:D:85:HIS:O	2:D:86:LEU:CB	2.66	0.42
1:A:117:GLU:HG3	1:A:118:ASP:OD2	2.19	0.42
1:C:233:VAL:HG22	1:C:234:THR:N	2.35	0.42
2:D:31:THR:HG22	2:D:79:TYR:CD1	2.54	0.42
1:A:92:CYS:SG	1:A:93:ALA:N	2.93	0.42
1:C:31:ASN:HD22	1:C:50:TYR:HA	1.85	0.42
1:C:60:ILE:O	1:C:60:ILE:HG13	2.20	0.42
1:A:122:VAL:HA	1:A:153:PHE:O	2.19	0.42
2:D:19:GLN:H	2:D:19:GLN:CD	2.28	0.42
2:D:17:ASN:C	2:D:19:GLN:NE2	2.78	0.42
1:A:43:LEU:HB3	1:C:43:LEU:HB3	2.01	0.42
1:C:233:VAL:O	1:C:235:GLN:HG2	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:196:LYS:O	2:B:199:MET:HG3	2.19	0.42
1:C:12:VAL:CG1	1:C:219:LEU:HD12	2.49	0.42
1:C:39:THR:C	1:C:41:HIS:H	2.27	0.42
1:C:122:VAL:HA	1:C:153:PHE:O	2.19	0.42
2:B:30:VAL:HG12	2:B:82:GLU:HG3	2.02	0.42
2:B:29:PRO:HD3	2:B:147:TYR:OH	2.19	0.41
2:B:204:ASN:O	2:B:206:THR:HG23	2.20	0.41
1:A:140:LYS:O	1:A:142:LYS:N	2.54	0.41
1:C:234:THR:C	1:C:235:GLN:HG2	2.45	0.41
2:D:93:ALA:O	2:D:94:GLU:CG	2.60	0.41
1:A:39:THR:C	1:A:41:HIS:H	2.28	0.41
1:A:233:VAL:O	1:A:234:THR:C	2.63	0.41
1:C:203:TRP:HE3	1:C:210:PHE:CE2	2.37	0.41
2:D:79:TYR:CD2	2:D:144:GLU:HG3	2.55	0.41
2:D:131:PHE:HE1	2:D:133:ILE:HD13	1.85	0.41
2:D:196:LYS:HB2	2:D:196:LYS:HE3	1.85	0.41
2:B:30:VAL:HG21	2:B:58:LEU:HD22	2.02	0.41
2:D:170:GLY:HA2	2:D:217:TYR:O	2.19	0.41
1:A:163:VAL:CG2	1:A:168:VAL:HG21	2.47	0.41
2:B:208:ASP:OD1	2:B:210:ASN:N	2.53	0.41
2:D:4:PRO:HB3	2:D:183:TRP:CH2	2.55	0.41
2:B:67:MET:HE2	5:B:748:HOH:O	2.21	0.41
1:C:215:GLN:HG3	1:C:236:ASN:ND2	2.36	0.41
2:D:37:SER:HB3	2:D:72:LYS:O	2.20	0.41
1:C:87:THR:O	1:C:88:SER:HB2	2.20	0.41
1:C:250:LEU:HD11	1:C:119:LEU:CD2	2.38	0.41
2:D:85:HIS:CD2	2:D:86:LEU:HG	2.56	0.41
2:B:170:GLY:HA2	2:B:217:TYR:O	2.21	0.40
2:D:32:HIS:HE1	2:D:55:TYR:OH	2.04	0.40
1:A:113:ARG:HD3	5:A:713:HOH:O	2.21	0.40
1:C:69:ARG:HD2	1:C:74:GLN:O	2.21	0.40
1:C:250:LEU:HD13	1:C:118:ASP:C	2.47	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	234/236 (99%)	218 (93%)	13 (6%)	3 (1%)	9	18
1	C	234/236 (99%)	219 (94%)	12 (5%)	3 (1%)	9	18
2	B	218/221 (99%)	198 (91%)	15 (7%)	5 (2%)	5	8
2	D	219/221 (99%)	201 (92%)	13 (6%)	5 (2%)	5	8
All	All	905/914 (99%)	836 (92%)	53 (6%)	16 (2%)	6	12

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	138	ALA
2	B	93	ALA
1	C	138	ALA
2	D	93	ALA
2	B	34	ASN
2	B	177	LYS
2	D	177	LYS
1	A	234	THR
2	B	127	GLN
1	C	234	THR
2	D	34	ASN
2	D	127	GLN
1	A	226	PRO
2	B	90	SER
1	C	226	PRO
2	D	90	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/201 (92%)	177 (96%)	8 (4%)	26	51

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	181/201 (90%)	176 (97%)	5 (3%)	38	66
2	B	194/208 (93%)	186 (96%)	8 (4%)	27	53
2	D	202/208 (97%)	192 (95%)	10 (5%)	22	44
All	All	762/818 (93%)	731 (96%)	31 (4%)	27	53

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	GLN
1	A	37	GLN
1	A	72	GLN
1	A	250	LEU
1	A	129	LEU
1	A	144	THR
1	A	158	GLU
1	A	177	GLN
2	B	38	VAL
2	B	59	LYS
2	B	64	ASN
2	B	82	GLU
2	B	127	GLN
2	B	133	ILE
2	B	168	GLU
2	B	190	PRO
1	C	250	LEU
1	C	129	LEU
1	C	158	GLU
1	C	219	LEU
1	C	235	GLN
2	D	14	LEU
2	D	16	LYS
2	D	19	GLN
2	D	38	VAL
2	D	64	ASN
2	D	82	GLU
2	D	113	ILE
2	D	133	ILE
2	D	136	ASN
2	D	177	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (37)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	GLN
1	A	30	ASN
1	A	31	ASN
1	A	37	GLN
1	A	72	GLN
1	A	121	GLN
1	A	177	GLN
1	A	236	ASN
2	B	34	ASN
2	B	49	ASN
2	B	64	ASN
2	B	65	GLN
2	B	75	ASN
2	B	109	ASN
2	B	136	ASN
1	C	31	ASN
1	C	106	GLN
1	C	121	GLN
1	C	169	HIS
1	C	186	ASN
1	C	204	HIS
1	C	205	ASN
1	C	208	ASN
1	C	235	GLN
1	C	236	ASN
2	D	1	GLN
2	D	19	GLN
2	D	32	HIS
2	D	49	ASN
2	D	64	ASN
2	D	65	GLN
2	D	105	ASN
2	D	109	ASN
2	D	136	ASN
2	D	158	GLN
2	D	178	ASN
2	D	210	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 6 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GOL	A	601	-	5,5,5	0.89	0	5,5,5	1.06	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	601	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	601	GOL	C1-C2-C3-O3
4	A	601	GOL	O2-C2-C3-O3

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	601	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	236/236 (100%)	0.49	29 (12%) 8 7	13, 33, 78, 86	0
1	C	236/236 (100%)	0.42	23 (9%) 13 11	13, 34, 79, 87	0
2	B	220/221 (99%)	0.61	16 (7%) 21 19	20, 43, 58, 74	0
2	D	221/221 (100%)	0.19	9 (4%) 41 37	15, 36, 54, 75	0
All	All	913/914 (99%)	0.43	77 (8%) 17 15	13, 38, 72, 87	0

All (77) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	137	ILE	7.1
1	A	137	ILE	5.0
2	D	92	ASN	4.2
1	A	226	PRO	3.9
1	A	227	GLU	3.8
1	A	225	TRP	3.7
2	D	93	ALA	3.6
2	B	108	GLY	3.6
1	C	136	GLU	3.5
1	A	179	TYR	3.5
2	D	91	GLU	3.5
1	A	228	GLY	3.4
1	C	228	GLY	3.4
1	C	41	HIS	3.4
1	C	135	ALA	3.4
1	A	41	HIS	3.3
1	C	138	ALA	3.3
2	D	94	GLU	3.3
2	B	69	THR	3.2
1	A	40	GLY	3.1
1	C	233	VAL	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	229	SER	3.1
1	C	203	TRP	3.1
1	C	226	PRO	3.0
2	D	89	LEU	2.9
1	C	133	SER	2.9
1	A	206	PRO	2.9
1	A	203	TRP	2.9
2	D	178	ASN	2.9
1	A	39	THR	2.9
2	D	90	SER	2.9
1	C	140	LYS	2.9
2	B	93	ALA	2.9
1	A	138	ALA	2.8
1	C	224	LYS	2.8
1	A	205	ASN	2.8
1	A	140	LYS	2.8
1	A	230	PRO	2.7
2	B	96	SER	2.7
1	A	244	ARG	2.7
1	C	141	GLN	2.7
1	A	200	ALA	2.6
2	D	133	ILE	2.6
2	B	90	SER	2.6
1	A	130	PHE	2.6
1	A	207	ARG	2.5
1	C	200	ALA	2.5
1	C	225	TRP	2.5
1	C	202	PHE	2.5
1	C	229	SER	2.5
2	B	88	TYR	2.5
2	B	133	ILE	2.4
1	A	233	VAL	2.4
2	B	73	ASP	2.4
2	B	68	ALA	2.4
2	B	126	ILE	2.4
2	B	5	ASP	2.4
2	B	129	LEU	2.4
1	A	213	GLN	2.3
1	A	243	GLY	2.3
2	D	88	TYR	2.3
2	B	89	LEU	2.2
2	B	177	LYS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	43	SER	2.2
1	A	202	PHE	2.2
1	A	191	CYS	2.2
1	C	168	VAL	2.1
1	A	133	SER	2.1
1	A	139	ASN	2.1
1	A	120	ARG	2.1
1	C	241	ALA	2.1
1	C	139	ASN	2.0
1	C	40	GLY	2.0
2	B	113	ILE	2.0
1	C	230	PRO	2.0
1	A	132	PRO	2.0
1	C	169	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GOL	A	601	6/6	0.89	0.15	37,39,41,48	0
3	ZN	B	706	1/1	0.98	0.04	66,66,66,66	0
3	ZN	A	701	1/1	0.99	0.02	54,54,54,54	0
3	ZN	C	703	1/1	0.99	0.04	48,48,48,48	0
3	ZN	D	705	1/1	0.99	0.05	52,52,52,52	0
3	ZN	B	702	1/1	0.99	0.04	58,58,58,58	0
3	ZN	D	704	1/1	1.00	0.02	37,37,37,37	0

6.5 Other polymers [i](#)

There are no such residues in this entry.