



wwPDB EM Validation Summary Report ⓘ

Mar 8, 2026 – 02:50 PM UTC

PDB ID : 9L2E / pdb_00009l2e
EMDB ID : EMD-62773
Title : Structure of SARM1 bound to M1 in the intermediate state 2
Authors : Huang, Y.; Zhang, J.; Zheng, S.; Wang, X.
Deposited on : 2024-12-17
Resolution : 2.46 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	6014 (1.96 - 2.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	732	 13% 6% 81%
1	B	732	 12% 6% 81%
1	C	732	 13% 6% 81%
1	D	732	 13% 6% 81%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	732	 13% 6% 81%
1	F	732	 13% 6% 81%
1	G	732	 13% 6% 81%
1	H	732	 12% 7% 81%

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 9064 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NAD(+) hydrolase SARM1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	139	Total	C	N	O	S	0	0
			1133	710	203	214	6		
1	B	139	Total	C	N	O	S	0	0
			1133	710	203	214	6		
1	C	139	Total	C	N	O	S	0	0
			1133	710	203	214	6		
1	D	139	Total	C	N	O	S	0	0
			1133	710	203	214	6		
1	E	139	Total	C	N	O	S	0	0
			1133	710	203	214	6		
1	F	139	Total	C	N	O	S	0	0
			1133	710	203	214	6		
1	G	139	Total	C	N	O	S	0	0
			1133	710	203	214	6		
1	H	139	Total	C	N	O	S	0	0
			1133	710	203	214	6		

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	725	ASP	-	expression tag	UNP Q6SZW1
A	726	TYR	-	expression tag	UNP Q6SZW1
A	727	LYS	-	expression tag	UNP Q6SZW1
A	728	ASP	-	expression tag	UNP Q6SZW1
A	729	ASP	-	expression tag	UNP Q6SZW1
A	730	ASP	-	expression tag	UNP Q6SZW1
A	731	ASP	-	expression tag	UNP Q6SZW1
A	732	LYS	-	expression tag	UNP Q6SZW1
B	725	ASP	-	expression tag	UNP Q6SZW1
B	726	TYR	-	expression tag	UNP Q6SZW1
B	727	LYS	-	expression tag	UNP Q6SZW1
B	728	ASP	-	expression tag	UNP Q6SZW1
B	729	ASP	-	expression tag	UNP Q6SZW1
B	730	ASP	-	expression tag	UNP Q6SZW1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	731	ASP	-	expression tag	UNP Q6SZW1
B	732	LYS	-	expression tag	UNP Q6SZW1
C	725	ASP	-	expression tag	UNP Q6SZW1
C	726	TYR	-	expression tag	UNP Q6SZW1
C	727	LYS	-	expression tag	UNP Q6SZW1
C	728	ASP	-	expression tag	UNP Q6SZW1
C	729	ASP	-	expression tag	UNP Q6SZW1
C	730	ASP	-	expression tag	UNP Q6SZW1
C	731	ASP	-	expression tag	UNP Q6SZW1
C	732	LYS	-	expression tag	UNP Q6SZW1
D	725	ASP	-	expression tag	UNP Q6SZW1
D	726	TYR	-	expression tag	UNP Q6SZW1
D	727	LYS	-	expression tag	UNP Q6SZW1
D	728	ASP	-	expression tag	UNP Q6SZW1
D	729	ASP	-	expression tag	UNP Q6SZW1
D	730	ASP	-	expression tag	UNP Q6SZW1
D	731	ASP	-	expression tag	UNP Q6SZW1
D	732	LYS	-	expression tag	UNP Q6SZW1
E	725	ASP	-	expression tag	UNP Q6SZW1
E	726	TYR	-	expression tag	UNP Q6SZW1
E	727	LYS	-	expression tag	UNP Q6SZW1
E	728	ASP	-	expression tag	UNP Q6SZW1
E	729	ASP	-	expression tag	UNP Q6SZW1
E	730	ASP	-	expression tag	UNP Q6SZW1
E	731	ASP	-	expression tag	UNP Q6SZW1
E	732	LYS	-	expression tag	UNP Q6SZW1
F	725	ASP	-	expression tag	UNP Q6SZW1
F	726	TYR	-	expression tag	UNP Q6SZW1
F	727	LYS	-	expression tag	UNP Q6SZW1
F	728	ASP	-	expression tag	UNP Q6SZW1
F	729	ASP	-	expression tag	UNP Q6SZW1
F	730	ASP	-	expression tag	UNP Q6SZW1
F	731	ASP	-	expression tag	UNP Q6SZW1
F	732	LYS	-	expression tag	UNP Q6SZW1
G	725	ASP	-	expression tag	UNP Q6SZW1
G	726	TYR	-	expression tag	UNP Q6SZW1
G	727	LYS	-	expression tag	UNP Q6SZW1
G	728	ASP	-	expression tag	UNP Q6SZW1
G	729	ASP	-	expression tag	UNP Q6SZW1
G	730	ASP	-	expression tag	UNP Q6SZW1
G	731	ASP	-	expression tag	UNP Q6SZW1
G	732	LYS	-	expression tag	UNP Q6SZW1

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
H	725	ASP	-	expression tag	UNP Q6SZW1
H	726	TYR	-	expression tag	UNP Q6SZW1
H	727	LYS	-	expression tag	UNP Q6SZW1
H	728	ASP	-	expression tag	UNP Q6SZW1
H	729	ASP	-	expression tag	UNP Q6SZW1
H	730	ASP	-	expression tag	UNP Q6SZW1
H	731	ASP	-	expression tag	UNP Q6SZW1
H	732	LYS	-	expression tag	UNP Q6SZW1

[illegible]

Chain C: 13% 6% 81%

VAL	GLN	ARG	ALA	ARG	LEU	VAL	MET
ARG	SER	ARG	SER	ASP	LEU	VAL	VAL
ARG	VAL	GLY	VAL	GLY	GLY	THR	THR
MET	ALA	ALA	GLY	LEU	LEU	LEU	LEU
VAL	VAL	GLY	GLY	ASP	GLU	GLU	LEU
GLU	GLU	ILE	ILE	ASP	LEU	LEU	LEU
ARG	LYS	ARG	GLU	LEU	LEU	ALA	SER
GLN	ARG	HIS	HIS	LEU	PRO	ALA	ALA
LYS	LYS	GLY	GLY	GLU	GLU	LYS	TYR
ALA	ALA	MET	MET	ARG	ARG	GLY	LYS
GLU	GLU	PHE	PHE	LEU	LEU	LEU	LEU
THR	THR	LYS	LYS	LEU	GLN	CYS	CYS
GLU	LEU	HIS	HIS	GLN	GLN	ARG	ARG
PHE	PHE	SER	SER	ALA	ALA	PHE	PHE
PRO	PRO	GLU	GLU	PRO	LEU	SER	ALA
LEU	LEU	GLU	GLU	LEU	LEU	ALA	MET
ALA	ALA	THR	THR	LEU	ALA	ALA	MET
PHE	PHE	CYS	CYS	GLU	LEU	SER	SER
SER	SER	GLN	GLN	THR	LYS	GLY	GLY
LYS	LYS	ARG	ARG	ARG	GLN	PRO	PRO
GLU	GLU	LEU	LEU	VAL	ALA	ARG	ARG
ASP	ASP	VAL	VAL	GLN	GLY	PRO	PRO
GLU	GLU	ALA	ALA	ALA	GLY	GLY	GLY
LEU	LEU	ASP	ASP	GLU	GLY	ALA	ALA
HIS	HIS	LEU	LEU	GLN	ALA	VAL	VAL
ALA	ALA	ALA	ALA	ILE	GLY	PRO	PRO
LEU	LEU	VAL	VAL	LEU	LEU	GLY	GLY
GLY	GLY	TYR	TYR	VAL	VAL	PRO	PRO
ALA	ALA	ALA	ALA	VAL	GLU	ASP	ASP
VAL	VAL	VAL	VAL	ALA	ALA	GLY	GLY
VAL	VAL	CYS	CYS	VAL	PHE	GLY	GLY
LEU	LEU	ARG	ARG	ASN	ASN	GLY	GLY
LEU	LEU	THR	THR	ASP	GLY	THR	THR
ALA	ALA	THR	THR	ASP	LEU	THR	THR
VAL	VAL	ASN	ASN	VAL	GLU	PRO	PRO
LYS	LYS	ALA	ALA	ALA	GLU	ALA	ALA
GLU	GLU	LEU	LEU	ARG	ALA	THR	THR
VAL	VAL	LEU	LEU	ILE	THR	THR	THR
GLU	GLU	ARG	ARG	GLY	LEU	ALA	ALA
GLU	GLU	HIS	HIS	LEU	LEU	GLY	GLY
GLU	GLU	CYS	CYS	GLY	PRO	ALA	ALA
VAL	VAL	ALA	ALA	VAL	ALA	GLY	GLY
GLU	GLU	LEU	LEU	ILE	VAL	ARG	ARG
ARG	ARG	ALA	ALA	LEU	GLY	GLY	GLY
SER	SER	LEU	LEU	ASN	ARG	PRO	PRO
THR	THR	GLY	GLY	ASN	GLU	ARG	ARG
LEU	LEU	CYS	CYS	LYS	VAL	VAL	VAL
ALA	ALA	ALA	ALA	GLU	GLN	SER	SER
LEU	LEU	LEU	LEU	ARG	GLY	PRO	PRO
GLU	GLU	HIS	HIS	GLU	LEU	ALA	ALA
GLU	GLU	GLY	GLY	VAL	CYS	GLY	GLY
PRO	PRO	GLY	GLY	PRO	ASP	GLY	GLY
LEU	LEU	GLN	GLN	GLU	THR	THR	THR
ALA	ALA	LEU	LEU	LEU	TIF	GLU	GLU

- Molecule 1: NAD(+) hydrolase SARM1





- Molecule 1: NAD(+) hydrolase SARM1

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	244752	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	52.73	Depositor
Minimum defocus (nm)	710	Depositor
Maximum defocus (nm)	2240	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	10.088	Depositor
Minimum map value	-6.713	Depositor
Average map value	-0.002	Depositor
Map value standard deviation	0.169	Depositor
Recommended contour level	1.48	Depositor
Map size (Å)	323.2, 323.2, 323.2	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.808, 0.808, 0.808	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.16	0/1154	0.35	0/1554
1	B	0.16	0/1154	0.35	0/1554
1	C	0.16	0/1154	0.35	0/1554
1	D	0.16	0/1154	0.35	0/1554
1	E	0.16	0/1154	0.35	0/1554
1	F	0.16	0/1154	0.35	0/1554
1	G	0.16	0/1154	0.35	0/1554
1	H	0.16	0/1154	0.35	0/1554
All	All	0.16	0/9232	0.35	0/12432

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1133	0	1115	34	0
1	B	1133	0	1115	35	0
1	C	1133	0	1115	37	0
1	D	1133	0	1115	34	0
1	E	1133	0	1115	33	0
1	F	1133	0	1115	31	0
1	G	1133	0	1115	33	0
1	H	1133	0	1115	35	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	9064	0	8920	258	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

The worst 5 of 258 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:459:SER:HB3	1:D:462:THR:HB	1.63	0.81
1:B:459:SER:HB3	1:B:462:THR:HB	1.63	0.81
1:F:459:SER:HB3	1:F:462:THR:HB	1.63	0.81
1:H:459:SER:HB3	1:H:462:THR:HB	1.63	0.80
1:A:459:SER:HB3	1:A:462:THR:HB	1.63	0.79

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	137/732 (19%)	135 (98%)	2 (2%)	0	100	100
1	B	137/732 (19%)	134 (98%)	3 (2%)	0	100	100
1	C	137/732 (19%)	134 (98%)	3 (2%)	0	100	100
1	D	137/732 (19%)	134 (98%)	3 (2%)	0	100	100
1	E	137/732 (19%)	134 (98%)	3 (2%)	0	100	100
1	F	137/732 (19%)	133 (97%)	4 (3%)	0	100	100
1	G	137/732 (19%)	134 (98%)	3 (2%)	0	100	100
1	H	137/732 (19%)	134 (98%)	3 (2%)	0	100	100
All	All	1096/5856 (19%)	1072 (98%)	24 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	124/598 (21%)	121 (98%)	3 (2%)	43	58
1	B	124/598 (21%)	122 (98%)	2 (2%)	55	69
1	C	124/598 (21%)	122 (98%)	2 (2%)	55	69
1	D	124/598 (21%)	122 (98%)	2 (2%)	55	69
1	E	124/598 (21%)	122 (98%)	2 (2%)	55	69
1	F	124/598 (21%)	122 (98%)	2 (2%)	55	69
1	G	124/598 (21%)	122 (98%)	2 (2%)	55	69
1	H	124/598 (21%)	121 (98%)	3 (2%)	43	58
All	All	992/4784 (21%)	974 (98%)	18 (2%)	51	65

5 of 18 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	462	THR
1	H	494	LEU
1	H	462	THR
1	D	462	THR
1	G	446	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 14 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	500	GLN
1	E	478	ASN
1	H	478	ASN
1	G	478	ASN
1	G	500	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-62773. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 217




Y Index: 183




Z Index: 178


6.3.2 Raw map



X Index: 156



Y Index: 156




Z Index: 192


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 1.48. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 39 nm^3 ; this corresponds to an approximate mass of 35 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.407 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.407 Å⁻¹

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.46	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	2.94	3.34	2.97

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.94 differs from the reported value 2.46 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-62773 and PDB model 9L2E. Per-residue inclusion information can be found in section 3 on page 7.

9.1 Map-model overlay [i](#)


This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.48).

9.4 Atom inclusion [i](#)



At the recommended contour level, 88% of all backbone atoms, 80% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (1.48) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8020	0.6130
A	0.8030	0.6120
B	0.8020	0.6120
C	0.7990	0.6100
D	0.8000	0.6140
E	0.8030	0.6150
F	0.8010	0.6140
G	0.8030	0.6130
H	0.8030	0.6130

