



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 9, 2026 – 06:13 PM UTC

PDB ID : 4L3C / pdb_00004l3c
Title : Structure of HLA-A2 in complex with D76N b2m mutant and NY-ESO1 double mutant
Authors : Halabelian, L.; Giorgetti, S.; Bellotti, V.; Bolognesi, M.; Ricagno, S.
Deposited on : 2013-06-05
Resolution : 2.64 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.64 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






















Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2053 (2.66-2.62)
Clashscore	190562	2097 (2.66-2.62)
Ramachandran outliers	187476	2066 (2.66-2.62)
Sidechain outliers	187428	2066 (2.66-2.62)
RSRZ outliers	180081	2052 (2.66-2.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	276	2% 87% 12% .
1	C	276	3% 86% 13% .
1	E	276	2% 84% 14% .
1	G	276	2% 86% 12% .
1	I	276	2% 88% 12% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	K	276	
1	M	276	
1	O	276	
1	Q	276	
1	S	276	
1	U	276	
1	W	276	
1	Y	276	
1	a	276	
2	B	100	
2	D	100	
2	F	100	
2	H	100	
2	J	100	
2	L	100	
2	N	100	
2	P	100	
2	R	100	
2	T	100	
2	V	100	
2	X	100	
2	Z	100	
2	b	100	
3	c	9	
3	e	9	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	f	9	44% 56%
3	g	9	67% 22% 11%
3	h	9	56% 44%
3	i	9	56% 33% 11%
3	j	9	11% 56% 44%
3	k	9	56% 44%
3	l	9	78% 22%
3	m	9	67% 33%
3	n	9	78% 22%
3	o	9	22% 67% 33%
3	p	9	78% 11% 11%
3	q	9	11% 33% 44% 22%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 44714 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HLA class I histocompatibility antigen, A-2 alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	276	Total	C	N	O	S	0	0	0
			2254	1408	410	427	9			
1	C	276	Total	C	N	O	S	0	0	0
			2254	1408	410	427	9			
1	E	276	Total	C	N	O	S	0	0	0
			2254	1408	410	427	9			
1	G	276	Total	C	N	O	S	0	0	0
			2254	1408	410	427	9			
1	I	276	Total	C	N	O	S	0	0	0
			2254	1408	410	427	9			
1	K	276	Total	C	N	O	S	0	0	0
			2254	1408	410	427	9			
1	M	276	Total	C	N	O	S	0	0	0
			2254	1408	410	427	9			
1	O	276	Total	C	N	O	S	0	0	0
			2254	1408	410	427	9			
1	Q	276	Total	C	N	O	S	0	0	0
			2254	1408	410	427	9			
1	S	276	Total	C	N	O	S	0	0	0
			2254	1408	410	427	9			
1	U	276	Total	C	N	O	S	0	0	0
			2254	1408	410	427	9			
1	W	276	Total	C	N	O	S	0	0	0
			2254	1408	410	427	9			
1	Y	276	Total	C	N	O	S	0	0	0
			2254	1408	410	427	9			
1	a	276	Total	C	N	O	S	0	0	0
			2254	1408	410	427	9			

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	100	Total	C	N	O	S	0	0	0
			837	533	142	158	4			
2	D	100	Total	C	N	O	S	0	0	0
			837	533	142	158	4			
2	F	100	Total	C	N	O	S	0	0	0
			837	533	142	158	4			
2	H	100	Total	C	N	O	S	0	0	0
			837	533	142	158	4			
2	J	100	Total	C	N	O	S	0	0	0
			837	533	142	158	4			
2	L	100	Total	C	N	O	S	0	0	0
			837	533	142	158	4			
2	N	100	Total	C	N	O	S	0	0	0
			837	533	142	158	4			
2	P	100	Total	C	N	O	S	0	0	0
			837	533	142	158	4			
2	R	100	Total	C	N	O	S	0	0	0
			837	533	142	158	4			
2	T	100	Total	C	N	O	S	0	0	0
			837	533	142	158	4			
2	V	100	Total	C	N	O	S	0	0	0
			837	533	142	158	4			
2	X	100	Total	C	N	O	S	0	0	0
			837	533	142	158	4			
2	Z	100	Total	C	N	O	S	0	0	0
			837	533	142	158	4			
2	b	100	Total	C	N	O	S	0	0	0
			837	533	142	158	4			

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	MET	-	initiating methionine	UNP P61769
B	76	ASN	ASP	engineered mutation	UNP P61769
D	0	MET	-	initiating methionine	UNP P61769
D	76	ASN	ASP	engineered mutation	UNP P61769
F	0	MET	-	initiating methionine	UNP P61769
F	76	ASN	ASP	engineered mutation	UNP P61769
H	0	MET	-	initiating methionine	UNP P61769
H	76	ASN	ASP	engineered mutation	UNP P61769
J	0	MET	-	initiating methionine	UNP P61769
J	76	ASN	ASP	engineered mutation	UNP P61769
L	0	MET	-	initiating methionine	UNP P61769
L	76	ASN	ASP	engineered mutation	UNP P61769

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
N	0	MET	-	initiating methionine	UNP P61769
N	76	ASN	ASP	engineered mutation	UNP P61769
P	0	MET	-	initiating methionine	UNP P61769
P	76	ASN	ASP	engineered mutation	UNP P61769
R	0	MET	-	initiating methionine	UNP P61769
R	76	ASN	ASP	engineered mutation	UNP P61769
T	0	MET	-	initiating methionine	UNP P61769
T	76	ASN	ASP	engineered mutation	UNP P61769
V	0	MET	-	initiating methionine	UNP P61769
V	76	ASN	ASP	engineered mutation	UNP P61769
X	0	MET	-	initiating methionine	UNP P61769
X	76	ASN	ASP	engineered mutation	UNP P61769
Z	0	MET	-	initiating methionine	UNP P61769
Z	76	ASN	ASP	engineered mutation	UNP P61769
b	0	MET	-	initiating methionine	UNP P61769
b	76	ASN	ASP	engineered mutation	UNP P61769

- Molecule 3 is a protein called NY-ESO1 double mutant (1Y, 9V).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	m	9	Total	C	N	O	S	0	0	0
			82	57	11	13	1			
3	i	9	Total	C	N	O	S	0	0	0
			82	57	11	13	1			
3	k	9	Total	C	N	O	S	0	0	0
			82	57	11	13	1			
3	f	9	Total	C	N	O	S	0	0	0
			82	57	11	13	1			
3	l	9	Total	C	N	O	S	0	0	0
			82	57	11	13	1			
3	h	9	Total	C	N	O	S	0	0	0
			82	57	11	13	1			
3	e	9	Total	C	N	O	S	0	0	0
			82	57	11	13	1			
3	n	9	Total	C	N	O	S	0	0	0
			82	57	11	13	1			
3	p	9	Total	C	N	O	S	0	0	0
			82	57	11	13	1			
3	o	9	Total	C	N	O	S	0	0	0
			82	57	11	13	1			
3	c	9	Total	C	N	O	S	0	0	0
			82	57	11	13	1			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	g	9	Total	C	N	O	S	0	0	0
			82	57	11	13	1			
3	q	9	Total	C	N	O	S	0	0	0
			82	57	11	13	1			
3	j	9	Total	C	N	O	S	0	0	0
			82	57	11	13	1			

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Cl	0	0
			2	2		
4	B	1	Total	Cl	0	0
			1	1		
4	C	2	Total	Cl	0	0
			2	2		
4	D	1	Total	Cl	0	0
			1	1		
4	E	1	Total	Cl	0	0
			1	1		
4	F	1	Total	Cl	0	0
			1	1		
4	G	1	Total	Cl	0	0
			1	1		
4	H	1	Total	Cl	0	0
			1	1		
4	I	4	Total	Cl	0	0
			4	4		
4	J	1	Total	Cl	0	0
			1	1		
4	K	1	Total	Cl	0	0
			1	1		
4	L	1	Total	Cl	0	0
			1	1		
4	M	2	Total	Cl	0	0
			2	2		
4	N	1	Total	Cl	0	0
			1	1		
4	O	1	Total	Cl	0	0
			1	1		
4	P	1	Total	Cl	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	Q	3	Total 3	Cl 3	0	0
4	R	2	Total 2	Cl 2	0	0
4	S	1	Total 1	Cl 1	0	0
4	T	1	Total 1	Cl 1	0	0
4	U	2	Total 2	Cl 2	0	0
4	W	2	Total 2	Cl 2	0	0
4	X	1	Total 1	Cl 1	0	0
4	Y	1	Total 1	Cl 1	0	0
4	Z	1	Total 1	Cl 1	0	0
4	a	1	Total 1	Cl 1	0	0
4	b	1	Total 1	Cl 1	0	0

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 6 3 3	0	0
5	C	1	Total C O 6 3 3	0	0
5	C	1	Total C O 6 3 3	0	0
5	i	1	Total C O 6 3 3	0	0
5	k	1	Total C O 6 3 3	0	0
5	f	1	Total C O 6 3 3	0	0
5	l	1	Total C O 6 3 3	0	0
5	K	1	Total C O 6 3 3	0	0
5	h	1	Total C O 6 3 3	0	0
5	e	1	Total C O 6 3 3	0	0
5	O	1	Total C O 6 3 3	0	0
5	O	1	Total C O 6 3 3	0	0
5	p	1	Total C O 6 3 3	0	0
5	S	1	Total C O 6 3 3	0	0
5	S	1	Total C O 6 3 3	0	0
5	U	1	Total C O 6 3 3	0	0
5	g	1	Total C O 6 3 3	0	0
5	Y	1	Total C O 6 3 3	0	0
5	Y	1	Total C O 6 3 3	0	0
5	a	1	Total C O 6 3 3	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	5	Total O 5 5	0	0
6	B	6	Total O 6 6	0	0
6	C	7	Total O 7 7	0	0
6	D	7	Total O 7 7	0	0
6	E	10	Total O 10 10	0	0
6	F	6	Total O 6 6	0	0
6	G	7	Total O 7 7	0	0
6	H	2	Total O 2 2	0	0
6	I	7	Total O 7 7	0	0
6	J	2	Total O 2 2	0	0
6	K	8	Total O 8 8	0	0
6	L	8	Total O 8 8	0	0
6	M	5	Total O 5 5	0	0
6	N	2	Total O 2 2	0	0
6	O	6	Total O 6 6	0	0
6	P	4	Total O 4 4	0	0
6	Q	10	Total O 10 10	0	0
6	R	7	Total O 7 7	0	0
6	S	2	Total O 2 2	0	0
6	T	1	Total O 1 1	0	0
6	U	4	Total O 4 4	0	0
6	V	4	Total O 4 4	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	W	2	Total 2	O 2	0	0
6	X	3	Total 3	O 3	0	0
6	Y	3	Total 3	O 3	0	0
6	Z	3	Total 3	O 3	0	0
6	a	3	Total 3	O 3	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain




- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain




- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain





- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain









- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain





- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain








- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain




- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain




- Chain Q: 







- Molecule 1: HLA class I histocompatibility antigen, A-2 alpha chain





- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin







- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin





- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin





- Molecule 2: Beta-2-microglobulin





- Molecule 2: Beta-2-microglobulin



- Molecule 2: Beta-2-microglobulin



- Molecule 2: Beta-2-microglobulin



- Molecule 3: NY-ESO1 double mutant (1Y, 9V)




- Molecule 3: NY-ESO1 double mutant (1Y, 9V)



- Molecule 3: NY-ESO1 double mutant (1Y, 9V)



- Molecule 3: NY-ESO1 double mutant (1Y, 9V)



- Molecule 3: NY-ESO1 double mutant (1Y, 9V)

Chain l:  78% 22%



- Molecule 3: NY-ESO1 double mutant (1Y, 9V)

Chain h:  56% 44%




- Molecule 3: NY-ESO1 double mutant (1Y, 9V)

Chain e:  78% 11% 11%




- Molecule 3: NY-ESO1 double mutant (1Y, 9V)

Chain n:  78% 22%




- Molecule 3: NY-ESO1 double mutant (1Y, 9V)

Chain p:  78% 11% 11%




- Molecule 3: NY-ESO1 double mutant (1Y, 9V)

Chain o:  22% 67% 33%



- Molecule 3: NY-ESO1 double mutant (1Y, 9V)

Chain c:  78% 22%




- Molecule 3: NY-ESO1 double mutant (1Y, 9V)

Chain g:  67% 22% 11%




- Molecule 3: NY-ESO1 double mutant (1Y, 9V)

Chain q:  11% 33% 44% 22%



- Molecule 3: NY-ESO1 double mutant (1Y, 9V)

Chain j:  11% 56% 44%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	102.11Å 314.50Å 316.23Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	66.48 – 2.64 66.48 – 2.64	Depositor EDS
% Data completeness (in resolution range)	97.7 (66.48-2.64) 98.6 (66.48-2.64)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.41 (at 2.65Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.199 , 0.218 0.206 , 0.224	Depositor DCC
R_{free} test set	19449 reflections (6.48%)	wwPDB-VP
Wilson B-factor (Å ²)	53.4	Xtriage
Anisotropy	0.016	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 23.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.001 for -h,l,k	Xtriage
Reported twinning fraction	0.801 for H, K, L 0.199 for -H, L, K	Depositor
Outliers	1 of 295255 reflections (0.000%)	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	44714	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.68	1/2320 (0.0%)	0.79	0/3149
1	C	0.69	0/2320	0.79	0/3149
1	E	0.68	0/2320	0.80	2/3149 (0.1%)
1	G	0.70	2/2320 (0.1%)	0.80	1/3149 (0.0%)
1	I	0.65	0/2320	0.79	0/3149
1	K	0.63	0/2320	0.78	0/3149
1	M	0.64	0/2320	0.78	0/3149
1	O	0.62	0/2320	0.77	0/3149
1	Q	0.68	0/2320	0.82	3/3149 (0.1%)
1	S	0.59	0/2320	0.76	1/3149 (0.0%)
1	U	0.61	0/2320	0.76	0/3149
1	W	0.57	0/2320	0.77	0/3149
1	Y	0.58	0/2320	0.74	0/3149
1	a	0.61	0/2320	0.77	0/3149
2	B	0.61	0/860	0.75	0/1162
2	D	0.64	0/860	0.80	0/1162
2	F	0.62	0/860	0.73	0/1162
2	H	0.58	0/860	0.72	0/1162
2	J	0.60	0/860	0.68	0/1162
2	L	0.57	0/860	0.73	0/1162
2	N	0.62	0/860	0.76	0/1162
2	P	0.58	0/860	0.74	0/1162
2	R	0.60	0/860	0.73	0/1162
2	T	0.59	0/860	0.74	0/1162
2	V	0.61	0/860	0.73	0/1162
2	X	0.56	0/860	0.74	0/1162
2	Z	0.60	0/860	0.76	0/1162
2	b	0.54	0/860	0.68	0/1162
3	c	0.57	0/84	0.65	0/113
3	e	0.62	0/84	0.72	0/113
3	f	0.63	0/84	0.63	0/113
3	g	0.54	0/84	0.78	0/113

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
3	h	0.60	0/84	0.87	0/113
3	i	0.71	0/84	0.93	0/113
3	j	0.49	0/84	0.74	0/113
3	k	0.71	0/84	0.83	0/113
3	l	0.65	0/84	0.77	0/113
3	m	0.52	0/84	0.86	0/113
3	n	0.53	0/84	0.69	0/113
3	o	0.49	0/84	0.53	0/113
3	p	0.68	0/84	0.75	0/113
3	q	0.47	0/84	0.64	0/113
All	All	0.63	3/45696 (0.0%)	0.77	7/61936 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	90	ALA	CA-CB	-5.64	1.45	1.54
1	A	90	ALA	CA-CB	-5.15	1.42	1.53
1	G	89	GLU	C-O	-5.06	1.17	1.24

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	Q	90	ALA	N-CA-C	-7.29	101.55	112.04
1	S	162	GLY	N-CA-C	5.97	115.64	110.21
1	E	56	GLY	CA-C-N	5.75	125.22	119.24
1	E	56	GLY	C-N-CA	5.75	125.22	119.24
1	Q	56	GLY	CA-C-N	5.40	125.22	119.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2254	0	2103	31	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	2254	0	2103	26	0
1	E	2254	0	2103	37	0
1	G	2254	0	2103	28	0
1	I	2254	0	2103	18	0
1	K	2254	0	2103	28	0
1	M	2254	0	2103	27	0
1	O	2254	0	2103	30	0
1	Q	2254	0	2103	29	0
1	S	2254	0	2103	27	0
1	U	2254	0	2103	33	0
1	W	2254	0	2103	27	0
1	Y	2254	0	2103	34	0
1	a	2254	0	2103	36	0
2	B	837	0	805	9	0
2	D	837	0	805	10	0
2	F	837	0	805	9	0
2	H	837	0	805	2	0
2	J	837	0	805	12	0
2	L	837	0	805	6	0
2	N	837	0	805	6	0
2	P	837	0	805	6	0
2	R	837	0	805	7	0
2	T	837	0	805	7	0
2	V	837	0	805	4	0
2	X	837	0	805	9	0
2	Z	837	0	805	6	0
2	b	837	0	805	6	0
3	c	82	0	87	1	0
3	e	82	0	87	3	0
3	f	82	0	87	7	0
3	g	82	0	87	6	0
3	h	82	0	87	5	0
3	i	82	0	87	6	0
3	j	82	0	87	2	0
3	k	82	0	87	4	0
3	l	82	0	87	1	0
3	m	82	0	87	2	0
3	n	82	0	87	1	0
3	o	82	0	87	3	0
3	p	82	0	87	3	0
3	q	82	0	87	8	0
4	A	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	1	0	0	0	0
4	C	2	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
4	I	4	0	0	0	0
4	J	1	0	0	0	0
4	K	1	0	0	0	0
4	L	1	0	0	0	0
4	M	2	0	0	0	0
4	N	1	0	0	0	0
4	O	1	0	0	0	0
4	P	1	0	0	0	0
4	Q	3	0	0	0	0
4	R	2	0	0	0	0
4	S	1	0	0	0	0
4	T	1	0	0	0	0
4	U	2	0	0	0	0
4	W	2	0	0	0	0
4	X	1	0	0	0	0
4	Y	1	0	0	0	0
4	Z	1	0	0	0	0
4	a	1	0	0	0	0
4	b	1	0	0	0	0
5	A	6	0	8	1	0
5	C	12	0	16	0	0
5	K	6	0	8	0	0
5	O	12	0	16	0	0
5	S	12	0	16	1	0
5	U	6	0	8	1	0
5	Y	12	0	16	2	0
5	a	6	0	8	2	0
5	e	6	0	8	0	0
5	f	6	0	8	2	0
5	g	6	0	8	1	0
5	h	6	0	8	2	0
5	i	6	0	8	3	0
5	k	6	0	8	1	0
5	l	6	0	8	0	0
5	p	6	0	8	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	A	5	0	0	0	0
6	B	6	0	0	0	0
6	C	7	0	0	0	0
6	D	7	0	0	1	0
6	E	10	0	0	0	0
6	F	6	0	0	0	0
6	G	7	0	0	0	0
6	H	2	0	0	0	0
6	I	7	0	0	0	0
6	J	2	0	0	1	0
6	K	8	0	0	0	0
6	L	8	0	0	1	0
6	M	5	0	0	0	0
6	N	2	0	0	0	0
6	O	6	0	0	0	0
6	P	4	0	0	0	0
6	Q	10	0	0	2	0
6	R	7	0	0	0	0
6	S	2	0	0	0	0
6	T	1	0	0	0	0
6	U	4	0	0	0	0
6	V	4	0	0	0	0
6	W	2	0	0	0	0
6	X	3	0	0	0	0
6	Y	3	0	0	0	0
6	Z	3	0	0	0	0
6	a	3	0	0	0	0
All	All	44714	0	42090	457	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 457 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:90:ALA:HB1	2:J:2:GLN:NE2	1.65	1.11
2:X:85:VAL:HG13	1:Y:90:ALA:HB1	1.26	1.10
1:E:90:ALA:HB1	2:J:2:GLN:HE22	1.00	1.07
1:E:126:LEU:HD22	1:E:156:LEU:HD13	1.50	0.94
2:D:85:VAL:HG13	1:U:90:ALA:HB1	1.53	0.89

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	274/276 (99%)	264 (96%)	10 (4%)	0	100	100
1	C	274/276 (99%)	265 (97%)	9 (3%)	0	100	100
1	E	274/276 (99%)	265 (97%)	8 (3%)	1 (0%)	30	42
1	G	274/276 (99%)	266 (97%)	8 (3%)	0	100	100
1	I	274/276 (99%)	267 (97%)	7 (3%)	0	100	100
1	K	274/276 (99%)	268 (98%)	6 (2%)	0	100	100
1	M	274/276 (99%)	264 (96%)	10 (4%)	0	100	100
1	O	274/276 (99%)	261 (95%)	13 (5%)	0	100	100
1	Q	274/276 (99%)	262 (96%)	12 (4%)	0	100	100
1	S	274/276 (99%)	261 (95%)	13 (5%)	0	100	100
1	U	274/276 (99%)	263 (96%)	11 (4%)	0	100	100
1	W	274/276 (99%)	268 (98%)	6 (2%)	0	100	100
1	Y	274/276 (99%)	262 (96%)	12 (4%)	0	100	100
1	a	274/276 (99%)	265 (97%)	9 (3%)	0	100	100
2	B	98/100 (98%)	95 (97%)	3 (3%)	0	100	100
2	D	98/100 (98%)	96 (98%)	2 (2%)	0	100	100
2	F	98/100 (98%)	94 (96%)	4 (4%)	0	100	100
2	H	98/100 (98%)	96 (98%)	2 (2%)	0	100	100
2	J	98/100 (98%)	94 (96%)	4 (4%)	0	100	100
2	L	98/100 (98%)	95 (97%)	3 (3%)	0	100	100
2	N	98/100 (98%)	97 (99%)	1 (1%)	0	100	100
2	P	98/100 (98%)	95 (97%)	3 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	R	98/100 (98%)	95 (97%)	3 (3%)	0	100	100
2	T	98/100 (98%)	96 (98%)	2 (2%)	0	100	100
2	V	98/100 (98%)	97 (99%)	1 (1%)	0	100	100
2	X	98/100 (98%)	97 (99%)	1 (1%)	0	100	100
2	Z	98/100 (98%)	95 (97%)	3 (3%)	0	100	100
2	b	98/100 (98%)	94 (96%)	4 (4%)	0	100	100
3	c	7/9 (78%)	7 (100%)	0	0	100	100
3	e	7/9 (78%)	7 (100%)	0	0	100	100
3	f	7/9 (78%)	7 (100%)	0	0	100	100
3	g	7/9 (78%)	7 (100%)	0	0	100	100
3	h	7/9 (78%)	7 (100%)	0	0	100	100
3	i	7/9 (78%)	7 (100%)	0	0	100	100
3	j	7/9 (78%)	6 (86%)	1 (14%)	0	100	100
3	k	7/9 (78%)	7 (100%)	0	0	100	100
3	l	7/9 (78%)	7 (100%)	0	0	100	100
3	m	7/9 (78%)	7 (100%)	0	0	100	100
3	n	7/9 (78%)	7 (100%)	0	0	100	100
3	o	7/9 (78%)	7 (100%)	0	0	100	100
3	p	7/9 (78%)	7 (100%)	0	0	100	100
3	q	7/9 (78%)	7 (100%)	0	0	100	100
All	All	5306/5390 (98%)	5134 (97%)	171 (3%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	225	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	232/232 (100%)	223 (96%)	9 (4%)	28	47
1	C	232/232 (100%)	221 (95%)	11 (5%)	23	38
1	E	232/232 (100%)	218 (94%)	14 (6%)	17	29
1	G	232/232 (100%)	218 (94%)	14 (6%)	17	29
1	I	232/232 (100%)	219 (94%)	13 (6%)	19	31
1	K	232/232 (100%)	222 (96%)	10 (4%)	26	42
1	M	232/232 (100%)	219 (94%)	13 (6%)	19	31
1	O	232/232 (100%)	225 (97%)	7 (3%)	36	56
1	Q	232/232 (100%)	220 (95%)	12 (5%)	21	34
1	S	232/232 (100%)	219 (94%)	13 (6%)	19	31
1	U	232/232 (100%)	217 (94%)	15 (6%)	15	26
1	W	232/232 (100%)	225 (97%)	7 (3%)	36	56
1	Y	232/232 (100%)	225 (97%)	7 (3%)	36	56
1	a	232/232 (100%)	221 (95%)	11 (5%)	23	38
2	B	95/95 (100%)	93 (98%)	2 (2%)	47	67
2	D	95/95 (100%)	93 (98%)	2 (2%)	47	67
2	F	95/95 (100%)	91 (96%)	4 (4%)	26	44
2	H	95/95 (100%)	90 (95%)	5 (5%)	20	34
2	J	95/95 (100%)	92 (97%)	3 (3%)	34	54
2	L	95/95 (100%)	92 (97%)	3 (3%)	34	54
2	N	95/95 (100%)	90 (95%)	5 (5%)	20	34
2	P	95/95 (100%)	92 (97%)	3 (3%)	34	54
2	R	95/95 (100%)	92 (97%)	3 (3%)	34	54
2	T	95/95 (100%)	93 (98%)	2 (2%)	47	67
2	V	95/95 (100%)	91 (96%)	4 (4%)	26	44
2	X	95/95 (100%)	90 (95%)	5 (5%)	20	34
2	Z	95/95 (100%)	90 (95%)	5 (5%)	20	34
2	b	95/95 (100%)	91 (96%)	4 (4%)	26	44
3	c	9/9 (100%)	8 (89%)	1 (11%)	6	8
3	e	9/9 (100%)	8 (89%)	1 (11%)	6	8
3	f	9/9 (100%)	9 (100%)	0	100	100
3	g	9/9 (100%)	8 (89%)	1 (11%)	6	8

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	h	9/9 (100%)	9 (100%)	0	100	100
3	i	9/9 (100%)	8 (89%)	1 (11%)	6	8
3	j	9/9 (100%)	7 (78%)	2 (22%)	1	1
3	k	9/9 (100%)	8 (89%)	1 (11%)	6	8
3	l	9/9 (100%)	8 (89%)	1 (11%)	6	8
3	m	9/9 (100%)	8 (89%)	1 (11%)	6	8
3	n	9/9 (100%)	8 (89%)	1 (11%)	6	8
3	o	9/9 (100%)	9 (100%)	0	100	100
3	p	9/9 (100%)	8 (89%)	1 (11%)	6	8
3	q	9/9 (100%)	7 (78%)	2 (22%)	1	1
All	All	4704/4704 (100%)	4485 (95%)	219 (5%)	23	38

5 of 219 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	O	129	ASP
1	S	67	VAL
2	Z	99	MET
1	O	249	VAL
1	Q	194	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 48 such sidechains are listed below:

Mol	Chain	Res	Type
1	Q	253	GLN
1	U	224	GLN
1	S	54	GLN
1	S	155	GLN
1	W	188	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 58 ligands modelled in this entry, 38 are monoatomic - leaving 20 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	GOL	A	303	-	5,5,5	0.52	0	5,5,5	0.78	0
5	GOL	O	303	-	5,5,5	0.45	0	5,5,5	0.32	0
5	GOL	p	101	-	5,5,5	0.45	0	5,5,5	0.30	0
5	GOL	g	101	-	5,5,5	0.43	0	5,5,5	0.43	0
5	GOL	Y	303	-	5,5,5	0.46	0	5,5,5	0.21	0
5	GOL	l	101	-	5,5,5	0.30	0	5,5,5	0.54	0
5	GOL	U	303	-	5,5,5	0.46	0	5,5,5	0.50	0
5	GOL	S	302	-	5,5,5	0.41	0	5,5,5	0.44	0
5	GOL	C	303	-	5,5,5	0.37	0	5,5,5	0.56	0
5	GOL	k	101	-	5,5,5	0.45	0	5,5,5	0.41	0
5	GOL	h	101	-	5,5,5	0.43	0	5,5,5	0.62	0
5	GOL	C	304	-	5,5,5	0.45	0	5,5,5	0.75	0
5	GOL	e	101	-	5,5,5	0.51	0	5,5,5	0.38	0
5	GOL	i	101	-	5,5,5	0.51	0	5,5,5	0.58	0
5	GOL	K	302	-	5,5,5	0.44	0	5,5,5	0.52	0
5	GOL	a	302	-	5,5,5	0.51	0	5,5,5	0.46	0
5	GOL	f	101	-	5,5,5	0.55	0	5,5,5	0.71	0
5	GOL	Y	302	-	5,5,5	0.40	0	5,5,5	0.35	0
5	GOL	O	302	-	5,5,5	0.43	0	5,5,5	0.27	0
5	GOL	S	303	-	5,5,5	0.39	0	5,5,5	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	A	303	-	-	4/4/4/4	-
5	GOL	O	303	-	-	0/4/4/4	-
5	GOL	p	101	-	-	2/4/4/4	-
5	GOL	g	101	-	-	3/4/4/4	-
5	GOL	Y	303	-	-	3/4/4/4	-
5	GOL	l	101	-	-	3/4/4/4	-
5	GOL	U	303	-	-	2/4/4/4	-
5	GOL	S	302	-	-	2/4/4/4	-
5	GOL	C	303	-	-	2/4/4/4	-
5	GOL	k	101	-	-	2/4/4/4	-
5	GOL	h	101	-	-	3/4/4/4	-
5	GOL	C	304	-	-	2/4/4/4	-
5	GOL	e	101	-	-	4/4/4/4	-
5	GOL	i	101	-	-	1/4/4/4	-
5	GOL	K	302	-	-	3/4/4/4	-
5	GOL	a	302	-	-	2/4/4/4	-
5	GOL	f	101	-	-	2/4/4/4	-
5	GOL	Y	302	-	-	0/4/4/4	-
5	GOL	O	302	-	-	2/4/4/4	-
5	GOL	S	303	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 44 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	303	GOL	C1-C2-C3-O3
5	C	303	GOL	C1-C2-C3-O3
5	C	304	GOL	C1-C2-C3-O3
5	k	101	GOL	C1-C2-C3-O3
5	k	101	GOL	O2-C2-C3-O3

There are no ring outliers.

11 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	303	GOL	1	0
5	p	101	GOL	2	0
5	g	101	GOL	1	0
5	U	303	GOL	1	0
5	S	302	GOL	1	0
5	k	101	GOL	1	0
5	h	101	GOL	2	0
5	i	101	GOL	3	0
5	a	302	GOL	2	0
5	f	101	GOL	2	0
5	Y	302	GOL	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	276/276 (100%)	0.21	5 (1%) 67 64	23, 38, 57, 73	2 (0%)
1	C	276/276 (100%)	0.19	7 (2%) 58 54	22, 36, 54, 68	2 (0%)
1	E	276/276 (100%)	0.19	6 (2%) 62 58	25, 38, 55, 69	1 (0%)
1	G	276/276 (100%)	0.14	5 (1%) 67 64	27, 39, 58, 71	1 (0%)
1	I	276/276 (100%)	0.20	5 (1%) 67 64	26, 39, 58, 73	1 (0%)
1	K	276/276 (100%)	0.15	9 (3%) 49 43	26, 40, 55, 60	2 (0%)
1	M	276/276 (100%)	0.26	8 (2%) 53 48	26, 42, 59, 72	1 (0%)
1	O	276/276 (100%)	0.25	4 (1%) 73 70	25, 42, 58, 67	2 (0%)
1	Q	276/276 (100%)	0.16	7 (2%) 58 54	26, 39, 55, 72	1 (0%)
1	S	276/276 (100%)	0.51	9 (3%) 49 43	28, 46, 61, 66	2 (0%)
1	U	276/276 (100%)	0.28	6 (2%) 62 58	25, 44, 59, 72	2 (0%)
1	W	276/276 (100%)	0.39	7 (2%) 58 54	28, 48, 62, 76	2 (0%)
1	Y	276/276 (100%)	0.51	11 (3%) 42 35	28, 48, 64, 70	2 (0%)
1	a	276/276 (100%)	0.67	14 (5%) 33 27	30, 52, 67, 78	2 (0%)
2	B	100/100 (100%)	0.24	2 (2%) 65 61	29, 41, 66, 95	0
2	D	100/100 (100%)	0.41	3 (3%) 52 47	29, 41, 66, 88	0
2	F	100/100 (100%)	0.32	5 (5%) 34 28	29, 41, 66, 89	0
2	H	100/100 (100%)	0.34	5 (5%) 34 28	30, 42, 69, 93	0
2	J	100/100 (100%)	0.28	3 (3%) 52 47	29, 42, 65, 88	0
2	L	100/100 (100%)	0.29	5 (5%) 34 28	30, 41, 67, 88	0
2	N	100/100 (100%)	0.36	4 (4%) 42 35	30, 41, 68, 97	0
2	P	100/100 (100%)	0.32	6 (6%) 27 23	30, 42, 70, 88	0
2	R	100/100 (100%)	0.27	4 (4%) 42 35	30, 41, 66, 90	0
2	T	100/100 (100%)	0.50	6 (6%) 27 23	31, 43, 70, 92	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
2	V	100/100 (100%)	0.37	4 (4%) 42 35	30, 42, 66, 90	0
2	X	100/100 (100%)	0.26	5 (5%) 34 28	32, 43, 67, 92	0
2	Z	100/100 (100%)	0.41	5 (5%) 34 28	31, 42, 67, 93	0
2	b	100/100 (100%)	0.53	7 (7%) 22 18	33, 44, 76, 161	0
3	c	9/9 (100%)	0.18	0 100 100	38, 40, 44, 45	0
3	e	9/9 (100%)	-0.00	0 100 100	35, 37, 39, 40	0
3	f	9/9 (100%)	0.04	0 100 100	32, 37, 40, 41	0
3	g	9/9 (100%)	0.34	0 100 100	40, 42, 46, 47	0
3	h	9/9 (100%)	0.24	0 100 100	35, 39, 44, 45	0
3	i	9/9 (100%)	-0.23	0 100 100	25, 28, 32, 32	0
3	j	9/9 (100%)	0.88	1 (11%) 10 8	48, 52, 54, 55	0
3	k	9/9 (100%)	-0.22	0 100 100	27, 28, 33, 33	0
3	l	9/9 (100%)	0.02	0 100 100	31, 32, 34, 39	0
3	m	9/9 (100%)	0.02	0 100 100	30, 34, 36, 36	0
3	n	9/9 (100%)	0.24	0 100 100	38, 43, 48, 48	0
3	o	9/9 (100%)	1.21	2 (22%) 2 1	52, 54, 56, 56	0
3	p	9/9 (100%)	-0.05	0 100 100	26, 31, 33, 34	0
3	q	9/9 (100%)	1.10	1 (11%) 10 8	56, 57, 59, 59	0
All	All	5390/5390 (100%)	0.31	171 (3%) 50 44	22, 42, 63, 161	23 (0%)

The worst 5 of 171 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	S	88	SER	14.8
1	a	88	SER	13.8
1	Y	88	SER	12.5
1	C	88	SER	12.4
1	O	88	SER	12.2

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	GOL	S	303	6/6	0.74	0.25	61,61,62,62	0
5	GOL	S	302	6/6	0.75	0.30	65,66,67,68	0
5	GOL	Y	302	6/6	0.77	0.33	77,77,78,78	0
5	GOL	a	302	6/6	0.77	0.25	63,64,65,66	0
5	GOL	K	302	6/6	0.79	0.18	54,55,55,55	0
5	GOL	f	101	6/6	0.82	0.21	44,44,45,46	0
4	CL	I	304	1/1	0.82	0.23	30,30,30,30	0
4	CL	M	302	1/1	0.83	0.24	30,30,30,30	0
4	CL	C	302	1/1	0.84	0.14	30,30,30,30	0
4	CL	Q	303	1/1	0.84	0.19	30,30,30,30	0
5	GOL	Y	303	6/6	0.84	0.17	54,56,56,57	0
4	CL	X	101	1/1	0.84	0.25	67,67,67,67	0
5	GOL	C	303	6/6	0.85	0.14	48,50,52,52	0
5	GOL	O	303	6/6	0.85	0.16	64,66,67,67	0
5	GOL	g	101	6/6	0.85	0.20	61,62,63,65	0
4	CL	R	101	1/1	0.86	0.24	61,61,61,61	0
4	CL	F	101	1/1	0.86	0.26	65,65,65,65	0
4	CL	b	101	1/1	0.87	0.30	77,77,77,77	0
4	CL	A	302	1/1	0.87	0.20	30,30,30,30	0
5	GOL	C	304	6/6	0.87	0.18	54,54,54,54	0
5	GOL	p	101	6/6	0.88	0.16	46,47,48,50	0
4	CL	D	101	1/1	0.88	0.19	59,59,59,59	0
4	CL	W	302	1/1	0.88	0.13	30,30,30,30	0
5	GOL	k	101	6/6	0.88	0.24	55,56,56,57	0
4	CL	Q	301	1/1	0.88	0.26	65,65,65,65	0
4	CL	Y	301	1/1	0.88	0.34	80,80,80,80	0
4	CL	J	101	1/1	0.88	0.20	67,67,67,67	0
5	GOL	O	302	6/6	0.89	0.22	63,64,64,65	0
5	GOL	i	101	6/6	0.89	0.15	45,46,46,47	0
4	CL	P	101	1/1	0.89	0.20	57,57,57,57	0
5	GOL	e	101	6/6	0.90	0.14	47,49,49,49	0
5	GOL	U	303	6/6	0.90	0.14	49,51,52,55	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	CL	N	101	1/1	0.90	0.29	68,68,68,68	0
4	CL	T	101	1/1	0.90	0.20	61,61,61,61	0
4	CL	A	301	1/1	0.90	0.24	60,60,60,60	0
5	GOL	h	101	6/6	0.90	0.12	48,49,50,51	0
4	CL	L	101	1/1	0.91	0.17	52,52,52,52	0
4	CL	U	302	1/1	0.91	0.22	30,30,30,30	0
5	GOL	l	101	6/6	0.91	0.11	37,38,40,41	0
4	CL	M	301	1/1	0.91	0.25	58,58,58,58	0
4	CL	K	301	1/1	0.92	0.18	55,55,55,55	0
5	GOL	A	303	6/6	0.93	0.12	38,40,41,43	0
4	CL	Q	302	1/1	0.93	0.19	59,59,59,59	0
4	CL	H	101	1/1	0.93	0.22	64,64,64,64	0
4	CL	B	101	1/1	0.93	0.22	61,61,61,61	0
4	CL	E	301	1/1	0.94	0.15	60,60,60,60	0
4	CL	Z	101	1/1	0.94	0.27	65,65,65,65	0
4	CL	a	301	1/1	0.94	0.12	63,63,63,63	0
4	CL	I	303	1/1	0.95	0.15	53,53,53,53	0
4	CL	S	301	1/1	0.95	0.13	60,60,60,60	0
4	CL	O	301	1/1	0.95	0.18	65,65,65,65	0
4	CL	R	102	1/1	0.96	0.18	71,71,71,71	0
4	CL	W	301	1/1	0.96	0.26	64,64,64,64	0
4	CL	I	302	1/1	0.97	0.18	58,58,58,58	0
4	CL	G	301	1/1	0.98	0.23	59,59,59,59	0
4	CL	C	301	1/1	0.98	0.15	48,48,48,48	0
4	CL	I	301	1/1	0.98	0.25	56,56,56,56	0
4	CL	U	301	1/1	0.98	0.20	57,57,57,57	0

6.5 Other polymers [i](#)

There are no such residues in this entry.