



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 04:12 AM UTC

PDB ID : 6L3R / pdb_00006l3r
Title : Crystal structure of Ribonucleotide reductase R1 subunit, RRM1 in complex with 4-bromo-N-((1S,2R)-2-(naphthalen-1-yl)-1-(5-oxo-4,5-dihydro-1,3,4-oxadiazol-2-yl)propyl)benzenesulfonamide
Authors : Miyahara, S.; Chong, K.T.; Suzuki, T.
Deposited on : 2019-10-15
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	669	3% 87% 10% ..
1	E	669	4% 85% 12% ..

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 10971 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Ribonucleoside-diphosphate reductase large subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	656	Total	C	N	O	S	0	0	0
			5256	3357	884	986	29			
1	E	657	Total	C	N	O	S	0	0	0
			5255	3357	885	984	29			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	74	GLY	-	expression tag	UNP P23921
E	74	GLY	-	expression tag	UNP P23921

- Molecule 2 is THYMIDINE-5'-TRIPHOSPHATE (CCD ID: TTP) (formula: $C_{10}H_{17}N_2O_{14}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			29	10	2	14	3		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	E	1	Total	C	N	O	P	0	0
			29	10	2	14	3		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	E	1	Total	Mg	0	0
			1	1		

- Molecule 4 is 4-bromo-N-((1S,2R)-2-(naphthalen-1-yl)-1-(5-oxo-4,5-dihydro-1,3,4-oxadiazol-2-yl)propyl)benzenesulfonamide (CCD ID: E4X) (formula: C₂₁H₁₈BrN₃O₄S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	Br	C	N	O	S	0	0
			30	1	21	3	4	1		
4	E	1	Total	Br	C	N	O	S	0	0
			30	1	21	3	4	1		

- Molecule 5 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	E	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	E	1	Total	O	S	0	0
			5	4	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	164	Total 164	O 164	0	0
7	E	159	Total 159	O 159	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Ribonucleoside-diphosphate reductase large subunit



- Molecule 1: Ribonucleoside-diphosphate reductase large subunit



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	106.86Å 108.40Å 130.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.92 – 2.00 47.92 – 2.00	Depositor EDS
% Data completeness (in resolution range)	98.6 (47.92-2.00) 98.6 (47.92-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.88 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.189 , 0.232 (Not available) , 0.234	Depositor DCC
R_{free} test set	5058 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	20.9	Xtriage
Anisotropy	0.100	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 37.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	0.000 for k,h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	10971	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 34.73 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.5152e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, TTP, ACT, SO4, E4X

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.16	2/5373 (0.0%)	1.08	8/7276 (0.1%)
1	E	1.17	3/5372 (0.1%)	1.07	6/7276 (0.1%)
All	All	1.17	5/10745 (0.0%)	1.07	14/14552 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	0	1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	212	ARG	N-CA	6.28	1.50	1.46
1	A	562	SER	N-CA	5.96	1.53	1.46
1	E	212	ARG	CA-CB	5.70	1.56	1.52
1	E	212	ARG	CA-C	5.30	1.57	1.53
1	A	701	PHE	N-CA	-5.04	1.40	1.46

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	421	GLY	N-CA-C	-7.10	103.46	111.63
1	E	334	ILE	N-CA-C	6.77	115.35	107.77
1	A	334	ILE	N-CA-C	6.62	115.19	107.77
1	A	387	GLN	N-CA-C	6.30	118.95	111.71
1	A	624	ILE	CB-CA-C	-5.97	100.03	110.71
1	E	317	ASN	N-CA-C	5.74	118.47	111.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	554	GLU	N-CA-C	5.41	120.30	111.37
1	A	640	HIS	N-CA-C	-5.39	105.32	111.14
1	A	181	GLU	CB-CA-C	-5.36	100.71	110.63
1	E	387	GLN	N-CA-C	5.28	117.79	111.71
1	A	556	TYR	N-CA-C	5.20	116.64	111.07
1	A	326	ARG	N-CA-C	5.18	119.44	113.18
1	E	300	TYR	N-CA-C	5.01	116.90	108.73
1	E	554	GLU	N-CA-C	5.00	116.73	111.28

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	E	598	LEU	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5256	0	5217	35	0
1	E	5255	0	5216	47	0
2	A	29	0	13	1	0
2	E	29	0	13	1	0
3	A	1	0	0	0	0
3	E	1	0	0	0	0
4	A	30	0	0	0	0
4	E	30	0	0	0	0
5	A	8	0	6	0	0
5	E	4	0	3	0	0
6	E	5	0	0	0	0
7	A	164	0	0	2	1
7	E	159	0	0	4	1
All	All	10971	0	10468	81	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (81) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:598:LEU:O	1:E:599:ILE:HD13	1.49	1.12
1:E:595:ASN:HB2	1:E:598:LEU:HD21	1.42	0.97
1:E:402:THR:HB	1:E:403:PRO:HA	1.58	0.85
1:E:595:ASN:HB2	1:E:598:LEU:CD2	2.18	0.71
1:E:395:GLU:OE2	1:E:399:GLU:OE2	2.10	0.67
1:E:644:ASP:O	1:E:648:ARG:HG2	1.97	0.64
1:A:210:THR:O	7:A:901:HOH:O	2.15	0.63
1:A:391:TYR:CE2	1:A:717:TYR:HE2	2.17	0.62
1:E:597:LEU:C	1:E:598:LEU:HG	2.25	0.61
1:E:115:MET:HE1	1:E:159:ILE:HG12	1.81	0.61
1:A:402:THR:HB	1:A:403:PRO:HA	1.84	0.59
1:A:533:GLU:HG2	1:A:701:PHE:CE2	2.39	0.58
1:E:135:ILE:HG21	1:E:137:TYR:CE1	2.39	0.57
1:A:529:LYS:HE2	1:A:697:GLU:HG2	1.88	0.56
1:E:106:ASN:HB3	1:E:109:ASN:HB3	1.86	0.56
1:E:445:ASN:HD21	1:E:495:ASN:HD21	1.54	0.55
1:E:533:GLU:HG2	1:E:701:PHE:CZ	2.42	0.55
1:E:254:CYS:SG	7:E:1051:HOH:O	2.12	0.53
1:A:432:ILE:HG13	1:A:444:CYS:SG	2.49	0.53
1:A:602:MET:HB2	1:A:603:PRO:HD2	1.90	0.52
1:E:109:ASN:C	1:E:109:ASN:HD22	2.17	0.52
1:E:505:VAL:O	1:E:616:SER:HA	2.09	0.52
1:A:445:ASN:HD21	1:A:495:ASN:HD21	1.57	0.52
1:A:505:VAL:O	1:A:616:SER:HA	2.09	0.52
1:E:681:LYS:NZ	7:E:906:HOH:O	2.42	0.51
1:A:602:MET:HB2	1:A:603:PRO:CD	2.41	0.51
1:A:644:ASP:O	1:A:648:ARG:HG2	2.11	0.50
1:A:446:LEU:HB3	1:A:602:MET:HE2	1.94	0.49
1:E:429:CYS:SG	7:E:1031:HOH:O	2.50	0.49
1:E:109:ASN:ND2	1:E:111:LYS:HG2	2.28	0.48
1:E:533:GLU:HG2	1:E:701:PHE:CE2	2.47	0.48
1:A:533:GLU:HG2	1:A:701:PHE:CZ	2.48	0.48
1:A:506:GLN:HA	1:A:616:SER:HA	1.96	0.47
1:E:218:CYS:HB2	7:E:1036:HOH:O	2.15	0.46
1:A:135:ILE:HG23	1:A:168:GLN:HB3	1.97	0.46
1:E:264:GLY:HA3	2:E:803:TTP:O1B	2.14	0.46
1:E:402:THR:CB	1:E:403:PRO:HA	2.31	0.46
1:E:454:TYR:HB2	1:E:461:TYR:CZ	2.51	0.46
1:A:76:ILE:N	1:A:76:ILE:HD12	2.30	0.45
1:A:681:LYS:HE2	1:A:685:GLU:O	2.16	0.45
1:E:598:LEU:C	1:E:599:ILE:HD13	2.35	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:478:ASN:ND2	1:E:546:LEU:HD13	2.31	0.45
1:A:429:CYS:HB2	1:A:431:GLU:OE2	2.17	0.45
1:A:102:TYR:CD1	1:A:114:PRO:HB3	2.52	0.45
1:A:221:LEU:HD23	1:A:221:LEU:N	2.32	0.45
1:E:221:LEU:HD23	1:E:248:ILE:HG23	1.98	0.45
1:E:260:SER:OG	1:E:352:CYS:SG	2.64	0.44
1:A:645:LEU:HD21	1:A:672:ILE:HG12	1.99	0.44
1:E:315:LYS:O	1:E:315:LYS:HG3	2.18	0.44
1:A:395:GLU:HB2	1:A:717:TYR:OH	2.17	0.44
2:A:801:TTP:HM52	1:E:243:LYS:HD2	2.00	0.44
1:E:347:ASP:OD1	1:E:385:LYS:HD2	2.18	0.44
1:A:220:LEU:N	1:A:220:LEU:HD12	2.32	0.43
1:E:270:ASN:HB2	1:E:274:PRO:HG3	1.98	0.43
1:E:434:GLU:OE1	1:E:442:ALA:HB1	2.18	0.43
1:E:703:ASP:OD1	1:E:703:ASP:N	2.52	0.43
1:A:166:ARG:O	1:A:167:PRO:C	2.59	0.43
1:A:220:LEU:C	1:A:221:LEU:HD23	2.43	0.43
1:A:536:TYR:CZ	1:A:540:LEU:HD11	2.54	0.43
1:A:698:ARG:HD2	1:A:706:GLN:OE1	2.19	0.43
1:E:648:ARG:HB2	1:E:650:LEU:CD1	2.49	0.43
1:A:199:THR:HG21	1:A:607:THR:HB	2.00	0.42
1:A:669:ILE:CG2	1:A:672:ILE:HD12	2.50	0.42
1:E:723:MET:HE1	1:E:724:HIS:CE1	2.54	0.42
1:E:106:ASN:O	1:E:110:GLY:N	2.47	0.42
1:E:477:LEU:HD23	1:E:480:ILE:HD12	2.00	0.42
1:A:196:ARG:HD2	1:A:611:LEU:HD22	2.01	0.42
1:E:135:ILE:HG23	1:E:168:GLN:HB3	2.02	0.42
1:E:76:ILE:N	1:E:76:ILE:HD12	2.35	0.41
1:A:672:ILE:HA	1:A:673:PRO:HD3	1.95	0.41
1:E:242:SER:O	1:E:288:GLN:HA	2.20	0.41
1:A:196:ARG:HD2	1:A:611:LEU:CD2	2.51	0.41
1:A:322:GLU:HG2	1:E:284:ARG:NH1	2.36	0.41
1:E:337:LEU:HB2	1:E:368:GLU:HG2	2.03	0.41
1:A:218:CYS:HB2	7:A:1014:HOH:O	2.19	0.41
1:A:441:VAL:O	1:A:491:ALA:HA	2.20	0.41
1:E:405:MET:HG3	1:E:724:HIS:CE1	2.56	0.41
1:E:406:LEU:HD22	1:E:426:SER:HB2	2.03	0.41
1:E:86:LEU:HD12	1:E:148:PHE:HZ	1.87	0.40
1:E:666:ILE:HD11	1:E:680:TYR:HB2	2.03	0.40
1:E:738:TYR:HB3	1:E:740:ARG:HE	1.87	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-

metry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:1062:HOH:O	7:E:1054:HOH:O[2_464]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	650/669 (97%)	630 (97%)	20 (3%)	0	100	100
1	E	651/669 (97%)	630 (97%)	21 (3%)	0	100	100
All	All	1301/1338 (97%)	1260 (97%)	41 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	573/583 (98%)	552 (96%)	21 (4%)	30	30
1	E	572/583 (98%)	548 (96%)	24 (4%)	26	25
All	All	1145/1166 (98%)	1100 (96%)	45 (4%)	28	28

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	76	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	77	LEU
1	A	86	LEU
1	A	116	VAL
1	A	119	SER
1	A	180	LYS
1	A	214	GLN
1	A	220	LEU
1	A	221	LEU
1	A	270	ASN
1	A	320	LYS
1	A	322	GLU
1	A	395	GLU
1	A	438	LYS
1	A	496	LYS
1	A	609	GLN
1	A	624	ILE
1	A	635	GLN
1	A	642	LEU
1	A	697	GLU
1	A	742	ARG
1	E	77	LEU
1	E	86	LEU
1	E	109	ASN
1	E	111	LYS
1	E	149	LYS
1	E	159	ILE
1	E	180	LYS
1	E	221	LEU
1	E	229	GLU
1	E	266	ASN
1	E	320	LYS
1	E	365	GLU
1	E	387	GLN
1	E	464	LYS
1	E	598	LEU
1	E	609	GLN
1	E	617	ILE
1	E	624	ILE
1	E	626	THR
1	E	636	ILE
1	E	642	LEU
1	E	648	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	655	MET
1	E	714	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	109	ASN
1	A	211	ASN
1	A	288	GLN
1	A	323	GLN
1	A	445	ASN
1	A	613	ASN
1	E	109	ASN
1	E	270	ASN
1	E	323	GLN
1	E	445	ASN
1	E	459	HIS
1	E	609	GLN
1	E	635	GLN
1	E	657	ASN
1	E	667	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 10 ligands modelled in this entry, 2 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	ACT	A	805	-	3,3,3	0.80	0	3,3,3	1.83	1 (33%)
5	ACT	A	804	-	3,3,3	0.83	0	3,3,3	0.89	0
5	ACT	E	804	-	3,3,3	1.08	0	3,3,3	0.71	0
6	SO4	E	805	-	4,4,4	0.78	0	6,6,6	0.37	0
4	E4X	E	802	-	33,33,33	2.62	8 (24%)	45,48,48	1.75	6 (13%)
2	TTP	A	801	3	29,30,30	2.51	10 (34%)	43,47,47	2.73	13 (30%)
2	TTP	E	803	3	29,30,30	2.62	9 (31%)	43,47,47	2.55	15 (34%)
4	E4X	A	803	-	33,33,33	2.61	10 (30%)	45,48,48	1.93	13 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	E4X	E	802	-	-	5/23/23/23	0/4/4/4
2	TTP	A	801	3	-	2/22/34/34	0/2/2/2
2	TTP	E	803	3	-	3/22/34/34	0/2/2/2
4	E4X	A	803	-	-	4/23/23/23	0/4/4/4

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	803	E4X	C22-S21	-9.96	1.61	1.76
4	E	802	E4X	C22-S21	-9.66	1.61	1.76
2	A	801	TTP	PB-O3B	7.38	1.67	1.59
2	E	803	TTP	PB-O3B	7.23	1.67	1.59
2	E	803	TTP	PA-O3A	6.65	1.66	1.59
4	E	802	E4X	C10-C5	5.64	1.52	1.43
2	A	801	TTP	PB-O3A	5.32	1.65	1.59
4	A	803	E4X	C10-C5	5.30	1.52	1.43
2	E	803	TTP	O2-C2	5.14	1.32	1.23
4	E	802	E4X	O20-C17	4.86	1.30	1.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	803	TTP	C2-N1	4.58	1.45	1.38
2	A	801	TTP	O2-C2	4.38	1.30	1.23
4	A	803	E4X	C5-C6	4.08	1.50	1.43
2	A	801	TTP	C2-N1	4.01	1.44	1.38
2	A	801	TTP	C4-C5	3.89	1.51	1.44
2	A	801	TTP	C6-N1	-3.86	1.31	1.38
4	A	803	E4X	O20-C17	3.73	1.28	1.21
4	E	802	E4X	C5-C6	3.60	1.49	1.43
2	E	803	TTP	C4-N3	-3.22	1.32	1.38
2	E	803	TTP	C2-N3	-3.02	1.32	1.38
4	E	802	E4X	O29-S21	2.89	1.46	1.43
2	E	803	TTP	C4-C5	2.73	1.49	1.44
4	E	802	E4X	C15-N19	2.66	1.36	1.31
2	A	801	TTP	C5M-C5	-2.65	1.44	1.50
2	E	803	TTP	PB-O3A	2.62	1.62	1.59
2	A	801	TTP	C2-N3	-2.55	1.33	1.38
4	A	803	E4X	C15-N19	2.53	1.36	1.31
4	E	802	E4X	C3-C4	2.51	1.42	1.36
4	A	803	E4X	N18-N19	2.45	1.41	1.36
4	E	802	E4X	N18-N19	2.42	1.41	1.36
2	E	803	TTP	C6-N1	-2.33	1.34	1.38
4	A	803	E4X	O29-S21	2.31	1.46	1.43
4	A	803	E4X	C27-C22	2.28	1.42	1.38
2	A	801	TTP	PA-O3A	2.26	1.61	1.59
4	A	803	E4X	C9-C10	2.18	1.41	1.37
2	A	801	TTP	C4-N3	-2.18	1.34	1.38
4	A	803	E4X	O16-C17	-2.18	1.36	1.40

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	TTP	C5M-C5-C6	-8.99	110.69	122.85
2	A	801	TTP	C5M-C5-C4	8.35	127.69	118.78
2	E	803	TTP	C5-C6-N1	-6.68	116.05	123.31
2	E	803	TTP	C5M-C5-C6	-6.65	113.84	122.85
4	E	802	E4X	C12-C15-N19	6.31	133.01	125.90
2	E	803	TTP	C5M-C5-C4	6.00	125.19	118.78
4	A	803	E4X	O28-S21-O29	-5.69	112.61	119.52
4	E	802	E4X	O28-S21-O29	-5.56	112.77	119.52
2	A	801	TTP	C5-C6-N1	-5.41	117.43	123.31
4	A	803	E4X	C12-C15-N19	5.14	131.69	125.90
2	E	803	TTP	C4-N3-C2	-4.91	120.90	127.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	TTP	C4-N3-C2	-4.60	121.31	127.34
2	E	803	TTP	C5-C4-N3	4.47	119.21	115.32
2	A	801	TTP	C6-C5-C4	4.35	121.61	118.02
2	A	801	TTP	O3A-PB-O1B	-4.02	98.61	110.70
4	A	803	E4X	O16-C17-N18	3.91	112.42	107.89
2	E	803	TTP	O4'-C1'-N1	3.73	114.49	107.86
2	E	803	TTP	O3A-PB-O1B	-3.65	99.72	110.70
2	A	801	TTP	N3-C2-N1	3.63	119.62	114.89
2	E	803	TTP	C6-C5-C4	3.57	120.96	118.02
2	E	803	TTP	N3-C2-N1	3.55	119.51	114.89
4	A	803	E4X	BR3-C25-C24	-3.26	114.85	119.30
4	A	803	E4X	C23-C22-S21	-3.07	116.38	119.76
2	A	801	TTP	O2B-PB-O3A	3.06	115.53	107.27
4	E	802	E4X	O16-C17-N18	2.81	111.15	107.89
2	E	803	TTP	O2A-PA-O1A	2.64	124.72	112.44
2	A	801	TTP	O2A-PA-O1A	2.64	124.70	112.44
4	E	802	E4X	C9-C10-C11	-2.60	117.04	120.55
2	A	801	TTP	O3B-PB-O1B	-2.53	103.09	110.70
2	E	803	TTP	O3G-PG-O2G	2.52	117.25	107.80
4	E	802	E4X	O16-C15-N19	-2.52	110.91	112.99
4	A	803	E4X	C9-C10-C11	-2.51	117.17	120.55
5	A	805	ACT	O-C-CH3	-2.48	112.35	122.53
4	E	802	E4X	O16-C17-O20	2.36	124.16	120.63
2	A	801	TTP	O3G-PG-O2G	2.35	116.63	107.80
2	A	801	TTP	C1'-N1-C6	-2.32	116.84	120.74
4	A	803	E4X	C10-C11-C12	2.32	115.30	111.54
4	A	803	E4X	C4-C5-C10	2.21	126.07	123.37
4	A	803	E4X	O29-S21-C22	-2.19	105.22	107.98
2	E	803	TTP	O2A-PA-O5'	2.19	117.48	107.57
2	E	803	TTP	O2B-PB-O3A	2.18	113.17	107.27
4	A	803	E4X	C26-C25-C24	2.17	124.62	121.33
4	A	803	E4X	O16-C17-O20	2.15	123.85	120.63
4	A	803	E4X	C11-C10-C5	2.14	123.57	119.96
2	E	803	TTP	O4-C4-N3	-2.12	116.14	120.11
2	E	803	TTP	C6-N1-C2	2.04	123.34	121.30
4	A	803	E4X	O29-S21-N13	2.02	110.55	106.88
2	A	801	TTP	O4'-C1'-N1	2.00	111.42	107.86

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	E	802	E4X	N13-C12-C15-O16
4	A	803	E4X	C23-C22-S21-O29
4	E	802	E4X	C23-C22-S21-O29
4	A	803	E4X	C27-C22-S21-O29
4	E	802	E4X	C27-C22-S21-O29
4	A	803	E4X	N13-C12-C15-O16
2	A	801	TTP	PA-O3A-PB-O1B
2	A	801	TTP	PA-O3A-PB-O2B
2	E	803	TTP	PA-O3A-PB-O2B
2	E	803	TTP	PA-O3A-PB-O1B
2	E	803	TTP	PB-O3A-PA-O1A
4	E	802	E4X	N13-C12-C15-N19
4	A	803	E4X	C23-C22-S21-N13
4	E	802	E4X	C23-C22-S21-N13


There are no ring outliers.

2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	801	TTP	1	0
2	E	803	TTP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand E4X E 802



Ligand TTP A 801





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	656/669 (98%)	-0.01	21 (3%)	50	49	11, 22, 49, 72	2 (0%)
1	E	657/669 (98%)	0.02	26 (3%)	42	41	12, 23, 47, 69	2 (0%)
All	All	1313/1338 (98%)	0.00	47 (3%)	46	45	11, 22, 48, 72	4 (0%)

All (47) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	77	LEU	5.5
1	E	598	LEU	4.9
1	E	77	LEU	4.2
1	E	626	THR	4.1
1	A	294	PRO	3.8
1	E	245	ALA	3.7
1	A	625	TYR	3.7
1	A	107	PRO	3.6
1	A	266	ASN	3.5
1	E	625	TYR	3.5
1	E	108	HIS	3.4
1	A	289	GLY	3.4
1	E	289	GLY	3.3
1	A	634	PHE	3.2
1	E	634	PHE	3.2
1	A	485	TYR	3.1
1	E	288	GLN	3.1
1	E	109	ASN	3.0
1	E	485	TYR	3.0
1	A	108	HIS	2.9
1	A	109	ASN	2.9
1	A	245	ALA	2.8
1	E	107	PRO	2.8
1	E	264	GLY	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	650	LEU	2.7
1	E	76	ILE	2.7
1	E	105	ILE	2.6
1	E	653	GLU	2.6
1	A	217	SER	2.6
1	E	266	ASN	2.5
1	A	212	ARG	2.5
1	A	318	THR	2.4
1	E	294	PRO	2.4
1	A	105	ILE	2.4
1	E	654	GLU	2.4
1	A	76	ILE	2.3
1	E	320	LYS	2.3
1	E	636	ILE	2.3
1	A	660	ILE	2.2
1	E	80	ARG	2.2
1	A	657	ASN	2.2
1	A	126	ALA	2.1
1	E	217	SER	2.1
1	E	655	MET	2.0
1	E	663	ASN	2.0
1	A	75	ALA	2.0
1	E	134	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	ACT	A	805	4/4	0.80	0.16	28,31,31,32	0
4	E4X	E	802	30/30	0.83	0.15	37,48,72,106	0
4	E4X	A	803	30/30	0.84	0.14	34,54,60,92	0
3	MG	A	802	1/1	0.88	0.10	34,34,34,34	0
6	SO4	E	805	5/5	0.90	0.16	36,44,48,49	0
2	TTP	A	801	29/29	0.94	0.08	20,28,31,44	0
3	MG	E	801	1/1	0.94	0.10	33,33,33,33	0
5	ACT	E	804	4/4	0.95	0.08	17,18,19,20	0
2	TTP	E	803	29/29	0.95	0.08	21,27,35,39	0
5	ACT	A	804	4/4	0.96	0.06	19,22,22,22	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around E4X E 802:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around E4X A 803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TTP A 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around TTP E 803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.