



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 6, 2026 – 05:12 AM UTC

PDB ID : 9L3D / pdb_00009l3d
Title : Crystal structure of endo-processive xyloglucanase Xeg5A from *Aspergillus oryzae*
Authors : Nakamichi, Y.; Shimada, N.; Watanabe, M.; Fujii, T.; Matsuzawa, T.
Deposited on : 2024-12-18
Resolution : 1.90 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	648	2% 79% 6% 15%
1	B	648	2% 81% • 15%
2	C	6	50% 50%
3	D	8	12% 75% 12%
3	F	8	12% 88%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	E	7	 43% 57%
5	G	10	 10% 90%
5	H	10	 30% 70%
6	I	2	 50% 50%
6	J	2	 50% 50%

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 10332 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycoside hydrolase superfamily.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	549	Total	C	N	O	S	0	3	0
			4332	2757	707	861	7			
1	B	549	Total	C	N	O	S	0	0	0
			4309	2745	704	853	7			

There are 192 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-70	MET	-	initiating methionine	UNP I8IVP5
A	-69	ARG	-	expression tag	UNP I8IVP5
A	-68	PHE	-	expression tag	UNP I8IVP5
A	-67	PRO	-	expression tag	UNP I8IVP5
A	-66	SER	-	expression tag	UNP I8IVP5
A	-65	ILE	-	expression tag	UNP I8IVP5
A	-64	PHE	-	expression tag	UNP I8IVP5
A	-63	THR	-	expression tag	UNP I8IVP5
A	-62	ALA	-	expression tag	UNP I8IVP5
A	-61	VAL	-	expression tag	UNP I8IVP5
A	-60	LEU	-	expression tag	UNP I8IVP5
A	-59	PHE	-	expression tag	UNP I8IVP5
A	-58	ALA	-	expression tag	UNP I8IVP5
A	-57	ALA	-	expression tag	UNP I8IVP5
A	-56	SER	-	expression tag	UNP I8IVP5
A	-55	SER	-	expression tag	UNP I8IVP5
A	-54	ALA	-	expression tag	UNP I8IVP5
A	-53	LEU	-	expression tag	UNP I8IVP5
A	-52	ALA	-	expression tag	UNP I8IVP5
A	-51	ALA	-	expression tag	UNP I8IVP5
A	-50	PRO	-	expression tag	UNP I8IVP5
A	-49	VAL	-	expression tag	UNP I8IVP5
A	-48	ASN	-	expression tag	UNP I8IVP5
A	-47	THR	-	expression tag	UNP I8IVP5
A	-46	THR	-	expression tag	UNP I8IVP5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-45	THR	-	expression tag	UNP I8IVP5
A	-44	GLU	-	expression tag	UNP I8IVP5
A	-43	ASP	-	expression tag	UNP I8IVP5
A	-42	GLU	-	expression tag	UNP I8IVP5
A	-41	THR	-	expression tag	UNP I8IVP5
A	-40	ALA	-	expression tag	UNP I8IVP5
A	-39	GLN	-	expression tag	UNP I8IVP5
A	-38	ILE	-	expression tag	UNP I8IVP5
A	-37	PRO	-	expression tag	UNP I8IVP5
A	-36	ALA	-	expression tag	UNP I8IVP5
A	-35	GLU	-	expression tag	UNP I8IVP5
A	-34	ALA	-	expression tag	UNP I8IVP5
A	-33	VAL	-	expression tag	UNP I8IVP5
A	-32	ILE	-	expression tag	UNP I8IVP5
A	-31	GLY	-	expression tag	UNP I8IVP5
A	-30	TYR	-	expression tag	UNP I8IVP5
A	-29	SER	-	expression tag	UNP I8IVP5
A	-28	ASP	-	expression tag	UNP I8IVP5
A	-27	LEU	-	expression tag	UNP I8IVP5
A	-26	GLU	-	expression tag	UNP I8IVP5
A	-25	GLY	-	expression tag	UNP I8IVP5
A	-24	ASP	-	expression tag	UNP I8IVP5
A	-23	PHE	-	expression tag	UNP I8IVP5
A	-22	ASP	-	expression tag	UNP I8IVP5
A	-21	VAL	-	expression tag	UNP I8IVP5
A	-20	ALA	-	expression tag	UNP I8IVP5
A	-19	VAL	-	expression tag	UNP I8IVP5
A	-18	LEU	-	expression tag	UNP I8IVP5
A	-17	PRO	-	expression tag	UNP I8IVP5
A	-16	PHE	-	expression tag	UNP I8IVP5
A	-15	SER	-	expression tag	UNP I8IVP5
A	-14	ASN	-	expression tag	UNP I8IVP5
A	-13	SER	-	expression tag	UNP I8IVP5
A	-12	THR	-	expression tag	UNP I8IVP5
A	-11	ASN	-	expression tag	UNP I8IVP5
A	-10	ASN	-	expression tag	UNP I8IVP5
A	-9	GLY	-	expression tag	UNP I8IVP5
A	-8	LEU	-	expression tag	UNP I8IVP5
A	-7	LEU	-	expression tag	UNP I8IVP5
A	-6	PHE	-	expression tag	UNP I8IVP5
A	-5	ILE	-	expression tag	UNP I8IVP5
A	-4	ASN	-	expression tag	UNP I8IVP5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	THR	-	expression tag	UNP I8IVP5
A	-2	THR	-	expression tag	UNP I8IVP5
A	-1	ILE	-	expression tag	UNP I8IVP5
A	0	ALA	-	expression tag	UNP I8IVP5
A	1	SER	-	expression tag	UNP I8IVP5
A	2	ILE	-	expression tag	UNP I8IVP5
A	3	ALA	-	expression tag	UNP I8IVP5
A	4	ALA	-	expression tag	UNP I8IVP5
A	5	LYS	-	expression tag	UNP I8IVP5
A	6	GLU	-	expression tag	UNP I8IVP5
A	7	GLU	-	expression tag	UNP I8IVP5
A	8	GLY	-	expression tag	UNP I8IVP5
A	9	VAL	-	expression tag	UNP I8IVP5
A	10	SER	-	expression tag	UNP I8IVP5
A	11	LEU	-	expression tag	UNP I8IVP5
A	12	GLU	-	expression tag	UNP I8IVP5
A	13	LYS	-	expression tag	UNP I8IVP5
A	14	ARG	-	expression tag	UNP I8IVP5
A	15	GLU	-	expression tag	UNP I8IVP5
A	16	ALA	-	expression tag	UNP I8IVP5
A	17	GLU	-	expression tag	UNP I8IVP5
A	570	VAL	-	expression tag	UNP I8IVP5
A	571	ASP	-	expression tag	UNP I8IVP5
A	572	HIS	-	expression tag	UNP I8IVP5
A	573	HIS	-	expression tag	UNP I8IVP5
A	574	HIS	-	expression tag	UNP I8IVP5
A	575	HIS	-	expression tag	UNP I8IVP5
A	576	HIS	-	expression tag	UNP I8IVP5
A	577	HIS	-	expression tag	UNP I8IVP5
B	-70	MET	-	initiating methionine	UNP I8IVP5
B	-69	ARG	-	expression tag	UNP I8IVP5
B	-68	PHE	-	expression tag	UNP I8IVP5
B	-67	PRO	-	expression tag	UNP I8IVP5
B	-66	SER	-	expression tag	UNP I8IVP5
B	-65	ILE	-	expression tag	UNP I8IVP5
B	-64	PHE	-	expression tag	UNP I8IVP5
B	-63	THR	-	expression tag	UNP I8IVP5
B	-62	ALA	-	expression tag	UNP I8IVP5
B	-61	VAL	-	expression tag	UNP I8IVP5
B	-60	LEU	-	expression tag	UNP I8IVP5
B	-59	PHE	-	expression tag	UNP I8IVP5
B	-58	ALA	-	expression tag	UNP I8IVP5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-57	ALA	-	expression tag	UNP I8IVP5
B	-56	SER	-	expression tag	UNP I8IVP5
B	-55	SER	-	expression tag	UNP I8IVP5
B	-54	ALA	-	expression tag	UNP I8IVP5
B	-53	LEU	-	expression tag	UNP I8IVP5
B	-52	ALA	-	expression tag	UNP I8IVP5
B	-51	ALA	-	expression tag	UNP I8IVP5
B	-50	PRO	-	expression tag	UNP I8IVP5
B	-49	VAL	-	expression tag	UNP I8IVP5
B	-48	ASN	-	expression tag	UNP I8IVP5
B	-47	THR	-	expression tag	UNP I8IVP5
B	-46	THR	-	expression tag	UNP I8IVP5
B	-45	THR	-	expression tag	UNP I8IVP5
B	-44	GLU	-	expression tag	UNP I8IVP5
B	-43	ASP	-	expression tag	UNP I8IVP5
B	-42	GLU	-	expression tag	UNP I8IVP5
B	-41	THR	-	expression tag	UNP I8IVP5
B	-40	ALA	-	expression tag	UNP I8IVP5
B	-39	GLN	-	expression tag	UNP I8IVP5
B	-38	ILE	-	expression tag	UNP I8IVP5
B	-37	PRO	-	expression tag	UNP I8IVP5
B	-36	ALA	-	expression tag	UNP I8IVP5
B	-35	GLU	-	expression tag	UNP I8IVP5
B	-34	ALA	-	expression tag	UNP I8IVP5
B	-33	VAL	-	expression tag	UNP I8IVP5
B	-32	ILE	-	expression tag	UNP I8IVP5
B	-31	GLY	-	expression tag	UNP I8IVP5
B	-30	TYR	-	expression tag	UNP I8IVP5
B	-29	SER	-	expression tag	UNP I8IVP5
B	-28	ASP	-	expression tag	UNP I8IVP5
B	-27	LEU	-	expression tag	UNP I8IVP5
B	-26	GLU	-	expression tag	UNP I8IVP5
B	-25	GLY	-	expression tag	UNP I8IVP5
B	-24	ASP	-	expression tag	UNP I8IVP5
B	-23	PHE	-	expression tag	UNP I8IVP5
B	-22	ASP	-	expression tag	UNP I8IVP5
B	-21	VAL	-	expression tag	UNP I8IVP5
B	-20	ALA	-	expression tag	UNP I8IVP5
B	-19	VAL	-	expression tag	UNP I8IVP5
B	-18	LEU	-	expression tag	UNP I8IVP5
B	-17	PRO	-	expression tag	UNP I8IVP5
B	-16	PHE	-	expression tag	UNP I8IVP5


Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-15	SER	-	expression tag	UNP I8IVP5
B	-14	ASN	-	expression tag	UNP I8IVP5
B	-13	SER	-	expression tag	UNP I8IVP5
B	-12	THR	-	expression tag	UNP I8IVP5
B	-11	ASN	-	expression tag	UNP I8IVP5
B	-10	ASN	-	expression tag	UNP I8IVP5
B	-9	GLY	-	expression tag	UNP I8IVP5
B	-8	LEU	-	expression tag	UNP I8IVP5
B	-7	LEU	-	expression tag	UNP I8IVP5
B	-6	PHE	-	expression tag	UNP I8IVP5
B	-5	ILE	-	expression tag	UNP I8IVP5
B	-4	ASN	-	expression tag	UNP I8IVP5
B	-3	THR	-	expression tag	UNP I8IVP5
B	-2	THR	-	expression tag	UNP I8IVP5
B	-1	ILE	-	expression tag	UNP I8IVP5
B	0	ALA	-	expression tag	UNP I8IVP5
B	1	SER	-	expression tag	UNP I8IVP5
B	2	ILE	-	expression tag	UNP I8IVP5
B	3	ALA	-	expression tag	UNP I8IVP5
B	4	ALA	-	expression tag	UNP I8IVP5
B	5	LYS	-	expression tag	UNP I8IVP5
B	6	GLU	-	expression tag	UNP I8IVP5
B	7	GLU	-	expression tag	UNP I8IVP5
B	8	GLY	-	expression tag	UNP I8IVP5
B	9	VAL	-	expression tag	UNP I8IVP5
B	10	SER	-	expression tag	UNP I8IVP5
B	11	LEU	-	expression tag	UNP I8IVP5
B	12	GLU	-	expression tag	UNP I8IVP5
B	13	LYS	-	expression tag	UNP I8IVP5
B	14	ARG	-	expression tag	UNP I8IVP5
B	15	GLU	-	expression tag	UNP I8IVP5
B	16	ALA	-	expression tag	UNP I8IVP5
B	17	GLU	-	expression tag	UNP I8IVP5
B	570	VAL	-	expression tag	UNP I8IVP5
B	571	ASP	-	expression tag	UNP I8IVP5
B	572	HIS	-	expression tag	UNP I8IVP5
B	573	HIS	-	expression tag	UNP I8IVP5
B	574	HIS	-	expression tag	UNP I8IVP5
B	575	HIS	-	expression tag	UNP I8IVP5
B	576	HIS	-	expression tag	UNP I8IVP5
B	577	HIS	-	expression tag	UNP I8IVP5


- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-alpha-D-mannopyran

ose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	6	Total	C	N	O	0	0	0
			72	40	2	30			

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	8	Total	C	N	O	0	0	0
			94	52	2	40			
3	F	8	Total	C	N	O	0	0	0
			94	52	2	40			

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	E	7	Total	C	N	O	0	0	0
			83	46	2	35			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	G	10	Total	C	N	O	0	0	0
			116	64	2	50			
5	H	10	Total	C	N	O	0	0	0
			116	64	2	50			

- Molecule 6 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	I	2	Total	C	N	O	0	0	0
			28	16	2	10			
6	J	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 7 is alpha-D-mannopyranose (CCD ID: MAN) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			11	6	5		
7	B	1	Total	C	O	0	0
			11	6	5		

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	B	1	Total	C	N	O	0	0
			14	8	1	5		
8	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 9 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O	0	0
			6	3	3		
9	A	1	Total	C	O	0	0
			6	3	3		
9	A	1	Total	C	O	0	0
			6	3	3		
9	A	1	Total	C	O	0	0
			6	3	3		
9	A	1	Total	C	O	0	0
			6	3	3		
9	A	1	Total	C	O	0	0
			6	3	3		
9	A	1	Total	C	O	0	0
			6	3	3		
9	A	1	Total	C	O	0	0
			6	3	3		
9	B	1	Total	C	O	0	0
			6	3	3		
9	B	1	Total	C	O	0	0
			6	3	3		
9	B	1	Total	C	O	0	0
			6	3	3		
9	B	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	441	Total	O	0	0
			441	441		
10	B	451	Total	O	0	0
			451	451		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glycoside hydrolase superfamily




- Molecule 1: Glycoside hydrolase superfamily



- Molecule 2: alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-3)- α -D-mannopyranose-(1-6)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain D:  12% 75% 12%




- Molecule 3: α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-3)- α -D-mannopyranose-(1-6)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain F:  12% 88%



- Molecule 4: α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] α -D-mannopyranose-(1-6)-[α -D-mannopyranose-(1-3)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain E:  43% 57%



- Molecule 5: α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-2)-[α -D-mannopyranose-(1-6)] α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] α -D-mannopyranose-(1-6)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain G:  10% 90%



- Molecule 5: α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-2)-[α -D-mannopyranose-(1-6)] α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] α -D-mannopyranose-(1-6)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain H:  30% 70%



- Molecule 6: 2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain I:  50% 50%


MAG1
MAG2

- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  50% 50%


MAG1
MAG2

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	117.04Å 119.84Å 106.44Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.64 – 1.90 48.64 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.2 (48.64-1.90) 99.3 (48.64-1.90)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.32 (at 1.90Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.216 , 0.249 0.216 , 0.249	Depositor DCC
R_{free} test set	5895 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	21.7	Xtriage
Anisotropy	0.685	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 47.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.000 for k,h,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10332	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 52.07 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.1231e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, NAG, BMA, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/4453	0.54	0/6095
1	B	0.33	0/4430	0.52	0/6064
All	All	0.34	0/8883	0.53	0/12159

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4332	0	4111	27	0
1	B	4309	0	4099	13	0
2	C	72	0	61	0	0
3	D	94	0	79	1	0
3	F	94	0	79	0	0
4	E	83	0	70	0	0
5	G	116	0	97	0	0
5	H	116	0	97	0	0
6	I	28	0	25	0	0
6	J	28	0	25	1	0
7	A	11	0	10	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	B	11	0	10	0	0
8	A	28	0	26	0	0
8	B	28	0	26	0	0
9	A	60	0	79	3	0
9	B	30	0	40	1	0
10	A	441	0	0	0	0
10	B	451	0	0	1	0
All	All	10332	0	8934	38	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 38 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:429:THR:O	9:A:610:GOL:H32	1.94	0.67
1:A:533:GLN:O	1:A:537:GLU:HG3	1.96	0.65
1:A:23:CYS:H	9:A:612:GOL:H11	1.63	0.64
1:A:65:GLU:OE1	1:B:64:GLN:NE2	2.31	0.57
1:B:494:LEU:HD12	1:B:498:THR:HB	1.88	0.54

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	550/648 (85%)	523 (95%)	25 (4%)	2 (0%)	30	22
1	B	547/648 (84%)	524 (96%)	23 (4%)	0	100	100
All	All	1097/1296 (85%)	1047 (95%)	48 (4%)	2 (0%)	43	36

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	214	GLY
1	A	287	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	484/561 (86%)	482 (100%)	2 (0%)	84	87
1	B	481/561 (86%)	481 (100%)	0	100	100
All	All	965/1122 (86%)	963 (100%)	2 (0%)	88	90

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	526[A]	ASP
1	A	526[B]	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	237	GLN
1	B	344	ASN
1	B	520	ASN
1	B	506	GLN
1	B	209	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

53 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	C	1	2,1	14,14,15	0.42	0	17,19,21	0.75	0
2	NAG	C	2	2	14,14,15	0.39	0	17,19,21	0.48	0
2	BMA	C	3	2	11,11,12	1.04	0	15,15,17	0.86	0
2	MAN	C	4	2	11,11,12	1.20	1 (9%)	15,15,17	1.31	2 (13%)
2	MAN	C	5	2	11,11,12	1.16	1 (9%)	15,15,17	1.10	2 (13%)
2	MAN	C	6	2	11,11,12	0.86	0	15,15,17	1.08	1 (6%)
3	NAG	D	1	1,3	14,14,15	0.73	1 (7%)	17,19,21	0.68	0
3	NAG	D	2	3	14,14,15	0.52	0	17,19,21	0.63	0
3	BMA	D	3	3	11,11,12	1.10	1 (9%)	15,15,17	1.06	1 (6%)
3	MAN	D	4	3	11,11,12	0.89	1 (9%)	15,15,17	1.18	2 (13%)
3	MAN	D	5	3	11,11,12	1.18	1 (9%)	15,15,17	1.15	2 (13%)
3	MAN	D	6	3	11,11,12	1.24	2 (18%)	15,15,17	1.35	2 (13%)
3	MAN	D	7	3	11,11,12	1.23	1 (9%)	15,15,17	1.12	1 (6%)
3	MAN	D	8	3	11,11,12	1.05	1 (9%)	15,15,17	1.45	1 (6%)
4	NAG	E	1	1,4	14,14,15	0.38	0	17,19,21	0.64	0
4	NAG	E	2	4	14,14,15	0.28	0	17,19,21	0.36	0
4	BMA	E	3	4	11,11,12	0.85	0	15,15,17	0.87	0
4	MAN	E	4	4	11,11,12	1.24	1 (9%)	15,15,17	1.79	3 (20%)
4	MAN	E	5	4	11,11,12	1.17	1 (9%)	15,15,17	1.24	2 (13%)
4	MAN	E	6	4	11,11,12	1.18	2 (18%)	15,15,17	1.17	2 (13%)
4	MAN	E	7	4	11,11,12	1.13	1 (9%)	15,15,17	1.00	1 (6%)
3	NAG	F	1	1,3	14,14,15	0.57	0	17,19,21	0.62	0
3	NAG	F	2	3	14,14,15	0.50	0	17,19,21	0.71	1 (5%)
3	BMA	F	3	3	11,11,12	1.01	1 (9%)	15,15,17	1.05	1 (6%)
3	MAN	F	4	3	11,11,12	1.04	1 (9%)	15,15,17	1.15	2 (13%)
3	MAN	F	5	3	11,11,12	1.10	2 (18%)	15,15,17	1.27	2 (13%)
3	MAN	F	6	3	11,11,12	1.21	2 (18%)	15,15,17	1.36	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	MAN	F	7	3	11,11,12	0.92	0	15,15,17	1.17	2 (13%)
3	MAN	F	8	3	11,11,12	0.92	0	15,15,17	1.09	1 (6%)
5	NAG	G	1	5,1	14,14,15	0.63	1 (7%)	17,19,21	0.73	0
5	MAN	G	10	5	11,11,12	0.82	0	15,15,17	0.96	1 (6%)
5	NAG	G	2	5	14,14,15	0.52	0	17,19,21	0.49	0
5	BMA	G	3	5	11,11,12	0.87	1 (9%)	15,15,17	0.89	1 (6%)
5	MAN	G	4	5	11,11,12	1.00	1 (9%)	15,15,17	1.35	2 (13%)
5	MAN	G	5	5	11,11,12	1.14	0	15,15,17	1.02	1 (6%)
5	MAN	G	6	5	11,11,12	1.03	1 (9%)	15,15,17	1.11	1 (6%)
5	MAN	G	7	5	11,11,12	1.20	2 (18%)	15,15,17	1.16	1 (6%)
5	MAN	G	8	5	11,11,12	1.19	1 (9%)	15,15,17	0.82	0
5	MAN	G	9	5	11,11,12	1.00	0	15,15,17	1.42	2 (13%)
5	NAG	H	1	5,1	14,14,15	0.33	0	17,19,21	0.73	0
5	MAN	H	10	5	11,11,12	0.90	0	15,15,17	1.14	1 (6%)
5	NAG	H	2	5	14,14,15	0.59	0	17,19,21	0.40	0
5	BMA	H	3	5	11,11,12	0.85	0	15,15,17	0.77	0
5	MAN	H	4	5	11,11,12	1.06	0	15,15,17	1.17	2 (13%)
5	MAN	H	5	5	11,11,12	1.07	1 (9%)	15,15,17	0.98	1 (6%)
5	MAN	H	6	5	11,11,12	0.80	0	15,15,17	1.11	1 (6%)
5	MAN	H	7	5	11,11,12	1.15	1 (9%)	15,15,17	1.00	1 (6%)
5	MAN	H	8	5	11,11,12	1.00	1 (9%)	15,15,17	1.06	1 (6%)
5	MAN	H	9	5	11,11,12	1.42	2 (18%)	15,15,17	0.96	1 (6%)
6	NAG	I	1	6,1	14,14,15	0.32	0	17,19,21	0.68	1 (5%)
6	NAG	I	2	6	14,14,15	0.32	0	17,19,21	0.52	0
6	NAG	J	1	6,1	14,14,15	0.21	0	17,19,21	0.76	1 (5%)
6	NAG	J	2	6	14,14,15	0.24	0	17,19,21	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	C	2	2	-	0/6/23/26	0/1/1/1
2	BMA	C	3	2	-	0/2/19/22	0/1/1/1
2	MAN	C	4	2	-	2/2/19/22	0/1/1/1
2	MAN	C	5	2	-	1/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MAN	C	6	2	-	2/2/19/22	0/1/1/1
3	NAG	D	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	0/6/23/26	0/1/1/1
3	BMA	D	3	3	-	0/2/19/22	0/1/1/1
3	MAN	D	4	3	-	0/2/19/22	0/1/1/1
3	MAN	D	5	3	-	0/2/19/22	0/1/1/1
3	MAN	D	6	3	-	0/2/19/22	0/1/1/1
3	MAN	D	7	3	-	0/2/19/22	0/1/1/1
3	MAN	D	8	3	-	0/2/19/22	0/1/1/1
4	NAG	E	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	E	2	4	-	1/6/23/26	0/1/1/1
4	BMA	E	3	4	-	2/2/19/22	0/1/1/1
4	MAN	E	4	4	-	0/2/19/22	0/1/1/1
4	MAN	E	5	4	-	2/2/19/22	0/1/1/1
4	MAN	E	6	4	-	0/2/19/22	0/1/1/1
4	MAN	E	7	4	-	2/2/19/22	0/1/1/1
3	NAG	F	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	F	2	3	-	2/6/23/26	0/1/1/1
3	BMA	F	3	3	-	0/2/19/22	0/1/1/1
3	MAN	F	4	3	-	0/2/19/22	0/1/1/1
3	MAN	F	5	3	-	0/2/19/22	0/1/1/1
3	MAN	F	6	3	-	0/2/19/22	0/1/1/1
3	MAN	F	7	3	-	1/2/19/22	0/1/1/1
3	MAN	F	8	3	-	2/2/19/22	0/1/1/1
5	NAG	G	1	5,1	-	0/6/23/26	0/1/1/1
5	MAN	G	10	5	-	2/2/19/22	0/1/1/1
5	NAG	G	2	5	-	1/6/23/26	0/1/1/1
5	BMA	G	3	5	-	0/2/19/22	0/1/1/1
5	MAN	G	4	5	-	0/2/19/22	0/1/1/1
5	MAN	G	5	5	-	0/2/19/22	0/1/1/1
5	MAN	G	6	5	-	2/2/19/22	0/1/1/1
5	MAN	G	7	5	-	0/2/19/22	0/1/1/1
5	MAN	G	8	5	-	0/2/19/22	0/1/1/1
5	MAN	G	9	5	-	0/2/19/22	0/1/1/1
5	NAG	H	1	5,1	-	0/6/23/26	0/1/1/1
5	MAN	H	10	5	-	2/2/19/22	0/1/1/1
5	NAG	H	2	5	-	0/6/23/26	0/1/1/1
5	BMA	H	3	5	-	0/2/19/22	0/1/1/1
5	MAN	H	4	5	-	0/2/19/22	0/1/1/1
5	MAN	H	5	5	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	MAN	H	6	5	-	2/2/19/22	0/1/1/1
5	MAN	H	7	5	-	0/2/19/22	0/1/1/1
5	MAN	H	8	5	-	0/2/19/22	0/1/1/1
5	MAN	H	9	5	-	2/2/19/22	0/1/1/1
6	NAG	I	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	I	2	6	-	2/6/23/26	0/1/1/1
6	NAG	J	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	J	2	6	-	4/6/23/26	0/1/1/1

The worst 5 of 33 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	H	9	MAN	C1-C2	3.17	1.59	1.52
3	D	5	MAN	C2-C3	3.13	1.57	1.52
4	E	4	MAN	C1-C2	3.12	1.59	1.52
3	D	3	BMA	C2-C3	2.92	1.57	1.52
4	E	7	MAN	C1-C2	2.83	1.59	1.52

The worst 5 of 51 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	8	MAN	C1-O5-C5	4.82	118.65	112.19
4	E	4	MAN	C1-O5-C5	4.68	118.46	112.19
3	F	6	MAN	C1-O5-C5	4.23	117.85	112.19
5	G	9	MAN	C1-O5-C5	4.14	117.74	112.19
5	H	10	MAN	C1-O5-C5	3.73	117.19	112.19

There are no chirality outliers.

5 of 36 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	H	10	MAN	O5-C5-C6-O6
4	E	7	MAN	O5-C5-C6-O6
6	I	2	NAG	O5-C5-C6-O6
2	C	4	MAN	C4-C5-C6-O6
5	H	10	MAN	C4-C5-C6-O6


There are no ring outliers.


2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	J	1	NAG	1	0
3	D	8	MAN	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.














Oligosaccharide Chain H




Bond lengths




Bond angles




Torsions



Rings





5.6 Ligand geometry [i](#)

21 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	GOL	A	608	-	5,5,5	1.05	0	5,5,5	0.90	0
9	GOL	A	611	-	5,5,5	0.91	0	5,5,5	1.02	0
8	NAG	A	602	1	14,14,15	0.48	0	17,19,21	0.65	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	GOL	A	613	-	5,5,5	0.56	0	5,5,5	1.03	0
9	GOL	B	601	-	5,5,5	0.78	0	5,5,5	1.14	1 (20%)
8	NAG	B	605	1	14,14,15	0.52	0	17,19,21	0.38	0
8	NAG	A	603	1	14,14,15	0.66	0	17,19,21	0.54	0
9	GOL	A	605	-	5,5,5	0.75	0	5,5,5	1.18	1 (20%)
9	GOL	B	602	-	5,5,5	0.83	0	5,5,5	1.23	1 (20%)
9	GOL	B	608	-	5,5,5	1.13	0	5,5,5	0.99	0
9	GOL	B	607	-	5,5,5	1.21	1 (20%)	5,5,5	0.88	0
9	GOL	B	606	-	5,5,5	1.16	0	5,5,5	0.93	0
7	MAN	A	601	1	11,11,12	1.00	0	15,15,17	0.84	0
9	GOL	A	606	-	5,5,5	0.76	0	5,5,5	1.38	0
9	GOL	A	607	-	5,5,5	1.21	0	5,5,5	0.98	0
7	MAN	B	603	1	11,11,12	1.08	1 (9%)	15,15,17	0.96	1 (6%)
9	GOL	A	604	-	5,5,5	1.21	1 (20%)	5,5,5	1.00	0
9	GOL	A	609	-	5,5,5	0.83	0	5,5,5	1.12	1 (20%)
8	NAG	B	604	1	14,14,15	0.41	0	17,19,21	0.50	0
9	GOL	A	612	-	5,5,5	0.99	0	5,5,5	1.05	0
9	GOL	A	610	-	5,5,5	0.94	0	5,5,5	1.19	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	GOL	A	608	-	-	2/4/4/4	-
9	GOL	A	611	-	-	0/4/4/4	-
8	NAG	A	602	1	-	2/6/23/26	0/1/1/1
9	GOL	A	613	-	-	2/4/4/4	-
9	GOL	B	601	-	-	2/4/4/4	-
8	NAG	B	605	1	-	0/6/23/26	0/1/1/1
8	NAG	A	603	1	-	2/6/23/26	0/1/1/1
9	GOL	A	605	-	-	2/4/4/4	-
9	GOL	B	602	-	-	2/4/4/4	-
9	GOL	B	608	-	-	2/4/4/4	-
9	GOL	B	607	-	-	2/4/4/4	-
9	GOL	B	606	-	-	0/4/4/4	-
7	MAN	A	601	1	-	2/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	GOL	A	606	-	-	3/4/4/4	-
9	GOL	A	607	-	-	3/4/4/4	-
7	MAN	B	603	1	-	1/2/19/22	0/1/1/1
9	GOL	A	604	-	-	0/4/4/4	-
9	GOL	A	609	-	-	2/4/4/4	-
8	NAG	B	604	1	-	1/6/23/26	0/1/1/1
9	GOL	A	612	-	-	0/4/4/4	-
9	GOL	A	610	-	-	4/4/4/4	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	A	604	GOL	O2-C2	-2.54	1.36	1.43
7	B	603	MAN	C4-C5	2.44	1.58	1.53
9	B	607	GOL	C3-C2	2.40	1.60	1.51

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	B	602	GOL	C3-C2-C1	-2.29	103.38	111.80
7	B	603	MAN	C1-O5-C5	2.26	115.21	112.19
9	A	605	GOL	C3-C2-C1	-2.12	104.00	111.80
9	A	610	GOL	C3-C2-C1	-2.11	104.07	111.80
9	A	609	GOL	C3-C2-C1	-2.01	104.44	111.80

There are no chirality outliers.

5 of 34 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	A	608	GOL	C1-C2-C3-O3
9	A	609	GOL	C1-C2-C3-O3
9	A	610	GOL	O1-C1-C2-C3
9	A	610	GOL	C1-C2-C3-O3
9	A	613	GOL	O1-C1-C2-C3

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	A	605	GOL	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	B	602	GOL	1	0
9	A	612	GOL	1	0
9	A	610	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	549/648 (84%)	0.08	10 (1%) 67 71	13, 24, 40, 57	3 (0%)
1	B	549/648 (84%)	0.06	14 (2%) 57 61	20, 26, 42, 62	0
All	All	1098/1296 (84%)	0.07	24 (2%) 62 66	13, 25, 41, 62	3 (0%)

The worst 5 of 24 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	21	ALA	4.0
1	B	470	ILE	3.9
1	A	21	ALA	3.4
1	B	346	ASN	3.3
1	A	24	THR	2.9

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MAN	C	6	11/12	0.48	0.16	58,63,65,71	0
4	MAN	E	7	11/12	0.51	0.16	63,66,71,73	0
6	NAG	J	2	14/15	0.62	0.16	71,76,81,81	0
6	NAG	I	2	14/15	0.69	0.14	60,69,75,75	0
4	MAN	E	6	11/12	0.70	0.17	51,58,63,64	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	BMA	C	3	11/12	0.72	0.14	46,50,57,61	0
6	NAG	J	1	14/15	0.74	0.15	49,57,65,70	0
3	MAN	F	8	11/12	0.76	0.14	51,56,63,65	0
3	MAN	D	8	11/12	0.76	0.14	49,53,55,55	0
5	MAN	G	10	11/12	0.78	0.12	48,49,53,54	0
4	BMA	E	3	11/12	0.78	0.12	47,51,58,64	0
3	MAN	F	7	11/12	0.80	0.13	45,49,52,58	0
5	MAN	G	9	11/12	0.80	0.13	29,31,33,37	0
3	MAN	D	7	11/12	0.80	0.12	43,48,52,53	0
2	MAN	C	5	11/12	0.81	0.18	29,37,41,41	0
4	MAN	E	4	11/12	0.81	0.13	44,45,53,56	0
5	MAN	H	10	11/12	0.81	0.11	42,45,48,50	0
2	MAN	C	4	11/12	0.83	0.11	35,42,46,50	0
6	NAG	I	1	14/15	0.84	0.11	40,46,58,62	0
4	MAN	E	5	11/12	0.84	0.17	27,36,43,44	0
5	MAN	H	6	11/12	0.85	0.12	34,38,45,46	0
5	MAN	H	5	11/12	0.86	0.12	29,34,37,47	0
5	MAN	H	7	11/12	0.87	0.11	30,38,41,41	0
5	MAN	G	6	11/12	0.87	0.11	29,35,41,46	0
5	MAN	G	5	11/12	0.88	0.11	28,33,35,40	0
3	NAG	F	2	14/15	0.88	0.11	28,32,38,42	0
5	MAN	H	9	11/12	0.88	0.11	27,29,35,39	0
5	MAN	G	7	11/12	0.88	0.10	32,36,38,38	0
2	NAG	C	2	14/15	0.89	0.11	32,38,42,44	0
5	NAG	G	2	14/15	0.90	0.09	25,27,29,31	0
5	MAN	G	8	11/12	0.90	0.10	27,32,39,44	0
5	MAN	H	4	11/12	0.90	0.09	30,32,36,37	0
3	MAN	D	6	11/12	0.91	0.09	31,33,37,37	0
3	NAG	D	2	14/15	0.91	0.10	29,31,37,39	0
3	MAN	D	4	11/12	0.91	0.08	23,28,29,30	0
4	NAG	E	2	14/15	0.91	0.10	33,37,43,48	0
5	BMA	H	3	11/12	0.91	0.09	27,28,33,34	0
3	MAN	F	4	11/12	0.92	0.08	22,27,29,30	0
3	MAN	F	6	11/12	0.92	0.09	29,30,34,34	0
5	NAG	G	1	14/15	0.92	0.08	25,28,29,31	0
5	MAN	G	4	11/12	0.93	0.08	25,32,35,35	0
3	NAG	F	1	14/15	0.93	0.07	26,30,33,34	0
2	NAG	C	1	14/15	0.93	0.08	23,27,29,31	0
5	NAG	H	2	14/15	0.93	0.08	24,29,30,33	0
5	BMA	G	3	11/12	0.93	0.07	26,28,32,33	0
3	MAN	D	5	11/12	0.94	0.07	23,26,28,30	0
3	MAN	F	5	11/12	0.94	0.07	24,26,29,29	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NAG	E	1	14/15	0.94	0.09	19,25,27,30	0
5	NAG	H	1	14/15	0.94	0.08	22,26,29,33	0
3	NAG	D	1	14/15	0.94	0.07	25,28,31,33	0
5	MAN	H	8	11/12	0.94	0.08	25,29,35,38	0
3	BMA	F	3	11/12	0.95	0.06	26,29,34,37	0
3	BMA	D	3	11/12	0.96	0.06	25,29,34,38	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	NAG	A	603	14/15	0.67	0.15	53,60,67,67	0
7	MAN	A	601	11/12	0.68	0.15	35,39,46,53	0
8	NAG	B	605	14/15	0.71	0.14	50,59,63,66	0
8	NAG	A	602	14/15	0.73	0.15	45,47,51,51	0
9	GOL	A	610	6/6	0.73	0.17	37,39,40,43	0
8	NAG	B	604	14/15	0.76	0.14	48,51,54,59	0
9	GOL	A	609	6/6	0.78	0.15	36,37,40,46	0
7	MAN	B	603	11/12	0.81	0.12	37,41,47,48	0
9	GOL	A	613	6/6	0.81	0.16	26,33,37,40	0
9	GOL	A	612	6/6	0.82	0.14	38,40,46,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
9	GOL	A	604	6/6	0.82	0.13	34,37,40,43	0
9	GOL	B	607	6/6	0.82	0.15	32,34,38,40	0
9	GOL	B	608	6/6	0.83	0.14	30,37,40,45	0
9	GOL	A	606	6/6	0.84	0.13	32,37,40,42	0
9	GOL	A	611	6/6	0.84	0.15	28,35,36,45	0
9	GOL	A	608	6/6	0.85	0.15	25,34,38,39	0
9	GOL	A	605	6/6	0.86	0.12	31,37,40,44	0
9	GOL	B	601	6/6	0.87	0.14	27,33,37,41	0
9	GOL	B	602	6/6	0.88	0.12	31,36,40,41	0
9	GOL	A	607	6/6	0.91	0.09	31,36,38,40	0
9	GOL	B	606	6/6	0.94	0.08	30,34,35,38	0

6.5 Other polymers [i](#)

There are no such residues in this entry.