



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 03:33 AM UTC

PDB ID : 3L4F / pdb_00003l4f
Title : Crystal Structure of betaPIX Coiled-Coil Domain and Shank PDZ Complex
Authors : Im, Y.J.; Kang, G.B.; Lee, J.H.; Song, H.E.; Park, K.R.; Kim, E.; Song, W.K.;
Park, D.; Eom, S.H.
Deposited on : 2009-12-19
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	61	3% 41% 44% 15%
1	B	61	8% 44% 44% 11%
1	C	61	5% 36% 41% 10% 13%
2	D	132	5% 21% 52% 8% 19%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2309 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Rho guanine nucleotide exchange factor 7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	61	Total	C	N	O	S	0	0	0
			511	315	91	102	3			
1	B	61	Total	C	N	O	S	0	0	0
			511	315	91	102	3			
1	C	53	Total	C	N	O	S	0	0	0
			444	273	81	87	3			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	586	MET	-	expression tag	UNP O55043
B	586	MET	-	expression tag	UNP O55043
C	586	MET	-	expression tag	UNP O55043

- Molecule 2 is a protein called SH3 and multiple ankyrin repeat domains protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	107	Total	C	N	O	S	0	0	0
			823	523	145	151	4			

There are 19 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	634	MET	-	expression tag	UNP Q9WV48
D	635	GLY	-	expression tag	UNP Q9WV48
D	636	SER	-	expression tag	UNP Q9WV48
D	637	SER	-	expression tag	UNP Q9WV48
D	638	HIS	-	expression tag	UNP Q9WV48
D	639	HIS	-	expression tag	UNP Q9WV48
D	640	HIS	-	expression tag	UNP Q9WV48
D	641	HIS	-	expression tag	UNP Q9WV48
D	642	HIS	-	expression tag	UNP Q9WV48

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	643	HIS	-	expression tag	UNP Q9WV48
D	644	SER	-	expression tag	UNP Q9WV48
D	645	GLN	-	expression tag	UNP Q9WV48
D	646	ASP	-	expression tag	UNP Q9WV48
D	647	PRO	-	expression tag	UNP Q9WV48
D	648	LEU	-	expression tag	UNP Q9WV48
D	649	VAL	-	expression tag	UNP Q9WV48
D	650	PRO	-	expression tag	UNP Q9WV48
D	651	ARG	-	expression tag	UNP Q9WV48
D	652	GLY	-	expression tag	UNP Q9WV48

- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	3	Total O 3 3	0	0
3	B	7	Total O 7 7	0	0
3	C	2	Total O 2 2	0	0
3	D	8	Total O 8 8	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Rho guanine nucleotide exchange factor 7



- Molecule 1: Rho guanine nucleotide exchange factor 7



- Molecule 1: Rho guanine nucleotide exchange factor 7



- Molecule 2: SH3 and multiple ankyrin repeat domains protein 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 1 2	Depositor
Cell constants a, b, c, α , β , γ	47.67 Å 47.67 Å 263.16 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	41.28 – 2.80 41.28 – 2.80	Depositor EDS
% Data completeness (in resolution range)	96.5 (41.28-2.80) 95.8 (41.28-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.22 (at 2.81 Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.272 , 0.307 0.276 , 0.288	Depositor DCC
R_{free} test set	408 reflections (4.63%)	wwPDB-VP
Wilson B-factor (Å ²)	84.8	Xtriage
Anisotropy	0.313	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 117.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.079 for -h,-k,l	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	2309	wwPDB-VP
Average B, all atoms (Å ²)	91.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	0/514	1.12	4/683 (0.6%)
1	B	0.48	0/514	1.02	3/683 (0.4%)
1	C	0.47	0/444	1.05	1/586 (0.2%)
2	D	0.42	0/836	0.98	4/1126 (0.4%)
All	All	0.46	0/2308	1.03	12/3078 (0.4%)

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	687	ILE	N-CA-C	-11.90	101.77	113.20
1	A	638	ASP	CA-C-N	9.80	132.09	119.84
1	A	638	ASP	C-N-CA	9.80	132.09	119.84
2	D	696	PHE	CA-C-N	6.55	128.03	119.84
2	D	696	PHE	C-N-CA	6.55	128.03	119.84
1	A	636	MET	N-CA-C	-6.01	104.81	111.36
1	B	638	ASP	CA-C-N	5.74	127.01	119.84
1	B	638	ASP	C-N-CA	5.74	127.01	119.84
1	C	590	LEU	N-CA-C	-5.63	106.40	113.72
2	D	682	LYS	N-CA-C	-5.55	103.31	110.19
1	A	639	PRO	N-CA-C	5.38	123.54	112.47
1	B	591	VAL	N-CA-C	-5.09	104.94	110.23

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	511	0	526	56	0
1	B	511	0	526	38	0
1	C	444	0	470	43	0
2	D	823	0	842	105	0
3	A	3	0	0	3	0
3	B	7	0	0	0	0
3	C	2	0	0	0	0
3	D	8	0	0	2	0
All	All	2309	0	2364	205	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 44.

All (205) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:627:LYS:O	1:B:630:ARG:HG2	1.33	1.27
2:D:660:LYS:HD3	2:D:661:GLU:H	1.04	1.13
2:D:661:GLU:HA	2:D:754:VAL:HG12	1.41	1.00
2:D:660:LYS:CD	2:D:661:GLU:H	1.81	0.93
1:C:588:LYS:HD3	1:C:588:LYS:H	1.33	0.91
2:D:660:LYS:HD3	2:D:661:GLU:N	1.89	0.87
2:D:686:PRO:HB3	2:D:688:GLU:HG2	1.59	0.84
2:D:722:LEU:HA	2:D:753:VAL:HG12	1.61	0.83
1:A:626:GLU:HG2	1:B:625:LEU:HD21	1.62	0.82
2:D:724:GLU:HG2	2:D:729:ASN:HA	1.58	0.82
2:D:660:LYS:HE2	2:D:662:LYS:HB3	1.63	0.80
2:D:711:ALA:O	2:D:716:LEU:HB2	1.81	0.80
1:B:636:MET:HE1	1:C:636:MET:HG2	1.64	0.79
1:B:627:LYS:O	1:B:630:ARG:CG	2.25	0.79
2:D:667:GLN:HE21	2:D:748:THR:HG22	1.46	0.78
2:D:758:ARG:NH1	2:D:758:ARG:HB3	1.99	0.78
1:A:641:TRP:HZ3	2:D:681:ALA:HB2	1.46	0.77
2:D:758:ARG:HB3	2:D:758:ARG:HH11	1.48	0.76
1:A:588:LYS:N	1:A:588:LYS:HD2	2.00	0.76
2:D:667:GLN:NE2	2:D:748:THR:HG22	2.00	0.76
1:A:590:LEU:HD23	1:C:588:LYS:HG2	1.69	0.75
1:A:632:VAL:CG2	1:C:633:LEU:HD12	2.15	0.75
2:D:682:LYS:HB3	2:D:736:ARG:NH1	2.00	0.75
1:A:618:GLU:OE2	1:C:622:ARG:HD3	1.87	0.75
1:A:588:LYS:HD3	1:A:591:VAL:HG21	1.69	0.75
2:D:661:GLU:CA	2:D:754:VAL:HG12	2.17	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:636:MET:HE2	1:B:632:VAL:HG13	1.69	0.74
1:A:632:VAL:O	1:A:636:MET:HG2	1.88	0.74
1:A:586:MET:HB3	1:A:592:ASP:OD1	1.90	0.72
1:B:633:LEU:HD11	1:C:628:LEU:HG	1.72	0.72
1:B:636:MET:HG3	1:C:632:VAL:HG12	1.71	0.71
2:D:668:LYS:O	2:D:747:ASN:HB3	1.92	0.70
2:D:682:LYS:HB3	2:D:736:ARG:HH11	1.55	0.70
1:A:614:SER:HB3	1:C:615:LEU:HD11	1.74	0.69
2:D:685:THR:N	2:D:686:PRO:HD3	2.07	0.68
2:D:722:LEU:HD12	2:D:753:VAL:CG1	2.23	0.68
1:B:636:MET:HG3	1:C:632:VAL:CG1	2.25	0.67
1:A:619:GLN:HA	1:B:618:GLU:OE1	1.94	0.67
2:D:715:GLY:O	2:D:717:ARG:HG2	1.94	0.67
2:D:664:VAL:HG11	2:D:714:ALA:O	1.93	0.67
1:C:630:ARG:HA	1:C:633:LEU:HB3	1.76	0.67
1:C:599:ASP:O	1:C:602:GLN:HB3	1.96	0.65
1:A:641:TRP:CZ3	2:D:681:ALA:HB2	2.30	0.65
2:D:730:VAL:HA	2:D:733:VAL:CG2	2.26	0.65
1:A:632:VAL:HG13	1:C:636:MET:HE2	1.79	0.65
1:B:627:LYS:C	1:B:630:ARG:HG2	2.18	0.65
2:D:730:VAL:HG12	2:D:741:MET:HE1	1.78	0.64
2:D:726:ASN:ND2	2:D:750:MET:H	1.96	0.63
1:A:590:LEU:CD2	1:C:588:LYS:HG2	2.28	0.63
1:A:631:LYS:HB2	1:A:631:LYS:NZ	2.13	0.62
1:A:635:ASN:HD22	1:A:635:ASN:N	1.97	0.62
2:D:730:VAL:HA	2:D:733:VAL:HG23	1.80	0.61
1:C:613:LYS:HG2	1:C:617:GLU:OE2	2.01	0.61
1:A:639:PRO:O	1:A:640:ALA:HB3	1.99	0.61
2:D:668:LYS:HB3	2:D:710:VAL:HG21	1.83	0.60
1:A:597:LEU:HD21	1:C:601:VAL:HG21	1.84	0.60
1:A:607:ASP:O	1:A:611:MET:HG2	2.02	0.60
1:A:605:ARG:HH11	1:A:605:ARG:HG2	1.67	0.59
1:A:636:MET:CE	1:B:632:VAL:HG13	2.31	0.59
1:A:597:LEU:HD22	1:A:601:VAL:HG23	1.85	0.58
1:C:635:ASN:O	1:C:637:ASN:N	2.37	0.58
1:C:622:ARG:NH2	1:C:623:LYS:HE3	2.19	0.58
1:B:605:ARG:NE	1:C:600:GLU:OE1	2.36	0.57
2:D:661:GLU:HG2	2:D:752:LYS:HE2	1.86	0.57
2:D:758:ARG:HH11	2:D:758:ARG:CB	2.16	0.57
2:D:668:LYS:O	2:D:668:LYS:HD2	2.04	0.57
1:A:627:LYS:HE2	3:A:9:HOH:O	2.04	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:594:VAL:HG11	1:B:590:LEU:HD11	1.87	0.57
1:A:613:LYS:O	1:A:617:GLU:HG3	2.04	0.57
1:B:623:LYS:O	1:B:626:GLU:HB3	2.04	0.57
2:D:688:GLU:HG3	2:D:690:PHE:CE1	2.38	0.56
2:D:723:ILE:CD1	2:D:754:VAL:HG13	2.34	0.56
1:B:627:LYS:HA	1:B:630:ARG:NE	2.20	0.56
1:B:610:LYS:O	1:B:613:LYS:HB3	2.06	0.56
2:D:726:ASN:HD21	2:D:750:MET:H	1.54	0.55
2:D:667:GLN:HA	2:D:747:ASN:O	2.06	0.55
2:D:723:ILE:HD12	2:D:754:VAL:HG13	1.89	0.55
2:D:667:GLN:HG2	2:D:748:THR:HA	1.89	0.54
2:D:725:VAL:O	2:D:726:ASN:HB2	2.07	0.54
1:A:625:LEU:HD11	1:C:626:GLU:HA	1.88	0.54
2:D:684:GLN:C	2:D:686:PRO:HD3	2.33	0.54
1:C:602:GLN:O	1:C:606:GLN:HG3	2.08	0.54
2:D:661:GLU:HA	2:D:754:VAL:CG1	2.27	0.54
2:D:679:ARG:HD3	2:D:701:TYR:OH	2.08	0.54
2:D:668:LYS:HB2	2:D:672:GLU:HG3	1.91	0.53
2:D:654:GLY:O	2:D:655:SER:HB2	2.07	0.53
1:A:632:VAL:HG23	1:C:633:LEU:HD12	1.91	0.53
1:A:635:ASN:N	1:A:635:ASN:ND2	2.56	0.52
2:D:693:THR:C	2:D:695:ALA:H	2.17	0.52
2:D:676:PHE:CD1	2:D:702:LEU:HD22	2.45	0.52
2:D:657:TYR:O	2:D:658:ILE:HD13	2.09	0.52
2:D:658:ILE:HG12	2:D:757:THR:HB	1.92	0.52
1:B:587:GLU:OE1	1:C:588:LYS:HB3	2.10	0.51
1:C:612:LYS:O	1:C:616:GLU:HG3	2.10	0.51
2:D:669:LYS:C	2:D:671:SER:N	2.66	0.51
2:D:738:VAL:HA	2:D:741:MET:HE3	1.93	0.51
2:D:668:LYS:HB2	2:D:672:GLU:CG	2.41	0.51
2:D:745:GLY:O	2:D:748:THR:O	2.29	0.51
1:C:630:ARG:HA	1:C:633:LEU:CB	2.39	0.51
1:A:596:ALA:O	1:A:599:ASP:HB2	2.12	0.50
1:A:626:GLU:HG2	1:B:625:LEU:CD2	2.39	0.50
2:D:736:ARG:HH11	2:D:736:ARG:HG3	1.74	0.50
2:D:755:MET:HG3	2:D:756:VAL:N	2.27	0.50
1:B:636:MET:CE	1:C:636:MET:HG2	2.39	0.50
2:D:737:GLN:HE21	2:D:737:GLN:HA	1.77	0.50
1:A:631:LYS:HB2	1:A:631:LYS:HZ3	1.77	0.50
2:D:745:GLY:O	2:D:746:GLY:C	2.54	0.50
2:D:683:ALA:HA	2:D:686:PRO:HG3	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:597:LEU:O	1:A:598:LYS:C	2.56	0.49
1:A:605:ARG:NH2	1:B:600:GLU:OE1	2.43	0.49
1:A:617:GLU:HB2	3:A:19:HOH:O	2.11	0.49
2:D:660:LYS:CE	2:D:662:LYS:HB3	2.36	0.49
1:B:643:GLU:O	1:B:643:GLU:HG3	2.11	0.49
2:D:669:LYS:C	2:D:671:SER:H	2.20	0.48
1:A:604:LEU:HD11	1:C:604:LEU:HB3	1.96	0.48
1:A:605:ARG:HD3	3:A:10:HOH:O	2.12	0.48
1:C:622:ARG:NH2	1:C:623:LYS:CE	2.76	0.48
2:D:660:LYS:O	2:D:661:GLU:HB2	2.14	0.48
2:D:665:LEU:O	2:D:666:LEU:HD23	2.13	0.48
1:A:588:LYS:HB2	1:A:591:VAL:HG23	1.97	0.47
2:D:729:ASN:HB2	3:D:17:HOH:O	2.14	0.47
2:D:737:GLN:HA	2:D:737:GLN:NE2	2.29	0.47
2:D:674:PHE:HB2	2:D:676:PHE:CE2	2.50	0.47
2:D:723:ILE:O	2:D:724:GLU:HG3	2.15	0.47
1:A:637:ASN:O	1:A:639:PRO:HD3	2.14	0.47
1:B:606:GLN:O	1:B:610:LYS:HG3	2.15	0.47
1:B:616:GLU:HA	1:B:616:GLU:OE1	2.13	0.47
2:D:730:VAL:HB	2:D:738:VAL:HG22	1.97	0.47
1:C:596:ALA:O	1:C:599:ASP:HB2	2.14	0.47
2:D:674:PHE:CB	2:D:676:PHE:HE2	2.28	0.47
1:B:637:ASN:O	1:B:638:ASP:HB2	2.14	0.47
1:C:586:MET:O	1:C:591:VAL:HG21	2.15	0.47
2:D:700:GLN:OE1	2:D:735:HIS:HA	2.15	0.47
1:B:588:LYS:NZ	1:B:592:ASP:OD2	2.48	0.46
2:D:743:ARG:O	2:D:744:GLN:C	2.58	0.46
2:D:691:THR:C	2:D:693:THR:H	2.22	0.46
2:D:722:LEU:HD11	2:D:751:VAL:HG21	1.97	0.46
2:D:739:VAL:O	2:D:740:ASN:C	2.58	0.46
1:A:632:VAL:HA	1:C:636:MET:HE1	1.97	0.46
1:A:639:PRO:C	1:A:641:TRP:H	2.24	0.46
2:D:658:ILE:CG1	2:D:757:THR:HB	2.45	0.46
2:D:666:LEU:HD11	2:D:716:LEU:CD1	2.45	0.46
1:B:636:MET:HE1	1:C:636:MET:HA	1.98	0.45
2:D:683:ALA:CA	2:D:686:PRO:HG3	2.45	0.45
2:D:668:LYS:HD2	2:D:668:LYS:C	2.41	0.45
1:A:632:VAL:HG13	1:C:636:MET:CE	2.45	0.45
1:A:617:GLU:HA	1:A:620:ARG:HG2	1.99	0.45
1:A:597:LEU:CD2	1:C:601:VAL:HG21	2.47	0.45
2:D:722:LEU:HD12	2:D:753:VAL:HG12	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:633:LEU:CD1	1:C:628:LEU:HG	2.45	0.45
1:B:637:ASN:O	1:B:638:ASP:CB	2.64	0.45
2:D:711:ALA:HA	2:D:716:LEU:HD12	1.99	0.45
2:D:744:GLN:C	2:D:746:GLY:H	2.25	0.44
1:A:639:PRO:O	1:A:640:ALA:CB	2.64	0.44
2:D:686:PRO:CB	2:D:688:GLU:HG2	2.38	0.44
1:A:594:VAL:HG11	1:B:590:LEU:CD1	2.48	0.44
1:C:600:GLU:O	1:C:603:GLU:N	2.51	0.44
2:D:710:VAL:HG12	2:D:711:ALA:N	2.33	0.44
1:C:588:LYS:H	1:C:588:LYS:CD	2.11	0.44
2:D:679:ARG:HD2	2:D:703:GLU:CD	2.42	0.44
2:D:677:VAL:HB	2:D:704:SER:HB3	1.99	0.44
1:A:588:LYS:HD3	1:A:591:VAL:CG2	2.43	0.43
2:D:730:VAL:HG12	2:D:741:MET:CE	2.46	0.43
2:D:712:TRP:C	2:D:714:ALA:H	2.27	0.43
1:A:622:ARG:O	1:A:626:GLU:HG3	2.18	0.43
2:D:742:ILE:HG23	2:D:749:LEU:HD13	1.99	0.43
2:D:748:THR:HG23	3:D:6:HOH:O	2.18	0.43
1:B:597:LEU:HD23	1:B:597:LEU:HA	1.62	0.43
1:B:627:LYS:HG2	1:B:630:ARG:CZ	2.48	0.43
1:C:630:ARG:HG2	1:C:633:LEU:HD22	1.99	0.43
2:D:658:ILE:O	2:D:660:LYS:N	2.52	0.43
2:D:742:ILE:HG23	2:D:749:LEU:CD1	2.48	0.43
2:D:670:ASP:OD2	2:D:670:ASP:N	2.52	0.43
1:A:641:TRP:HA	1:A:641:TRP:CE3	2.53	0.43
1:B:629:VAL:HG12	1:B:633:LEU:HD12	2.01	0.42
2:D:685:THR:N	2:D:686:PRO:CD	2.79	0.42
2:D:724:GLU:HA	2:D:730:VAL:HG22	2.00	0.42
1:A:625:LEU:HD11	1:C:626:GLU:CA	2.50	0.42
1:A:597:LEU:HD11	1:C:597:LEU:HB3	2.02	0.42
1:B:630:ARG:HG3	1:B:631:LYS:N	2.34	0.42
1:A:588:LYS:N	1:A:588:LYS:CD	2.76	0.42
1:B:615:LEU:HD23	1:B:615:LEU:O	2.19	0.42
2:D:712:TRP:HA	2:D:717:ARG:NH1	2.34	0.42
2:D:716:LEU:O	2:D:717:ARG:NH1	2.45	0.42
2:D:741:MET:O	2:D:742:ILE:C	2.62	0.42
1:A:605:ARG:HG2	1:A:605:ARG:NH1	2.34	0.42
2:D:683:ALA:HB1	2:D:686:PRO:CG	2.50	0.42
1:B:616:GLU:OE1	1:B:619:GLN:OE1	2.38	0.41
2:D:730:VAL:HA	2:D:733:VAL:HG21	1.99	0.41
2:D:741:MET:O	2:D:744:GLN:N	2.53	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:735:HIS:C	2:D:737:GLN:H	2.28	0.41
1:A:643:GLU:HG2	2:D:679:ARG:HG3	2.01	0.41
1:C:600:GLU:O	1:C:601:VAL:C	2.64	0.41
1:A:604:LEU:HD11	1:C:604:LEU:CB	2.50	0.41
1:B:638:ASP:N	1:B:639:PRO:HD3	2.35	0.41
1:C:631:LYS:C	1:C:633:LEU:H	2.28	0.41
1:B:638:ASP:H	1:B:639:PRO:HD3	1.85	0.41
2:D:669:LYS:HB2	2:D:671:SER:OG	2.21	0.41
1:B:612:LYS:HB2	1:B:612:LYS:HE3	1.85	0.40
2:D:674:PHE:CB	2:D:676:PHE:CE2	3.04	0.40
2:D:723:ILE:HD11	2:D:754:VAL:CG1	2.52	0.40
1:A:614:SER:CB	1:C:615:LEU:HD11	2.44	0.40
2:D:658:ILE:O	2:D:658:ILE:HG22	2.22	0.40
2:D:667:GLN:HG2	2:D:748:THR:HG22	2.03	0.40
2:D:683:ALA:CB	2:D:686:PRO:HG3	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	59/61 (97%)	53 (90%)	5 (8%)	1 (2%)	7	25
1	B	59/61 (97%)	42 (71%)	13 (22%)	4 (7%)	1	2
1	C	51/61 (84%)	42 (82%)	6 (12%)	3 (6%)	1	3
2	D	105/132 (80%)	72 (69%)	24 (23%)	9 (9%)	0	1
All	All	274/315 (87%)	209 (76%)	48 (18%)	17 (6%)	1	3

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	587	GLU
1	B	636	MET
1	B	643	GLU
2	D	655	SER
2	D	659	ILE
2	D	661	GLU
1	C	636	MET
2	D	683	ALA
2	D	742	ILE
2	D	746	GLY
2	D	710	VAL
1	B	632	VAL
1	C	632	VAL
1	C	635	ASN
1	B	633	LEU
2	D	726	ASN
2	D	694	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	58/58 (100%)	51 (88%)	7 (12%)	5	16
1	B	58/58 (100%)	52 (90%)	6 (10%)	7	23
1	C	51/58 (88%)	46 (90%)	5 (10%)	7	25
2	D	88/111 (79%)	85 (97%)	3 (3%)	32	68
All	All	255/285 (90%)	234 (92%)	21 (8%)	10	33

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	597	LEU
1	A	604	LEU
1	A	605	ARG
1	A	625	LEU
1	A	631	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	635	ASN
1	A	641	TRP
1	B	607	ASP
1	B	608	ASN
1	B	615	LEU
1	B	616	GLU
1	B	620	ARG
1	B	628	LEU
1	C	588	LYS
1	C	598	LYS
1	C	607	ASP
1	C	615	LEU
1	C	633	LEU
2	D	670	ASP
2	D	750	MET
2	D	758	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	606	GLN
1	A	635	ASN
1	B	606	GLN
1	B	608	ASN
1	B	635	ASN
1	C	606	GLN
2	D	667	GLN
2	D	700	GLN
2	D	726	ASN
2	D	737	GLN
2	D	740	ASN
2	D	744	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	61/61 (100%)	0.34	2 (3%)	49	39	46, 70, 99, 129	0
1	B	61/61 (100%)	0.67	5 (8%)	17	13	45, 74, 156, 170	0
1	C	53/61 (86%)	0.51	3 (5%)	29	22	47, 77, 140, 145	0
2	D	107/132 (81%)	0.80	7 (6%)	25	18	50, 100, 146, 170	0
All	All	282/315 (89%)	0.62	17 (6%)	27	21	45, 85, 146, 170	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	749	LEU	3.7
2	D	695	ALA	3.6
1	C	638	ASP	3.2
1	C	607	ASP	3.2
1	B	640	ALA	3.2
1	A	621	ALA	3.0
1	C	617	GLU	2.9
1	A	640	ALA	2.7
1	B	616	GLU	2.7
1	B	619	GLN	2.7
2	D	751	VAL	2.6
2	D	694	PRO	2.6
1	B	631	LYS	2.3
2	D	683	ALA	2.3
1	B	608	ASN	2.3
2	D	711	ALA	2.2
2	D	658	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.