



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 01:18 AM UTC

PDB ID : 4L46 / pdb_00004l46
Title : Crystal structures of human p70S6K1-WT
Authors : Wang, J.; Zhong, C.; Ding, J.
Deposited on : 2013-06-07
Resolution : 3.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3131 (3.04-3.00)
Clashscore	190562	3444 (3.04-3.00)
Ramachandran outliers	187476	3319 (3.04-3.00)
Sidechain outliers	187428	3322 (3.04-3.00)
RSRZ outliers	180081	3130 (3.04-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	346	3% 49% 31% 11% 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	ZN	A	403	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 2582 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called RPS6KB1 protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	P	S			
1	A	318	2548	1639	442	451	1	15	0	0	0

There are 3 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	49	GLY	-	expression tag	UNP Q7Z721
A	50	ALA	-	expression tag	UNP Q7Z721
A	51	MET	-	expression tag	UNP Q7Z721

- Molecule 2 is 2-{[4-(5-ethylpyrimidin-4-yl)piperazin-1-yl]methyl}-5-(trifluoromethyl)-1H-benzimidazole (CCD ID: 5FI) (formula: C₁₉H₂₁F₃N₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	F	N		
2	A	1	28	19	3	6	0	0

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Zn	0	0
			1	1		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: RPS6KB1 protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	81.14Å 81.14Å 111.05Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 3.01 50.00 – 3.01	Depositor EDS
% Data completeness (in resolution range)	99.9 (50.00-3.01) 99.9 (50.00-3.01)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.26 (at 3.01Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.217 , 0.269 0.263 , 0.261	Depositor DCC
R_{free} test set	418 reflections (4.75%)	wwPDB-VP
Wilson B-factor (Å ²)	83.9	Xtriage
Anisotropy	0.255	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 30.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.035 for -h,-k,l	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	2582	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, ZN, 5FI, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.32	12/2593 (0.5%)	1.61	54/3486 (1.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	316	GLY	C-N	12.38	1.50	1.34
1	A	275	ARG	C-N	11.10	1.47	1.33
1	A	221	ILE	CA-CB	7.39	1.64	1.54
1	A	222	HIS	CE1-NE2	-7.38	1.25	1.32
1	A	222	HIS	CD2-NE2	7.17	1.45	1.37
1	A	317	PRO	N-CD	6.30	1.56	1.47
1	A	126	GLU	CG-CD	5.69	1.66	1.52
1	A	216	LEU	C-N	-5.69	1.25	1.33
1	A	391	VAL	CA-CB	5.60	1.61	1.54
1	A	222	HIS	CG-CD2	-5.38	1.29	1.35
1	A	217	CYS	CA-CB	5.31	1.60	1.53
1	A	209	VAL	CA-CB	-5.14	1.49	1.54

All (54) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	319	ASP	N-CA-C	20.67	139.31	113.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	92	ASN	N-CA-C	-15.46	84.38	108.96
1	A	193	TYR	N-CA-C	15.24	132.15	112.34
1	A	275	ARG	O-C-N	15.11	138.25	122.08
1	A	319	ASP	N-CA-CB	-12.27	94.27	110.59
1	A	274	ASN	O-C-N	-12.24	109.89	122.99
1	A	222	HIS	N-CA-C	11.05	126.66	111.74
1	A	358	GLN	N-CA-C	10.90	128.41	113.37
1	A	293	LEU	N-CA-C	10.04	125.02	109.96
1	A	316	GLY	CA-C-N	-9.78	108.80	118.97
1	A	316	GLY	C-N-CA	-9.78	108.80	118.97
1	A	274	ASN	CA-C-N	9.40	133.85	120.79
1	A	274	ASN	C-N-CA	9.40	133.85	120.79
1	A	275	ARG	CA-C-N	-8.71	108.68	120.79
1	A	275	ARG	C-N-CA	-8.71	108.68	120.79
1	A	220	SER	N-CA-C	-8.65	102.74	113.38
1	A	319	ASP	CB-CA-C	-8.05	95.99	109.03
1	A	393	PRO	CB-CA-C	-8.05	98.45	110.20
1	A	246	GLY	CA-C-N	7.82	136.47	122.08
1	A	246	GLY	C-N-CA	7.82	136.47	122.08
1	A	245	SER	N-CA-C	-7.79	100.16	111.30
1	A	316	GLY	O-C-N	7.79	129.43	122.42
1	A	92	ASN	CB-CA-C	7.65	123.00	110.22
1	A	217	CYS	CA-CB-SG	7.02	130.56	114.40
1	A	317	PRO	CB-CA-C	-6.95	102.01	113.06
1	A	136	ILE	CB-CA-C	-6.79	104.78	111.30
1	A	73	VAL	CB-CA-C	-6.72	102.83	110.96
1	A	58	ARG	N-CA-C	6.54	124.73	110.80
1	A	194	ARG	N-CA-CB	6.38	127.00	111.04
1	A	136	ILE	N-CA-C	6.35	117.05	111.90
1	A	359	PHE	N-CA-CB	-6.30	102.21	110.59
1	A	194	ARG	N-CA-C	-6.25	98.81	108.31
1	A	71	LEU	N-CA-C	6.11	120.76	113.12
1	A	238	ALA	CA-C-N	5.83	125.30	119.24
1	A	238	ALA	C-N-CA	5.83	125.30	119.24
1	A	264	LEU	CB-CA-C	5.78	119.10	109.56
1	A	212	THR	N-CA-C	5.54	122.59	110.80
1	A	216	LEU	CA-C-N	5.49	129.93	122.19
1	A	216	LEU	C-N-CA	5.49	129.93	122.19
1	A	347	LYS	CA-C-N	5.48	126.25	120.11
1	A	347	LYS	C-N-CA	5.48	126.25	120.11
1	A	217	CYS	CA-C-N	-5.31	112.63	120.28
1	A	217	CYS	C-N-CA	-5.31	112.63	120.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	200	ASN	N-CA-C	-5.31	106.80	113.28
1	A	157	LEU	CA-C-N	-5.30	112.79	122.38
1	A	157	LEU	C-N-CA	-5.30	112.79	122.38
1	A	222	HIS	ND1-CE1-NE2	-5.21	103.19	108.40
1	A	71	LEU	CB-CA-C	-5.17	101.03	109.56
1	A	91	ALA	CA-C-N	-5.13	115.37	122.30
1	A	91	ALA	C-N-CA	-5.13	115.37	122.30
1	A	158	PHE	CB-CA-C	5.05	119.10	110.01
1	A	363	PHE	N-CA-C	5.05	116.75	108.52
1	A	194	ARG	CA-C-N	5.02	129.96	122.23
1	A	194	ARG	C-N-CA	5.02	129.96	122.23

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	246	GLY	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2548	0	2577	146	0
2	A	28	0	21	2	0
3	A	5	0	0	0	0
4	A	1	0	0	2	0
All	All	2582	0	2598	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 29.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:193:TYR:CD1	1:A:193:TYR:O	1.80	1.31

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:193:TYR:O	1:A:193:TYR:HD1	0.91	1.24
1:A:158:PHE:CG	1:A:198:PRO:HB3	1.75	1.21
1:A:360:ASP:HB3	1:A:361:SER:HA	1.18	1.17
1:A:271:THR:O	1:A:281:LYS:HD2	1.49	1.12
1:A:158:PHE:CD2	1:A:198:PRO:HB3	1.85	1.10
1:A:384:VAL:HG22	1:A:385:PHE:N	1.72	1.02
1:A:384:VAL:CG2	1:A:385:PHE:H	1.71	1.02
1:A:57:ASN:O	1:A:58:ARG:HB2	1.58	1.01
1:A:319:ASP:O	1:A:323:VAL:HG23	1.59	1.01
1:A:317:PRO:HG2	1:A:318:GLY:H	1.27	0.98
1:A:195:ASP:HB3	1:A:237:MET:HE2	1.46	0.97
1:A:273:GLU:HG2	1:A:277:LYS:HE3	1.46	0.96
1:A:384:VAL:HG22	1:A:385:PHE:H	1.29	0.95
1:A:314:GLY:O	1:A:319:ASP:HB2	1.71	0.89
1:A:273:GLU:CG	1:A:277:LYS:HE3	2.03	0.89
1:A:360:ASP:HB3	1:A:361:SER:CA	2.04	0.87
1:A:158:PHE:CD1	1:A:198:PRO:HB3	2.11	0.86
1:A:366:GLN:OE1	1:A:366:GLN:N	2.09	0.85
1:A:273:GLU:HG2	1:A:277:LYS:CE	2.08	0.83
1:A:158:PHE:CG	1:A:198:PRO:CB	2.61	0.82
1:A:384:VAL:CG2	1:A:385:PHE:N	2.32	0.81
1:A:222:HIS:HA	1:A:231:CYS:SG	2.22	0.80
1:A:165:GLY:O	1:A:166:ILE:CG2	2.32	0.77
1:A:165:GLY:O	1:A:166:ILE:HG23	1.85	0.77
1:A:319:ASP:HA	1:A:322:GLU:HG2	1.66	0.76
1:A:193:TYR:CD1	1:A:193:TYR:C	2.60	0.74
1:A:360:ASP:CB	1:A:361:SER:HA	2.09	0.73
1:A:314:GLY:HA2	1:A:319:ASP:O	1.89	0.72
1:A:112:LYS:HZ3	1:A:228:HIS:HD2	1.37	0.72
1:A:384:VAL:HG23	1:A:385:PHE:H	1.56	0.71
1:A:317:PRO:HG2	1:A:318:GLY:N	2.05	0.70
1:A:158:PHE:CE2	1:A:198:PRO:HB3	2.26	0.69
1:A:314:GLY:O	1:A:319:ASP:CB	2.40	0.69
1:A:273:GLU:H	1:A:277:LYS:HD2	1.57	0.69
1:A:271:THR:O	1:A:281:LYS:CD	2.37	0.68
1:A:195:ASP:CB	1:A:237:MET:HE2	2.24	0.68
1:A:158:PHE:CD2	1:A:198:PRO:CB	2.73	0.66
1:A:319:ASP:OD1	1:A:320:ALA:N	2.22	0.66
1:A:366:GLN:H	1:A:366:GLN:CD	2.02	0.66
1:A:217:CYS:SG	4:A:403:ZN:ZN	1.84	0.66
1:A:273:GLU:HG3	1:A:277:LYS:HD2	1.78	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:247:HIS:CD2	1:A:247:HIS:N	2.65	0.65
1:A:290:PRO:HB3	1:A:292:TYR:HE1	1.63	0.64
1:A:166:ILE:C	1:A:166:ILE:HD12	2.23	0.63
1:A:290:PRO:HB3	1:A:292:TYR:CE1	2.33	0.63
1:A:181:MET:HE2	1:A:337:LEU:HD23	1.80	0.63
1:A:304:LEU:O	1:A:312:ARG:HG2	1.97	0.63
1:A:121:ARG:NH2	1:A:390:TYR:HB2	2.13	0.63
1:A:87:LYS:HD3	1:A:92:ASN:O	1.99	0.63
1:A:112:LYS:HZ3	1:A:228:HIS:CD2	2.16	0.63
1:A:303:LYS:O	1:A:306:LYS:HG3	2.00	0.61
1:A:324:GLN:HG2	1:A:334:TRP:CH2	2.36	0.61
1:A:317:PRO:CG	1:A:318:GLY:H	2.06	0.60
1:A:87:LYS:NZ	1:A:91:ALA:HB3	2.16	0.60
1:A:158:PHE:CZ	1:A:259:LEU:HD22	2.37	0.60
1:A:273:GLU:CG	1:A:277:LYS:CE	2.74	0.59
1:A:165:GLY:C	1:A:166:ILE:HG23	2.27	0.58
1:A:393:PRO:O	1:A:394:SER:HB3	2.03	0.58
1:A:88:VAL:HG23	1:A:89:THR:HG23	1.85	0.57
1:A:181:MET:HE2	1:A:334:TRP:HE3	1.68	0.57
1:A:112:LYS:HZ1	1:A:228:HIS:N	2.02	0.57
1:A:92:ASN:OD1	1:A:92:ASN:N	2.26	0.57
1:A:273:GLU:CD	1:A:277:LYS:HE3	2.29	0.57
2:A:401:5FI:CAM	2:A:401:5FI:H19	2.35	0.57
1:A:112:LYS:NZ	1:A:228:HIS:CD2	2.72	0.57
1:A:130:PRO:HG2	1:A:338:LEU:CD1	2.35	0.56
1:A:181:MET:CE	1:A:337:LEU:HD23	2.35	0.56
1:A:90:GLY:O	1:A:91:ALA:C	2.48	0.56
1:A:290:PRO:CB	1:A:292:TYR:CE1	2.88	0.56
1:A:273:GLU:CG	1:A:277:LYS:HD2	2.36	0.55
1:A:253:TRP:CZ2	1:A:320:ALA:HB2	2.42	0.55
1:A:273:GLU:HG3	1:A:277:LYS:CD	2.36	0.55
1:A:112:LYS:NZ	1:A:228:HIS:HD2	2.04	0.55
1:A:158:PHE:CD1	1:A:158:PHE:N	2.73	0.54
1:A:273:GLU:CG	1:A:277:LYS:CD	2.86	0.53
1:A:363:PHE:O	1:A:364:THR:HG23	2.09	0.53
1:A:219:GLU:HB3	1:A:221:ILE:H	1.73	0.53
1:A:158:PHE:CD1	1:A:198:PRO:CB	2.89	0.53
1:A:165:GLY:O	1:A:166:ILE:HG22	2.09	0.53
1:A:157:LEU:HD13	1:A:203:LEU:HD21	1.90	0.53
1:A:87:LYS:HZ2	1:A:91:ALA:HB3	1.73	0.52
2:A:401:5FI:H19	2:A:401:5FI:H17	1.93	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:130:PRO:HG2	1:A:338:LEU:HD12	1.93	0.51
1:A:167:PHE:HB2	1:A:263:MET:O	2.11	0.51
1:A:261:TYR:CE2	1:A:269:PRO:HA	2.45	0.51
1:A:219:GLU:HG3	1:A:231:CYS:HB3	1.93	0.51
1:A:72:ARG:HG3	1:A:356:VAL:HG11	1.92	0.51
1:A:193:TYR:CD2	1:A:196:LEU:HD13	2.46	0.50
1:A:393:PRO:O	1:A:394:SER:CB	2.59	0.50
1:A:87:LYS:NZ	1:A:89:THR:O	2.40	0.50
1:A:366:GLN:HG2	1:A:366:GLN:O	2.11	0.50
1:A:368:PRO:O	1:A:369:VAL:O	2.30	0.50
1:A:314:GLY:C	1:A:319:ASP:HB2	2.35	0.49
1:A:166:ILE:HD12	1:A:166:ILE:O	2.12	0.49
1:A:166:ILE:C	1:A:166:ILE:CD1	2.85	0.49
1:A:131:PHE:HB2	1:A:182:ALA:HB2	1.95	0.49
1:A:80:GLY:HA3	1:A:101:VAL:O	2.13	0.49
1:A:317:PRO:CG	1:A:318:GLY:N	2.68	0.48
1:A:319:ASP:CG	1:A:320:ALA:H	2.17	0.48
1:A:175:TYR:O	1:A:179:ILE:HG13	2.13	0.48
1:A:164:GLU:O	1:A:166:ILE:N	2.45	0.48
1:A:118:LYS:HE2	1:A:384:VAL:HG21	1.96	0.47
1:A:158:PHE:CE1	1:A:198:PRO:HB3	2.48	0.47
1:A:138:ALA:HB3	1:A:390:TYR:HB3	1.97	0.46
1:A:217:CYS:HG	4:A:403:ZN:ZN	1.28	0.46
1:A:57:ASN:O	1:A:58:ARG:CB	2.42	0.46
1:A:73:VAL:O	1:A:363:PHE:HB3	2.15	0.46
1:A:334:TRP:CD1	1:A:334:TRP:H	2.34	0.45
1:A:239:PRO:HA	1:A:242:LEU:HD12	1.98	0.45
1:A:127:VAL:O	1:A:127:VAL:HG12	2.17	0.45
1:A:158:PHE:N	1:A:158:PHE:HD1	2.15	0.45
1:A:121:ARG:HG2	1:A:388:PHE:CE1	2.51	0.44
1:A:130:PRO:HG2	1:A:338:LEU:HD11	1.99	0.44
1:A:165:GLY:C	1:A:166:ILE:CG2	2.87	0.44
1:A:288:ASN:O	1:A:290:PRO:HD3	2.17	0.44
1:A:272:GLY:HA2	1:A:281:LYS:HZ3	1.82	0.44
1:A:309:ALA:O	1:A:311:SER:N	2.51	0.44
1:A:193:TYR:O	1:A:194:ARG:C	2.60	0.43
1:A:129:HIS:HB3	1:A:132:ILE:HD12	1.99	0.43
1:A:273:GLU:OE1	1:A:274:ASN:ND2	2.52	0.43
1:A:265:THR:HG22	1:A:290:PRO:HG2	2.01	0.43
1:A:303:LYS:HA	1:A:306:LYS:HE3	1.99	0.43
1:A:363:PHE:C	1:A:364:THR:HG23	2.43	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:71:LEU:O	1:A:72:ARG:HG2	2.19	0.42
1:A:158:PHE:CZ	1:A:198:PRO:HB3	2.55	0.42
1:A:368:PRO:O	1:A:369:VAL:C	2.62	0.42
1:A:384:VAL:O	1:A:385:PHE:HB2	2.20	0.42
1:A:121:ARG:NH1	1:A:125:GLU:OE1	2.40	0.42
1:A:324:GLN:HB3	1:A:334:TRP:CZ2	2.54	0.42
1:A:289:LEU:O	1:A:290:PRO:C	2.63	0.42
1:A:295:GLN:O	1:A:298:ARG:HB2	2.20	0.42
1:A:86:ARG:HH11	1:A:86:ARG:HG3	1.84	0.42
1:A:96:ILE:HA	1:A:96:ILE:HD13	1.80	0.42
1:A:326:HIS:HA	1:A:327:PRO:HD3	1.95	0.42
1:A:183:LEU:HD12	1:A:183:LEU:HA	1.91	0.41
1:A:181:MET:HE2	1:A:334:TRP:CE3	2.52	0.41
1:A:124:LEU:HB3	1:A:135:LEU:HB2	2.02	0.41
1:A:168:MET:O	1:A:169:GLU:C	2.63	0.41
1:A:192:ILE:HG12	1:A:249:ARG:HA	2.02	0.41
1:A:247:HIS:O	1:A:248:ASN:HB2	2.21	0.41
1:A:202:MET:HE2	1:A:202:MET:HB3	1.97	0.41
1:A:327:PRO:O	1:A:330:ARG:NH1	2.43	0.40
1:A:354:GLU:O	1:A:355:ASP:C	2.64	0.40
1:A:121:ARG:O	1:A:121:ARG:HD2	2.21	0.40
1:A:261:TYR:HD2	1:A:267:ALA:O	2.05	0.40
1:A:387:GLY:N	1:A:389:TPO:O3P	2.54	0.40
1:A:136:ILE:HG22	1:A:137:TYR:CD2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	309/346 (89%)	278 (90%)	29 (9%)	2 (1%)	21 54

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	58	ARG
1	A	90	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	269/293 (92%)	235 (87%)	34 (13%)	4	19

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	58	ARG
1	A	66	GLU
1	A	92	ASN
1	A	112	LYS
1	A	118	LYS
1	A	121	ARG
1	A	166	ILE
1	A	168	MET
1	A	181	MET
1	A	183	LEU
1	A	195	ASP
1	A	199	GLU
1	A	212	THR
1	A	218	LYS
1	A	221	ILE
1	A	233	THR
1	A	245	SER
1	A	247	HIS
1	A	249	ARG
1	A	251	VAL
1	A	273	GLU
1	A	277	LYS
1	A	289	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	296	GLU
1	A	311	SER
1	A	342	VAL
1	A	356	VAL
1	A	357	SER
1	A	358	GLN
1	A	362	LYS
1	A	365	ARG
1	A	367	THR
1	A	383	GLN
1	A	384	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	185	HIS
1	A	200	ASN
1	A	222	HIS
1	A	228	HIS
1	A	247	HIS
1	A	274	ASN
1	A	383	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TPO	A	389	1	8,10,11	2.56	1 (12%)	10,14,16	0.98	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	389	1	-	3/9/11/13	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	389	TPO	P-OG1	6.81	1.71	1.59

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	389	TPO	P-OG1-CB	2.02	128.82	123.33

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	389	TPO	N-CA-CB-OG1
1	A	389	TPO	C-CA-CB-CG2
1	A	389	TPO	N-CA-CB-CG2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	389	TPO	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	5FI	A	401	-	31,31,31	1.09	4 (12%)	42,45,45	2.36	19 (45%)
3	SO4	A	402	-	4,4,4	0.23	0	6,6,6	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	5FI	A	401	-	-	4/16/26/26	0/4/4/4

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	5FI	CAY-NAS	-2.65	1.34	1.38
2	A	401	5FI	CAX-NAR	-2.44	1.34	1.39
2	A	401	5FI	C4-NBA	2.36	1.43	1.37
2	A	401	5FI	CAO-CAV	2.02	1.51	1.49

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	5FI	CAO-NAZ-CAL	5.25	119.31	111.14
2	A	401	5FI	CAM-NBA-CAN	4.17	120.94	111.57
2	A	401	5FI	C2-N3-C4	4.07	121.78	111.83
2	A	401	5FI	NAS-CAV-NAR	-4.01	107.83	112.72
2	A	401	5FI	CAV-CAO-NAZ	-3.86	105.37	112.06
2	A	401	5FI	C6-N1-C2	3.69	120.16	115.80
2	A	401	5FI	C6-C5-C4	3.50	119.79	115.51
2	A	401	5FI	N1-C2-N3	-3.34	121.65	127.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	5FI	C5-C6-N1	-3.29	120.21	124.58
2	A	401	5FI	CAX-NAR-CAV	3.05	109.21	105.25
2	A	401	5FI	CAO-CAV-NAR	3.04	128.65	124.41
2	A	401	5FI	CAI-CAU-CBB	2.93	123.44	119.57
2	A	401	5FI	FAB-CBB-CAU	-2.69	107.14	112.90
2	A	401	5FI	FAC-CBB-CAU	-2.66	107.20	112.90
2	A	401	5FI	CAY-CAX-NAR	-2.42	106.10	109.42
2	A	401	5FI	CAI-CAX-NAR	2.37	134.43	129.31
2	A	401	5FI	CAM-CAK-NAZ	-2.34	105.92	110.65
2	A	401	5FI	CAX-CAY-NAS	2.23	108.39	105.71
2	A	401	5FI	CAE-CAU-CBB	-2.00	116.74	119.96

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	401	5FI	CAV-CAO-NAZ-CAL
2	A	401	5FI	N3-C4-NBA-CAN
2	A	401	5FI	C5-C4-NBA-CAN
2	A	401	5FI	CAV-CAO-NAZ-CAK

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	5FI	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	317/346 (91%)	0.04	9 (2%) 55 32	26, 51, 97, 103	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	358	GLN	3.2
1	A	57	ASN	2.8
1	A	343	GLU	2.3
1	A	317	PRO	2.3
1	A	364	THR	2.3
1	A	360	ASP	2.3
1	A	361	SER	2.2
1	A	369	VAL	2.1
1	A	318	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	TPO	A	389	11/12	0.92	0.08	44,46,47,49	0

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	A	402	5/5	0.54	0.12	127,128,128,128	0
4	ZN	A	403	1/1	0.86	0.09	61,61,61,61	0
2	5FI	A	401	28/28	0.93	0.16	63,68,74,79	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.