



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 03:11 PM UTC

PDB ID : 7L4D / pdb_0000714d
Title : The internal aldimine form of the wild-type Salmonella typhimurium Tryptophan Synthase with cesium ion at the metal coordination site at 1.60 Angstrom resolution
Authors : Hilario, E.; Dunn, M.F.; Mueller, L.J.
Deposited on : 2020-12-18
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	268	
2	B	397	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EDO	A	313	-	-	X	-
4	DMS	A	314	-	-	X	-
5	GOL	A	308	-	-	X	-
6	CL	A	318	-	-	X	-
9	PEG	B	424	-	-	X	-

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 6001 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Tryptophan synthase alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	256	Total	C	N	O	S	0	2	0
			1942	1236	334	364	8			

- Molecule 2 is a protein called Tryptophan synthase beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	396	Total	C	N	O	S	0	12	0
			3098	1940	545	592	21			

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0

- Molecule 4 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O S 4 2 1 1	0	0
4	A	1	Total C O S 4 2 1 1	0	0
4	A	1	Total C O S 4 2 1 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total 4	C 2	O 1	S 1	0	0
4	A	1	Total 4	C 2	O 1	S 1	0	0
4	A	1	Total 4	C 2	O 1	S 1	0	0
4	A	1	Total 4	C 2	O 1	S 1	0	0
4	A	1	Total 4	C 2	O 1	S 1	0	0
4	A	1	Total 4	C 2	O 1	S 1	0	0
4	A	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		


- Molecule 6 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	2	Total	Cl	0	0
			2	2		
6	B	5	Total	Cl	0	0
			5	5		

- Molecule 7 is CESIUM ION (CCD ID: CS) (formula: Cs) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Cs	0	0
			1	1		
7	B	2	Total	Cs	0	1
			4	4		

- Molecule 8 is PYRIDOXAL-5'-PHOSPHATE (CCD ID: PLP) (formula: $C_8H_{10}NO_6P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

- Molecule 9 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	C	O	0	0
			7	4	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	C	O	0	0
			7	4	3		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	281	Total	O	0	15
			296	296		
10	B	459	Total	O	0	19
			478	478		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Tryptophan synthase alpha chain



- Molecule 2: Tryptophan synthase beta chain



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	182.55Å 59.19Å 67.07Å 90.00° 94.48° 90.00°	Depositor
Resolution (Å)	39.06 – 1.60 39.06 – 1.60	Depositor EDS
% Data completeness (in resolution range)	91.7 (39.06-1.60) 83.4 (39.06-1.60)	Depositor EDS
R_{merge}	0.03	Depositor
R_{sym}	0.03	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.97 (at 1.60Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.168 , 0.195 (Not available) , 0.223	Depositor DCC
R_{free} test set	4190 reflections (4.45%)	wwPDB-VP
Wilson B-factor (Å ²)	15.2	Xtriage
Anisotropy	0.154	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 54.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6001	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.06% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, EDO, CS, CL, DMS, PLP, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.54	0/1981	0.96	0/2692
2	B	0.61	1/3156 (0.0%)	0.99	2/4259 (0.0%)
All	All	0.58	1/5137 (0.0%)	0.98	2/6951 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	267	HIS	CE1-NE2	6.83	1.39	1.32

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	47	ASP	CA-CB-CG	6.71	119.31	112.60
2	B	357	HIS	CA-CB-CG	-5.39	108.41	113.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1942	0	1934	42	0
2	B	3098	0	3049	43	0
3	A	20	0	30	12	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	20	0	30	2	0
4	A	40	0	60	19	0
4	B	60	0	90	10	0
5	A	6	0	8	5	0
6	A	2	0	0	2	0
6	B	5	0	0	0	0
7	A	1	0	0	0	0
7	B	4	0	0	0	0
8	B	15	0	6	1	0
9	B	14	0	20	9	0
10	A	296	0	0	7	0
10	B	478	0	0	10	0
All	All	6001	0	5227	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:265:ALA:O	4:A:314:DMS:H12	1.39	1.22
1:A:221:SER:CB	4:A:314:DMS:H13	1.80	1.11
2:B:134[B]:MET:HE3	2:B:139:VAL:CG2	1.80	1.11
4:B:425:DMS:H23	10:B:815[B]:HOH:O	1.51	1.10
1:A:221:SER:HB3	4:A:314:DMS:H13	1.15	1.09
2:B:134[B]:MET:CE	2:B:139:VAL:HG22	1.80	1.09
1:A:221:SER:HB3	4:A:314:DMS:C1	1.84	1.07
1:A:221:SER:CB	4:A:314:DMS:C1	2.37	1.00
1:A:68:ASN:HD21	5:A:308:GOL:H31	1.28	0.94
1:A:51:GLY:HA3	5:A:308:GOL:H11	1.49	0.94
2:B:11:GLU:HB2	9:B:424:PEG:H12	1.47	0.93
1:A:267:ARG:O	4:A:314:DMS:H22	1.69	0.91
4:B:404:DMS:H21	10:B:531:HOH:O	1.74	0.87
1:A:59:ALA:HA	4:B:401:DMS:H13	1.58	0.84
1:A:107:PHE:CE2	3:A:313:EDO:H11	2.14	0.82
1:A:68:ASN:HD21	5:A:308:GOL:C3	1.94	0.81
3:A:313:EDO:H12	10:A:559:HOH:O	1.82	0.80
1:A:68:ASN:ND2	5:A:308:GOL:H31	1.98	0.77
6:A:318:CL:CL	10:A:589:HOH:O	2.40	0.75
1:A:107:PHE:CE2	3:A:313:EDO:H22	2.21	0.75
2:B:134[B]:MET:HE3	2:B:139:VAL:HG22	0.88	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:175[B]:ARG:HD2	2:B:175[B]:ARG:C	2.13	0.73
2:B:134[B]:MET:HE1	2:B:146:VAL:HG22	1.71	0.72
2:B:166:LEU:HD21	4:B:425:DMS:H22	1.74	0.69
2:B:11:GLU:HB2	9:B:424:PEG:C1	2.23	0.69
4:B:406:DMS:H13	4:B:407:DMS:H12	1.75	0.69
1:A:51:GLY:CA	5:A:308:GOL:H11	2.23	0.67
2:B:109:GLU:OE2	4:B:425:DMS:H12	1.93	0.67
1:A:267:ARG:O	4:A:314:DMS:C2	2.41	0.67
2:B:62[B]:CYS:HB3	2:B:65:ILE:HG22	1.76	0.66
2:B:175[B]:ARG:HD2	2:B:176:ASP:N	2.11	0.65
1:A:64:ILE:CD1	1:A:238:VAL:HG21	2.27	0.65
2:B:12:PHE:CZ	9:B:424:PEG:H11	2.31	0.65
2:B:305[A]:ASP:OD2	9:B:415:PEG:H42	1.98	0.64
2:B:87:LYS:HD2	2:B:114:GLN:HG3	1.80	0.64
1:A:221:SER:HB2	4:A:314:DMS:C1	2.28	0.64
3:B:423:EDO:H12	10:B:834:HOH:O	2.02	0.60
1:A:107:PHE:CE2	3:A:313:EDO:C2	2.84	0.59
1:A:221:SER:HB2	4:A:314:DMS:H13	1.77	0.59
1:A:265:ALA:O	4:A:314:DMS:C1	2.34	0.59
1:A:147:ASN:HB3	4:A:311:DMS:H11	1.86	0.58
2:B:305[B]:ASP:O	2:B:305[B]:ASP:OD1	2.21	0.57
2:B:11:GLU:HB2	9:B:424:PEG:O2	2.03	0.57
2:B:273:HIS:HD2	10:B:857:HOH:O	1.88	0.56
1:A:221:SER:CB	4:A:314:DMS:H11	2.31	0.55
2:B:175[B]:ARG:C	2:B:175[B]:ARG:CD	2.80	0.55
2:B:18:PRO:CB	4:B:401:DMS:H11	2.37	0.55
4:B:406:DMS:C1	4:B:407:DMS:H12	2.36	0.55
1:A:107:PHE:CE2	3:A:313:EDO:C1	2.88	0.54
1:A:107:PHE:CZ	3:A:313:EDO:H11	2.43	0.54
2:B:318[B]:SER:OG	9:B:424:PEG:H42	2.09	0.53
2:B:306:PHE:CD2	2:B:308:SER:O	2.61	0.52
1:A:107:PHE:HE2	3:A:313:EDO:H22	1.73	0.52
2:B:306:PHE:HD2	2:B:308:SER:O	1.92	0.52
10:A:674:HOH:O	4:B:401:DMS:H12	2.11	0.51
2:B:273:HIS:HE1	10:B:774:HOH:O	1.95	0.50
2:B:114:GLN:HG2	10:B:638:HOH:O	2.12	0.49
2:B:296:GLU:HB3	9:B:415:PEG:H41	1.94	0.49
2:B:65:ILE:HD11	2:B:338:THR:HG22	1.94	0.49
2:B:175[B]:ARG:HG3	10:B:712:HOH:O	2.13	0.48
3:A:315:EDO:H11	10:A:619:HOH:O	2.13	0.48
3:B:418:EDO:H12	10:B:778:HOH:O	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:115:HIS:CE1	2:B:189:GLY:HA2	2.50	0.46
2:B:305[B]:ASP:OD1	2:B:305[B]:ASP:C	2.57	0.46
1:A:22:PHE:HA	1:A:49[B]:GLU:O	2.15	0.46
2:B:216:ILE:HG21	2:B:224:PRO:HD3	1.97	0.46
2:B:79:ASP:HB2	2:B:379[A]:ARG:HB3	1.97	0.45
1:A:107:PHE:CD2	3:A:313:EDO:C2	2.99	0.45
2:B:86:HIS:CE1	2:B:236:ASN:HB3	2.51	0.45
1:A:221:SER:CA	4:A:314:DMS:C1	2.94	0.45
4:A:305:DMS:H12	10:A:631:HOH:O	2.17	0.45
1:A:82:PHE:CE1	4:A:305:DMS:H21	2.52	0.45
1:A:107:PHE:CD2	3:A:313:EDO:H22	2.52	0.44
1:A:57:PRO:HA	1:A:102:TYR:CZ	2.52	0.44
1:A:142:ALA:O	1:A:146:HIS:HD2	1.99	0.44
1:A:61:GLY:O	1:A:65:GLN:HG3	2.18	0.44
1:A:196:LEU:HD11	10:A:402:HOH:O	2.18	0.44
1:A:70:ARG:HA	3:A:315:EDO:H21	1.99	0.43
1:A:164:ARG:HH11	4:A:306:DMS:H21	1.83	0.43
1:A:64:ILE:HD11	1:A:238:VAL:HG21	1.98	0.43
2:B:87:LYS:NZ	8:B:402:PLP:O3	2.52	0.43
2:B:303:GLY:HA3	2:B:350:GLU:OE2	2.19	0.43
2:B:282:MET:HE3	2:B:308:SER:OG	2.19	0.42
2:B:306:PHE:CE2	2:B:308:SER:HB3	2.55	0.42
4:A:314:DMS:O	6:A:318:CL:CL	2.74	0.42
2:B:11:GLU:CB	9:B:424:PEG:H12	2.34	0.42
2:B:283[B]:LYS:NZ	10:B:501:HOH:O	2.30	0.42
1:A:158:ALA:HA	1:A:162:LEU:HD23	2.01	0.42
3:A:313:EDO:C1	10:A:559:HOH:O	2.56	0.42
2:B:11:GLU:H	9:B:424:PEG:C3	2.33	0.41
2:B:132:ILE:HD13	2:B:149:MET:SD	2.61	0.41
2:B:207:MET:HE3	2:B:207:MET:HB3	1.85	0.41
2:B:279:TYR:CG	2:B:280:PHE:N	2.88	0.41
1:A:221:SER:HA	4:A:314:DMS:C1	2.51	0.41
1:A:22:PHE:HE1	1:A:64:ILE:HD12	1.86	0.41
1:A:136:SER:O	1:A:137:ALA:C	2.64	0.41
2:B:222:ARG:HH12	2:B:225:ASP:CG	2.29	0.40
4:B:407:DMS:H23	10:B:517:HOH:O	2.21	0.40
1:A:221:SER:HA	4:A:314:DMS:H11	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	254/268 (95%)	252 (99%)	2 (1%)	0	100	100
2	B	406/397 (102%)	398 (98%)	8 (2%)	0	100	100
All	All	660/665 (99%)	650 (98%)	10 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	200/208 (96%)	200 (100%)	0	100	100
2	B	321/311 (103%)	321 (100%)	0	100	100
All	All	521/519 (100%)	521 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	ASN
1	A	68	ASN
1	A	147	ASN
1	A	250	GLN
2	B	51	ASN
2	B	63	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	82	HIS
2	B	160	HIS
2	B	273	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 51 ligands modelled in this entry, 12 are monoatomic - leaving 39 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	EDO	A	301	-	3,3,3	0.05	0	2,2,2	0.10	0
3	EDO	B	418	-	3,3,3	0.08	0	2,2,2	0.21	0
4	DMS	A	304	-	3,3,3	0.20	0	3,3,3	0.16	0
4	DMS	A	305	-	3,3,3	0.26	0	3,3,3	0.25	0
4	DMS	B	420	-	3,3,3	0.22	0	3,3,3	0.13	0
3	EDO	B	426	-	3,3,3	0.70	0	2,2,2	1.60	0
3	EDO	B	423	-	3,3,3	0.14	0	2,2,2	0.24	0
4	DMS	B	401	-	3,3,3	0.29	0	3,3,3	0.15	0
3	EDO	A	310	-	3,3,3	0.04	0	2,2,2	0.14	0
3	EDO	A	315	-	3,3,3	0.35	0	2,2,2	0.79	0
4	DMS	A	309	-	3,3,3	0.22	0	3,3,3	0.09	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	DMS	B	403	-	3,3,3	0.65	0	3,3,3	0.31	0
5	GOL	A	308	-	5,5,5	0.06	0	5,5,5	0.43	0
4	DMS	A	311	-	3,3,3	0.24	0	3,3,3	0.53	0
4	DMS	B	421	-	3,3,3	0.23	0	3,3,3	0.16	0
3	EDO	A	316	-	3,3,3	0.10	0	2,2,2	0.08	0
4	DMS	A	314	-	3,3,3	0.19	0	3,3,3	0.43	0
4	DMS	B	407	-	3,3,3	0.23	0	3,3,3	0.16	0
4	DMS	B	425	-	3,3,3	0.23	0	3,3,3	0.14	0
4	DMS	B	409	-	3,3,3	0.22	0	3,3,3	0.09	0
4	DMS	B	411	-	3,3,3	0.22	0	3,3,3	0.13	0
4	DMS	A	307	-	3,3,3	0.24	0	3,3,3	0.08	0
4	DMS	B	419	-	3,3,3	0.30	0	3,3,3	0.11	0
4	DMS	B	408	-	3,3,3	0.24	0	3,3,3	0.11	0
4	DMS	B	417	-	3,3,3	0.19	0	3,3,3	0.09	0
4	DMS	B	410	-	3,3,3	0.22	0	3,3,3	0.10	0
4	DMS	A	312	-	3,3,3	0.29	0	3,3,3	0.25	0
3	EDO	B	416	-	3,3,3	0.07	0	2,2,2	0.18	0
4	DMS	A	302	-	3,3,3	0.24	0	3,3,3	0.16	0
9	PEG	B	424	-	6,6,6	0.24	0	5,5,5	0.41	0
4	DMS	B	406	-	3,3,3	0.20	0	3,3,3	0.14	0
9	PEG	B	415	-	6,6,6	0.15	0	5,5,5	0.11	0
4	DMS	A	306	-	3,3,3	0.25	0	3,3,3	0.07	0
4	DMS	B	405	-	3,3,3	0.26	0	3,3,3	0.25	0
3	EDO	B	422	-	3,3,3	0.27	0	2,2,2	0.37	0
3	EDO	A	313	-	3,3,3	0.29	0	2,2,2	1.22	0
4	DMS	A	303	-	3,3,3	0.26	0	3,3,3	0.11	0
8	PLP	B	402	2	15,15,16	0.83	1 (6%)	21,22,23	1.21	3 (14%)
4	DMS	B	404	-	3,3,3	0.27	0	3,3,3	0.07	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	PEG	B	415	-	-	3/4/4/4	-
3	EDO	A	301	-	-	1/1/1/1	-
3	EDO	A	310	-	-	0/1/1/1	-
3	EDO	B	418	-	-	1/1/1/1	-
3	EDO	A	315	-	-	1/1/1/1	-
3	EDO	B	426	-	-	0/1/1/1	-
3	EDO	B	423	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	A	308	-	-	1/4/4/4	-
3	EDO	B	422	-	-	0/1/1/1	-
3	EDO	A	313	-	-	1/1/1/1	-
3	EDO	B	416	-	-	0/1/1/1	-
8	PLP	B	402	2	-	0/6/6/8	0/1/1/1
9	PEG	B	424	-	-	4/4/4/4	-
3	EDO	A	316	-	-	0/1/1/1	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	B	402	PLP	C4A-C4	-2.53	1.46	1.51

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	B	402	PLP	O4P-C5A-C5	2.89	114.77	109.36
8	B	402	PLP	O3P-P-O4P	-2.73	99.55	106.67
8	B	402	PLP	C4A-C4-C5	2.13	123.13	120.94

There are no chirality outliers.

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
9	B	424	PEG	C4-C3-O2-C2
9	B	424	PEG	O1-C1-C2-O2
5	A	308	GOL	O1-C1-C2-C3
9	B	424	PEG	O2-C3-C4-O4
3	A	315	EDO	O1-C1-C2-O2
3	B	418	EDO	O1-C1-C2-O2
9	B	415	PEG	C1-C2-O2-C3
9	B	424	PEG	C1-C2-O2-C3
9	B	415	PEG	O1-C1-C2-O2
9	B	415	PEG	C4-C3-O2-C2
3	A	313	EDO	O1-C1-C2-O2
3	A	301	EDO	O1-C1-C2-O2

There are no ring outliers.

17 monomers are involved in 58 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	418	EDO	1	0
4	A	305	DMS	2	0
3	B	423	EDO	1	0
4	B	401	DMS	3	0
3	A	315	EDO	2	0
5	A	308	GOL	5	0
4	A	311	DMS	1	0
4	A	314	DMS	15	0
4	B	407	DMS	3	0
4	B	425	DMS	3	0
9	B	424	PEG	7	0
4	B	406	DMS	2	0
9	B	415	PEG	2	0
4	A	306	DMS	1	0
3	A	313	EDO	10	0
8	B	402	PLP	1	0
4	B	404	DMS	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	256/268 (95%)	0.11	10 (3%) 43 45	8, 18, 34, 58	2 (0%)
2	B	396/397 (99%)	-0.10	14 (3%) 47 49	5, 14, 31, 66	12 (3%)
All	All	652/665 (98%)	-0.02	24 (3%) 45 47	5, 16, 32, 66	14 (2%)

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	268	ALA	5.2
2	B	397	ILE	4.6
1	A	194	HIS	3.7
1	A	193	LEU	3.3
2	B	173	ALA	3.3
2	B	308	SER	3.0
1	A	58	LEU	2.7
2	B	160	HIS	2.6
1	A	213	GLY	2.5
2	B	159	VAL	2.5
2	B	395	GLY	2.4
2	B	162	GLY	2.3
1	A	178	SER	2.3
1	A	59	ALA	2.3
1	A	212	PHE	2.3
2	B	385	PHE	2.3
1	A	192	PRO	2.2
2	B	307	PRO	2.2
2	B	174	LEU	2.2
1	A	234	GLY	2.2
2	B	112	ALA	2.1
2	B	139	VAL	2.1
2	B	393	ALA	2.0
2	B	391	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	DMS	A	306	4/4	0.64	0.24	56,56,57,61	0
3	EDO	A	316	4/4	0.67	0.21	40,41,42,45	0
9	PEG	B	415	7/7	0.72	0.18	48,49,51,53	0
9	PEG	B	424	7/7	0.73	0.20	23,27,38,40	0
4	DMS	B	420	4/4	0.79	0.18	39,44,46,48	0
6	CL	B	413	1/1	0.79	0.13	71,71,71,71	0
3	EDO	A	315	4/4	0.79	0.22	20,20,20,20	0
4	DMS	B	407	4/4	0.79	0.20	43,44,49,50	0
3	EDO	B	418	4/4	0.80	0.16	27,30,32,36	0
4	DMS	A	309	4/4	0.80	0.19	64,65,70,70	0
3	EDO	B	426	4/4	0.80	0.24	20,20,20,20	0
4	DMS	B	417	4/4	0.80	0.22	66,70,71,73	0
4	DMS	B	421	4/4	0.81	0.19	33,36,37,42	0
3	EDO	A	301	4/4	0.81	0.14	36,37,38,38	0
3	EDO	A	310	4/4	0.82	0.18	50,50,51,52	0
4	DMS	A	307	4/4	0.82	0.19	64,65,66,66	0
4	DMS	A	312	4/4	0.84	0.19	35,35,37,37	0
4	DMS	B	401	4/4	0.84	0.16	35,36,36,37	0
3	EDO	B	422	4/4	0.84	0.18	25,31,32,32	0
4	DMS	A	311	4/4	0.85	0.19	24,26,27,31	0
4	DMS	B	410	4/4	0.86	0.15	39,39,39,41	0
4	DMS	B	408	4/4	0.86	0.17	40,40,41,43	0
5	GOL	A	308	6/6	0.86	0.15	31,35,36,36	0
6	CL	A	317	1/1	0.87	0.14	70,70,70,70	0
4	DMS	A	302	4/4	0.87	0.15	43,44,45,47	0
6	CL	B	414	1/1	0.87	0.16	58,58,58,58	0
4	DMS	B	409	4/4	0.87	0.15	62,64,65,66	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	DMS	B	419	4/4	0.87	0.16	31,35,36,36	0
4	DMS	B	404	4/4	0.88	0.16	38,41,43,44	0
6	CL	B	428	1/1	0.89	0.12	41,41,41,41	0
3	EDO	B	423	4/4	0.89	0.14	26,28,29,31	0
4	DMS	B	425	4/4	0.89	0.18	37,38,38,38	4
6	CL	B	427	1/1	0.90	0.11	59,59,59,59	0
4	DMS	A	304	4/4	0.90	0.16	52,53,53,55	0
4	DMS	B	405	4/4	0.91	0.14	32,33,34,37	0
4	DMS	A	305	4/4	0.91	0.14	40,40,40,41	0
4	DMS	B	411	4/4	0.91	0.18	54,60,61,62	0
3	EDO	B	416	4/4	0.91	0.12	25,33,33,34	0
3	EDO	A	313	4/4	0.92	0.09	17,18,20,21	0
4	DMS	B	406	4/4	0.92	0.12	45,46,47,48	0
4	DMS	B	403	4/4	0.93	0.12	17,20,20,21	0
4	DMS	A	314	4/4	0.94	0.17	18,22,25,27	0
6	CL	B	429	1/1	0.94	0.13	36,36,36,36	0
7	CS	B	430[C]	1/1	0.95	0.10	26,26,26,26	1
7	CS	B	430[D]	1/1	0.95	0.10	26,26,26,26	1
6	CL	A	318	1/1	0.95	0.14	39,39,39,39	0
7	CS	B	430[B]	1/1	0.95	0.10	28,28,28,28	1
4	DMS	A	303	4/4	0.97	0.10	18,21,23,24	0
7	CS	A	319	1/1	0.98	0.06	29,29,29,29	1
8	PLP	B	402	15/16	0.98	0.04	9,10,12,14	0
7	CS	B	412	1/1	1.00	0.03	17,17,17,17	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around CS B 430 (C):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CS B 430 (D):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CS B 430 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CS A 319:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around PLP B 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CS B 412:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.