



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 04:37 PM UTC

PDB ID : 7L4J / pdb_00007l4j
Title : Crystal structure of WT PPM1H phosphatase
Authors : Khan, A.R.; Waschbusch, D.
Deposited on : 2020-12-19
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1190 (2.46-2.46)
Clashscore	190562	1229 (2.46-2.46)
Ramachandran outliers	187476	1218 (2.46-2.46)
Sidechain outliers	187428	1218 (2.46-2.46)
RSRZ outliers	180081	1190 (2.46-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	451	2% 69% 18% • 12%
1	B	451	3% 71% 16% 13%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6381 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein phosphatase 1H.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	395	Total	C	N	O	S	0	0	0
			3130	1981	548	587	14			
1	B	394	Total	C	N	O	S	0	1	0
			3132	1983	549	587	13			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	29	GLY	-	expression tag	UNP Q9ULR3
A	30	SER	-	expression tag	UNP Q9ULR3
A	31	HIS	-	expression tag	UNP Q9ULR3
A	32	MET	-	expression tag	UNP Q9ULR3
A	56	ALA	CYS	engineered mutation	UNP Q9ULR3
A	223	GLY	-	linker	UNP Q9ULR3
A	224	SER	-	linker	UNP Q9ULR3
A	225	GLY	-	linker	UNP Q9ULR3
A	226	SER	-	linker	UNP Q9ULR3
B	29	GLY	-	expression tag	UNP Q9ULR3
B	30	SER	-	expression tag	UNP Q9ULR3
B	31	HIS	-	expression tag	UNP Q9ULR3
B	32	MET	-	expression tag	UNP Q9ULR3
B	56	ALA	CYS	engineered mutation	UNP Q9ULR3
B	223	GLY	-	linker	UNP Q9ULR3
B	224	SER	-	linker	UNP Q9ULR3
B	225	GLY	-	linker	UNP Q9ULR3
B	226	SER	-	linker	UNP Q9ULR3

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Mg	0	0
			2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Mg	0	0
			2	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	58	Total	O	0	0
			58	58		
3	B	57	Total	O	0	0
			57	57		

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	70.69Å 101.11Å 148.97Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.97 – 2.45 28.97 – 2.45	Depositor EDS
% Data completeness (in resolution range)	98.2 (28.97-2.45) 98.3 (28.97-2.45)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.54 (at 2.45Å)	Xtriage
Refinement program	PHENIX 1.16_3549	Depositor
R, R_{free}	0.190 , 0.240 0.192 , 0.243	Depositor DCC
R_{free} test set	1968 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	52.4	Xtriage
Anisotropy	0.283	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 42.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6381	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.11% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.36	0/3195	0.59	1/4325 (0.0%)
1	B	0.41	1/3200 (0.0%)	0.63	4/4330 (0.1%)
All	All	0.39	1/6395 (0.0%)	0.61	5/8655 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	342	LYS	CB-CG	-7.68	1.29	1.52

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	342	LYS	CA-CB-CG	-8.84	96.42	114.10
1	B	342	LYS	N-CA-C	6.68	120.30	111.75
1	B	342	LYS	CD-CE-NZ	-6.08	92.46	111.90
1	B	342	LYS	CG-CD-CE	-5.87	97.81	111.30
1	A	253	ASP	N-CA-C	-5.61	103.09	110.33

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3130	0	3100	63	0
1	B	3132	0	3107	57	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	58	0	0	5	0
3	B	57	0	0	4	0
All	All	6381	0	6207	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:321:MET:HE2	1:B:318:LEU:HD13	1.62	0.80
1:A:429:ASP:OD1	1:A:466:ARG:NH2	2.16	0.78
1:B:398:LYS:HE2	1:B:403:ASN:HA	1.69	0.75
1:B:429:ASP:OD1	1:B:466:ARG:NH2	2.20	0.73
1:A:258:ARG:HD3	3:A:743:HOH:O	1.88	0.72
1:A:239:CYS:SG	3:B:756:HOH:O	2.48	0.71
1:B:308:PRO:HG3	1:B:382:VAL:HG23	1.74	0.69
1:A:172:GLU:OE2	3:A:701:HOH:O	2.10	0.69
1:A:32:MET:HG2	1:A:264:ASN:HA	1.75	0.68
1:A:253:ASP:O	1:A:254:LEU:HB2	1.92	0.68
1:A:401:ASP:O	1:A:402:SER:HB3	1.94	0.67
1:A:321:MET:CE	1:B:318:LEU:CD1	2.73	0.67
1:B:58:ALA:O	3:B:701:HOH:O	2.13	0.66
1:B:339:VAL:HG22	1:B:348:MET:HE1	1.76	0.65
1:A:294:ILE:HD13	1:A:449:ALA:HA	1.79	0.65
1:A:364:GLU:O	1:A:366:GLU:N	2.32	0.62
1:B:365:ASP:N	3:B:702:HOH:O	2.32	0.62
1:A:488:ARG:HH11	1:A:488:ARG:HG2	1.65	0.61
1:B:253:ASP:O	1:B:254:LEU:HB2	2.00	0.61
1:A:321:MET:HE2	1:B:318:LEU:CD1	2.30	0.60
1:A:421:LEU:HD13	1:A:510:GLY:HA3	1.82	0.60
1:A:69:LYS:HB3	1:A:71:THR:HG22	1.85	0.59
1:B:103:VAL:HG13	1:B:175:GLN:HG3	1.84	0.58
1:B:54:VAL:O	1:B:57:SER:OG	2.14	0.57
1:A:49:LEU:HD11	1:A:66:LEU:HD13	1.86	0.57
1:A:57:SER:HB2	1:A:66:LEU:HD11	1.87	0.57
1:A:344:LEU:HD21	1:A:365:ASP:H	1.70	0.55
1:B:383:MET:HE3	1:B:406:ILE:HD13	1.89	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:57:SER:CB	1:A:66:LEU:HD11	2.38	0.54
1:A:459:CYS:HB2	1:A:466:ARG:HG3	1.89	0.54
1:A:383:MET:HE3	1:A:406:ILE:HD13	1.90	0.53
1:A:175:GLN:O	1:A:178:VAL:HG12	2.09	0.53
1:B:142:VAL:N	3:B:703:HOH:O	2.41	0.53
1:A:257:GLU:HB2	1:A:395:HIS:CE1	2.44	0.52
1:B:372:LEU:HD12	1:B:383:MET:HG2	1.93	0.51
1:A:366:GLU:OE1	1:A:369:LYS:NZ	2.28	0.50
1:A:371:PRO:HG2	1:A:374:TYR:HB2	1.92	0.50
1:A:483:LYS:HG3	1:A:485:ARG:H	1.76	0.50
1:A:467:TYR:CZ	1:A:506:PRO:HB3	2.47	0.50
1:A:308:PRO:HG3	1:A:382:VAL:HG23	1.94	0.49
1:B:473:ASP:O	1:B:477:ARG:HG3	2.13	0.49
1:A:401:ASP:O	1:A:402:SER:CB	2.58	0.49
1:B:49:LEU:HD11	1:B:66:LEU:HD13	1.95	0.48
1:A:43:ARG:HD3	1:A:82:GLU:OE1	2.13	0.48
1:B:342:LYS:O	1:B:342:LYS:HG3	2.11	0.48
1:A:270:THR:HB	1:A:287:GLY:HA3	1.95	0.48
1:B:460:ASP:O	1:B:466:ARG:HD2	2.13	0.48
1:B:270:THR:HB	1:B:287:GLY:HA3	1.95	0.48
1:B:482:LEU:HB2	1:B:487:TRP:CE2	2.48	0.48
1:B:398:LYS:CE	1:B:403:ASN:HA	2.42	0.48
1:A:257:GLU:O	1:A:260:ARG:NH1	2.47	0.47
1:A:145:HIS:O	1:A:275:ILE:HA	2.14	0.47
1:B:434:LEU:HB2	1:B:503:TYR:HB2	1.95	0.47
1:A:168:HIS:HB3	3:A:701:HOH:O	2.14	0.47
1:A:321:MET:CE	1:B:318:LEU:HD13	2.32	0.47
1:B:366:GLU:OE2	1:B:369:LYS:NZ	2.37	0.47
1:A:238:GLU:OE1	1:A:280:LYS:NZ	2.48	0.47
1:A:252:MET:C	1:A:253:ASP:O	2.57	0.47
1:A:83:VAL:HG12	1:A:500:ILE:HB	1.96	0.46
1:A:321:MET:CE	1:B:318:LEU:HD11	2.45	0.46
1:B:257:GLU:HB2	1:B:395:HIS:CE1	2.51	0.46
1:A:420:ASP:HB3	1:A:423:LYS:HD2	1.98	0.45
1:A:70:GLU:HG3	1:A:465:HIS:CE1	2.52	0.45
1:A:335:PHE:O	1:B:233:LYS:HE3	2.17	0.45
1:B:177:ILE:HD12	1:B:181:LEU:HD11	1.98	0.45
1:A:50:SER:OG	1:A:53:GLU:HG3	2.16	0.45
1:B:59:ASP:OD1	1:B:61:ILE:HG13	2.17	0.45
1:A:378:LYS:HD2	1:A:441:ASP:OD1	2.16	0.45
1:B:260:ARG:NH2	1:B:396:ASP:OD1	2.48	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:463:ASP:O	1:A:466:ARG:HB2	2.17	0.45
1:B:253:ASP:O	1:B:254:LEU:CB	2.65	0.44
1:A:289:SER:OG	1:A:436:THR:HA	2.18	0.44
1:B:365:ASP:O	1:B:368:LEU:HB2	2.17	0.44
1:B:467:TYR:CE1	1:B:506:PRO:HB3	2.54	0.43
1:B:251:GLU:HA	1:B:254:LEU:HD12	2.00	0.43
1:A:395:HIS:HD2	3:A:746:HOH:O	2.01	0.43
1:A:452:ILE:HD11	1:A:474:LEU:HD11	2.01	0.43
1:A:460:ASP:O	1:A:466:ARG:HD2	2.18	0.43
1:B:43:ARG:NH2	1:B:94:ASP:O	2.37	0.43
1:B:38:ARG:HG3	1:B:39:PHE:CE2	2.54	0.43
1:B:420:ASP:HB3	1:B:423:LYS:HG2	2.01	0.43
1:A:474:LEU:HD23	1:A:474:LEU:HA	1.90	0.43
1:A:383:MET:HE3	1:A:383:MET:HB2	1.84	0.42
1:B:35:LEU:HB3	1:B:36:PRO:HD2	2.01	0.42
1:B:50:SER:O	1:B:53:GLU:N	2.52	0.42
1:B:368:LEU:HD23	1:B:368:LEU:HA	1.81	0.42
1:A:84:ILE:HG13	1:A:92:ASN:HB2	2.01	0.42
1:B:257:GLU:O	1:B:260:ARG:HD3	2.18	0.42
1:A:142:VAL:N	3:A:706:HOH:O	2.52	0.42
1:B:344:LEU:HD23	1:B:345:GLY:N	2.35	0.42
1:A:281:LEU:HD13	1:A:432:LEU:HD22	2.00	0.42
1:A:398:LYS:HE3	1:A:402:SER:O	2.18	0.42
1:B:461:PRO:HA	1:B:466:ARG:HD2	2.01	0.42
1:B:477:ARG:HE	1:B:477:ARG:HB3	1.51	0.42
1:B:234:LYS:HA	1:B:234:LYS:HD3	1.69	0.42
1:B:341:ARG:HG3	1:B:368:LEU:HD11	2.02	0.42
1:A:488:ARG:NH1	1:A:494:LEU:HD12	2.34	0.42
1:B:302:MET:HE3	1:B:302:MET:HB3	1.89	0.41
1:B:290:ARG:HB3	1:B:440:TRP:NE1	2.35	0.41
1:A:68:LEU:HD11	1:A:72:ARG:HG3	2.02	0.41
1:A:488:ARG:HG2	1:A:488:ARG:NH1	2.33	0.41
1:A:321:MET:HE3	1:B:318:LEU:CD1	2.50	0.41
1:A:363:ILE:HG23	1:A:367:ASP:HB2	2.03	0.41
1:B:142:VAL:CG1	1:B:182:LYS:HD2	2.50	0.41
1:A:467:TYR:CE1	1:A:506:PRO:HB3	2.55	0.40
1:B:58:ALA:HA	1:B:84:ILE:HD12	2.04	0.40
1:B:142:VAL:HG13	1:B:182:LYS:HD2	2.04	0.40
1:A:428:SER:HB3	1:A:466:ARG:NH2	2.36	0.40
1:B:444:SER:OG	1:B:447:GLU:HG3	2.21	0.40
1:A:60:HIS:CD2	1:A:87:GLY:HA2	2.57	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:41:TYR:CG	1:B:42:GLY:N	2.89	0.40
1:B:144:CYS:HB2	1:B:277:LEU:HD21	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	389/451 (86%)	372 (96%)	14 (4%)	3 (1%)	16	20
1	B	389/451 (86%)	371 (95%)	16 (4%)	2 (0%)	24	32
All	All	778/902 (86%)	743 (96%)	30 (4%)	5 (1%)	21	27

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	365	ASP
1	A	401	ASP
1	B	365	ASP
1	A	489	ILE
1	B	489	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	339/385 (88%)	339 (100%)	0	100	100
1	B	339/385 (88%)	339 (100%)	0	100	100
All	All	678/770 (88%)	678 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	HIS
1	A	91	HIS
1	A	95	GLN
1	A	173	GLN
1	A	395	HIS
1	A	400	HIS
1	B	95	GLN
1	B	173	GLN
1	B	296	ASN
1	B	328	ASN
1	B	395	HIS
1	B	400	HIS
1	B	454	GLN
1	B	458	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	395/451 (87%)	0.02	7 (1%) 67 69	37, 57, 86, 117	0
1	B	394/451 (87%)	0.04	12 (3%) 52 53	34, 56, 89, 113	1 (0%)
All	All	789/902 (87%)	0.03	19 (2%) 59 62	34, 57, 88, 117	1 (0%)

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	513	LEU	4.0
1	B	51	GLN	3.5
1	B	342	LYS	3.4
1	A	61	ILE	2.8
1	B	233	LYS	2.7
1	B	400	HIS	2.6
1	B	462	ASP	2.6
1	B	48	GLY	2.5
1	B	104	LYS	2.5
1	A	71	THR	2.5
1	B	61	ILE	2.4
1	A	342	LYS	2.4
1	B	378	LYS	2.3
1	B	56	ALA	2.2
1	A	400	HIS	2.2
1	A	321	MET	2.1
1	B	34	ASP	2.0
1	A	485	ARG	2.0
1	B	344	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	MG	A	601	1/1	0.99	0.04	46,46,46,46	0
2	MG	A	600	1/1	1.00	0.06	39,39,39,39	0
2	MG	B	600	1/1	1.00	0.02	51,51,51,51	0
2	MG	B	601	1/1	1.00	0.07	42,42,42,42	0

6.5 Other polymers [i](#)

There are no such residues in this entry.