



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:02 AM UTC

PDB ID : 1L5B / pdb_00001l5b
Title : DOMAIN-SWAPPED CYANOVIRIN-N DIMER
Authors : Barrientos, L.G.; Louis, J.M.; Botos, I.; Mori, T.; Han, Z.; O'Keefe, B.R.;
Boyd, M.R.; Wlodawer, A.; Gronenborn, A.M.
Deposited on : 2002-03-06
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	101	8% 24% 46% 23% 8%
1	B	101	9% 25% 39% 32% 5%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 1749 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called cyanovirin-N.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	101	Total	C	N	O	S	0	0	0
			770	470	133	163	4			
1	B	101	Total	C	N	O	S	0	0	0
			770	470	133	163	4			

- Molecule 2 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Na	0	0
			1	1		

- Molecule 3 is 2-[N-CYCLOHEXYLAMINO]ETHANE SULFONIC ACID (CCD ID: NHE) (formula: C₈H₁₇NO₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			13	8	1	3	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	101	Total 101	O 101	0	0
4	B	94	Total 94	O 94	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: cyanovirin-N



• Molecule 1: cyanovirin-N



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	61.97Å 61.97Å 148.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.90 – 2.00 19.90 – 2.00	Depositor EDS
% Data completeness (in resolution range)	76.7 (19.90-2.00) 76.6 (19.90-2.00)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.37 (at 2.01Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.247 , 0.258 0.246 , 0.259	Depositor DCC
R_{free} test set	1686 reflections (10.02%)	wwPDB-VP
Wilson B-factor (Å ²)	34.8	Xtriage
Anisotropy	0.505	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 66.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	1749	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NHE, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.43	4/779 (0.5%)	3.00	94/1054 (8.9%)
1	B	1.32	2/779 (0.3%)	2.99	92/1054 (8.7%)
All	All	1.38	6/1558 (0.4%)	2.99	186/2108 (8.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	3
All	All	0	4

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	72	GLU	N-CA	6.19	1.53	1.46
1	B	15	GLY	N-CA	6.13	1.54	1.45
1	A	74	LYS	N-CA	-5.64	1.39	1.46
1	A	83	THR	N-CA	5.61	1.53	1.45
1	A	40	ILE	C-N	-5.50	1.26	1.33
1	A	81	VAL	C-O	5.03	1.29	1.23

All (186) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	78	GLN	OE1-CD-NE2	-16.08	106.52	122.60
1	B	44	ASP	CA-CB-CG	14.51	127.11	112.60
1	B	67	SER	CA-C-N	12.96	141.31	121.99

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	67	SER	C-N-CA	12.96	141.31	121.99
1	A	24	ARG	CD-NE-CZ	11.72	140.81	124.40
1	A	101	GLU	CA-C-O	-11.41	101.41	120.80
1	B	27	GLY	CA-C-N	11.38	137.81	121.54
1	B	27	GLY	C-N-CA	11.38	137.81	121.54
1	A	77	ALA	CA-C-N	11.18	142.89	121.54
1	A	77	ALA	C-N-CA	11.18	142.89	121.54
1	B	17	VAL	N-CA-C	10.86	122.87	109.30
1	A	76	ARG	CD-NE-CZ	10.70	139.38	124.40
1	B	92	ALA	O-C-N	10.13	136.32	123.15
1	A	19	THR	CA-C-O	-9.89	108.73	120.60
1	B	30	ASN	OD1-CG-ND2	-9.53	113.07	122.60
1	B	89	ASP	CA-CB-CG	9.52	122.11	112.60
1	A	13	ILE	CA-C-N	9.28	136.01	121.72
1	A	13	ILE	C-N-CA	9.28	136.01	121.72
1	B	92	ALA	CA-C-O	-9.24	110.62	121.44
1	A	47	LEU	CA-C-O	9.23	131.53	120.92
1	A	3	LYS	N-CA-CB	-8.83	98.75	112.08
1	A	78	GLN	CA-C-N	8.60	135.84	122.94
1	A	78	GLN	C-N-CA	8.60	135.84	122.94
1	B	67	SER	O-C-N	-8.56	113.03	121.85
1	A	58	CYS	N-CA-CB	-8.50	98.04	110.70
1	A	30	ASN	CB-CG-ND2	-8.47	103.69	116.40
1	A	30	ASN	OD1-CG-ND2	8.30	130.90	122.60
1	B	92	ALA	CA-C-N	-8.28	111.35	123.11
1	B	92	ALA	C-N-CA	-8.28	111.35	123.11
1	A	37	ASN	OD1-CG-ND2	-8.26	114.34	122.60
1	A	48	LYS	O-C-N	8.22	133.11	123.17
1	B	51	PRO	CA-C-O	-7.93	112.29	122.12
1	B	99	LYS	CA-C-N	7.90	133.77	121.99
1	B	99	LYS	C-N-CA	7.90	133.77	121.99
1	B	39	VAL	CB-CA-C	-7.82	104.18	111.06
1	A	11	SER	CA-C-O	-7.80	112.61	121.81
1	A	79	GLN	OE1-CD-NE2	7.78	130.38	122.60
1	B	94	ILE	CA-C-O	-7.69	111.82	120.97
1	A	73	CYS	CA-C-N	7.56	133.45	121.66
1	A	73	CYS	C-N-CA	7.56	133.45	121.66
1	A	78	GLN	CG-CD-OE1	7.55	135.90	120.80
1	B	89	ASP	N-CA-C	-7.42	103.27	111.36
1	A	42	ASN	CA-CB-CG	7.42	120.02	112.60
1	A	80	PHE	CA-CB-CG	-7.41	106.39	113.80
1	A	61	THR	CA-CB-OG1	7.40	120.69	109.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1	LEU	CB-CA-C	7.30	123.97	110.10
1	B	70	ALA	CA-C-O	-7.28	112.94	121.46
1	B	68	GLU	N-CA-C	7.28	119.95	108.67
1	B	1	LEU	CA-C-O	7.27	133.16	120.80
1	A	85	ILE	N-CA-CB	7.20	123.16	111.36
1	B	94	ILE	CB-CA-C	-7.19	101.96	111.81
1	B	49	TRP	CA-C-O	-7.15	113.15	121.16
1	A	71	ALA	CA-C-O	7.11	128.52	121.05
1	B	71	ALA	CA-C-N	-7.07	111.28	122.73
1	B	71	ALA	C-N-CA	-7.07	111.28	122.73
1	A	37	ASN	CA-CB-CG	7.04	119.64	112.60
1	B	1	LEU	CA-C-N	7.04	135.21	121.41
1	B	1	LEU	C-N-CA	7.04	135.21	121.41
1	A	10	ASN	CA-CB-CG	7.04	119.64	112.60
1	B	89	ASP	N-CA-CB	7.02	120.56	110.16
1	B	26	ASN	OD1-CG-ND2	-7.01	115.59	122.60
1	B	37	ASN	N-CA-C	-7.01	103.65	111.71
1	B	76	ARG	CD-NE-CZ	6.99	134.19	124.40
1	B	100	TYR	CA-C-O	-6.97	112.72	120.60
1	B	41	GLU	OE1-CD-OE2	-6.91	106.32	122.90
1	B	47	LEU	O-C-N	-6.90	115.35	123.22
1	A	22	CYS	N-CA-CB	-6.85	98.91	110.83
1	B	63	LEU	N-CA-C	-6.85	98.87	109.76
1	A	47	LEU	O-C-N	-6.83	115.24	123.16
1	A	90	HIS	CA-C-N	-6.79	112.29	121.80
1	A	90	HIS	C-N-CA	-6.79	112.29	121.80
1	B	41	GLU	CG-CD-OE2	6.75	133.91	118.40
1	A	82	SER	CA-C-N	-6.74	111.58	122.36
1	A	82	SER	C-N-CA	-6.74	111.58	122.36
1	B	14	GLN	OE1-CD-NE2	6.72	129.32	122.60
1	A	3	LYS	O-C-N	-6.71	111.44	122.23
1	B	14	GLN	CB-CG-CD	6.65	123.91	112.60
1	B	89	ASP	CB-CG-OD2	6.64	133.68	118.40
1	B	24	ARG	NE-CZ-NH2	6.62	125.15	119.20
1	A	60	ASN	CA-C-O	6.60	129.95	120.51
1	A	23	GLU	N-CA-C	6.59	119.78	110.23
1	A	21	THR	CB-CA-C	6.55	121.28	110.74
1	B	14	GLN	CA-CB-CG	-6.54	101.02	114.10
1	A	17	VAL	CA-C-N	-6.52	113.47	122.93
1	A	17	VAL	C-N-CA	-6.52	113.47	122.93
1	A	39	VAL	CA-CB-CG1	6.52	121.48	110.40
1	A	6	GLN	O-C-N	6.45	130.21	122.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	85	ILE	CA-CB-CG2	6.43	121.43	110.50
1	B	16	SER	N-CA-C	-6.40	105.62	113.50
1	B	1	LEU	O-C-N	-6.40	112.77	123.00
1	B	72	GLU	N-CA-C	-6.36	98.61	109.24
1	B	50	GLN	N-CA-C	6.31	117.76	109.93
1	A	19	THR	O-C-N	6.30	130.95	123.33
1	B	59	ARG	NE-CZ-NH1	-6.29	115.21	121.50
1	B	83	THR	CB-CA-C	6.28	122.91	110.42
1	A	18	LEU	CB-CA-C	6.27	120.67	109.38
1	A	85	ILE	CB-CA-C	-6.22	99.78	111.30
1	B	83	THR	CA-CB-CG2	6.22	121.07	110.50
1	A	84	LYS	CA-C-O	-6.20	114.60	121.23
1	B	36	LEU	N-CA-C	6.17	120.64	113.18
1	A	89	ASP	CA-CB-CG	6.12	118.72	112.60
1	A	5	SER	CA-CB-OG	6.07	123.24	111.10
1	B	85	ILE	CA-CB-CG2	6.04	120.76	110.50
1	A	17	VAL	O-C-N	6.02	129.71	123.03
1	B	3	LYS	N-CA-CB	-6.00	102.82	111.70
1	B	48	LYS	CA-C-N	-6.00	112.35	120.87
1	B	48	LYS	C-N-CA	-6.00	112.35	120.87
1	A	39	VAL	N-CA-CB	-5.97	104.11	112.35
1	A	62	GLN	CB-CG-CD	-5.97	102.46	112.60
1	B	92	ALA	CB-CA-C	-5.95	97.59	109.79
1	B	73	CYS	N-CA-CB	-5.92	100.59	111.37
1	A	76	ARG	NE-CZ-NH1	-5.90	115.60	121.50
1	A	81	VAL	CA-CB-CG2	5.88	120.39	110.40
1	A	90	HIS	CB-CA-C	5.85	118.85	109.02
1	A	89	ASP	CA-C-O	-5.85	114.18	121.02
1	A	24	ARG	CB-CG-CD	5.81	124.66	111.30
1	A	75	THR	N-CA-C	5.80	117.55	110.41
1	A	83	THR	O-C-N	-5.80	115.65	122.96
1	B	88	ASP	CB-CG-OD2	-5.79	105.07	118.40
1	B	81	VAL	CA-C-N	-5.79	112.65	122.67
1	B	81	VAL	C-N-CA	-5.79	112.65	122.67
1	B	89	ASP	CB-CG-OD1	-5.79	105.09	118.40
1	B	22	CYS	N-CA-C	5.79	118.99	109.85
1	B	56	GLU	CB-CG-CD	5.78	122.43	112.60
1	A	31	THR	CA-C-O	-5.74	114.15	120.70
1	A	74	LYS	CB-CA-C	-5.68	102.04	110.67
1	A	16	SER	CA-C-O	-5.67	113.26	119.95
1	B	50	GLN	CA-CB-CG	5.67	125.44	114.10
1	B	42	ASN	CA-CB-CG	5.66	118.26	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	7	THR	CA-C-O	5.62	126.76	119.95
1	B	67	SER	CA-C-O	5.62	124.70	118.52
1	A	10	ASN	CB-CG-ND2	-5.60	108.00	116.40
1	A	3	LYS	CB-CA-C	5.60	120.45	111.66
1	A	17	VAL	N-CA-C	5.59	116.35	108.36
1	A	71	ALA	O-C-N	-5.58	116.30	122.72
1	B	11	SER	CA-CB-OG	-5.57	99.96	111.10
1	B	79	GLN	OE1-CD-NE2	5.56	128.16	122.60
1	B	37	ASN	CA-C-N	-5.56	113.93	122.60
1	B	37	ASN	C-N-CA	-5.56	113.93	122.60
1	A	84	LYS	CB-CA-C	-5.53	100.34	110.62
1	A	34	ILE	CA-C-O	5.51	126.21	120.36
1	A	67	SER	CA-C-N	-5.48	115.72	122.84
1	A	67	SER	C-N-CA	-5.48	115.72	122.84
1	A	74	LYS	CA-CB-CG	-5.46	103.19	114.10
1	A	48	LYS	CA-C-O	-5.45	115.25	121.40
1	A	8	CYS	CA-C-O	-5.43	115.19	121.49
1	A	89	ASP	CB-CA-C	-5.43	101.83	110.84
1	B	41	GLU	CA-C-N	-5.39	115.56	123.00
1	B	41	GLU	C-N-CA	-5.39	115.56	123.00
1	A	10	ASN	OD1-CG-ND2	5.38	127.98	122.60
1	B	89	ASP	CB-CA-C	-5.36	101.75	110.85
1	B	48	LYS	CA-C-O	-5.34	114.51	120.66
1	A	16	SER	N-CA-C	-5.33	106.09	112.59
1	B	79	GLN	N-CA-C	5.32	117.08	108.41
1	B	64	ALA	N-CA-C	-5.29	100.77	109.40
1	B	32	SER	CB-CA-C	-5.28	100.55	111.22
1	A	4	PHE	O-C-N	-5.27	116.54	122.12
1	A	44	ASP	CA-CB-CG	5.26	117.86	112.60
1	B	76	ARG	NE-CZ-NH2	-5.26	114.47	119.20
1	A	27	GLY	CA-C-N	-5.24	116.78	122.55
1	A	27	GLY	C-N-CA	-5.24	116.78	122.55
1	B	53	ASN	CA-CB-CG	-5.24	107.36	112.60
1	B	83	THR	N-CA-CB	-5.24	101.64	110.49
1	B	54	PHE	CA-CB-CG	5.21	119.01	113.80
1	B	47	LEU	CA-C-O	5.21	126.42	120.54
1	B	37	ASN	CA-C-O	-5.17	114.25	120.10
1	B	80	PHE	CA-C-O	5.17	126.75	120.81
1	B	62	GLN	O-C-N	-5.17	117.08	123.33
1	B	79	GLN	CG-CD-NE2	-5.16	108.67	116.40
1	A	59	ARG	CD-NE-CZ	-5.15	117.19	124.40
1	A	73	CYS	CA-C-O	5.12	127.42	121.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	56	GLU	N-CA-C	5.11	119.36	113.18
1	A	38	SER	N-CA-CB	-5.11	102.62	110.44
1	A	83	THR	CA-C-O	-5.11	115.79	121.51
1	A	93	ASN	OD1-CG-ND2	-5.09	117.51	122.60
1	B	10	ASN	N-CA-C	5.08	118.74	112.24
1	A	45	GLY	CA-C-O	-5.07	113.39	119.07
1	B	29	TYR	N-CA-C	5.07	117.51	109.50
1	A	83	THR	N-CA-CB	-5.04	103.46	111.62
1	B	56	GLU	CA-C-O	-5.02	114.20	119.97
1	A	45	GLY	CA-C-N	-5.01	114.80	122.87
1	A	45	GLY	C-N-CA	-5.01	114.80	122.87
1	B	96	GLY	CA-C-N	-5.01	114.98	122.39
1	B	96	GLY	C-N-CA	-5.01	114.98	122.39
1	B	88	ASP	CA-C-N	5.00	127.39	120.29
1	B	88	ASP	C-N-CA	5.00	127.39	120.29

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	8	CYS	Mainchain
1	B	17	VAL	Mainchain
1	B	32	SER	Mainchain
1	B	66	SER	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	770	0	742	58	0
1	B	770	0	744	66	0
2	A	1	0	0	0	0
3	A	13	0	16	2	0
4	A	101	0	0	11	0
4	B	94	0	0	14	0
All	All	1749	0	1502	102	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 35.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:303:HOH:O	1:B:85:ILE:HB	1.44	1.16
1:B:32:SER:HB2	4:B:168:HOH:O	1.73	0.89
1:B:68:GLU:HG2	4:B:136:HOH:O	1.73	0.89
1:A:18:LEU:HD22	1:B:87:LEU:HD13	1.56	0.86
1:A:93:ASN:HD21	1:A:96:GLY:H	1.26	0.81
1:A:93:ASN:HD21	1:A:96:GLY:N	1.78	0.81
1:B:42:ASN:HD21	1:B:45:GLY:H	1.28	0.81
1:B:40:ILE:HD11	1:B:47:LEU:HG	1.62	0.81
1:B:93:ASN:HD21	1:B:96:GLY:H	1.26	0.80
1:A:30:ASN:ND2	1:B:96:GLY:O	2.17	0.75
1:B:42:ASN:HD21	1:B:45:GLY:N	1.88	0.72
1:B:56:GLU:HG3	4:B:122:HOH:O	1.90	0.70
1:A:39:VAL:HG22	1:B:100:TYR:CD2	2.27	0.69
1:B:40:ILE:CD1	1:B:47:LEU:HG	2.23	0.69
1:A:76:ARG:HG3	1:B:44:ASP:HB2	1.76	0.68
1:B:7:THR:HB	1:B:23:GLU:HB2	1.76	0.68
1:B:37:ASN:HB3	4:B:128:HOH:O	1.94	0.67
1:A:41:GLU:OE2	1:A:50:GLN:HG2	1.95	0.66
1:A:69:LEU:HD12	1:A:70:ALA:N	2.12	0.64
1:B:54:PHE:HB3	4:B:194:HOH:O	1.98	0.64
1:A:54:PHE:O	1:A:58:CYS:HB2	1.98	0.63
1:B:51:PRO:O	4:B:189:HOH:O	2.14	0.63
1:A:96:GLY:HA2	1:B:22:CYS:HB2	1.79	0.63
1:A:78:GLN:H	1:A:78:GLN:HE21	1.47	0.63
1:B:99:LYS:HE2	4:B:160:HOH:O	1.98	0.63
1:B:75:THR:HG23	1:B:79:GLN:O	1.98	0.62
1:A:18:LEU:HD22	1:B:87:LEU:CD1	2.28	0.62
1:A:78:GLN:OE1	4:A:353:HOH:O	2.16	0.62
1:B:93:ASN:ND2	1:B:96:GLY:H	1.97	0.61
1:B:74:LYS:HG3	1:B:78:GLN:HA	1.82	0.61
1:A:26:ASN:OD1	1:A:27:GLY:N	2.31	0.60
1:A:74:LYS:HB3	3:A:301:NHE:H4'2	1.82	0.60
1:B:40:ILE:HD11	1:B:47:LEU:HB3	1.83	0.60
1:A:100:TYR:CD2	1:B:39:VAL:HG13	2.37	0.60
1:A:47:LEU:HB2	1:B:85:ILE:CG2	2.32	0.60
1:A:58:CYS:HG	1:A:73:CYS:HG	0.60	0.59
1:A:37:ASN:HB2	4:A:310:HOH:O	2.02	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:9:TYR:O	1:B:10:ASN:HB2	2.03	0.58
1:A:75:THR:O	1:A:78:GLN:NE2	2.37	0.57
1:A:39:VAL:HG22	1:B:100:TYR:CE2	2.41	0.56
1:A:57:THR:HG21	3:A:301:NHE:H3'1	1.88	0.56
1:B:21:THR:HA	1:B:31:THR:HA	1.89	0.55
1:A:85:ILE:HD13	1:A:85:ILE:N	2.23	0.54
1:A:24:ARG:HB2	1:A:26:ASN:ND2	2.22	0.54
1:B:64:ALA:O	1:B:68:GLU:OE1	2.27	0.53
1:A:58:CYS:SG	1:A:73:CYS:CB	2.97	0.53
1:A:78:GLN:HG3	4:A:400:HOH:O	2.09	0.52
1:A:18:LEU:CD2	1:B:87:LEU:HD13	2.36	0.52
1:B:85:ILE:O	1:B:85:ILE:HG13	2.10	0.51
1:B:93:ASN:HD21	1:B:96:GLY:N	2.01	0.51
1:A:55:ILE:HG13	4:A:308:HOH:O	2.11	0.51
1:A:22:CYS:HB2	4:A:309:HOH:O	2.09	0.51
4:A:303:HOH:O	1:B:85:ILE:CG2	2.56	0.51
1:B:54:PHE:CB	4:B:194:HOH:O	2.57	0.51
1:B:82:SER:O	1:B:83:THR:CB	2.57	0.51
1:A:13:ILE:HA	1:A:17:VAL:O	2.12	0.50
1:B:76:ARG:HB2	4:B:185:HOH:O	2.11	0.50
1:B:74:LYS:CG	1:B:78:GLN:HA	2.42	0.50
1:A:47:LEU:HB2	1:B:85:ILE:HG23	1.94	0.50
1:A:47:LEU:HG	1:B:83:THR:HG23	1.93	0.49
1:B:36:LEU:HD23	1:B:36:LEU:N	2.27	0.49
1:A:15:GLY:HA3	4:A:348:HOH:O	2.13	0.49
1:A:34:ILE:HG13	1:A:35:ASP:N	2.28	0.48
1:B:25:THR:HB	4:B:130:HOH:O	2.13	0.48
1:A:47:LEU:HG	1:B:83:THR:CG2	2.44	0.48
1:B:97:THR:HG21	4:B:156:HOH:O	2.13	0.47
1:A:28:GLY:HA3	4:A:370:HOH:O	2.15	0.47
1:A:55:ILE:HD12	1:A:56:GLU:HG3	1.97	0.47
1:A:39:VAL:CG2	1:B:100:TYR:CD2	2.97	0.46
1:A:55:ILE:HD12	1:A:56:GLU:CG	2.44	0.46
1:B:34:ILE:HD13	1:B:34:ILE:HG21	1.78	0.46
1:A:56:GLU:HG3	4:A:308:HOH:O	2.15	0.46
1:A:26:ASN:CG	1:A:27:GLY:H	2.21	0.46
1:B:94:ILE:CG1	1:B:99:LYS:HD3	2.46	0.46
1:B:28:GLY:N	4:B:143:HOH:O	2.19	0.45
1:B:75:THR:O	1:B:76:ARG:C	2.58	0.45
1:B:3:LYS:HD3	4:B:188:HOH:O	2.17	0.45
1:B:69:LEU:HD12	1:B:85:ILE:HD11	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:23:GLU:HG3	1:A:29:TYR:CE2	2.52	0.44
1:A:8:CYS:CB	1:A:22:CYS:SG	3.06	0.44
1:A:95:ASP:OD1	1:B:24:ARG:NE	2.50	0.44
1:A:2:GLY:O	1:B:92:ALA:HA	2.18	0.44
1:A:69:LEU:HD12	1:A:70:ALA:H	1.81	0.44
1:A:42:ASN:HD22	1:B:57:THR:CB	2.30	0.44
1:A:58:CYS:SG	1:A:73:CYS:HB3	2.58	0.43
1:A:85:ILE:CD1	1:B:47:LEU:HD23	2.48	0.43
1:B:25:THR:CB	4:B:130:HOH:O	2.65	0.43
1:A:18:LEU:HD23	1:A:36:LEU:HD21	2.01	0.43
1:A:62:GLN:N	1:A:70:ALA:O	2.52	0.43
1:B:55:ILE:H	1:B:55:ILE:HG13	1.51	0.43
1:A:69:LEU:HB2	1:A:87:LEU:HD21	2.00	0.43
1:B:92:ALA:N	1:B:99:LYS:O	2.42	0.42
1:B:93:ASN:ND2	1:B:96:GLY:N	2.66	0.42
1:B:50:GLN:HA	1:B:51:PRO:HD3	1.95	0.41
1:A:93:ASN:HD21	1:A:96:GLY:CA	2.34	0.41
1:B:85:ILE:HD13	1:B:85:ILE:HG21	1.67	0.41
1:A:25:THR:HG23	1:B:95:ASP:OD2	2.21	0.41
1:A:40:ILE:HD12	1:B:85:ILE:CD1	2.51	0.41
1:A:100:TYR:CE2	1:B:39:VAL:HG13	2.56	0.41
1:A:41:GLU:O	1:A:47:LEU:HA	2.20	0.40
1:A:76:ARG:HG3	1:B:44:ASP:CB	2.48	0.40
4:A:310:HOH:O	1:B:55:ILE:HG13	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	99/101 (98%)	88 (89%)	10 (10%)	1 (1%)	12 8

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	99/101 (98%)	86 (87%)	12 (12%)	1 (1%)	12	8
All	All	198/202 (98%)	174 (88%)	22 (11%)	2 (1%)	12	8

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	26	ASN
1	A	27	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	88/88 (100%)	74 (84%)	14 (16%)	2	1
1	B	88/88 (100%)	72 (82%)	16 (18%)	2	1
All	All	176/176 (100%)	146 (83%)	30 (17%)	2	1

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	LEU
1	A	18	LEU
1	A	20	SER
1	A	34	ILE
1	A	48	LYS
1	A	51	PRO
1	A	55	ILE
1	A	62	GLN
1	A	69	LEU
1	A	78	GLN
1	A	83	THR
1	A	84	LYS
1	A	85	ILE
1	A	93	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1	LEU
1	B	3	LYS
1	B	7	THR
1	B	13	ILE
1	B	18	LEU
1	B	25	THR
1	B	32	SER
1	B	42	ASN
1	B	47	LEU
1	B	55	ILE
1	B	57	THR
1	B	66	SER
1	B	69	LEU
1	B	82	SER
1	B	83	THR
1	B	93	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	6	GLN
1	A	78	GLN
1	A	93	ASN
1	B	6	GLN
1	B	37	ASN
1	B	42	ASN
1	B	60	ASN
1	B	78	GLN
1	B	93	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NHE	A	301	-	13,13,13	4.26	9 (69%)	16,17,17	3.13	8 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NHE	A	301	-	-	1/7/15/15	0/1/1/1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	301	NHE	O1-S	7.87	1.67	1.45
3	A	301	NHE	O2-S	7.55	1.66	1.45
3	A	301	NHE	O3-S	5.32	1.67	1.47
3	A	301	NHE	C3'-C2'	-4.65	1.41	1.53
3	A	301	NHE	C5'-C6'	-4.60	1.41	1.53
3	A	301	NHE	C2'-C1'	-4.27	1.42	1.52
3	A	301	NHE	C6'-C1'	-3.36	1.44	1.52
3	A	301	NHE	C4'-C5'	-2.61	1.42	1.51
3	A	301	NHE	C4'-C3'	-2.58	1.42	1.51

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	301	NHE	C6'-C1'-C2'	5.12	119.64	110.80
3	A	301	NHE	C3'-C2'-C1'	4.99	120.04	111.09
3	A	301	NHE	C5'-C6'-C1'	4.94	119.94	111.09
3	A	301	NHE	O1-S-C2	4.86	114.08	106.73
3	A	301	NHE	C4'-C3'-C2'	4.29	120.24	111.42
3	A	301	NHE	C4'-C5'-C6'	4.09	119.82	111.42
3	A	301	NHE	C5'-C4'-C3'	3.07	120.32	111.19
3	A	301	NHE	C6'-C1'-N	2.39	122.49	110.56

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	301	NHE	C2'-C1'-N-C1

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	301	NHE	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	101/101 (100%)	0.45	8 (7%) 18 17	25, 39, 53, 67	0
1	B	101/101 (100%)	0.66	9 (8%) 15 14	28, 42, 57, 73	0
All	All	202/202 (100%)	0.55	17 (8%) 17 15	25, 41, 56, 73	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	27	GLY	5.3
1	A	25	THR	3.9
1	B	83	THR	3.3
1	B	9	TYR	3.0
1	A	27	GLY	3.0
1	B	53	ASN	2.8
1	B	26	ASN	2.7
1	A	24	ARG	2.6
1	B	28	GLY	2.6
1	A	26	ASN	2.5
1	B	82	SER	2.5
1	A	1	LEU	2.3
1	A	78	GLN	2.2
1	A	69	LEU	2.2
1	B	57	THR	2.1
1	A	5	SER	2.1
1	B	25	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NA	A	302	1/1	0.76	0.17	60,60,60,60	0
3	NHE	A	301	13/13	0.88	0.20	39,48,50,51	0

6.5 Other polymers [i](#)

There are no such residues in this entry.