



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 11:39 AM UTC

PDB ID : 3L54 / pdb_00003l54
Title : Structure of Pi3K gamma with inhibitor
Authors : Elkins, P.A.; Smallwood, A.M.
Deposited on : 2009-12-21
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	966	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6836 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphatidylinositol-4,5-bisphosphate 3-kinase catalytic subunit gamma isoform.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	837	Total	C	N	O	S	3	0	0
			6779	4363	1153	1228	35			

There are 11 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	143	MET	-	initiating methionine	UNP P48736
A	295	GLN	HIS	conflict	UNP P48736
A	777	LEU	SER	conflict	UNP P48736
A	778	ASN	GLN	conflict	UNP P48736
A	1012	VAL	ILE	conflict	UNP P48736
A	1103	HIS	-	expression tag	UNP P48736
A	1104	HIS	-	expression tag	UNP P48736
A	1105	HIS	-	expression tag	UNP P48736
A	1106	HIS	-	expression tag	UNP P48736
A	1107	HIS	-	expression tag	UNP P48736
A	1108	HIS	-	expression tag	UNP P48736

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is 6-(1H-pyrazolo[3,4-b]pyridin-5-yl)-4-pyridin-4-ylquinoline (CCD ID: LXX) (formula: C₂₀H₁₃N₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	N	0	0
			25	20	5		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	27	Total	O	0	0
			27	27		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Phosphatidylinositol-4,5-bisphosphate 3-kinase catalytic subunit gamma isoform



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	145.26Å 68.41Å 106.72Å 90.00° 94.76° 90.00°	Depositor
Resolution (Å)	39.43 – 2.30 39.43 – 2.30	Depositor EDS
% Data completeness (in resolution range)	81.1 (39.43-2.30) 81.1 (39.43-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.60 (at 2.29Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.5_2)	Depositor
R, R_{free}	0.216 , 0.280 0.211 , 0.275	Depositor DCC
R_{free} test set	1895 reflections (4.07%)	wwPDB-VP
Wilson B-factor (Å ²)	47.8	Xtriage
Anisotropy	0.276	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 59.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6836	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: LXX, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.33	0/6923	0.71	5/9368 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	788	ASP	CA-C-N	8.16	127.73	119.24
1	A	788	ASP	C-N-CA	8.16	127.73	119.24
1	A	906	VAL	N-CA-C	5.27	115.89	110.36
1	A	1039	MET	CA-C-N	5.19	125.23	119.32
1	A	1039	MET	C-N-CA	5.19	125.23	119.32

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6779	0	6833	154	0
2	A	5	0	0	0	0
3	A	25	0	13	3	0
4	A	27	0	0	0	0
All	All	6836	0	6846	155	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (155) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:798:ILE:HD12	1:A:798:ILE:H	1.35	0.91
1:A:1041:GLN:HG2	1:A:1042:LEU:HD13	1.50	0.89
1:A:955:THR:HG22	1:A:957:THR:H	1.39	0.86
1:A:896:VAL:HG11	1:A:901:ALA:HB3	1.60	0.83
1:A:767:LEU:HD22	1:A:803:VAL:HG23	1.63	0.80
1:A:738:VAL:HA	1:A:741:MET:HE2	1.66	0.76
1:A:181:VAL:O	1:A:185:MET:HG3	1.85	0.76
1:A:355:TRP:HA	1:A:421:LYS:HB2	1.67	0.75
1:A:887:THR:HG22	1:A:889:ALA:H	1.51	0.75
1:A:775:GLN:OE1	1:A:798:ILE:HD11	1.91	0.71
1:A:739:ILE:HG23	1:A:832:PHE:HZ	1.56	0.71
1:A:935:TYR:O	1:A:939:THR:HB	1.93	0.69
1:A:953:MET:HE1	3:A:1:LXX:C16	2.24	0.68
1:A:219:CYS:SG	1:A:234:LYS:HG3	2.33	0.68
1:A:693:HIS:CD2	1:A:789:PRO:HG3	2.29	0.68
1:A:947:ARG:HD3	1:A:968:ILE:HD12	1.78	0.66
1:A:498:ASN:ND2	1:A:1040:PRO:HB3	2.10	0.65
1:A:424:PRO:HG3	1:A:598:TRP:O	1.96	0.65
1:A:917:THR:OG1	1:A:919:GLU:HG2	1.95	0.65
1:A:651:LEU:HD22	1:A:655:ASP:HB3	1.80	0.63
1:A:800:LYS:CB	1:A:814:GLU:HG3	2.30	0.61
1:A:1092:LEU:HD12	1:A:1093:GLY:N	2.15	0.61
1:A:1092:LEU:HD11	1:A:1094:ILE:HG13	1.83	0.60
1:A:1035:LEU:HA	1:A:1039:MET:HG2	1.83	0.60
1:A:625:GLY:O	1:A:629:GLN:HG3	2.02	0.60
1:A:741:MET:HE1	1:A:779:LEU:HB2	1.83	0.60
1:A:798:ILE:H	1:A:798:ILE:CD1	2.12	0.60
1:A:887:THR:HG22	1:A:889:ALA:N	2.16	0.59
1:A:896:VAL:HG21	1:A:901:ALA:O	2.02	0.59
1:A:242:GLY:HA2	1:A:245:LEU:HD12	1.85	0.58
1:A:1087:PHE:CD2	1:A:1091:VAL:HG21	2.37	0.58
1:A:768:LYS:O	1:A:772:GLU:HG3	2.04	0.57
1:A:779:LEU:HD12	1:A:780:PRO:HD2	1.87	0.57
1:A:939:THR:HG23	1:A:945:GLY:CA	2.35	0.57
1:A:382:PHE:CE2	1:A:398:ARG:HD3	2.40	0.56
1:A:498:ASN:HD21	1:A:1040:PRO:HB3	1.70	0.56
1:A:905:GLU:HG2	1:A:993:PHE:CE1	2.40	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:889:ALA:O	1:A:893:GLN:HG3	2.05	0.56
1:A:387:ILE:HD13	1:A:468:LEU:HD12	1.88	0.56
1:A:748:ASP:O	1:A:752:LEU:HD23	2.05	0.55
1:A:509:ASP:OD2	1:A:512:ASN:HB2	2.06	0.55
1:A:182:THR:HB	1:A:183:PRO:HD3	1.88	0.55
1:A:1092:LEU:CD1	1:A:1094:ILE:HG13	2.36	0.55
1:A:800:LYS:HB2	1:A:814:GLU:HG3	1.90	0.54
1:A:800:LYS:HB3	1:A:814:GLU:HG3	1.90	0.54
1:A:726:THR:HA	1:A:729:LEU:HD12	1.90	0.54
1:A:739:ILE:O	1:A:743:GLN:HG3	2.08	0.54
1:A:1035:LEU:HA	1:A:1039:MET:CG	2.37	0.54
1:A:957:THR:HG22	1:A:957:THR:O	2.08	0.53
1:A:280:TYR:HB3	1:A:282:VAL:HG23	1.89	0.53
1:A:580:TYR:HE2	1:A:613:ARG:HD2	1.72	0.53
1:A:775:GLN:NE2	1:A:795:ALA:HB1	2.22	0.53
1:A:775:GLN:HE21	1:A:795:ALA:HB1	1.74	0.52
1:A:996:GLY:O	1:A:1003:SER:HB2	2.09	0.52
1:A:357:CYS:SG	1:A:527:ILE:HD13	2.49	0.52
3:A:1:LXX:C23	3:A:1:LXX:H25	2.37	0.52
1:A:1035:LEU:HD23	1:A:1039:MET:HG3	1.91	0.52
1:A:387:ILE:HD11	1:A:427:ALA:HB1	1.91	0.52
1:A:787:TYR:CE1	1:A:880:GLU:HB2	2.45	0.52
1:A:387:ILE:HD13	1:A:468:LEU:CD1	2.40	0.51
1:A:425:LYS:HD2	1:A:672:TYR:OH	2.09	0.51
1:A:759:VAL:HG12	1:A:764:ILE:HG12	1.92	0.51
1:A:393:VAL:HG23	1:A:393:VAL:O	2.11	0.51
1:A:905:GLU:HG2	1:A:993:PHE:CZ	2.46	0.51
1:A:905:GLU:HB3	1:A:909:HIS:CE1	2.46	0.50
1:A:201:TRP:NE1	1:A:291:GLN:HG3	2.27	0.50
1:A:280:TYR:HB3	1:A:282:VAL:CG2	2.42	0.50
1:A:293:VAL:HG13	1:A:303:ILE:HD11	1.94	0.50
1:A:235:VAL:HG11	1:A:244:ILE:HD11	1.94	0.49
1:A:989:PRO:HG2	1:A:1080:TRP:CD1	2.46	0.49
1:A:1035:LEU:CD2	1:A:1039:MET:HG3	2.42	0.49
1:A:149:ALA:HA	1:A:152:ARG:HD2	1.94	0.49
1:A:429:LEU:HB2	1:A:468:LEU:HD21	1.94	0.49
1:A:607:THR:O	1:A:610:LEU:HB2	2.13	0.49
1:A:939:THR:CG2	1:A:945:GLY:HA2	2.42	0.49
1:A:386:ASN:HB2	1:A:430:ASN:HB3	1.96	0.48
1:A:683:LYS:HE3	1:A:687:ARG:NH2	2.28	0.48
1:A:953:MET:SD	1:A:963:ILE:HD13	2.54	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:377:THR:HG23	1:A:378:ASP:HB3	1.96	0.48
1:A:173:LEU:O	1:A:177:ARG:HG3	2.14	0.48
1:A:148:GLN:O	1:A:152:ARG:HG3	2.14	0.48
1:A:705:GLN:HG3	1:A:839:ARG:CZ	2.44	0.48
1:A:774:LEU:HA	1:A:778:ASN:HB3	1.97	0.47
1:A:373:LEU:HD12	1:A:374:PRO:O	2.14	0.47
1:A:354:LEU:HA	1:A:527:ILE:CG2	2.44	0.47
1:A:939:THR:HG23	1:A:945:GLY:HA3	1.97	0.47
1:A:207:LEU:HD23	1:A:212:TRP:CD2	2.50	0.47
1:A:375:ARG:HD2	1:A:375:ARG:C	2.39	0.47
1:A:899:THR:C	1:A:901:ALA:H	2.23	0.47
1:A:988:THR:HB	1:A:989:PRO:HD2	1.97	0.46
1:A:377:THR:HA	1:A:378:ASP:HA	1.59	0.45
1:A:1042:LEU:HA	1:A:1047:ASP:OD2	2.16	0.45
1:A:224:ILE:HD12	1:A:248:PHE:CD1	2.51	0.45
1:A:624:VAL:O	1:A:628:MET:HG2	2.16	0.45
1:A:1087:PHE:O	1:A:1091:VAL:HB	2.17	0.45
1:A:905:GLU:C	1:A:909:HIS:HD1	2.25	0.45
1:A:965:PHE:O	1:A:969:LEU:HG	2.17	0.45
1:A:898:ASN:O	1:A:1087:PHE:HZ	2.00	0.44
1:A:983:VAL:HG22	1:A:984:PRO:HD2	1.98	0.44
1:A:916:PRO:HD2	1:A:920:LYS:HD2	1.99	0.44
1:A:589:TYR:O	1:A:593:PHE:HD1	2.00	0.44
1:A:1071:GLN:HA	1:A:1071:GLN:OE1	2.17	0.44
1:A:387:ILE:CG2	1:A:395:CYS:HB3	2.47	0.44
1:A:389:HIS:O	1:A:392:GLN:HB3	2.17	0.44
1:A:410:TRP:O	1:A:412:VAL:HG23	2.18	0.44
1:A:779:LEU:HD12	1:A:780:PRO:CD	2.48	0.44
1:A:953:MET:HE1	3:A:1:LXX:H16	1.99	0.44
1:A:651:LEU:HD22	1:A:655:ASP:CB	2.46	0.43
1:A:774:LEU:O	1:A:778:ASN:HB3	2.18	0.43
1:A:390:GLY:C	1:A:392:GLN:H	2.26	0.43
1:A:915:SER:OG	1:A:921:PHE:HB2	2.18	0.43
1:A:180:LEU:C	1:A:183:PRO:HD2	2.44	0.43
1:A:472:ARG:O	1:A:473:PHE:HB2	2.19	0.43
1:A:555:LEU:O	1:A:559:ILE:HG13	2.18	0.43
1:A:939:THR:HG23	1:A:945:GLY:HA2	1.99	0.43
1:A:366:ARG:NH1	1:A:479:GLU:OE2	2.52	0.43
1:A:282:VAL:HG12	1:A:283:GLY:H	1.84	0.43
1:A:731:ASP:O	1:A:735:GLN:HG3	2.18	0.43
1:A:374:PRO:C	1:A:376:ASN:H	2.26	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:933:ALA:O	1:A:937:VAL:HG23	2.19	0.43
1:A:380:THR:O	1:A:435:CYS:HA	2.19	0.43
1:A:291:GLN:HA	1:A:291:GLN:OE1	2.19	0.42
1:A:378:ASP:O	1:A:379:LEU:HB2	2.19	0.42
1:A:507:ASN:HA	1:A:508:PRO:HD3	1.91	0.42
1:A:809:LYS:N	1:A:810:PRO:HD3	2.34	0.42
1:A:935:TYR:CE1	1:A:961:PHE:HA	2.54	0.42
1:A:1055:LEU:O	1:A:1056:THR:C	2.62	0.42
1:A:1090:LEU:N	1:A:1090:LEU:HD12	2.34	0.42
1:A:466:LEU:HD11	1:A:476:ARG:HD3	2.00	0.42
1:A:280:TYR:OH	1:A:311:PRO:HG3	2.19	0.42
1:A:235:VAL:HG21	1:A:244:ILE:HD13	2.02	0.42
1:A:745:VAL:HG12	1:A:811:LEU:HD11	2.01	0.41
1:A:696:PHE:CD1	1:A:717:LEU:HD11	2.55	0.41
1:A:358:ASP:O	1:A:419:LYS:HG3	2.19	0.41
1:A:422:ASP:HB3	1:A:599:GLY:O	2.21	0.41
1:A:424:PRO:HD2	1:A:427:ALA:HB2	2.02	0.41
1:A:640:VAL:O	1:A:643:ILE:HG12	2.21	0.41
1:A:1028:ILE:HG12	1:A:1051:ILE:HG23	2.01	0.41
1:A:862:LEU:HD22	1:A:862:LEU:N	2.36	0.41
1:A:953:MET:HG3	1:A:963:ILE:HD13	2.01	0.41
1:A:1008:LYS:O	1:A:1012:VAL:HG23	2.20	0.41
1:A:1086:TRP:HE3	1:A:1090:LEU:HD13	1.85	0.41
1:A:233:ILE:HD12	1:A:248:PHE:HD1	1.86	0.41
1:A:310:PRO:HA	1:A:311:PRO:HD3	1.89	0.41
1:A:557:ALA:O	1:A:561:THR:HG23	2.21	0.41
1:A:762:GLN:O	1:A:766:GLN:HG2	2.21	0.41
1:A:706:SER:O	1:A:710:GLN:HB3	2.21	0.41
1:A:605:ALA:O	1:A:609:GLN:HG3	2.21	0.40
1:A:802:LYS:HG3	1:A:812:TRP:HB3	2.03	0.40
1:A:892:GLN:HE22	1:A:1080:TRP:HH2	1.69	0.40
1:A:915:SER:HA	1:A:916:PRO:HD3	1.89	0.40
1:A:1035:LEU:HD12	1:A:1048:ILE:HA	2.04	0.40
1:A:914:LYS:HD3	1:A:914:LYS:HA	1.95	0.40
1:A:783:PHE:CE1	1:A:793:ALA:HB3	2.56	0.40
1:A:1041:GLN:O	1:A:1042:LEU:HD12	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	818/966 (85%)	777 (95%)	39 (5%)	2 (0%)	43	55

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	227	SER
1	A	896	VAL

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	751/864 (87%)	730 (97%)	21 (3%)	38	56

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	195	LEU
1	A	233	ILE
1	A	234	LYS
1	A	271	VAL
1	A	282	VAL
1	A	380	THR
1	A	601	GLN
1	A	763	VAL
1	A	764	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	779	LEU
1	A	802	LYS
1	A	858	GLU
1	A	896	VAL
1	A	907	LEU
1	A	939	THR
1	A	947	ARG
1	A	959	ASN
1	A	983	VAL
1	A	1026	LEU
1	A	1027	LEU
1	A	1039	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	151	GLN
1	A	386	ASN
1	A	389	HIS
1	A	396	GLN
1	A	430	ASN
1	A	465	ASN
1	A	483	HIS
1	A	705	GLN
1	A	743	GLN
1	A	769	GLN
1	A	773	ASN
1	A	825	ASN
1	A	834	HIS
1	A	908	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	LXX	A	1	-	29,29,29	2.06	10 (34%)	41,41,41	7.13	14 (34%)
2	SO4	A	2	-	4,4,4	0.24	0	6,6,6	0.17	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	LXX	A	1	-	-	0/8/8/8	0/5/5/5

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1	LXX	C1-N2	7.09	1.37	1.32
3	A	1	LXX	C9-C1	-4.20	1.37	1.42
3	A	1	LXX	C17-C18	-2.95	1.44	1.49
3	A	1	LXX	C24-C13	-2.54	1.38	1.42
3	A	1	LXX	C12-C13	-2.40	1.37	1.41
3	A	1	LXX	N3-N2	-2.31	1.34	1.36
3	A	1	LXX	C10-C7	-2.19	1.43	1.49
3	A	1	LXX	C13-N14	-2.11	1.33	1.37
3	A	1	LXX	C25-C24	-2.08	1.38	1.42
3	A	1	LXX	C17-C24	-2.07	1.38	1.42

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1	LXX	C4-N3-N2	-32.62	103.63	111.26
3	A	1	LXX	C1-N2-N3	16.42	114.59	106.02
3	A	1	LXX	C8-C9-C4	14.90	130.14	118.20
3	A	1	LXX	C9-C1-N2	-10.65	103.93	111.68
3	A	1	LXX	C9-C4-N5	-10.10	120.67	126.66
3	A	1	LXX	C9-C4-N3	8.70	111.00	107.21
3	A	1	LXX	C8-C9-C1	-8.51	123.00	135.46
3	A	1	LXX	C9-C8-C7	-8.31	107.51	121.77
3	A	1	LXX	C4-C9-C1	4.81	106.85	104.25
3	A	1	LXX	C8-C7-C6	3.96	121.35	117.10
3	A	1	LXX	C7-C6-N5	3.75	130.26	124.28
3	A	1	LXX	C6-N5-C4	-3.12	110.08	116.19
3	A	1	LXX	N3-C4-N5	2.85	128.34	125.83
3	A	1	LXX	C17-C24-C13	2.75	119.46	117.54

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1	LXX	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	837/966 (86%)	0.29	37 (4%)	39 41	25, 56, 110, 174	1 (0%)

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	898	ASN	4.9
1	A	1002	THR	4.4
1	A	229	THR	4.2
1	A	1094	ILE	3.8
1	A	1092	LEU	3.3
1	A	1058	GLY	3.2
1	A	999	GLY	3.2
1	A	777	LEU	3.2
1	A	896	VAL	3.1
1	A	996	GLY	2.8
1	A	147	SER	2.8
1	A	250	THR	2.8
1	A	897	GLY	2.7
1	A	752	LEU	2.6
1	A	761	SER	2.5
1	A	895	THR	2.4
1	A	527	ILE	2.4
1	A	909	HIS	2.4
1	A	149	ALA	2.4
1	A	284	GLU	2.4
1	A	353	SER	2.4
1	A	379	LEU	2.3
1	A	529	LEU	2.3
1	A	374	PRO	2.3
1	A	876	ILE	2.3
1	A	248	PHE	2.2
1	A	894	SER	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	893	GLN	2.1
1	A	369	ASP	2.1
1	A	212	TRP	2.1
1	A	477	ARG	2.1
1	A	778	ASN	2.1
1	A	744	LYS	2.0
1	A	378	ASP	2.0
1	A	903	LYS	2.0
1	A	899	THR	2.0
1	A	392	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	LXX	A	1	25/25	0.87	0.13	46,67,75,76	0
2	SO4	A	2	5/5	0.98	0.07	39,49,56,56	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.