



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:46 PM UTC

PDB ID : 5L5R / pdb_00005l5r
Title : Yeast 20S proteasome with human beta5i (1-138;V31M) and human beta6 (97-111; 118-133)
Authors : Groll, M.; Huber, E.M.
Deposited on : 2016-05-28
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.














Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	 97% ..
1	O	250	 98% ..
2	B	258	 86% 7% • 5%
2	P	258	 86% 8% • 5%
3	C	254	 87% 6% • 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	%  86% 7% • 6%
4	D	260	 85% 5% 10%
4	R	260	 85% 5% 10%
5	E	234	%  94% 5% •
5	S	234	 94% • •
6	F	288	 81% • 16%
6	T	288	 81% • 16%
7	G	252	 88% 7% •
7	U	252	%  88% 7% •
8	H	232	 88% 8% • •
8	V	232	%  90% 7% • •
9	I	205	%  94% 5%
9	W	205	2%  92% 8%
10	J	198	%  88% 8% • •
10	X	198	%  88% 8% • • •
11	K	211	2%  85% 14% •
11	Y	211	%  84% 12% •
12	L	222	%  93% 7%
12	Z	222	%  93% 7%
13	M	246	 87% 7% 5%
13	a	246	%  88% 7% 5%
14	N	196	 94% 5% •
14	b	196	 94% 5% •

2 Entry composition

There are 17 unique types of molecules in this entry. The entry contains 49589 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	226	Total	C	N	O	S	0	1	0
			1726	1087	300	332	7			
8	V	226	Total	C	N	O	S	0	0	0
			1719	1082	298	332	7			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-8,Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	211	Total	C	N	O	S	0	0	0
			1641	1035	282	311	13			
11	Y	211	Total	C	N	O	S	0	0	0
			1641	1035	282	311	13			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	31	MET	VAL	conflict	UNP P28062
Y	31	MET	VAL	conflict	UNP P28062

- Molecule 12 is a protein called Proteasome subunit beta type-6,Proteasome subunit beta type-1,Proteasome subunit beta type-6,Proteasome subunit beta type-1,Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1764	1119	305	336	4			
12	Z	222	Total	C	N	O	S	0	0	0
			1764	1119	305	336	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			
13	a	233	Total	C	N	O	S	0	1	0
			1835	1160	316	352	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			

- Molecule 15 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	G	1	Total	Mg	0	0
			1	1		
15	H	1	Total	Mg	0	0
			1	1		
15	I	2	Total	Mg	0	0
			2	2		
15	K	1	Total	Mg	0	0
			1	1		
15	L	1	Total	Mg	0	0
			1	1		
15	N	1	Total	Mg	0	0
			1	1		
15	Z	1	Total	Mg	0	0
			1	1		

- Molecule 16 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	G	1	Total	Cl	0	0
			1	1		
16	U	1	Total	Cl	0	0
			1	1		

- Molecule 17 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	A	5	Total	O	0	0
			5	5		
17	B	6	Total	O	0	0
			6	6		
17	C	6	Total	O	0	0
			6	6		
17	D	10	Total	O	0	0
			10	10		
17	E	4	Total	O	0	0
			4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
17	F	7	Total O 7 7	0	0
17	G	6	Total O 6 6	0	0
17	H	5	Total O 5 5	0	0
17	I	9	Total O 9 9	0	0
17	J	8	Total O 8 8	0	0
17	K	5	Total O 5 5	0	0
17	L	8	Total O 8 8	0	0
17	M	6	Total O 6 6	0	0
17	N	9	Total O 9 9	0	0
17	O	3	Total O 3 3	0	0
17	P	9	Total O 9 9	0	0
17	Q	7	Total O 7 7	0	0
17	R	5	Total O 5 5	0	0
17	S	8	Total O 8 8	0	0
17	T	7	Total O 7 7	0	0
17	U	8	Total O 8 8	0	0
17	V	6	Total O 6 6	0	0
17	W	7	Total O 7 7	0	0
17	X	3	Total O 3 3	0	0
17	Y	7	Total O 7 7	0	0
17	Z	5	Total O 5 5	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	a	9	Total	O	0	0
			9	9		
17	b	9	Total	O	0	0
			9	9		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Proteasome subunit alpha type-2

Chain A:  97% ..



- Molecule 1: Proteasome subunit alpha type-2

Chain O:  98% ..




- Molecule 2: Proteasome subunit alpha type-3

Chain B:  86% 7% 5% 2%




- Molecule 2: Proteasome subunit alpha type-3

Chain P:  86% 8% 5% 2%




- Molecule 3: Proteasome subunit alpha type-4



Chain C:  87% 6% 6% 4%





- Molecule 3: Proteasome subunit alpha type-4



- Molecule 4: Proteasome subunit alpha type-5



- Molecule 4: Proteasome subunit alpha type-5





- Molecule 5: Proteasome subunit alpha type-6




- Molecule 5: Proteasome subunit alpha type-6




- Molecule 6: Probable proteasome subunit alpha type-7



- Molecule 6: Probable proteasome subunit alpha type-7





• Molecule 7: Proteasome subunit alpha type-1

Chain G: 88% 7% .



• Molecule 7: Proteasome subunit alpha type-1

Chain U: 88% 7% .



• Molecule 8: Proteasome subunit beta type-2

Chain H: 88% 8% ..




• Molecule 8: Proteasome subunit beta type-2

Chain V: 90% 7% ..




• Molecule 9: Proteasome subunit beta type-3

Chain I: 94% 5%




• Molecule 9: Proteasome subunit beta type-3


Chain W: 92% 8% 2%




- Molecule 10: Proteasome subunit beta type-4




- Molecule 10: Proteasome subunit beta type-4




- Molecule 11: Proteasome subunit beta type-8, Proteasome subunit beta type-5



- Molecule 11: Proteasome subunit beta type-8, Proteasome subunit beta type-5



- Molecule 12: Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6




- Molecule 12: Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6





- Molecule 13: Proteasome subunit beta type-7

Chain M: 87% 7% 5%




- Molecule 13: Proteasome subunit beta type-7

Chain a: 88% 7% 5%




- Molecule 14: Proteasome subunit beta type-1

Chain N: 94% 5% .



- Molecule 14: Proteasome subunit beta type-1

Chain b: 94% 5% .



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	133.83Å 301.16Å 144.98Å 90.00° 112.67° 90.00°	Depositor
Resolution (Å)	15.00 – 2.90 15.00 – 2.90	Depositor EDS
% Data completeness (in resolution range)	97.3 (15.00-2.90) 96.6 (15.00-2.90)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.31 (at 2.91Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.196 , 0.221 (Not available) , 0.205	Depositor DCC
R_{free} test set	11263 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	64.0	Xtriage
Anisotropy	0.182	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 55.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	49589	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.39	0/1952	0.67	0/2642
1	O	0.38	0/1952	0.68	0/2642
2	B	0.39	0/1934	0.68	0/2618
2	P	0.38	0/1934	0.68	0/2618
3	C	0.38	0/1910	0.70	1/2586 (0.0%)
3	Q	0.39	0/1910	0.70	1/2586 (0.0%)
4	D	0.37	0/1837	0.65	0/2475
4	R	0.38	0/1837	0.65	0/2475
5	E	0.38	0/1800	0.65	0/2433
5	S	0.38	0/1800	0.65	0/2433
6	F	0.39	0/1932	0.69	0/2609
6	T	0.39	0/1932	0.69	0/2609
7	G	0.37	0/1945	0.66	0/2634
7	U	0.37	0/1945	0.67	0/2634
8	H	0.44	2/1761 (0.1%)	0.80	2/2388 (0.1%)
8	V	0.35	0/1750	0.67	0/2373
9	I	0.37	0/1611	0.72	0/2174
9	W	0.39	0/1611	0.75	2/2174 (0.1%)
10	J	0.38	0/1589	0.85	6/2142 (0.3%)
10	X	0.38	0/1589	0.83	6/2142 (0.3%)
11	K	0.40	0/1678	0.74	0/2263
11	Y	0.48	0/1678	0.76	0/2263
12	L	0.40	0/1802	0.71	0/2430
12	Z	0.42	0/1802	0.71	0/2430
13	M	0.37	0/1855	0.70	1/2514 (0.0%)
13	a	0.37	0/1866	0.71	1/2528 (0.0%)
14	N	0.35	0/1541	0.69	0/2087
14	b	0.35	0/1541	0.70	0/2087
All	All	0.39	2/50294 (0.0%)	0.70	20/67989 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
10	J	0	2
10	X	0	2
All	All	0	4

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	H	114[A]	HIS	CA-C	6.78	1.60	1.52
8	H	114[B]	HIS	CA-C	6.78	1.60	1.52

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	H	114[A]	HIS	CA-C-O	12.98	134.47	120.71
8	H	114[B]	HIS	CA-C-O	12.98	134.47	120.71
10	J	149	ARG	NE-CZ-NH1	-11.26	110.24	121.50
10	X	95	ARG	NE-CZ-NH1	-10.73	110.77	121.50
10	J	95	ARG	NE-CZ-NH2	-10.30	109.93	119.20
10	X	149	ARG	NE-CZ-NH2	-10.13	110.09	119.20
10	X	95	ARG	NE-CZ-NH2	10.07	128.26	119.20
10	J	149	ARG	NE-CZ-NH2	10.05	128.24	119.20
10	J	95	ARG	CD-NE-CZ	9.85	138.19	124.40
10	J	149	ARG	CD-NE-CZ	9.67	137.94	124.40
10	X	149	ARG	CD-NE-CZ	9.18	137.25	124.40
10	X	95	ARG	CD-NE-CZ	8.52	136.32	124.40
9	W	129	ILE	N-CA-C	6.71	118.25	108.58
10	X	149	ARG	NE-CZ-NH1	6.18	127.68	121.50
10	J	95	ARG	NE-CZ-NH1	5.88	127.38	121.50
3	C	201	VAL	N-CA-C	5.71	116.44	110.62
3	Q	201	VAL	N-CA-C	5.65	116.38	110.62
13	a	10	SER	N-CA-C	5.43	117.95	110.35
9	W	127	GLY	N-CA-C	5.30	123.77	114.76
13	M	10	SER	N-CA-C	5.09	117.48	110.35

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
10	J	149	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
10	J	95	ARG	Sidechain
10	X	149	ARG	Sidechain
10	X	95	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	3	0
1	O	1915	0	1929	3	0
2	B	1904	0	1904	9	0
2	P	1904	0	1904	11	0
3	C	1881	0	1895	8	0
3	Q	1881	0	1895	14	0
4	D	1813	0	1797	5	0
4	R	1813	0	1797	6	0
5	E	1773	0	1775	3	0
5	S	1773	0	1775	2	0
6	F	1892	0	1883	3	0
6	T	1892	0	1883	3	0
7	G	1907	0	1901	6	0
7	U	1907	0	1901	6	0
8	H	1726	0	1726	19	0
8	V	1719	0	1719	12	0
9	I	1581	0	1574	7	0
9	W	1581	0	1574	9	0
10	J	1561	0	1569	13	0
10	X	1561	0	1569	18	0
11	K	1641	0	1581	25	0
11	Y	1641	0	1581	28	0
12	L	1764	0	1716	6	0
12	Z	1764	0	1716	8	0
13	M	1824	0	1832	6	0
13	a	1835	0	1844	7	0
14	N	1512	0	1481	6	0
14	b	1512	0	1481	4	0
15	G	1	0	0	0	0
15	H	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
15	I	2	0	0	0	0
15	K	1	0	0	0	0
15	L	1	0	0	0	0
15	N	1	0	0	0	0
15	Z	1	0	0	0	0
16	G	1	0	0	0	0
16	U	1	0	0	0	0
17	A	5	0	0	0	0
17	B	6	0	0	0	0
17	C	6	0	0	0	0
17	D	10	0	0	0	0
17	E	4	0	0	0	0
17	F	7	0	0	0	0
17	G	6	0	0	0	0
17	H	5	0	0	0	0
17	I	9	0	0	0	0
17	J	8	0	0	0	0
17	K	5	0	0	2	0
17	L	8	0	0	0	0
17	M	6	0	0	0	0
17	N	9	0	0	0	0
17	O	3	0	0	0	0
17	P	9	0	0	1	0
17	Q	7	0	0	0	0
17	R	5	0	0	0	0
17	S	8	0	0	0	0
17	T	7	0	0	0	0
17	U	8	0	0	0	0
17	V	6	0	0	0	0
17	W	7	0	0	0	0
17	X	3	0	0	0	0
17	Y	7	0	0	0	0
17	Z	5	0	0	0	0
17	a	9	0	0	0	0
17	b	9	0	0	0	0
All	All	49589	0	49131	212	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (212) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:K:35:ILE:HD12	11:K:56:GLU:OE1	1.58	1.03
8:H:97:TYR:HE2	8:H:114[B]:HIS:HD1	1.02	0.93
10:X:23:ARG:NH2	11:Y:119:THR:HG21	1.84	0.93
8:H:97:TYR:HE2	8:H:114[B]:HIS:ND1	1.67	0.92
11:Y:46:SER:HB2	11:Y:98:GLY:O	1.74	0.87
11:Y:115:ASP:OD1	11:Y:117:HIS:HB2	1.77	0.85
8:H:97:TYR:CE2	8:H:114[B]:HIS:ND1	2.43	0.85
11:Y:116:GLU:OE1	11:Y:117:HIS:N	2.13	0.81
11:K:18:SER:OG	11:K:30:ARG:HA	1.81	0.81
11:K:115:ASP:OD1	11:K:119:THR:HB	1.85	0.77
11:Y:18:SER:OG	11:Y:30:ARG:HA	1.84	0.76
11:K:35:ILE:CD1	11:K:56:GLU:OE1	2.38	0.71
11:K:115:ASP:OD2	11:K:117:HIS:HB2	1.90	0.71
10:X:23:ARG:NH2	11:Y:119:THR:CG2	2.58	0.67
11:K:35:ILE:HD12	11:K:56:GLU:CD	2.21	0.66
11:K:44:THR:HG1	11:K:100:MET:H	1.43	0.66
10:J:1:MET:HE2	10:J:34:LYS:HG2	1.78	0.65
12:Z:31:THR:HG23	12:Z:36:ASN:HD21	1.62	0.65
12:L:31:THR:HG23	12:L:36:ASN:HD21	1.62	0.63
2:P:93:HIS:HB3	17:P:301:HOH:O	1.98	0.62
10:X:1:MET:HE2	10:X:34:LYS:HG2	1.81	0.62
11:K:20:ALA:HB3	11:K:28:ALA:HB3	1.83	0.61
7:G:23:PHE:O	7:G:26:THR:HB	2.01	0.60
11:Y:20:ALA:HB3	11:Y:28:ALA:HB3	1.84	0.59
11:K:144:LYS:HB2	11:K:147:LEU:HD13	1.85	0.58
8:H:97:TYR:HE2	8:H:114[B]:HIS:CE1	2.22	0.58
7:U:23:PHE:O	7:U:26:THR:HB	2.05	0.56
11:Y:44:THR:HG1	11:Y:100:MET:H	1.50	0.56
14:b:152:VAL:HA	14:b:175:MET:HE1	1.87	0.56
11:Y:144:LYS:HB2	11:Y:147:LEU:HD13	1.85	0.56
2:P:217:LYS:C	2:P:219:ALA:H	2.14	0.56
10:X:3:ILE:CD1	10:X:168:LEU:HD13	2.37	0.55
11:K:46:SER:HB2	11:K:98:GLY:O	2.06	0.55
14:N:152:VAL:HA	14:N:175:MET:HE1	1.87	0.55
10:J:3:ILE:CD1	10:J:168:LEU:HD13	2.37	0.55
2:B:217:LYS:C	2:B:219:ALA:H	2.14	0.55
1:O:1:MET:HG3	6:T:122:TYR:CZ	2.41	0.54
3:Q:51:LYS:O	3:Q:52:LEU:HB2	2.07	0.54
14:b:83:LYS:HG3	14:b:119:VAL:CG2	2.38	0.54
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.90	0.54
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.90	0.53
10:J:139:TYR:OH	10:X:25:ILE:O	2.25	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:K:208:ASN:O	9:W:38:LYS:NZ	2.41	0.53
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.39	0.53
10:J:1:MET:HE2	10:J:34:LYS:CG	2.40	0.52
3:C:51:LYS:O	3:C:52:LEU:HB2	2.08	0.52
10:J:25:ILE:O	10:X:139:TYR:OH	2.23	0.52
10:J:23:ARG:NH2	11:K:119:THR:OG1	2.42	0.52
3:Q:99:GLU:HG3	11:Y:81:LYS:CD	2.40	0.52
3:C:201:VAL:O	3:C:202:GLN:CB	2.58	0.52
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.58	0.51
9:I:38:LYS:NZ	11:Y:208:ASN:O	2.44	0.51
8:H:196:ARG:NH2	9:I:150:GLU:O	2.45	0.50
11:K:116:GLU:OE2	11:K:116:GLU:N	2.44	0.50
2:B:50:LYS:O	2:B:51:VAL:C	2.55	0.50
8:V:80:LEU:HD12	8:V:113:ILE:HD11	1.94	0.49
10:X:1:MET:HE2	10:X:34:LYS:CG	2.42	0.49
2:P:50:LYS:O	2:P:51:VAL:C	2.55	0.49
3:Q:99:GLU:CG	11:Y:81:LYS:HZ2	2.24	0.49
10:X:148:TYR:O	10:X:149:ARG:HD3	2.13	0.49
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.78	0.49
3:Q:99:GLU:CG	11:Y:81:LYS:NZ	2.76	0.49
9:W:123:PHE:HA	9:W:128:CYS:O	2.12	0.48
8:H:80:LEU:HD12	8:H:113:ILE:HD11	1.94	0.48
8:H:139:GLU:OE1	13:a:187:ARG:NH1	2.42	0.48
11:K:115:ASP:OD1	11:K:119:THR:CB	2.58	0.48
2:B:47:ALA:HB1	2:B:64:LYS:HD2	1.96	0.48
11:Y:113:TYR:CD2	11:Y:121:LEU:HD12	2.49	0.48
10:X:168:LEU:O	10:X:172:MET:HB2	2.14	0.47
11:Y:113:TYR:HD2	11:Y:121:LEU:HD12	1.79	0.47
12:Z:146:ILE:HG22	12:Z:150:LEU:HD22	1.96	0.47
1:A:1:MET:HG3	6:F:122:TYR:CZ	2.49	0.47
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.49	0.47
2:P:47:ALA:HB1	2:P:64:LYS:HD2	1.96	0.47
9:W:10:ILE:HG21	9:W:141:ALA:HB3	1.97	0.47
9:I:10:ILE:HG21	9:I:141:ALA:HB3	1.97	0.47
9:W:9:GLY:HA3	9:W:41:LYS:HE2	1.96	0.47
2:B:221:ASP:O	2:B:223:GLU:N	2.48	0.47
10:J:168:LEU:O	10:J:172:MET:HB2	2.14	0.47
3:Q:160:GLN:HA	3:Q:160:GLN:HE21	1.78	0.47
9:I:20:VAL:HG13	9:I:118:PRO:HB3	1.96	0.47
11:K:44:THR:OG1	11:K:100:MET:N	2.35	0.46
8:V:35:HIS:CB	8:V:56:THR:HG21	2.45	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:P:221:ASP:O	2:P:223:GLU:N	2.48	0.46
11:K:35:ILE:HD12	11:K:56:GLU:HB2	1.97	0.46
8:H:35:HIS:CB	8:H:56:THR:HG21	2.46	0.46
11:K:35:ILE:HD12	11:K:56:GLU:CB	2.45	0.46
2:P:145:TYR:OH	2:P:217:LYS:N	2.48	0.46
9:W:20:VAL:HG13	9:W:118:PRO:HB3	1.96	0.46
9:I:20:VAL:HG23	9:I:189:ILE:HB	1.97	0.46
12:L:146:ILE:HG22	12:L:150:LEU:HD22	1.97	0.46
3:Q:96:LEU:O	11:Y:81:LYS:HE2	2.15	0.46
4:D:91:HIS:HB3	4:D:99:ILE:CG2	2.46	0.46
4:R:91:HIS:HB3	4:R:99:ILE:CG2	2.46	0.46
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.97	0.45
11:Y:52:CYS:SG	11:Y:97:MET:HG3	2.57	0.45
2:B:145:TYR:OH	2:B:217:LYS:N	2.49	0.45
8:H:97:TYR:CE2	8:H:114[B]:HIS:CE1	3.03	0.45
7:G:73:VAL:HG12	7:G:133:THR:HB	1.98	0.45
9:I:9:GLY:HA3	9:I:41:LYS:HE2	1.97	0.45
9:W:20:VAL:HG23	9:W:189:ILE:HB	1.97	0.45
10:J:132:ALA:HB1	10:J:136:SER:HB2	1.98	0.45
7:U:73:VAL:HG12	7:U:133:THR:HB	1.98	0.45
3:C:35:LYS:HG2	3:C:158:SER:O	2.17	0.44
3:C:99:GLU:HG3	11:K:81:LYS:CD	2.47	0.44
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.98	0.44
10:J:1:MET:HA	10:J:34:LYS:CE	2.47	0.44
10:X:1:MET:HA	10:X:34:LYS:CE	2.47	0.44
11:K:115:ASP:OD2	11:K:117:HIS:N	2.43	0.44
11:Y:82:LEU:O	11:Y:86:MET:HG3	2.18	0.44
14:N:133:PHE:HA	14:b:132:THR:O	2.17	0.44
10:X:23:ARG:HH22	11:Y:119:THR:HG21	1.78	0.44
13:M:96:LEU:O	13:M:100:MET:HG2	2.18	0.44
3:Q:99:GLU:HG3	11:Y:81:LYS:NZ	2.33	0.44
9:W:125:LEU:N	9:W:125:LEU:HD23	2.32	0.44
3:C:201:VAL:O	3:C:202:GLN:HB3	2.18	0.44
13:M:17:ASP:OD1	13:M:18:ASN:N	2.51	0.44
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.18	0.44
12:Z:54:ALA:HA	12:Z:109:ASN:HD22	1.83	0.44
3:Q:201:VAL:O	3:Q:202:GLN:HB3	2.18	0.43
3:C:149:GLU:HB2	3:C:150:PRO:HD2	2.00	0.43
13:a:17:ASP:OD1	13:a:18:ASN:N	2.51	0.43
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.48	0.43
4:D:160:ASN:HB3	4:D:179:TRP:CE2	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:G:78:ILE:N	7:G:79:PRO:CD	2.81	0.43
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.48	0.43
13:a:96:LEU:O	13:a:100:MET:HG2	2.18	0.43
7:U:78:ILE:N	7:U:79:PRO:CD	2.81	0.43
8:V:196:ARG:NH2	9:W:150:GLU:O	2.52	0.43
2:B:217:LYS:C	2:B:219:ALA:N	2.77	0.43
8:V:99:ILE:HG13	8:V:127:LEU:HD22	2.01	0.43
10:X:3:ILE:HG22	10:X:18:SER:HB3	2.00	0.43
4:D:91:HIS:HB3	4:D:99:ILE:HG22	2.01	0.43
2:P:119:GLN:CG	3:Q:78:ALA:HB1	2.48	0.43
3:Q:149:GLU:HB2	3:Q:150:PRO:HD2	2.00	0.43
5:S:87:LEU:HD21	5:S:107:ALA:HB1	2.00	0.43
10:X:132:ALA:HB1	10:X:136:SER:HB2	1.99	0.43
11:Y:35:ILE:HG21	11:Y:56:GLU:HB3	2.01	0.43
4:R:91:HIS:HB3	4:R:99:ILE:HG22	2.01	0.43
5:S:12:PHE:H	6:T:19:GLN:HE22	1.67	0.43
6:T:198:LEU:HD12	6:T:243:ILE:HG22	2.00	0.43
3:C:147:GLN:NE2	3:C:160:GLN:OE1	2.52	0.42
3:Q:99:GLU:HG3	11:Y:81:LYS:HD3	2.00	0.42
4:R:160:ASN:HB3	4:R:179:TRP:CE2	2.54	0.42
9:W:125:LEU:HD23	9:W:125:LEU:H	1.84	0.42
11:K:52:CYS:SG	11:K:97:MET:HG3	2.58	0.42
4:R:88:ALA:HA	4:R:99:ILE:HG21	2.02	0.42
8:V:112:SER:HB3	8:V:125:LEU:HD13	2.01	0.42
7:G:68:ARG:HH12	14:N:36:ARG:HH22	1.65	0.42
14:N:176:VAL:HG12	14:N:178:LEU:HD13	2.01	0.42
8:V:104:ASP:OD1	8:V:106:THR:HB	2.19	0.42
10:J:3:ILE:HG22	10:J:18:SER:HB3	2.00	0.42
11:Y:115:ASP:OD1	11:Y:119:THR:OG1	2.38	0.42
4:D:88:ALA:HA	4:D:99:ILE:HG21	2.02	0.42
4:D:89:VAL:HG12	11:K:61:LYS:HG3	2.02	0.42
11:K:82:LEU:O	11:K:86:MET:HG3	2.19	0.42
11:K:117:HIS:CE1	17:K:402:HOH:O	2.73	0.42
8:V:92:GLY:HA3	8:V:116:HIS:ND1	2.34	0.42
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.20	0.42
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.50	0.42
3:Q:147:GLN:NE2	3:Q:160:GLN:OE1	2.53	0.42
4:R:89:VAL:HG12	11:Y:61:LYS:HG3	2.00	0.42
11:Y:35:ILE:CG2	11:Y:37:ILE:HG13	2.50	0.42
13:a:130:VAL:HA	13:a:135:VAL:O	2.20	0.42
8:H:92:GLY:HA3	8:H:116:HIS:ND1	2.35	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:H:99:ILE:HG13	8:H:127:LEU:HD22	2.02	0.42
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.50	0.42
14:b:176:VAL:HG12	14:b:178:LEU:HD13	2.01	0.42
5:E:87:LEU:HD21	5:E:107:ALA:HB1	2.01	0.42
11:K:117:HIS:HE1	17:K:402:HOH:O	2.02	0.42
6:F:198:LEU:HD12	6:F:243:ILE:HG22	2.00	0.42
10:J:177:LYS:NZ	10:X:169:GLU:O	2.52	0.42
12:L:8:ASN:HA	12:L:30:ILE:O	2.20	0.41
11:Y:125:MET:SD	11:Y:139:LEU:HB3	2.60	0.41
2:B:50:LYS:HD3	2:B:50:LYS:HA	1.81	0.41
8:H:112:SER:HB3	8:H:125:LEU:HD13	2.03	0.41
8:V:35:HIS:HB3	8:V:56:THR:HG21	2.02	0.41
12:Z:36:ASN:HB3	13:a:137:TYR:CD1	2.55	0.41
5:E:77:ALA:N	5:E:78:PRO:CD	2.84	0.41
13:M:187:ARG:NH1	8:V:139:GLU:OE1	2.50	0.41
11:Y:51:ASP:OD1	12:Z:98:TYR:OH	2.30	0.41
8:H:104:ASP:OD1	8:H:106:THR:HB	2.20	0.41
10:J:169:GLU:O	10:X:177:LYS:NZ	2.53	0.41
11:K:33:LYS:O	11:K:45:MET:HG3	2.21	0.41
8:H:196:ARG:NH2	9:I:150:GLU:HG3	2.35	0.41
1:A:122:THR:HG22	2:B:128:ARG:HH21	1.85	0.41
5:E:12:PHE:H	6:F:19:GLN:HE22	1.69	0.41
13:M:130:VAL:HA	13:M:135:VAL:O	2.20	0.41
1:O:122:THR:HG22	2:P:128:ARG:HH21	1.85	0.41
12:L:54:ALA:HA	12:L:109:ASN:HD22	1.85	0.41
13:M:165:ILE:HB	13:M:166:PRO:HD3	2.03	0.41
13:a:165:ILE:HB	13:a:166:PRO:HD3	2.03	0.41
12:L:138:ALA:HB3	12:L:147:MET:HG2	2.03	0.41
4:R:91:HIS:CD2	4:R:99:ILE:HG22	2.56	0.40
8:V:163:ILE:HG23	8:V:170:GLY:HA2	2.02	0.40
12:Z:147:MET:N	12:Z:148:PRO:CD	2.84	0.40
7:G:165:LYS:HD2	7:G:205:LEU:HD22	2.03	0.40
12:L:147:MET:N	12:L:148:PRO:CD	2.84	0.40
10:X:23:ARG:HH21	11:Y:119:THR:HG21	1.76	0.40
13:M:127:LEU:HG	13:M:142:LEU:HD12	2.04	0.40
2:P:217:LYS:C	2:P:219:ALA:N	2.77	0.40
8:V:92:GLY:HA3	8:V:116:HIS:CE1	2.56	0.40
10:X:3:ILE:HG12	10:X:136:SER:OG	2.21	0.40
8:H:35:HIS:HB3	8:H:56:THR:HG21	2.03	0.40
2:P:50:LYS:HD3	2:P:50:LYS:HA	1.82	0.40
1:A:75:TYR:HB3	1:A:82:TYR:CD1	2.57	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
14:N:35:THR:HG21	13:a:228:TYR:HE2	1.86	0.40
7:U:165:LYS:HD2	7:U:205:LEU:HD22	2.04	0.40
12:Z:138:ALA:HB3	12:Z:147:MET:HG2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	30	59
1	O	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	30	59
2	B	242/258 (94%)	234 (97%)	4 (2%)	4 (2%)	7	26
2	P	242/258 (94%)	234 (97%)	4 (2%)	4 (2%)	7	26
3	C	238/254 (94%)	232 (98%)	3 (1%)	3 (1%)	9	32
3	Q	238/254 (94%)	232 (98%)	3 (1%)	3 (1%)	9	32
4	D	231/260 (89%)	226 (98%)	5 (2%)	0	100	100
4	R	231/260 (89%)	226 (98%)	5 (2%)	0	100	100
5	E	229/234 (98%)	224 (98%)	5 (2%)	0	100	100
5	S	229/234 (98%)	224 (98%)	5 (2%)	0	100	100
6	F	241/288 (84%)	236 (98%)	5 (2%)	0	100	100
6	T	241/288 (84%)	236 (98%)	5 (2%)	0	100	100
7	G	239/252 (95%)	238 (100%)	1 (0%)	0	100	100
7	U	239/252 (95%)	238 (100%)	1 (0%)	0	100	100
8	H	225/232 (97%)	220 (98%)	5 (2%)	0	100	100
8	V	224/232 (97%)	219 (98%)	5 (2%)	0	100	100
9	I	202/205 (98%)	195 (96%)	7 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	189 (98%)	4 (2%)	0	100	100
10	X	193/198 (98%)	190 (98%)	3 (2%)	0	100	100
11	K	209/211 (99%)	202 (97%)	7 (3%)	0	100	100
11	Y	209/211 (99%)	200 (96%)	9 (4%)	0	100	100
12	L	220/222 (99%)	213 (97%)	7 (3%)	0	100	100
12	Z	220/222 (99%)	214 (97%)	6 (3%)	0	100	100
13	M	231/246 (94%)	219 (95%)	11 (5%)	1 (0%)	30	59
13	a	232/246 (94%)	220 (95%)	12 (5%)	0	100	100
14	N	194/196 (99%)	188 (97%)	6 (3%)	0	100	100
14	b	194/196 (99%)	188 (97%)	6 (3%)	0	100	100
All	All	6284/6612 (95%)	6110 (97%)	157 (2%)	17 (0%)	36	65

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	2	THR
2	B	51	VAL
2	B	222	GLY
3	C	202	GLN
1	O	2	THR
2	P	51	VAL
2	P	222	GLY
3	Q	202	GLN
2	B	218	GLY
2	P	218	GLY
3	C	205	ALA
3	Q	205	ALA
2	B	220	ASN
13	M	83	ALA
2	P	220	ASN
3	Q	183	PRO
3	C	183	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	205 (98%)	4 (2%)	50	79
1	O	209/209 (100%)	205 (98%)	4 (2%)	50	79
2	B	203/216 (94%)	196 (97%)	7 (3%)	32	66
2	P	203/216 (94%)	196 (97%)	7 (3%)	32	66
3	C	212/226 (94%)	202 (95%)	10 (5%)	23	56
3	Q	212/226 (94%)	202 (95%)	10 (5%)	23	56
4	D	194/215 (90%)	184 (95%)	10 (5%)	21	52
4	R	194/215 (90%)	184 (95%)	10 (5%)	21	52
5	E	190/193 (98%)	183 (96%)	7 (4%)	30	64
5	S	190/193 (98%)	183 (96%)	7 (4%)	30	64
6	F	201/239 (84%)	195 (97%)	6 (3%)	36	70
6	T	201/239 (84%)	195 (97%)	6 (3%)	36	70
7	G	206/210 (98%)	198 (96%)	8 (4%)	28	63
7	U	206/210 (98%)	198 (96%)	8 (4%)	28	63
8	H	186/190 (98%)	182 (98%)	4 (2%)	45	77
8	V	185/190 (97%)	182 (98%)	3 (2%)	55	83
9	I	172/173 (99%)	170 (99%)	2 (1%)	63	86
9	W	172/173 (99%)	170 (99%)	2 (1%)	63	86
10	J	173/175 (99%)	167 (96%)	6 (4%)	32	66
10	X	173/175 (99%)	167 (96%)	6 (4%)	32	66
11	K	170/170 (100%)	162 (95%)	8 (5%)	23	56
11	Y	170/170 (100%)	159 (94%)	11 (6%)	15	44
12	L	186/186 (100%)	180 (97%)	6 (3%)	34	68
12	Z	186/186 (100%)	181 (97%)	5 (3%)	39	73
13	M	199/208 (96%)	193 (97%)	6 (3%)	36	70
13	a	200/208 (96%)	194 (97%)	6 (3%)	36	70
14	N	162/162 (100%)	156 (96%)	6 (4%)	30	64
14	b	162/162 (100%)	156 (96%)	6 (4%)	30	64
All	All	5326/5544 (96%)	5145 (97%)	181 (3%)	32	66

All (181) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	50	LYS
2	B	55	LEU
2	B	79	LEU
2	B	102	ASN
2	B	113	ARG
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	51	LYS
3	C	98	LEU
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	213	VAL
3	C	240	GLU
4	D	20	LEU
4	D	40	LEU
4	D	51	LEU
4	D	99	ILE
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	55	LEU
5	E	71	LEU
5	E	188	LEU
5	E	208	ASP
5	E	231	LYS
6	F	123	ASN
6	F	172	LEU
6	F	181	GLU
6	F	201	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	F	221	ASN
6	F	240	GLN
7	G	26	THR
7	G	75	ASN
7	G	83	ASN
7	G	115	LEU
7	G	122	ARG
7	G	125	MET
7	G	235	ARG
7	G	236	LEU
8	H	22	GLN
8	H	68	LEU
8	H	127	LEU
8	H	196	ARG
9	I	37	ASN
9	I	171	LEU
10	J	1	MET
10	J	3	ILE
10	J	35	THR
10	J	90	LYS
10	J	99	GLN
10	J	172	MET
11	K	4	LEU
11	K	12	VAL
11	K	30	ARG
11	K	62	GLU
11	K	89	GLN
11	K	106	LYS
11	K	125	MET
11	K	147	LEU
12	L	23	LEU
12	L	49	ASN
12	L	100	ARG
12	L	128	VAL
12	L	132	GLN
12	L	150	LEU
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	187	ARG
13	M	233	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	N	9	LYS
14	N	35	THR
14	N	104	ASP
14	N	107	LYS
14	N	119	VAL
14	N	178	LEU
1	O	1	MET
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	50	LYS
2	P	55	LEU
2	P	79	LEU
2	P	102	ASN
2	P	113	ARG
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	51	LYS
3	Q	98	LEU
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	213	VAL
3	Q	240	GLU
4	R	20	LEU
4	R	40	LEU
4	R	51	LEU
4	R	99	ILE
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	55	LEU
5	S	71	LEU
5	S	188	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	S	208	ASP
5	S	231	LYS
6	T	123	ASN
6	T	172	LEU
6	T	181	GLU
6	T	201	GLU
6	T	221	ASN
6	T	240	GLN
7	U	26	THR
7	U	75	ASN
7	U	83	ASN
7	U	115	LEU
7	U	122	ARG
7	U	125	MET
7	U	235	ARG
7	U	236	LEU
8	V	68	LEU
8	V	127	LEU
8	V	196	ARG
9	W	37	ASN
9	W	171	LEU
10	X	1	MET
10	X	3	ILE
10	X	35	THR
10	X	90	LYS
10	X	99	GLN
10	X	172	MET
11	Y	4	LEU
11	Y	12	VAL
11	Y	35	ILE
11	Y	46	SER
11	Y	62	GLU
11	Y	106	LYS
11	Y	116	GLU
11	Y	119	THR
11	Y	121	LEU
11	Y	125	MET
11	Y	147	LEU
12	Z	23	LEU
12	Z	49	ASN
12	Z	128	VAL
12	Z	132	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	Z	150	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	187	ARG
13	a	233	ILE
14	b	9	LYS
14	b	35	THR
14	b	104	ASP
14	b	107	LYS
14	b	119	VAL
14	b	178	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (115) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	93	HIS
2	B	119	GLN
2	B	123	GLN
2	B	124	HIS
2	B	176	GLN
2	B	232	GLN
3	C	17	GLN
3	C	147	GLN
3	C	160	GLN
4	D	15	GLN
4	D	91	HIS
4	D	100	ASN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	151	ASN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	123	ASN
7	G	114	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	G	121	GLN
7	G	175	ASN
8	H	22	GLN
8	H	66	HIS
8	H	165	ASN
9	I	37	ASN
9	I	63	ASN
9	I	88	GLN
9	I	203	GLN
10	J	61	GLN
10	J	63	ASN
11	K	89	GLN
11	K	142	ASN
11	K	175	ASN
11	K	207	ASN
12	L	3	ASN
12	L	29	ASN
12	L	36	ASN
12	L	49	ASN
12	L	70	ASN
12	L	79	HIS
12	L	109	ASN
12	L	152	ASN
12	L	153	GLN
12	L	158	ASN
12	L	197	GLN
13	M	48	ASN
13	M	102	GLN
13	M	108	ASN
13	M	149	HIS
14	N	38	HIS
14	N	141	ASN
2	P	93	HIS
2	P	119	GLN
2	P	123	GLN
2	P	124	HIS
2	P	176	GLN
2	P	232	GLN
3	Q	147	GLN
3	Q	160	GLN
4	R	15	GLN
4	R	91	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	R	100	ASN
4	R	160	ASN
4	R	225	ASN
5	S	68	HIS
5	S	92	ASN
5	S	99	ASN
5	S	120	GLN
5	S	151	ASN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	123	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	175	ASN
8	V	66	HIS
8	V	165	ASN
9	W	37	ASN
9	W	63	ASN
9	W	88	GLN
9	W	203	GLN
10	X	55	GLN
10	X	61	GLN
10	X	63	ASN
11	Y	142	ASN
11	Y	175	ASN
11	Y	207	ASN
12	Z	3	ASN
12	Z	29	ASN
12	Z	36	ASN
12	Z	49	ASN
12	Z	70	ASN
12	Z	109	ASN
12	Z	152	ASN
12	Z	153	GLN
12	Z	158	ASN
12	Z	159	GLN
12	Z	165	ASN
12	Z	197	GLN
13	a	48	ASN
13	a	102	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
13	a	108	ASN
13	a	149	HIS
13	a	194	ASN
13	a	213	GLN
14	b	38	HIS
14	b	141	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 10 ligands modelled in this entry, 10 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	-0.29	1 (0%) 88 85	47, 62, 102, 140	0
1	O	250/250 (100%)	-0.21	4 (1%) 70 62	51, 68, 117, 151	0
2	B	244/258 (94%)	-0.06	5 (2%) 65 56	49, 70, 114, 171	0
2	P	244/258 (94%)	-0.18	4 (1%) 70 62	53, 71, 113, 166	0
3	C	240/254 (94%)	0.26	9 (3%) 44 36	51, 79, 146, 187	0
3	Q	240/254 (94%)	0.07	2 (0%) 82 77	40, 82, 153, 197	0
4	D	235/260 (90%)	-0.13	0 100 100	55, 75, 109, 143	0
4	R	235/260 (90%)	-0.08	0 100 100	64, 80, 117, 145	0
5	E	231/234 (98%)	-0.10	2 (0%) 81 75	54, 73, 111, 153	0
5	S	231/234 (98%)	-0.10	1 (0%) 88 85	55, 78, 116, 161	0
6	F	243/288 (84%)	-0.25	1 (0%) 88 85	49, 68, 118, 144	0
6	T	243/288 (84%)	-0.20	1 (0%) 88 85	50, 75, 129, 154	0
7	G	241/252 (95%)	-0.24	0 100 100	46, 63, 98, 149	0
7	U	241/252 (95%)	-0.22	2 (0%) 82 77	51, 67, 101, 144	0
8	H	226/232 (97%)	-0.21	1 (0%) 88 85	36, 61, 97, 161	1 (0%)
8	V	226/232 (97%)	-0.23	2 (0%) 81 75	48, 62, 98, 171	0
9	I	204/205 (99%)	-0.28	3 (1%) 72 64	50, 63, 93, 117	0
9	W	204/205 (99%)	-0.25	4 (1%) 65 56	51, 64, 95, 119	0
10	J	195/198 (98%)	-0.27	1 (0%) 87 83	46, 65, 90, 137	0
10	X	195/198 (98%)	-0.23	2 (1%) 79 73	46, 65, 91, 145	0
11	K	211/211 (100%)	0.11	5 (2%) 59 50	58, 78, 104, 123	0
11	Y	211/211 (100%)	0.05	2 (0%) 81 75	58, 79, 107, 127	0
12	L	222/222 (100%)	-0.12	3 (1%) 73 65	49, 70, 111, 144	0
12	Z	222/222 (100%)	-0.10	2 (0%) 81 75	51, 71, 114, 145	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	-0.33	1 (0%) 88 85	46, 62, 85, 104	0
13	a	233/246 (94%)	-0.34	3 (1%) 75 67	34, 63, 84, 103	1 (0%)
14	N	196/196 (100%)	-0.38	0 100 100	43, 57, 86, 115	0
14	b	196/196 (100%)	-0.38	0 100 100	47, 58, 87, 118	0
All	All	6342/6612 (95%)	-0.16	61 (0%) 79 73	34, 69, 112, 197	2 (0%)

All (61) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
10	J	1	MET	4.6
13	M	69	ASP	3.8
1	O	249	ALA	3.5
8	V	223	ILE	3.4
8	H	223	ILE	3.4
2	B	219	ALA	3.4
10	X	1	MET	3.3
12	Z	174	TYR	3.2
3	C	205	ALA	3.1
2	B	218	GLY	3.1
1	O	2	THR	3.0
11	K	47	GLY	3.0
3	C	234	ILE	2.9
2	B	51	VAL	2.8
12	L	174	TYR	2.8
9	W	127	GLY	2.7
12	Z	166	GLY	2.7
12	L	166	GLY	2.7
9	I	130	ASP	2.7
13	a	1	THR	2.6
11	Y	116	GLU	2.6
9	W	124	ASP	2.6
9	W	1	SER	2.6
3	C	186	VAL	2.5
2	P	219	ALA	2.5
3	C	96	LEU	2.4
13	a	69	ASP	2.4
11	K	118	GLY	2.4
12	L	163	GLY	2.4
6	T	178	HIS	2.4
3	Q	204	GLY	2.4
9	W	130	ASP	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
9	I	1	SER	2.3
13	a	35[A]	ARG	2.3
11	K	116	GLU	2.2
9	I	126	ILE	2.2
5	S	225	ASP	2.2
11	K	95	LEU	2.2
2	P	220	ASN	2.2
2	B	93	HIS	2.2
1	A	2	THR	2.2
2	B	1	GLY	2.2
11	Y	87	MET	2.2
6	F	215	CYS	2.2
7	U	168	GLU	2.2
8	V	224	GLN	2.1
3	C	3	ASP	2.1
11	K	96	SER	2.1
2	P	1	GLY	2.1
3	C	192	LEU	2.1
3	C	230	TYR	2.1
5	E	122	TYR	2.1
1	O	53	SER	2.1
3	C	183	PRO	2.1
3	Q	46	ARG	2.1
5	E	181	ILE	2.1
3	C	200	VAL	2.0
1	O	4	ARG	2.0
10	X	96	ARG	2.0
7	U	230	GLU	2.0
2	P	51	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
15	MG	H	301	1/1	0.85	0.07	51,51,51,51	0
15	MG	I	301	1/1	0.94	0.06	63,63,63,63	0
15	MG	K	301	1/1	0.96	0.12	45,45,45,45	0
15	MG	L	301	1/1	0.96	0.07	67,67,67,67	0
15	MG	Z	301	1/1	0.98	0.06	66,66,66,66	0
16	CL	G	302	1/1	0.98	0.05	42,42,42,42	0
15	MG	N	201	1/1	0.99	0.03	50,50,50,50	0
15	MG	G	301	1/1	0.99	0.04	67,67,67,67	0
15	MG	I	302	1/1	0.99	0.10	51,51,51,51	0
16	CL	U	301	1/1	0.99	0.07	50,50,50,50	0

6.5 Other polymers [i](#)

There are no such residues in this entry.