



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 10:37 PM UTC

PDB ID : 1L6S / pdb_00001l6s
Title : Crystal Structure of Porphobilinogen Synthase Complexed with the Inhibitor 4,7-Dioxosebacic Acid
Authors : Jaffe, E.K.; Kervinen, J.; Martins, J.; Stauffer, F.; Neier, R.; Wlodawer, A.; Zdanov, A.
Deposited on : 2002-03-13
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	323	
1	B	323	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5445 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PORPHOBILINOGEN SYNTHASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	323	Total	C	N	O	S	0	0	0
			2458	1535	427	476	20			
1	B	323	Total	C	N	O	S	0	0	0
			2458	1535	427	476	20			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	133	CME	CYS	modified residue	UNP P0ACB2
B	133	CME	CYS	modified residue	UNP P0ACB2


- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		

- Molecule 4 is 4,7-DIOXOSEBACIC ACID (CCD ID: DSB) (formula: C₁₀H₁₄O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			14	10	4		
4	B	1	Total	C	O	0	0
			14	10	4		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	259	Total	O	0	0
			259	259		
5	B	238	Total	O	0	0
			238	238		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: PORPHOBILINOGEN SYNTHASE

Chain A: 



• Molecule 1: PORPHOBILINOGEN SYNTHASE

Chain B: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 4 21 2	Depositor
Cell constants a, b, c, α , β , γ	129.00Å 129.00Å 142.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 1.70	Depositor
% Data completeness (in resolution range)	95.7 (40.00-1.70)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.195 , 0.243	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	5445	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DSB, ZN, MG, CME

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.05	4/2485 (0.2%)	1.21	24/3352 (0.7%)
1	B	1.00	3/2485 (0.1%)	1.19	19/3352 (0.6%)
All	All	1.03	7/4970 (0.1%)	1.20	43/6704 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	72	ILE	CA-CB	6.67	1.61	1.54
1	B	271	VAL	CA-CB	5.85	1.62	1.54
1	A	254	ILE	CA-CB	5.84	1.61	1.54
1	B	114	VAL	CA-CB	5.83	1.60	1.54
1	A	115	MET	SD-CE	5.57	1.93	1.79
1	A	113	ILE	CA-CB	5.06	1.59	1.53
1	A	46	VAL	CA-CB	5.04	1.59	1.53

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	191	TYR	N-CA-C	-8.51	95.86	109.39
1	A	191	TYR	N-CA-C	-7.92	97.73	109.62
1	A	313	ALA	N-CA-C	7.52	119.48	111.28
1	A	271	VAL	N-CA-C	7.46	118.64	110.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	313	ALA	N-CA-C	7.36	120.23	111.33
1	A	136	GLY	N-CA-C	-7.26	100.62	110.20
1	B	4	ILE	N-CA-C	-7.24	103.11	111.00
1	A	135	HIS	N-CA-C	6.60	118.14	111.07
1	A	55	ILE	CA-C-N	-6.58	113.17	119.76
1	A	55	ILE	C-N-CA	-6.58	113.17	119.76
1	A	192	SER	N-CA-C	6.48	118.01	111.07
1	A	4	ILE	N-CA-C	-6.47	103.95	111.00
1	B	136	GLY	N-CA-C	-6.30	101.88	110.20
1	B	30	LEU	N-CA-C	6.26	120.03	109.76
1	A	81	SER	N-CA-C	6.10	120.21	109.96
1	A	12	LYS	N-CA-C	6.00	118.59	111.33
1	A	20	PHE	N-CA-C	5.94	120.14	113.02
1	B	224	ASN	N-CA-C	5.89	118.81	108.56
1	B	161	ILE	N-CA-C	-5.88	99.40	107.99
1	A	109	VAL	CA-C-N	5.88	126.29	119.47
1	A	109	VAL	C-N-CA	5.88	126.29	119.47
1	A	220	MET	N-CA-C	5.87	119.21	110.52
1	A	86	GLU	N-CA-C	5.79	117.59	111.28
1	B	41	ASP	N-CA-C	5.79	120.63	112.93
1	B	12	LYS	N-CA-C	5.75	118.32	111.71
1	B	219	GLN	N-CA-C	-5.72	102.44	110.50
1	B	86	GLU	N-CA-C	5.68	118.40	111.82
1	A	211	LEU	N-CA-C	5.61	117.87	108.96
1	A	224	ASN	N-CA-C	5.50	118.12	108.56
1	A	153	ALA	N-CA-C	-5.44	105.43	111.36
1	B	141	ALA	N-CA-C	-5.38	105.50	111.36
1	A	65	GLU	N-CA-C	-5.35	105.53	111.36
1	B	82	HIS	N-CA-C	-5.32	106.02	112.88
1	B	249	GLY	N-CA-C	5.27	119.25	112.83
1	A	49	MET	CA-C-N	5.25	126.40	119.84
1	A	49	MET	C-N-CA	5.25	126.40	119.84
1	A	236	GLU	N-CA-C	-5.20	105.50	111.07
1	B	221	ASN	CA-C-N	5.16	125.46	119.47
1	B	221	ASN	C-N-CA	5.16	125.46	119.47
1	A	30	LEU	N-CA-C	5.15	118.21	109.76
1	B	81	SER	N-CA-C	5.14	118.33	110.20
1	B	220	MET	N-CA-C	5.09	118.05	110.52
1	B	22	GLU	N-CA-C	5.05	119.15	112.89

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	218	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2458	0	2409	72	1
1	B	2458	0	2410	63	1
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	14	0	12	6	0
4	B	14	0	12	4	0
5	A	259	0	0	10	1
5	B	238	0	0	8	0
All	All	5445	0	4843	118	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:194:LYS:NZ	1:A:246:LYS:HE2	1.68	1.08
1:A:277:MET:HE2	1:B:278:ILE:HA	1.36	1.08
1:B:41:ASP:HA	1:B:58:LYS:HE2	1.30	1.07
1:B:194:LYS:NZ	1:B:246:LYS:HE2	1.71	1.04
1:A:278:ILE:HA	1:B:277:MET:HE2	1.37	1.04
1:A:277:MET:HE1	1:B:278:ILE:HG12	1.49	0.94
1:B:194:LYS:NZ	1:B:246:LYS:CE	2.35	0.89
1:A:287:ILE:HD13	1:B:277:MET:HE3	1.56	0.86
1:A:278:ILE:HG12	1:B:277:MET:HE1	1.57	0.85
1:A:119:CYS:SG	1:A:129:CYS:HB3	2.18	0.82
1:B:39:GLU:OE2	1:B:83:HIS:HE1	1.63	0.82
1:A:277:MET:CE	1:B:278:ILE:HG12	2.10	0.81
1:A:94:GLU:HB3	5:A:874:HOH:O	1.82	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:41:ASP:HA	1:B:58:LYS:CE	2.11	0.78
1:B:246:LYS:NZ	4:B:350:DSB:C7	2.47	0.78
1:A:5:GLN:HG3	5:A:796:HOH:O	1.83	0.78
1:A:125:SER:HB3	5:A:859:HOH:O	1.83	0.77
1:B:93:ARG:HG3	5:B:756:HOH:O	1.85	0.76
1:A:292:VAL:HG11	1:B:277:MET:HE1	1.67	0.75
1:A:277:MET:HE3	1:B:287:ILE:HD13	1.69	0.75
1:B:246:LYS:CE	4:B:350:DSB:C7	2.65	0.75
1:B:226:ARG:HD3	5:B:839:HOH:O	1.88	0.73
1:B:24:THR:HG22	5:B:754:HOH:O	1.89	0.72
1:A:131:VAL:HG11	1:A:133:CME:HE2	1.72	0.72
1:A:131:VAL:CG1	1:A:133:CME:HE2	2.20	0.71
1:A:41:ASP:HA	1:A:58:LYS:HE2	1.74	0.70
1:B:126:HIS:CE1	1:B:132:LEU:HD13	2.26	0.70
1:B:39:GLU:OE2	1:B:83:HIS:CE1	2.45	0.70
1:A:194:LYS:NZ	1:A:246:LYS:CE	2.52	0.69
1:A:39:GLU:OE2	1:A:83:HIS:CE1	2.48	0.67
1:A:246:LYS:HE2	4:A:350:DSB:C7	2.23	0.66
1:A:84:THR:HG21	5:A:751:HOH:O	1.96	0.65
1:B:246:LYS:HE2	4:B:350:DSB:C7	2.27	0.65
1:A:278:ILE:HA	1:B:277:MET:CE	2.22	0.63
1:B:126:HIS:CG	1:B:132:LEU:HD22	2.34	0.63
1:A:1:THR:HG22	1:A:2:ASP:H	1.64	0.63
1:A:278:ILE:CA	1:B:277:MET:HE2	2.23	0.62
1:A:246:LYS:CE	4:A:350:DSB:C7	2.79	0.61
1:B:275:TYR:CD2	1:B:311:TYR:HB2	2.36	0.60
1:A:89:SER:HA	1:A:92:TRP:CZ3	2.36	0.60
1:A:278:ILE:HG12	1:B:277:MET:CE	2.29	0.60
1:A:246:LYS:NZ	4:A:350:DSB:H82	2.18	0.59
1:A:246:LYS:NZ	4:A:350:DSB:C7	2.64	0.59
1:B:164:SER:HB3	1:B:191:TYR:CD1	2.38	0.58
1:B:164:SER:HB3	1:B:191:TYR:CE1	2.38	0.58
1:A:46:VAL:HG11	1:A:206:ALA:HB2	1.84	0.58
1:B:38:GLU:O	1:B:40:ILE:HG23	2.02	0.58
1:B:196:ALA:HA	1:B:219:GLN:HE21	1.69	0.58
1:A:277:MET:HE1	1:B:292:VAL:HG11	1.85	0.57
1:A:196:ALA:HA	1:A:219:GLN:HE21	1.70	0.56
1:A:292:VAL:HG11	1:B:277:MET:CE	2.35	0.56
1:A:277:MET:HE3	1:B:287:ILE:CD1	2.36	0.56
1:B:100:ARG:O	1:B:104:ILE:HG13	2.06	0.55
1:A:277:MET:CE	1:B:292:VAL:HG11	2.37	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:46:VAL:HG11	1:B:206:ALA:HB2	1.87	0.55
1:A:45:ALA:HA	1:A:53:MET:HG2	1.89	0.54
1:A:62:ARG:HD2	5:A:853:HOH:O	2.08	0.54
1:B:39:GLU:CD	1:B:83:HIS:HE1	2.16	0.54
1:B:273:GLY:O	1:B:277:MET:HG3	2.09	0.53
4:B:350:DSB:H62	5:B:686:HOH:O	2.07	0.53
1:B:73:ARG:NH1	5:B:523:HOH:O	2.43	0.52
1:A:246:LYS:NZ	4:A:350:DSB:C8	2.72	0.52
1:B:256:ARG:NH1	1:B:260:GLU:OE2	2.42	0.52
1:A:43:TYR:OH	1:A:63:GLU:HG2	2.10	0.52
1:B:62:ARG:HH11	1:B:62:ARG:HB3	1.75	0.52
1:A:131:VAL:HG12	1:A:133:CME:HE2	1.92	0.51
1:A:131:VAL:HG11	1:A:133:CME:CE	2.40	0.51
1:A:164:SER:HB3	1:A:191:TYR:CE1	2.45	0.51
1:B:162:ALA:HA	1:B:189:MET:O	2.11	0.51
1:A:1:THR:HG22	1:A:2:ASP:N	2.25	0.50
1:A:33:PRO:HB2	1:A:311:TYR:CE1	2.47	0.50
1:A:145:ASN:HA	1:A:148:LYS:HD3	1.94	0.50
1:A:277:MET:HB3	1:B:277:MET:HB3	1.94	0.50
1:B:24:THR:HA	5:B:697:HOH:O	2.12	0.50
1:B:41:ASP:CA	1:B:58:LYS:HE2	2.22	0.50
1:A:273:GLY:O	1:A:277:MET:HG3	2.12	0.50
1:A:277:MET:HE2	1:B:278:ILE:CA	2.25	0.49
1:A:39:GLU:OE2	1:A:83:HIS:HE1	1.92	0.49
1:A:223:MET:HE1	1:B:298:GLY:HA3	1.95	0.48
1:A:164:SER:O	1:A:194:LYS:HE2	2.13	0.48
1:B:279:LYS:NZ	5:B:790:HOH:O	2.39	0.48
1:A:126:HIS:CG	1:A:132:LEU:HD22	2.48	0.47
1:A:88:GLY:HA2	1:A:123:TYR:O	2.14	0.47
1:B:126:HIS:ND1	1:B:128:HIS:HB2	2.30	0.46
1:B:90:ASP:OD1	1:B:93:ARG:NH1	2.48	0.46
1:A:90:ASP:OD1	1:A:93:ARG:NH1	2.45	0.45
1:B:31:VAL:HG11	1:B:309:PHE:CE1	2.51	0.45
1:B:99:ALA:O	1:B:156:ALA:HB1	2.16	0.45
1:A:84:THR:C	5:A:859:HOH:O	2.59	0.45
1:A:202:PRO:HB2	1:A:272:SER:HB2	1.98	0.44
1:A:58:LYS:HE3	1:A:59:HIS:NE2	2.32	0.44
1:B:33:PRO:HB2	1:B:311:TYR:CE1	2.53	0.44
1:A:164:SER:HB3	1:A:191:TYR:CD1	2.53	0.43
1:A:85:ASP:O	1:A:124:THR:HA	2.18	0.43
1:A:38:GLU:HB3	1:A:97:LEU:HD13	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:119:CYS:SG	1:B:129:CYS:HB3	2.58	0.43
1:A:34:ILE:HD11	1:A:77:THR:HG22	2.00	0.42
1:A:94:GLU:CB	5:A:874:HOH:O	2.56	0.42
1:B:38:GLU:O	1:B:39:GLU:C	2.62	0.42
1:A:172:GLN:NE2	5:A:798:HOH:O	2.52	0.42
1:A:59:HIS:HA	5:A:864:HOH:O	2.19	0.42
1:A:229:ILE:HG12	5:A:621:HOH:O	2.19	0.42
4:A:350:DSB:H51	4:A:350:DSB:C9	2.50	0.42
1:A:89:SER:HA	1:A:92:TRP:CE3	2.55	0.42
1:A:64:ILE:HD12	1:A:64:ILE:HA	1.90	0.41
1:A:49:MET:HE2	1:A:52:VAL:HG21	2.02	0.41
1:A:192:SER:HB2	1:A:232:SER:HA	2.02	0.41
1:A:41:ASP:CA	1:A:58:LYS:HE2	2.46	0.41
1:B:111:GLU:HG2	5:B:835:HOH:O	2.20	0.41
1:A:39:GLU:CD	1:A:83:HIS:HE1	2.28	0.41
1:B:1:THR:HG22	1:B:2:ASP:N	2.36	0.41
1:B:164:SER:O	1:B:194:LYS:HE3	2.20	0.41
1:B:192:SER:HB2	1:B:232:SER:HA	2.03	0.41
1:B:199:PHE:N	1:B:199:PHE:CD1	2.90	0.40
1:A:163:PRO:HB3	1:A:174:ILE:CD1	2.51	0.40
1:A:278:ILE:CG1	1:B:277:MET:CE	2.96	0.40
1:B:35:PHE:HB3	1:B:80:ILE:HD11	2.03	0.40
1:B:49:MET:HE2	1:B:52:VAL:HG21	2.04	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:39:GLU:OE2	1:A:39:GLU:OE2[8_666]	1.53	0.67
1:B:39:GLU:OE2	1:B:39:GLU:OE2[8_665]	1.67	0.53
5:A:640:HOH:O	5:A:733:HOH:O[4_455]	2.16	0.04

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	320/323 (99%)	310 (97%)	10 (3%)	0	100	100
1	B	320/323 (99%)	308 (96%)	12 (4%)	0	100	100
All	All	640/646 (99%)	618 (97%)	22 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	250/257 (97%)	242 (97%)	8 (3%)	34	17
1	B	250/257 (97%)	243 (97%)	7 (3%)	38	21
All	All	500/514 (97%)	485 (97%)	15 (3%)	36	19

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	ASP
1	A	27	LEU
1	A	28	ASN
1	A	94	GLU
1	A	144	GLU
1	A	222	PRO
1	A	229	ILE
1	A	246	LYS
1	B	2	ASP
1	B	27	LEU
1	B	62	ARG
1	B	205	GLU
1	B	226	ARG
1	B	246	LYS
1	B	263	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	83	HIS
1	A	107	GLN
1	A	149	GLN
1	A	172	GLN
1	A	219	GLN
1	B	82	HIS
1	B	83	HIS
1	B	219	GLN
1	B	270	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CME	A	133	1	8,9,10	0.72	0	6,9,11	1.30	1 (16%)
1	CME	B	133	1	8,9,10	0.58	0	6,9,11	1.20	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CME	A	133	1	-	4/5/8/10	-
1	CME	B	133	1	-	3/5/8/10	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	133	CME	CB-SG-SD	2.11	109.33	103.86

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	133	CME	N-CA-CB-SG
1	A	133	CME	SD-CE-CZ-OH
1	B	133	CME	N-CA-CB-SG
1	B	133	CME	SD-CE-CZ-OH
1	B	133	CME	CZ-CE-SD-SG
1	A	133	CME	CA-CB-SG-SD
1	A	133	CME	CZ-CE-SD-SG

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	133	CME	4	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	DSB	B	350	1	13,13,15	1.08	0	14,14,18	1.30	2 (14%)
4	DSB	A	350	1	13,13,15	0.78	0	14,14,18	1.38	3 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	DSB	B	350	1	-	3/11/11/15	-
4	DSB	A	350	1	-	5/11/11/15	-

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	350	DSB	O2-C1-C2	-2.52	115.11	123.09
4	A	350	DSB	C8-C7-C6	2.26	125.79	114.37
4	B	350	DSB	C8-C9-C10	-2.24	108.65	114.51
4	B	350	DSB	C8-C7-C6	2.19	125.42	114.37
4	A	350	DSB	O12-C10-C9	-2.03	116.64	123.09

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	350	DSB	C6-C7-C8-C9
4	B	350	DSB	C6-C7-C8-C9
4	A	350	DSB	C7-C8-C9-C10
4	B	350	DSB	C4-C5-C6-C7
4	A	350	DSB	C5-C6-C7-C8
4	B	350	DSB	C2-C3-C4-C5
4	A	350	DSB	C4-C5-C6-C7
4	A	350	DSB	C2-C3-C4-C5

There are no ring outliers.

2 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	350	DSB	4	0
4	A	350	DSB	6	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.