



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:21 PM UTC

PDB ID : 1L6Z / pdb_00001l6z
Title : CRYSTAL STRUCTURE OF MURINE CEACAM1A[1,4]: A CORONAVIRUS RECEPTOR AND CELL ADHESION MOLECULE IN THE CEA FAMILY
Authors : Tan, K.; Zelus, B.D.; Meijers, R.; Liu, J.-H.; Bergelson, J.M.; Duke, N.; Zhang, R.; Joachimiak, A.; Holmes, K.V.; Wang, J.-H.
Deposited on : 2002-03-14
Resolution : 3.32 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.32 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	1193 (3.34-3.30)
Ramachandran outliers	187476	1172 (3.34-3.30)
Sidechain outliers	187428	1171 (3.34-3.30)
RSRZ outliers	180081	1153 (3.34-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	216	
2	B	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NAG	A	337	X	-	-	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 1716 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called biliary glycoprotein C.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	203	Total	C	N	O	S	0	0	0
			1609	1011	276	314	8			

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	203	SER	-	cloning artifact	PIR JC1507
A	204	ARG	-	cloning artifact	PIR JC1507
A	205	LEU	-	cloning artifact	PIR JC1507
A	206	VAL	-	cloning artifact	PIR JC1507
A	207	PRO	-	cloning artifact	PIR JC1507
A	208	ARG	-	cloning artifact	PIR JC1507
A	209	GLY	-	cloning artifact	PIR JC1507
A	210	SER	-	cloning artifact	PIR JC1507
A	211	HIS	-	cloning artifact	PIR JC1507
A	212	HIS	-	cloning artifact	PIR JC1507
A	213	HIS	-	cloning artifact	PIR JC1507
A	214	HIS	-	cloning artifact	PIR JC1507
A	215	HIS	-	cloning artifact	PIR JC1507
A	216	HIS	-	cloning artifact	PIR JC1507

- Molecule 2 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	26	Total	O	0	0
			26	26		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: biliary glycoprotein C



• Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	111.26Å 111.26Å 65.64Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	15.00 – 3.32 15.00 – 3.32	Depositor EDS
% Data completeness (in resolution range)	(Not available) (15.00-3.32) 96.2 (15.00-3.32)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.81 (at 3.31Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.295 , 0.329 0.292 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	95.6	Xtriage
Anisotropy	0.002	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.19 , 59.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.042 for -h,-k,l	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	1716	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.72	5/1638 (0.3%)	1.49	36/2229 (1.6%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	199	ILE	N-CA	-9.77	1.34	1.46
1	A	200	PHE	N-CA	-7.13	1.37	1.45
1	A	198	ILE	N-CA	-6.17	1.38	1.46
1	A	199	ILE	CA-C	-5.96	1.45	1.52
1	A	198	ILE	CA-C	-5.37	1.46	1.52

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	184	ASN	CA-C-N	-18.00	101.06	120.14
1	A	184	ASN	C-N-CA	-18.00	101.06	120.14
1	A	198	ILE	N-CA-C	12.24	125.87	108.36
1	A	185	PRO	N-CA-C	-10.10	94.81	111.68
1	A	184	ASN	N-CA-C	-9.14	89.61	109.81
1	A	198	ILE	N-CA-CB	-9.03	100.15	110.99
1	A	138	GLY	N-CA-C	-8.69	92.58	113.18
1	A	95	TYR	N-CA-C	8.33	121.03	108.46
1	A	94	ASN	N-CA-C	-7.73	94.33	110.80
1	A	70	ASN	N-CA-C	-7.71	103.88	113.20
1	A	139	ALA	N-CA-C	7.24	121.37	110.14
1	A	36	GLY	N-CA-C	6.91	125.54	115.32
1	A	25	PRO	N-CA-C	6.77	121.87	111.11
1	A	188	VAL	N-CA-C	6.72	118.74	109.46
1	A	92	ASP	N-CA-C	-6.60	97.31	108.26
1	A	9	PRO	N-CA-C	-6.56	100.89	111.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	16	ASN	N-CA-C	6.36	119.81	110.59
1	A	55	ASN	N-CA-C	6.21	119.61	107.57
1	A	136	ASP	CA-C-N	-6.16	115.07	123.14
1	A	136	ASP	C-N-CA	-6.16	115.07	123.14
1	A	154	GLU	N-CA-C	6.01	117.50	111.07
1	A	60	ALA	N-CA-C	6.00	118.19	108.41
1	A	17	VAL	CB-CA-C	-5.97	103.50	111.80
1	A	187	SER	N-CA-C	-5.80	96.52	108.18
1	A	120	THR	N-CA-C	-5.76	105.35	112.38
1	A	186	VAL	N-CA-C	5.74	121.29	109.34
1	A	136	ASP	N-CA-C	-5.67	98.73	110.80
1	A	198	ILE	CA-C-N	-5.62	113.23	122.67
1	A	198	ILE	C-N-CA	-5.62	113.23	122.67
1	A	63	GLY	N-CA-C	-5.57	107.75	114.66
1	A	73	LEU	N-CA-C	5.43	117.25	108.34
1	A	184	ASN	C-N-CD	5.37	147.02	125.00
1	A	153	THR	N-CA-C	5.10	115.03	108.34
1	A	27	ALA	N-CA-C	5.10	121.67	110.80
1	A	116	GLN	N-CA-C	-5.10	99.30	108.48
1	A	74	LEU	N-CA-C	-5.01	102.35	110.32

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1609	0	1586	269	0
2	B	39	0	34	7	0
3	A	42	0	39	3	0
4	A	26	0	0	0	0
All	All	1716	0	1659	274	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 82.

All (274) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:2:NAG:O6	2:B:3:BMA:H2	1.46	1.16
1:A:45:ILE:HA	1:A:60:ALA:HB3	1.25	1.09
1:A:4:ILE:HG12	1:A:102:VAL:HG21	1.34	1.06
1:A:192:ASN:H	1:A:192:ASN:HD22	1.03	0.99
1:A:192:ASN:H	1:A:192:ASN:ND2	1.56	0.98
1:A:88:LEU:H	1:A:100:ALA:CB	1.77	0.97
1:A:192:ASN:HD22	1:A:192:ASN:N	1.59	0.97
1:A:11:VAL:HG11	1:A:17:VAL:HG22	1.48	0.96
1:A:45:ILE:HG21	1:A:65:GLU:OE1	1.66	0.95
1:A:3:THR:HB	1:A:22:HIS:CD2	2.03	0.92
1:A:28:LEU:O	1:A:50:PRO:HG2	1.73	0.89
1:A:21:VAL:HG21	1:A:71:GLY:O	1.75	0.87
1:A:29:GLY:O	1:A:50:PRO:HD2	1.76	0.86
1:A:45:ILE:HA	1:A:60:ALA:CB	2.06	0.85
1:A:88:LEU:H	1:A:100:ALA:HB3	1.39	0.85
1:A:123:LYS:HA	1:A:199:ILE:O	1.77	0.84
1:A:3:THR:HB	1:A:22:HIS:HD2	1.42	0.84
1:A:165:LEU:HD12	1:A:166:ARG:N	1.94	0.82
1:A:31:PHE:CE2	1:A:48:PHE:HB3	2.13	0.82
1:A:64:ARG:HH12	1:A:75:PHE:HE2	1.25	0.81
1:A:4:ILE:CG1	1:A:102:VAL:HG21	2.11	0.80
1:A:66:ILE:HA	3:A:355:NAG:O7	1.82	0.80
1:A:30:ALA:HB2	1:A:49:VAL:HG13	1.66	0.78
1:A:16:ASN:ND2	1:A:76:GLN:HA	1.98	0.78
1:A:114:PHE:HA	1:A:192:ASN:HD21	1.49	0.78
1:A:179:GLN:HG3	1:A:192:ASN:O	1.83	0.78
1:A:182:ILE:O	1:A:188:VAL:HG12	1.84	0.77
1:A:130:LEU:N	1:A:130:LEU:HD23	2.00	0.77
1:A:4:ILE:HD11	1:A:33:TRP:HH2	1.49	0.77
1:A:66:ILE:O	1:A:73:LEU:HA	1.86	0.76
1:A:74:LEU:HG	1:A:75:PHE:N	2.00	0.75
1:A:183:SER:HA	1:A:188:VAL:HG12	1.68	0.75
1:A:4:ILE:HG23	1:A:102:VAL:HG23	1.69	0.75
1:A:91:THR:HG23	1:A:96:ARG:HB2	1.68	0.74
1:A:64:ARG:NH1	1:A:75:PHE:HE2	1.83	0.74
1:A:117:VAL:HG21	1:A:194:ILE:HG21	1.69	0.74
1:A:9:PRO:O	1:A:10:GLN:HB2	1.86	0.73
1:A:4:ILE:CD1	1:A:33:TRP:HH2	2.01	0.73
1:A:123:LYS:HD3	1:A:201:ASP:HB2	1.70	0.73
2:B:2:NAG:O6	2:B:3:BMA:C2	2.34	0.73
1:A:34:TYR:HD2	1:A:43:LYS:O	1.72	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:160:GLN:O	1:A:163:SER:HB2	1.88	0.72
1:A:78:ILE:HG23	1:A:82:ASP:HB3	1.72	0.71
1:A:110:VAL:HG12	1:A:111:THR:N	2.07	0.70
1:A:67:ILE:HG13	1:A:68:TYR:N	2.04	0.70
1:A:28:LEU:HA	1:A:92:ASP:HB3	1.71	0.70
1:A:51:ASN:HD22	1:A:51:ASN:H	1.40	0.69
1:A:152:LEU:HD21	1:A:158:LEU:HD21	1.74	0.69
1:A:110:VAL:HG11	1:A:182:ILE:CG2	2.24	0.68
1:A:75:PHE:O	1:A:78:ILE:HD11	1.93	0.68
1:A:155:ARG:HB2	1:A:169:PRO:HD2	1.75	0.68
1:A:50:PRO:O	1:A:52:SER:N	2.26	0.68
1:A:79:THR:H	1:A:82:ASP:HB2	1.58	0.67
1:A:110:VAL:HG11	1:A:182:ILE:HG21	1.76	0.67
1:A:36:GLY:O	1:A:37:ASN:HB3	1.94	0.67
1:A:80:MET:HG3	1:A:81:LYS:N	2.09	0.67
1:A:110:VAL:HG12	1:A:111:THR:H	1.60	0.66
1:A:91:THR:CG2	1:A:96:ARG:HB2	2.25	0.66
1:A:45:ILE:CA	1:A:60:ALA:HB3	2.15	0.66
1:A:123:LYS:HB2	1:A:126:ASP:OD2	1.97	0.64
1:A:17:VAL:HG23	1:A:78:ILE:CD1	2.27	0.64
1:A:4:ILE:HD11	1:A:33:TRP:CH2	2.32	0.63
1:A:79:THR:O	1:A:82:ASP:N	2.24	0.63
1:A:179:GLN:NE2	1:A:193:SER:OG	2.32	0.63
1:A:115:LEU:HD11	1:A:180:CYS:H	1.63	0.63
1:A:64:ARG:NH1	1:A:75:PHE:CE2	2.65	0.62
1:A:64:ARG:NH1	1:A:82:ASP:OD2	2.31	0.62
3:A:337:NAG:O7	3:A:337:NAG:C3	2.46	0.62
1:A:11:VAL:CG1	1:A:17:VAL:HG22	2.28	0.62
1:A:87:THR:HG23	1:A:100:ALA:HB3	1.81	0.62
1:A:31:PHE:HE2	1:A:48:PHE:HB3	1.64	0.62
1:A:102:VAL:HG12	1:A:102:VAL:O	2.00	0.62
1:A:30:ALA:HB1	1:A:48:PHE:O	2.00	0.61
1:A:110:VAL:CG2	1:A:184:ASN:HB2	2.30	0.61
1:A:63:GLY:C	1:A:64:ARG:HG3	2.25	0.61
1:A:200:PHE:N	1:A:200:PHE:CD2	2.68	0.61
1:A:49:VAL:HG21	1:A:56:PHE:CZ	2.36	0.61
1:A:128:VAL:HG23	1:A:170:ILE:HD13	1.81	0.60
1:A:145:PHE:HD1	1:A:146:ASN:N	1.98	0.60
1:A:78:ILE:N	1:A:78:ILE:HD12	2.16	0.60
1:A:31:PHE:O	1:A:47:ARG:HA	2.01	0.60
1:A:131:THR:HG23	1:A:164:ILE:HG12	1.82	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:122:VAL:HG21	1:A:128:VAL:HG22	1.82	0.60
1:A:78:ILE:HG23	1:A:82:ASP:CB	2.32	0.59
1:A:183:SER:HA	1:A:188:VAL:CG1	2.32	0.59
1:A:145:PHE:HE1	1:A:176:GLY:HA3	1.67	0.59
1:A:165:LEU:HD12	1:A:165:LEU:C	2.28	0.59
1:A:88:LEU:H	1:A:100:ALA:HB1	1.66	0.58
1:A:113:PRO:HG2	1:A:191:SER:HB3	1.85	0.58
1:A:178:TYR:N	1:A:178:TYR:HD2	2.01	0.58
1:A:34:TYR:CD2	1:A:44:GLU:HA	2.38	0.58
1:A:125:LEU:HD23	1:A:169:PRO:HB2	1.85	0.58
1:A:117:VAL:HG22	1:A:130:LEU:HD22	1.86	0.57
1:A:16:ASN:CG	1:A:76:GLN:HA	2.29	0.57
1:A:4:ILE:CD1	1:A:33:TRP:CH2	2.86	0.57
1:A:122:VAL:HG12	1:A:123:LYS:N	2.19	0.57
1:A:60:ALA:O	1:A:62:SER:N	2.38	0.57
1:A:122:VAL:HG11	1:A:170:ILE:CD1	2.35	0.57
1:A:4:ILE:HA	1:A:20:LEU:O	2.05	0.56
1:A:76:GLN:O	1:A:78:ILE:HD12	2.05	0.56
1:A:11:VAL:HG21	1:A:17:VAL:HG21	1.87	0.56
1:A:34:TYR:HE2	1:A:44:GLU:HB2	1.71	0.56
1:A:115:LEU:HB2	1:A:194:ILE:HD13	1.88	0.56
1:A:168:ASP:OD1	1:A:168:ASP:C	2.49	0.56
1:A:178:TYR:N	1:A:178:TYR:CD2	2.71	0.56
1:A:29:GLY:O	1:A:30:ALA:HB2	2.07	0.55
1:A:31:PHE:CD2	1:A:67:ILE:HD11	2.42	0.55
1:A:19:LEU:HD12	1:A:102:VAL:HG11	1.89	0.54
1:A:58:GLY:C	1:A:60:ALA:H	2.13	0.54
1:A:54:MET:HG2	1:A:56:PHE:CE2	2.43	0.54
1:A:17:VAL:O	1:A:75:PHE:N	2.37	0.54
1:A:11:VAL:HG11	1:A:17:VAL:CG2	2.31	0.54
1:A:69:SER:C	1:A:71:GLY:H	2.16	0.54
1:A:38:THR:C	1:A:40:ALA:H	2.15	0.54
3:A:337:NAG:O7	3:A:337:NAG:H3	2.07	0.54
1:A:12:ALA:O	1:A:15:ASN:HB2	2.08	0.54
1:A:76:GLN:O	1:A:77:MET:C	2.51	0.53
1:A:117:VAL:CG2	1:A:130:LEU:HD22	2.37	0.53
1:A:145:PHE:HB2	1:A:150:LEU:HD22	1.89	0.53
1:A:28:LEU:HD23	1:A:92:ASP:OD1	2.09	0.53
1:A:171:LYS:HE3	1:A:173:GLU:HB2	1.90	0.53
1:A:4:ILE:HG23	1:A:102:VAL:CG2	2.37	0.53
1:A:32:ALA:O	1:A:88:LEU:HA	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:115:LEU:CB	1:A:194:ILE:HD13	2.38	0.52
1:A:51:ASN:HD22	1:A:51:ASN:N	2.00	0.52
1:A:6:ALA:O	1:A:9:PRO:N	2.43	0.52
1:A:29:GLY:C	1:A:50:PRO:HD2	2.34	0.52
1:A:92:ASP:OD1	1:A:92:ASP:N	2.41	0.52
1:A:65:GLU:O	1:A:66:ILE:HG13	2.09	0.52
1:A:88:LEU:N	1:A:100:ALA:HB3	2.16	0.52
1:A:140:ASN:HB3	1:A:183:SER:HB2	1.91	0.52
1:A:32:ALA:HA	1:A:46:ALA:O	2.10	0.52
1:A:124:GLU:O	1:A:125:LEU:HB2	2.10	0.52
1:A:22:HIS:O	1:A:23:ASN:C	2.53	0.51
1:A:75:PHE:HB3	1:A:78:ILE:HD11	1.92	0.51
1:A:40:ALA:C	1:A:42:ASP:N	2.67	0.51
1:A:79:THR:O	1:A:80:MET:C	2.52	0.51
1:A:123:LYS:NZ	1:A:201:ASP:CG	2.68	0.51
1:A:152:LEU:CD2	1:A:158:LEU:HD21	2.40	0.51
1:A:140:ASN:HD22	1:A:183:SER:HB2	1.75	0.51
1:A:14:ASP:OD1	1:A:14:ASP:O	2.29	0.51
1:A:110:VAL:CG1	1:A:182:ILE:HG21	2.40	0.51
1:A:129:THR:HA	1:A:165:LEU:O	2.11	0.51
1:A:4:ILE:HG13	1:A:20:LEU:O	2.10	0.51
1:A:143:TRP:C	1:A:144:LEU:HD13	2.36	0.51
1:A:18:LEU:HD12	1:A:73:LEU:O	2.11	0.51
1:A:49:VAL:HG21	1:A:56:PHE:CE1	2.46	0.51
1:A:83:MET:HE3	1:A:105:HIS:HA	1.93	0.51
1:A:91:THR:HG23	1:A:96:ARG:CB	2.39	0.51
1:A:122:VAL:HG12	1:A:123:LYS:H	1.76	0.51
1:A:153:THR:HG23	1:A:156:MET:HE3	1.93	0.50
1:A:29:GLY:O	1:A:49:VAL:HG13	2.12	0.50
1:A:64:ARG:C	1:A:65:GLU:HG3	2.36	0.50
1:A:180:CYS:SG	1:A:191:SER:HB3	2.51	0.50
1:A:23:ASN:O	1:A:25:PRO:HD3	2.11	0.50
1:A:123:LYS:O	1:A:126:ASP:HB2	2.12	0.50
1:A:66:ILE:HG22	1:A:68:TYR:CE2	2.47	0.50
1:A:29:GLY:O	1:A:49:VAL:CG1	2.60	0.50
1:A:58:GLY:O	1:A:60:ALA:N	2.41	0.50
1:A:145:PHE:CE1	1:A:176:GLY:HA3	2.46	0.50
1:A:113:PRO:O	1:A:114:PHE:CB	2.60	0.49
1:A:159:SER:O	1:A:160:GLN:C	2.55	0.49
1:A:92:ASP:OD1	1:A:95:TYR:O	2.29	0.49
1:A:8:PRO:HD2	1:A:17:VAL:HG13	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:31:PHE:CD2	1:A:48:PHE:HB3	2.48	0.49
1:A:67:ILE:HA	1:A:72:SER:O	2.13	0.49
1:A:201:ASP:HB3	1:A:202:PRO:HD3	1.93	0.49
1:A:129:THR:HG22	1:A:129:THR:O	2.12	0.49
2:B:2:NAG:HO6	2:B:3:BMA:H2	1.70	0.49
1:A:45:ILE:HG23	1:A:60:ALA:CB	2.44	0.48
1:A:54:MET:HG3	1:A:55:ASN:N	2.27	0.48
1:A:126:ASP:O	1:A:170:ILE:HG12	2.14	0.48
1:A:102:VAL:O	1:A:102:VAL:CG1	2.61	0.48
1:A:145:PHE:CD1	1:A:145:PHE:C	2.90	0.48
1:A:114:PHE:CZ	1:A:116:GLN:HG3	2.49	0.47
1:A:193:SER:O	1:A:194:ILE:C	2.58	0.47
1:A:144:LEU:HD13	1:A:144:LEU:N	2.29	0.47
1:A:155:ARG:NH1	1:A:174:ASP:OD1	2.48	0.47
1:A:123:LYS:HZ3	1:A:201:ASP:CG	2.21	0.47
1:A:78:ILE:HG22	1:A:79:THR:N	2.29	0.47
1:A:24:LEU:HD12	1:A:70:ASN:O	2.15	0.47
1:A:177:GLU:HA	1:A:195:LYS:HA	1.97	0.47
1:A:44:GLU:O	1:A:58:GLY:HA3	2.15	0.46
1:A:17:VAL:HG23	1:A:78:ILE:HD11	1.98	0.46
1:A:39:THR:O	1:A:39:THR:OG1	2.32	0.46
1:A:37:ASN:OD1	1:A:37:ASN:O	2.32	0.46
1:A:6:ALA:O	1:A:9:PRO:HD3	2.16	0.46
1:A:45:ILE:HG23	1:A:60:ALA:HB1	1.96	0.46
1:A:69:SER:C	1:A:71:GLY:N	2.72	0.46
1:A:110:VAL:CG1	1:A:111:THR:N	2.76	0.46
1:A:6:ALA:O	1:A:9:PRO:CD	2.64	0.46
1:A:40:ALA:C	1:A:42:ASP:H	2.22	0.46
1:A:18:LEU:HD12	1:A:73:LEU:C	2.41	0.46
1:A:151:GLN:O	1:A:152:LEU:HB2	2.14	0.45
1:A:28:LEU:HB3	1:A:91:THR:O	2.17	0.45
1:A:4:ILE:HD13	1:A:102:VAL:HB	1.98	0.45
1:A:11:VAL:N	1:A:105:HIS:O	2.49	0.45
1:A:114:PHE:HA	1:A:192:ASN:ND2	2.27	0.45
1:A:68:TYR:CD1	2:B:1:NAG:H61	2.51	0.45
1:A:24:LEU:C	1:A:24:LEU:CD2	2.90	0.45
1:A:83:MET:HE3	1:A:105:HIS:CA	2.46	0.45
1:A:89:ASP:C	1:A:90:MET:HG3	2.41	0.45
1:A:134:SER:CB	1:A:182:ILE:HD11	2.46	0.45
1:A:33:TRP:CD1	1:A:73:LEU:HB2	2.52	0.45
1:A:145:PHE:HD1	1:A:145:PHE:C	2.24	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:45:ILE:CA	1:A:60:ALA:CB	2.85	0.45
1:A:171:LYS:O	1:A:172:ARG:C	2.60	0.45
1:A:85:VAL:CG2	1:A:86:TYR:N	2.79	0.44
1:A:68:TYR:CE1	2:B:1:NAG:H61	2.51	0.44
1:A:11:VAL:HG21	1:A:17:VAL:CG2	2.47	0.44
1:A:52:SER:O	1:A:53:ASN:C	2.60	0.44
1:A:44:GLU:HG2	1:A:58:GLY:HA3	1.98	0.44
1:A:68:TYR:CE1	2:B:1:NAG:C6	3.01	0.44
1:A:25:PRO:O	1:A:26:LEU:O	2.35	0.44
1:A:58:GLY:C	1:A:60:ALA:N	2.73	0.44
1:A:140:ASN:ND2	1:A:183:SER:HB2	2.32	0.44
1:A:155:ARG:HH12	1:A:171:LYS:HG2	1.83	0.44
1:A:151:GLN:O	1:A:151:GLN:HG2	2.17	0.44
1:A:172:ARG:O	1:A:173:GLU:C	2.60	0.44
1:A:83:MET:HE3	1:A:105:HIS:CB	2.48	0.44
1:A:113:PRO:O	1:A:114:PHE:HB3	2.17	0.44
1:A:9:PRO:O	1:A:10:GLN:CB	2.61	0.43
1:A:34:TYR:CE2	1:A:44:GLU:HA	2.53	0.43
1:A:81:LYS:H	1:A:81:LYS:HG2	1.48	0.43
1:A:115:LEU:HD12	1:A:191:SER:HB2	2.00	0.43
1:A:118:THR:O	1:A:118:THR:HG22	2.18	0.43
1:A:150:LEU:HD11	1:A:156:MET:HE1	2.00	0.43
1:A:173:GLU:C	1:A:175:ALA:H	2.27	0.43
1:A:45:ILE:HG12	1:A:60:ALA:CB	2.49	0.43
1:A:123:LYS:NZ	1:A:201:ASP:OD2	2.52	0.43
1:A:64:ARG:CB	1:A:76:GLN:HB2	2.48	0.43
1:A:110:VAL:CG1	1:A:111:THR:H	2.30	0.43
1:A:80:MET:HA	1:A:106:VAL:HG11	2.01	0.42
1:A:51:ASN:H	1:A:51:ASN:ND2	2.13	0.42
1:A:150:LEU:O	1:A:152:LEU:HD12	2.19	0.42
1:A:172:ARG:O	1:A:175:ALA:N	2.47	0.42
1:A:7:VAL:HA	1:A:8:PRO:HA	1.62	0.42
1:A:16:ASN:HD21	1:A:76:GLN:HA	1.80	0.42
1:A:19:LEU:N	1:A:19:LEU:HD22	2.34	0.42
1:A:50:PRO:O	1:A:51:ASN:C	2.63	0.42
1:A:134:SER:HB2	1:A:182:ILE:HD11	2.00	0.42
1:A:7:VAL:HG12	1:A:7:VAL:O	2.19	0.42
1:A:12:ALA:O	1:A:13:GLU:C	2.63	0.42
1:A:67:ILE:C	1:A:68:TYR:HD2	2.28	0.42
1:A:122:VAL:CG1	1:A:170:ILE:CD1	2.98	0.42
1:A:89:ASP:OD1	1:A:97:ARG:O	2.38	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:ASP:C	1:A:170:ILE:HD11	2.44	0.42
1:A:146:ASN:C	1:A:147:SER:OG	2.62	0.42
1:A:79:THR:O	1:A:81:LYS:N	2.52	0.42
1:A:88:LEU:HG	1:A:89:ASP:N	2.35	0.41
1:A:128:VAL:HG12	1:A:129:THR:N	2.35	0.41
1:A:48:PHE:CD1	1:A:48:PHE:C	2.98	0.41
1:A:49:VAL:CG2	1:A:56:PHE:CE1	3.04	0.41
1:A:3:THR:CB	1:A:22:HIS:HD2	2.23	0.41
1:A:50:PRO:C	1:A:52:SER:N	2.78	0.41
1:A:151:GLN:O	1:A:152:LEU:O	2.38	0.41
1:A:11:VAL:HG12	1:A:12:ALA:H	1.85	0.41
1:A:74:LEU:HD21	1:A:76:GLN:HG2	2.02	0.41
1:A:161:ASN:HD22	1:A:161:ASN:HA	1.72	0.41
1:A:11:VAL:HG12	1:A:12:ALA:N	2.36	0.41
1:A:101:THR:O	1:A:102:VAL:HG23	2.21	0.41
1:A:122:VAL:CG1	1:A:170:ILE:HD12	2.51	0.41
1:A:68:TYR:HE1	2:B:1:NAG:HO6	1.68	0.41
1:A:78:ILE:CD1	1:A:78:ILE:N	2.81	0.41
1:A:29:GLY:N	1:A:91:THR:O	2.43	0.41
1:A:143:TRP:CZ3	1:A:180:CYS:HB3	2.56	0.41
1:A:155:ARG:NH2	1:A:174:ASP:OD2	2.54	0.41
1:A:199:ILE:HG22	1:A:200:PHE:N	2.35	0.41
1:A:26:LEU:H	1:A:26:LEU:HG	1.58	0.40
1:A:88:LEU:N	1:A:100:ALA:CB	2.62	0.40
1:A:110:VAL:HG23	1:A:187:SER:O	2.20	0.40
1:A:24:LEU:C	1:A:24:LEU:HD22	2.46	0.40
1:A:38:THR:C	1:A:40:ALA:N	2.80	0.40
1:A:186:VAL:H	1:A:186:VAL:HG23	1.67	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	201/216 (93%)	142 (71%)	37 (18%)	22 (11%)	0 2

All (22) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	26	LEU
1	A	28	LEU
1	A	51	ASN
1	A	61	TYR
1	A	94	ASN
1	A	114	PHE
1	A	186	VAL
1	A	192	ASN
1	A	23	ASN
1	A	27	ALA
1	A	50	PRO
1	A	77	MET
1	A	99	GLN
1	A	102	VAL
1	A	53	ASN
1	A	113	PRO
1	A	152	LEU
1	A	59	GLN
1	A	119	ASN
1	A	80	MET
1	A	172	ARG
1	A	13	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	184/196 (94%)	113 (61%)	71 (39%)	0 0

All (71) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	VAL
1	A	3	THR
1	A	5	GLU
1	A	7	VAL
1	A	11	VAL
1	A	14	ASP
1	A	16	ASN
1	A	17	VAL
1	A	24	LEU
1	A	31	PHE
1	A	38	THR
1	A	39	THR
1	A	41	ILE
1	A	45	ILE
1	A	47	ARG
1	A	49	VAL
1	A	51	ASN
1	A	54	MET
1	A	56	PHE
1	A	57	THR
1	A	61	TYR
1	A	64	ARG
1	A	67	ILE
1	A	69	SER
1	A	70	ASN
1	A	73	LEU
1	A	74	LEU
1	A	77	MET
1	A	80	MET
1	A	81	LYS
1	A	85	VAL
1	A	88	LEU
1	A	90	MET
1	A	92	ASP
1	A	93	GLU
1	A	94	ASN
1	A	98	THR
1	A	102	VAL
1	A	106	VAL
1	A	114	PHE
1	A	118	THR
1	A	120	THR
1	A	127	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	130	LEU
1	A	131	THR
1	A	133	LEU
1	A	142	GLN
1	A	144	LEU
1	A	147	SER
1	A	149	SER
1	A	150	LEU
1	A	152	LEU
1	A	153	THR
1	A	155	ARG
1	A	156	MET
1	A	163	SER
1	A	165	LEU
1	A	168	ASP
1	A	170	ILE
1	A	178	TYR
1	A	183	SER
1	A	187	SER
1	A	188	VAL
1	A	192	ASN
1	A	193	SER
1	A	194	ILE
1	A	195	LYS
1	A	196	LEU
1	A	198	ILE
1	A	200	PHE
1	A	203	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	HIS
1	A	51	ASN
1	A	59	GLN
1	A	94	ASN
1	A	135	ASN
1	A	140	ASN
1	A	161	ASN
1	A	179	GLN
1	A	192	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

3 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	B	1	2,1	14,14,15	0.74	0	17,19,21	1.31	2 (11%)
2	NAG	B	2	2	14,14,15	0.52	0	17,19,21	1.96	4 (23%)
2	BMA	B	3	2	11,11,12	0.92	0	15,15,17	1.23	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	B	2	2	-	2/6/23/26	0/1/1/1
2	BMA	B	3	2	-	2/2/19/22	0/1/1/1

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2	NAG	C4-C3-C2	-5.52	102.93	111.02
2	B	2	NAG	C1-C2-N2	3.61	116.11	110.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1	NAG	C3-C4-C5	3.40	116.39	110.23
2	B	3	BMA	C1-O5-C5	3.15	116.41	112.19
2	B	1	NAG	C2-N2-C7	-2.53	119.51	122.90
2	B	3	BMA	O5-C5-C6	-2.47	102.86	107.66
2	B	2	NAG	O5-C1-C2	-2.21	107.87	111.29
2	B	2	NAG	C1-O5-C5	2.10	115.01	112.19

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	1	NAG	O5-C5-C6-O6
2	B	2	NAG	O5-C5-C6-O6
2	B	2	NAG	C3-C2-N2-C7
2	B	3	BMA	O5-C5-C6-O6
2	B	3	BMA	C4-C5-C6-O6
2	B	1	NAG	C4-C5-C6-O6

There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1	NAG	4	0
2	B	3	BMA	3	0
2	B	2	NAG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	419	1	14,14,15	0.57	0	17,19,21	0.66	1 (5%)
3	NAG	A	355	1	14,14,15	0.54	0	17,19,21	0.88	1 (5%)
3	NAG	A	337	1	14,14,15	0.88	1 (7%)	17,19,21	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	419	1	-	2/6/23/26	0/1/1/1
3	NAG	A	355	1	-	0/6/23/26	0/1/1/1
3	NAG	A	337	1	1/1/5/7	3/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	337	NAG	C1-C2	2.71	1.56	1.52

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	355	NAG	C2-N2-C7	-2.33	119.77	122.90
3	A	419	NAG	C2-N2-C7	-2.05	120.15	122.90

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	A	337	NAG	C1

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	337	NAG	C3-C2-N2-C7
3	A	337	NAG	O5-C5-C6-O6
3	A	337	NAG	C4-C5-C6-O6
3	A	419	NAG	O5-C5-C6-O6
3	A	419	NAG	C4-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	355	NAG	1	0
3	A	337	NAG	2	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	203/216 (93%)	0.41	6 (2%) 52 35	16, 58, 97, 100	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	200	PHE	2.9
1	A	120	THR	2.2
1	A	122	VAL	2.2
1	A	78	ILE	2.1
1	A	65	GLU	2.1
1	A	56	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	BMA	B	3	11/12	0.79	0.08	97,100,100,100	0
2	NAG	B	2	14/15	0.83	0.12	63,83,92,93	0
2	NAG	B	1	14/15	0.84	0.11	14,38,50,60	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	A	419	14/15	0.62	0.15	97,100,100,100	0
3	NAG	A	337	14/15	0.67	0.16	94,100,100,100	0
3	NAG	A	355	14/15	0.85	0.16	90,99,100,100	0

6.5 Other polymers [i](#)

There are no such residues in this entry.