



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 12:16 PM UTC

PDB ID : 4L67 / pdb_00004l67
Title : Crystal Structure of Catalytic Domain of PAK4
Authors : Wang, W.; Song, J.
Deposited on : 2013-06-12
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	292	52% 36% 11% ..
2	B	25	20% 44% 36% 20%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2493 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-protein kinase PAK 4.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	290	Total	C	N	O	P	S	0	0	0
			2295	1462	405	413	1	14			

- Molecule 2 is a protein called Serine/threonine-protein kinase PAK 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	20	Total	C	N	O	S	0	0	0
			160	101	29	29	1			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	38	Total	O	0	0
			38	38		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Serine/threonine-protein kinase PAK 4



• Molecule 2: Serine/threonine-protein kinase PAK 4



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	65.17Å 65.17Å 184.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	61.46 – 2.80 61.46 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.2 (61.46-2.80) 99.2 (61.46-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.36 (at 2.80Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.228 , 0.333 0.229 , 0.340	Depositor DCC
R_{free} test set	502 reflections (4.81%)	wwPDB-VP
Wilson B-factor (Å ²)	71.8	Xtriage
Anisotropy	0.066	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 31.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	2493	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.02	1/2332 (0.0%)	1.22	17/3157 (0.5%)
2	B	0.86	0/164	1.48	2/223 (0.9%)
All	All	1.01	1/2496 (0.0%)	1.24	19/3380 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	327	ILE	CA-CB	-5.66	1.46	1.54

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	582	VAL	CA-C-N	-8.99	110.14	120.12
1	A	582	VAL	C-N-CA	-8.99	110.14	120.12
2	B	55	ASP	CA-C-N	7.83	129.63	119.84
2	B	55	ASP	C-N-CA	7.83	129.63	119.84
1	A	313	ASP	CA-C-N	-7.79	112.43	120.85
1	A	313	ASP	C-N-CA	-7.79	112.43	120.85
1	A	487	ILE	CA-C-N	7.61	131.24	120.28
1	A	487	ILE	C-N-CA	7.61	131.24	120.28
1	A	588	ASN	N-CA-C	6.26	122.39	114.31
1	A	493	GLY	CA-C-N	5.91	126.32	119.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	493	GLY	C-N-CA	5.91	126.32	119.47
1	A	487	ILE	O-C-N	5.58	129.20	121.84
1	A	507	GLU	N-CA-C	-5.54	105.14	111.07
1	A	556	ASP	CA-C-N	5.36	125.18	119.28
1	A	556	ASP	C-N-CA	5.36	125.18	119.28
1	A	328	GLY	N-CA-C	5.29	120.93	110.83
1	A	542	SER	CA-C-N	5.18	125.22	119.32
1	A	542	SER	C-N-CA	5.18	125.22	119.32
1	A	453	ARG	N-CA-C	-5.16	102.22	109.96

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	331	SER	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2295	0	2351	166	0
2	B	160	0	160	8	0
3	A	38	0	0	4	0
All	All	2493	0	2511	169	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 34.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:432:HIS:ND1	1:A:494:PRO:HB3	1.49	1.27
1:A:373:TYR:HB3	1:A:375:HIS:N	1.49	1.26
1:A:373:TYR:N	1:A:374:GLN:CA	2.05	1.16
1:A:373:TYR:N	1:A:374:GLN:HA	1.20	1.07

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:373:TYR:HB3	1:A:374:GLN:C	1.81	1.04
1:A:372:ASP:C	1:A:374:GLN:HA	1.84	1.03
1:A:373:TYR:C	1:A:373:TYR:CD2	2.40	1.00
1:A:373:TYR:CB	1:A:375:HIS:N	2.27	0.96
1:A:373:TYR:C	1:A:373:TYR:HD2	1.74	0.95
1:A:485:GLU:C	1:A:488:SER:OG	2.10	0.94
1:A:373:TYR:H	1:A:375:HIS:H	1.19	0.91
1:A:373:TYR:H	1:A:374:GLN:HA	1.16	0.91
1:A:453:ARG:HG3	1:A:453:ARG:HH11	1.37	0.89
1:A:437:ILE:HG22	1:A:439:ARG:HG3	1.53	0.88
1:A:432:HIS:ND1	1:A:494:PRO:CB	2.37	0.87
1:A:435:GLY:O	1:A:465:VAL:HG22	1.75	0.87
1:A:531:LEU:HD23	1:A:531:LEU:H	1.42	0.85
1:A:313:ASP:HB3	3:A:723:HOH:O	1.75	0.84
1:A:373:TYR:H	1:A:375:HIS:N	1.75	0.84
1:A:373:TYR:CD2	1:A:373:TYR:O	2.30	0.83
1:A:437:ILE:CG2	1:A:439:ARG:HG3	2.08	0.83
1:A:412:MET:HE1	1:A:508:MET:HG2	1.62	0.80
1:A:453:ARG:HH11	1:A:453:ARG:CG	1.94	0.80
1:A:373:TYR:HB2	1:A:375:HIS:HB2	1.64	0.80
1:A:372:ASP:OD1	1:A:373:TYR:HA	1.83	0.79
1:A:372:ASP:OD1	1:A:373:TYR:CA	2.30	0.79
1:A:368:VAL:HA	3:A:713:HOH:O	1.85	0.76
1:A:361:GLU:H	1:A:361:GLU:CD	1.93	0.76
1:A:485:GLU:CA	1:A:488:SER:OG	2.33	0.76
1:A:485:GLU:O	1:A:488:SER:OG	2.02	0.75
1:A:405:ASP:C	1:A:405:ASP:OD2	2.29	0.74
1:A:484:PRO:O	1:A:488:SER:OG	2.03	0.73
1:A:471:ARG:HD2	1:A:491:PRO:O	1.89	0.73
1:A:485:GLU:HA	1:A:488:SER:OG	1.89	0.72
1:A:373:TYR:HB3	1:A:375:HIS:CA	2.19	0.72
1:A:581:ILE:HG23	1:A:584:LEU:HD12	1.72	0.71
1:A:353:ASP:HB3	1:A:356:LYS:HG3	1.74	0.69
1:A:476:VAL:HA	2:B:54:VAL:HG22	1.76	0.68
1:A:530:ASN:O	1:A:555:ARG:HD2	1.93	0.67
1:A:428:LEU:O	1:A:432:HIS:CD2	2.48	0.67
1:A:439:ARG:NH2	1:A:463:ALA:HB2	2.09	0.67
1:A:526:MET:O	1:A:530:ASN:HB2	1.94	0.66
1:A:304:PHE:CE2	1:A:360:ARG:HG3	2.31	0.66
1:A:373:TYR:CB	1:A:374:GLN:C	2.65	0.66
1:A:428:LEU:HB3	1:A:432:HIS:NE2	2.10	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:428:LEU:HB3	1:A:432:HIS:HE2	1.62	0.65
1:A:372:ASP:OD1	1:A:373:TYR:N	2.30	0.65
1:A:428:LEU:O	1:A:432:HIS:HD2	1.80	0.65
1:A:356:LYS:C	1:A:357:GLN:HG2	2.23	0.63
1:A:362:LEU:HD22	3:A:727:HOH:O	1.98	0.63
2:B:40:GLN:N	2:B:41:SER:HB3	2.13	0.63
1:A:372:ASP:CG	1:A:373:TYR:HA	2.24	0.63
1:A:531:LEU:H	1:A:531:LEU:CD2	2.03	0.63
1:A:373:TYR:N	1:A:375:HIS:H	1.94	0.62
1:A:373:TYR:H	1:A:374:GLN:CA	1.91	0.62
1:A:453:ARG:HG3	1:A:453:ARG:NH1	2.12	0.61
1:A:373:TYR:N	1:A:375:HIS:N	2.48	0.61
1:A:326:LYS:C	1:A:327:ILE:CG2	2.74	0.61
1:A:428:LEU:HB3	1:A:432:HIS:CD2	2.35	0.60
1:A:414:GLU:HA	1:A:417:ILE:HG13	1.83	0.60
1:A:373:TYR:HD2	1:A:373:TYR:O	1.75	0.59
1:A:446:ILE:HG13	1:A:504:MET:HE1	1.85	0.58
1:A:457:SER:OG	1:A:458:ASP:N	2.35	0.58
1:A:580:SER:O	1:A:583:PRO:HD2	2.03	0.58
1:A:581:ILE:CG2	1:A:584:LEU:HD12	2.34	0.57
1:A:356:LYS:O	1:A:357:GLN:HG2	2.06	0.55
1:A:317:PRO:C	1:A:319:SER:H	2.12	0.55
2:B:39:TRP:O	2:B:40:GLN:HG3	2.06	0.55
1:A:439:ARG:HH21	1:A:463:ALA:HB2	1.70	0.55
1:A:365:ASN:O	1:A:366:GLU:C	2.50	0.55
1:A:326:LYS:HG2	2:B:43:ILE:CD1	2.36	0.54
1:A:373:TYR:H	1:A:374:GLN:C	2.13	0.54
1:A:404:THR:OG1	1:A:443:SER:OG	2.16	0.54
1:A:437:ILE:CG2	1:A:439:ARG:CG	2.82	0.54
1:A:326:LYS:O	1:A:327:ILE:HG22	2.08	0.54
1:A:506:ILE:HG12	1:A:535:LEU:HD13	1.91	0.53
1:A:326:LYS:C	1:A:327:ILE:HG22	2.33	0.53
1:A:369:ILE:N	1:A:369:ILE:HD13	2.23	0.53
1:A:301:HIS:HA	1:A:360:ARG:NH2	2.24	0.52
1:A:308:LEU:O	1:A:309:GLN:C	2.52	0.52
1:A:488:SER:O	1:A:489:ARG:HB2	2.09	0.52
1:A:327:ILE:HD13	1:A:337:ILE:HD12	1.91	0.52
1:A:582:VAL:O	1:A:588:ASN:ND2	2.43	0.51
1:A:456:LEU:HD23	1:A:457:SER:H	1.75	0.51
1:A:582:VAL:HA	1:A:585:MET:HE3	1.93	0.51
1:A:437:ILE:HG21	1:A:439:ARG:HG3	1.90	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:505:VAL:HA	1:A:508:MET:HE3	1.92	0.51
1:A:514:PRO:HB2	3:A:735:HOH:O	2.11	0.50
1:A:317:PRO:C	1:A:319:SER:N	2.66	0.50
1:A:359:ARG:HG2	1:A:361:GLU:OE2	2.12	0.50
1:A:453:ARG:HH11	1:A:453:ARG:CB	2.24	0.50
1:A:437:ILE:HG21	1:A:439:ARG:CG	2.42	0.49
1:A:488:SER:HA	1:A:528:ARG:HD2	1.93	0.49
1:A:414:GLU:HA	1:A:417:ILE:CG1	2.42	0.49
1:A:428:LEU:C	1:A:432:HIS:HD2	2.20	0.49
1:A:483:ALA:HB3	1:A:496:VAL:HG12	1.95	0.49
1:A:373:TYR:CB	1:A:375:HIS:HB2	2.39	0.49
1:A:438:HIS:O	1:A:439:ARG:HB2	2.12	0.49
1:A:531:LEU:HD23	1:A:531:LEU:N	2.18	0.49
1:A:414:GLU:CD	1:A:545:LEU:HD23	2.37	0.49
1:A:518:GLU:O	1:A:519:PRO:C	2.55	0.49
1:A:488:SER:O	1:A:489:ARG:O	2.30	0.49
1:A:528:ARG:O	1:A:555:ARG:NH2	2.46	0.48
1:A:504:MET:O	1:A:507:GLU:HB2	2.12	0.48
1:A:523:ALA:O	1:A:527:ILE:HG13	2.13	0.48
1:A:410:THR:O	1:A:411:ARG:NH1	2.47	0.48
1:A:471:ARG:O	1:A:472:ARG:HD2	2.14	0.48
1:A:571:PHE:O	1:A:574:LYS:HG3	2.14	0.48
1:A:406:ILE:O	1:A:410:THR:HG22	2.13	0.47
1:A:478:THR:O	1:A:479:PRO:C	2.57	0.47
1:A:453:ARG:CG	1:A:453:ARG:NH1	2.65	0.47
1:A:327:ILE:CD1	1:A:337:ILE:HD12	2.44	0.47
1:A:327:ILE:CD1	1:A:337:ILE:CD1	2.93	0.47
1:A:588:ASN:N	1:A:589:ARG:HA	2.29	0.47
1:A:437:ILE:O	1:A:462:CYS:HB2	2.14	0.47
1:A:445:SER:C	1:A:446:ILE:HD13	2.39	0.47
1:A:373:TYR:N	1:A:374:GLN:C	2.68	0.47
1:A:406:ILE:HD13	1:A:584:LEU:HB3	1.97	0.46
1:A:483:ALA:O	1:A:487:ILE:HD12	2.16	0.46
1:A:532:PRO:HG3	1:A:555:ARG:HG3	1.97	0.46
1:A:538:LEU:HD13	1:A:546:LYS:HD3	1.98	0.46
1:A:411:ARG:HD3	1:A:411:ARG:HA	1.76	0.46
1:A:425:LEU:C	1:A:427:ALA:N	2.72	0.46
1:A:456:LEU:CD2	1:A:457:SER:H	2.29	0.46
1:A:327:ILE:O	1:A:327:ILE:CG1	2.60	0.45
1:A:369:ILE:HD11	1:A:462:CYS:SG	2.56	0.45
1:A:378:VAL:HG13	1:A:459:PHE:CZ	2.51	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:588:ASN:H	1:A:589:ARG:HA	1.81	0.45
1:A:425:LEU:O	1:A:426:GLN:C	2.60	0.45
1:A:326:LYS:HG2	2:B:43:ILE:HD11	1.98	0.45
1:A:334:ILE:H	1:A:334:ILE:HG12	1.37	0.45
1:A:361:GLU:CD	1:A:361:GLU:N	2.67	0.45
1:A:365:ASN:O	1:A:368:VAL:HB	2.17	0.44
1:A:449:THR:C	1:A:451:ASP:H	2.25	0.44
1:A:326:LYS:HE2	2:B:43:ILE:HD13	1.99	0.44
1:A:429:SER:OG	1:A:430:VAL:N	2.49	0.44
1:A:326:LYS:HG2	2:B:43:ILE:HD13	1.99	0.43
1:A:465:VAL:HG11	1:A:470:PRO:O	2.19	0.43
1:A:373:TYR:CB	1:A:375:HIS:H	2.24	0.43
1:A:437:ILE:HG22	1:A:438:HIS:N	2.33	0.43
1:A:519:PRO:HA	1:A:520:PRO:HD2	1.85	0.43
1:A:407:VAL:HG22	1:A:508:MET:HA	2.00	0.43
1:A:413:ASN:OD1	1:A:413:ASN:C	2.61	0.43
1:A:485:GLU:O	1:A:489:ARG:N	2.52	0.43
1:A:405:ASP:OD2	1:A:405:ASP:O	2.37	0.43
1:A:375:HIS:ND1	1:A:376:GLU:N	2.66	0.42
1:A:449:THR:O	1:A:585:MET:HE1	2.19	0.42
1:A:582:VAL:HA	1:A:585:MET:CE	2.49	0.42
1:A:421:CYS:O	1:A:422:LEU:C	2.63	0.42
2:B:39:TRP:C	2:B:41:SER:HB3	2.44	0.42
1:A:369:ILE:N	1:A:369:ILE:CD1	2.81	0.42
1:A:407:VAL:HG11	1:A:507:GLU:HB3	2.00	0.42
1:A:413:ASN:O	1:A:417:ILE:HG12	2.20	0.42
1:A:568:LYS:O	1:A:569:HIS:C	2.63	0.41
1:A:498:ILE:O	1:A:499:TRP:C	2.61	0.41
1:A:418:ALA:O	1:A:419:ALA:C	2.63	0.41
1:A:518:GLU:HB2	1:A:523:ALA:HB2	2.02	0.41
1:A:326:LYS:HD2	1:A:334:ILE:HG21	2.03	0.41
1:A:554:VAL:HG11	1:A:559:GLN:HB2	2.02	0.41
1:A:472:ARG:HE	1:A:472:ARG:HB3	1.55	0.41
1:A:430:VAL:O	1:A:433:ALA:HB3	2.20	0.41
1:A:439:ARG:NH1	1:A:476:VAL:HG21	2.35	0.41
1:A:456:LEU:CD2	1:A:457:SER:N	2.84	0.41
1:A:412:MET:CE	1:A:508:MET:HG2	2.43	0.41
1:A:432:HIS:CE1	1:A:494:PRO:HB3	2.42	0.41
1:A:568:LYS:HE3	1:A:568:LYS:HB2	1.60	0.41
1:A:438:HIS:ND1	1:A:438:HIS:C	2.79	0.40
1:A:569:HIS:CG	1:A:570:PRO:HD2	2.56	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:472:ARG:O	1:A:491:PRO:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	287/292 (98%)	254 (88%)	25 (9%)	8 (3%)	4	14
2	B	18/25 (72%)	14 (78%)	3 (17%)	1 (6%)	1	4
All	All	305/317 (96%)	268 (88%)	28 (9%)	9 (3%)	3	12

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	56	PRO
1	A	366	GLU
1	A	586	ARG
1	A	470	PRO
1	A	489	ARG
1	A	369	ILE
1	A	426	GLN
1	A	479	PRO
1	A	327	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	252/254 (99%)	216 (86%)	36 (14%)	3	11
2	B	18/23 (78%)	16 (89%)	2 (11%)	6	20
All	All	270/277 (98%)	232 (86%)	38 (14%)	3	12

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	302	GLU
1	A	318	ARG
1	A	322	ASP
1	A	327	ILE
1	A	332	THR
1	A	334	ILE
1	A	337	ILE
1	A	341	ARG
1	A	356	LYS
1	A	360	ARG
1	A	361	GLU
1	A	369	ILE
1	A	371	ARG
1	A	373	TYR
1	A	374	GLN
1	A	376	GLU
1	A	404	THR
1	A	405	ASP
1	A	406	ILE
1	A	407	VAL
1	A	411	ARG
1	A	417	ILE
1	A	453	ARG
1	A	456	LEU
1	A	464	GLN
1	A	467	LYS
1	A	472	ARG
1	A	488	SER
1	A	490	LEU
1	A	512	GLU
1	A	529	ASP
1	A	531	LEU
1	A	541	VAL
1	A	545	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	585	MET
1	A	589	ARG
2	B	42	LEU
2	B	53	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	309	GLN
1	A	377	ASN
1	A	409	HIS
1	A	434	GLN
1	A	464	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	SEP	A	474	1	8,9,10	0.73	0	7,12,14	2.38	3 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	A	474	1	-	3/6/8/10	-

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	474	SEP	OG-CB-CA	4.13	112.16	108.14
1	A	474	SEP	O2P-P-OG	-3.25	98.20	106.67
1	A	474	SEP	O3P-P-O2P	2.59	117.53	107.80

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	474	SEP	CB-OG-P-O1P
1	A	474	SEP	CB-OG-P-O2P
1	A	474	SEP	CB-OG-P-O3P

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	289/292 (98%)	-0.37	2 (0%) 84 77	39, 65, 104, 139	0
2	B	20/25 (80%)	0.76	5 (25%) 2 1	86, 124, 163, 181	0
All	All	309/317 (97%)	-0.30	7 (2%) 61 51	39, 66, 114, 181	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	57	ALA	3.6
2	B	53	LEU	2.5
1	A	463	ALA	2.5
2	B	58	CYS	2.4
2	B	39	TRP	2.4
2	B	56	PRO	2.2
1	A	492	TYR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	SEP	A	474	10/11	0.93	0.07	79,87,91,92	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.