



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 07:09 PM UTC

PDB ID : 5L62 / pdb_00005l62
Title : Yeast 20S proteasome with human beta5c (1-138) and human beta6 (97-111; 118-133) in complex with epoxyketone inhibitor 16
Authors : Groll, M.; Huber, E.M.
Deposited on : 2016-05-28
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	 98%
1	O	250	 98%
2	B	258	 89% 5% • 5%
2	P	258	 89% 5% • 5%
3	C	254	 87% 6% • 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	 2% 87% 6% • 6%
4	D	260	 % 86% • 10%
4	R	260	 % 87% • 10%
5	E	234	 96% • •
5	S	234	 % 96% • •
6	F	288	 83% • 16%
6	T	288	 2% 82% • 16%
7	G	252	 91% • •
7	U	252	 91% • •
8	H	232	 94% • •
8	V	232	 % 94% • •
9	I	205	 94% 5%
9	W	205	 94% 5%
10	J	198	 % 90% 7% • •
10	X	198	 % 90% 7% • •
11	K	211	 % 85% 11% •
11	Y	211	 % 86% 10% • •
12	L	222	 94% 6%
12	Z	222	 % 94% 6%
13	M	246	 % 93% • 5%
13	a	246	 % 93% • 5%
14	N	196	 96% • •
14	b	196	 95% • •

2 Entry composition

There are 19 unique types of molecules in this entry. The entry contains 49807 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	226	Total	C	N	O	S	0	0	0
			1719	1082	298	332	7			
8	V	226	Total	C	N	O	S	0	0	0
			1719	1082	298	332	7			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-5,Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	211	Total	C	N	O	S	0	0	0
			1632	1036	282	306	8			
11	Y	211	Total	C	N	O	S	0	0	0
			1632	1036	282	306	8			

- Molecule 12 is a protein called Proteasome subunit beta type-6,Proteasome subunit beta type-1,Proteasome subunit beta type-6,Proteasome subunit beta type-1,Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1764	1119	305	336	4			
12	Z	222	Total	C	N	O	S	0	1	0
			1776	1128	306	338	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			
13	a	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			

- Molecule 15 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	A	1	Total Mg 1 1	0	0
15	G	1	Total Mg 1 1	0	0
15	I	2	Total Mg 2 2	0	0
15	J	1	Total Mg 1 1	0	0
15	K	2	Total Mg 2 2	0	0
15	L	1	Total Mg 1 1	0	0
15	N	1	Total Mg 1 1	0	0
15	X	1	Total Mg 1 1	0	0
15	Z	1	Total Mg 1 1	0	0
15	b	1	Total Mg 1 1	0	0

- Molecule 16 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	G	1	Total Cl 1 1	0	0
16	N	1	Total Cl 1 1	0	0
16	U	1	Total Cl 1 1	0	0
16	b	1	Total Cl 1 1	0	0

- Molecule 17 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
17	H	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
17	K	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
17	V	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
17	Y	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 18 is (2 {S})-3-(1 {H}-indol-3-yl)- {N}-[(2 {S},3 {S},4 {R})-4-methyl-3,5-bis(oxidanyl)-1-phenyl-pentan-2-yl]-2-[[(2 {R})-2-(2-morpholin-4-ylethanoylamino)propanoyl]amino]propanamide (CCD ID: 79P) (formula: C₃₂H₄₃N₅O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
18	K	1	Total	C	N	O	0	0
			43	32	5	6		
18	Y	1	Total	C	N	O	0	0
			43	32	5	6		

- Molecule 19 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	A	12	Total	O	0	0
			12	12		
19	B	11	Total	O	0	0
			11	11		
19	C	4	Total	O	0	0
			4	4		
19	D	9	Total	O	0	0
			9	9		
19	E	5	Total	O	0	0
			5	5		
19	F	13	Total	O	0	0
			13	13		
19	G	10	Total	O	0	0
			10	10		
19	H	22	Total	O	0	0
			22	22		
19	I	11	Total	O	0	0
			11	11		
19	J	10	Total	O	0	0
			10	10		
19	K	5	Total	O	0	0
			5	5		
19	L	14	Total	O	0	0
			14	14		
19	M	16	Total	O	0	0
			16	16		
19	N	10	Total	O	0	0
			10	10		
19	O	9	Total	O	0	0
			9	9		
19	P	11	Total	O	0	0
			11	11		
19	Q	4	Total	O	0	0
			4	4		
19	R	4	Total	O	0	0
			4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	S	7	Total 7	O 7	0	0
19	T	10	Total 10	O 10	0	0
19	U	16	Total 16	O 16	0	0
19	V	16	Total 16	O 16	0	0
19	W	7	Total 7	O 7	0	0
19	X	11	Total 11	O 11	0	0
19	Y	9	Total 9	O 9	0	0
19	Z	9	Total 9	O 9	0	0
19	a	16	Total 16	O 16	0	0
19	b	8	Total 8	O 8	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Proteasome subunit alpha type-2

Chain A:  98% .




- Molecule 1: Proteasome subunit alpha type-2

Chain O:  98% .




- Molecule 2: Proteasome subunit alpha type-3

Chain B:  89% 5% • 5%




- Molecule 2: Proteasome subunit alpha type-3

Chain P:  89% 5% • 5%





- Molecule 3: Proteasome subunit alpha type-4


Chain C:  87% 6% • 6%




- Molecule 3: Proteasome subunit alpha type-4



- Molecule 4: Proteasome subunit alpha type-5




- Molecule 4: Proteasome subunit alpha type-5





- Molecule 5: Proteasome subunit alpha type-6





- Molecule 5: Proteasome subunit alpha type-6



- Molecule 6: Probable proteasome subunit alpha type-7



- Molecule 6: Probable proteasome subunit alpha type-7



GLU
GLY
ASP
ILE
HIS
LEU
GLU

• Molecule 7: Proteasome subunit alpha type-1

Chain G:  91%

MET SER GLY ALA ALA ALA ALA ALA ALA G2 F23 T26 I78 P79 L115 R122 M125 D149 P150 R235 L236 Q242 ASP

• Molecule 7: Proteasome subunit alpha type-1

Chain U:  91%

MET SER GLY ALA ALA ALA ALA ALA ALA G2 P12 F23 T26 T40 I78 P79 L115 R122 M125 D149 P150 R235 L236 Q242 ASP

• Molecule 8: Proteasome subunit beta type-2

Chain H:  94%

T1 H35 E53 T56 Q57 L68 D104 P105 R196 E226 GLN VAL ASP THR ALA

• Molecule 8: Proteasome subunit beta type-2

Chain V:  94%


T1 H35 E53 T56 Q57 L68 D104 P105 R196 I223 Q224 E226 GLN VAL ASP THR ALA

• Molecule 9: Proteasome subunit beta type-3

Chain I:  94% 5%

MET S1 I10 V20 N37 K38 R98 P118 L125 I126 A141 E150 L171 I189 V204

• Molecule 9: Proteasome subunit beta type-3

Chain W:  94% 5%


MET S1 I10 V20 N37 K38 R98 P118 I126 A141 E150 L171 I189 V204

• Molecule 10: Proteasome subunit beta type-4


Chain J:  90% 7%





- Molecule 10: Proteasome subunit beta type-4



- Molecule 11: Proteasome subunit beta type-5, Proteasome subunit beta type-5




- Molecule 11: Proteasome subunit beta type-5, Proteasome subunit beta type-5



- Molecule 12: Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6




- Molecule 12: Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6





- Molecule 13: Proteasome subunit beta type-7





• Molecule 13: Proteasome subunit beta type-7



• Molecule 14: Proteasome subunit beta type-1



• Molecule 14: Proteasome subunit beta type-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	135.91Å 300.50Å 145.54Å 90.00° 112.77° 90.00°	Depositor
Resolution (Å)	15.00 – 2.80 15.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	97.8 (15.00-2.80) 97.2 (15.00-2.80)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.86 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.181 , 0.204 0.186 , 0.209	Depositor DCC
R_{free} test set	12795 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	58.3	Xtriage
Anisotropy	0.032	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 51.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	49807	wwPDB-VP
Average B, all atoms (Å ²)	63.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, MES, MG, 79P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	0/1952	0.68	0/2642
1	O	0.39	0/1952	0.68	0/2642
2	B	0.42	0/1934	0.78	1/2618 (0.0%)
2	P	0.42	0/1934	0.74	1/2618 (0.0%)
3	C	0.39	0/1910	0.69	1/2586 (0.0%)
3	Q	0.39	0/1910	0.69	1/2586 (0.0%)
4	D	0.38	0/1837	0.65	0/2475
4	R	0.38	0/1837	0.65	0/2475
5	E	0.39	0/1800	0.64	0/2433
5	S	0.40	0/1800	0.65	0/2433
6	F	0.40	0/1932	0.68	0/2609
6	T	0.40	0/1932	0.69	0/2609
7	G	0.39	0/1945	0.66	0/2634
7	U	0.39	0/1945	0.67	0/2634
8	H	0.35	0/1750	0.65	0/2373
8	V	0.35	0/1750	0.65	0/2373
9	I	0.35	0/1611	0.76	2/2174 (0.1%)
9	W	0.35	0/1611	0.76	4/2174 (0.2%)
10	J	0.37	0/1589	0.65	0/2142
10	X	0.36	0/1589	0.65	0/2142
11	K	0.46	2/1668 (0.1%)	0.86	9/2253 (0.4%)
11	Y	0.47	3/1668 (0.2%)	0.84	7/2253 (0.3%)
12	L	0.41	0/1802	0.68	0/2430
12	Z	0.38	0/1815	0.67	0/2448
13	M	0.37	0/1855	0.67	0/2514
13	a	0.37	0/1855	0.67	0/2514
14	N	0.35	0/1541	0.67	0/2087
14	b	0.35	0/1541	0.67	0/2087
All	All	0.39	5/50265 (0.0%)	0.69	26/67958 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
11	K	0	1
11	Y	0	1
12	Z	0	1
All	All	0	3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	Y	9	ARG	CZ-NH2	-5.96	1.25	1.33
11	K	107	ARG	CD-NE	-5.95	1.38	1.46
11	Y	107	ARG	CD-NE	-5.74	1.38	1.46
11	Y	1	THR	CB-OG1	-5.42	1.35	1.43
11	K	1	THR	CB-OG1	-5.29	1.35	1.43

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	113	ARG	CG-CD-NE	17.58	150.68	112.00
2	P	113	ARG	CG-CD-NE	12.46	139.41	112.00
9	I	126	ILE	CG1-CB-CG2	-11.63	75.82	110.70
9	W	126	ILE	CG1-CB-CG2	-10.33	79.71	110.70
11	Y	9	ARG	NE-CZ-NH1	9.41	130.91	121.50
9	W	126	ILE	CA-CB-CG1	8.74	125.26	110.40
11	K	107	ARG	NE-CZ-NH1	-8.72	112.78	121.50
11	K	9	ARG	NE-CZ-NH2	8.54	126.89	119.20
9	I	126	ILE	CA-CB-CG1	8.32	124.55	110.40
11	K	107	ARG	NE-CZ-NH2	8.27	126.64	119.20
11	K	9	ARG	CG-CD-NE	6.39	126.06	112.00
9	W	126	ILE	CB-CG1-CD1	-6.13	100.92	113.80
11	Y	65	ILE	CA-CB-CG1	5.94	120.49	110.40
11	Y	107	ARG	CG-CD-NE	5.83	124.82	112.00
11	Y	107	ARG	NE-CZ-NH2	-5.83	113.96	119.20
11	K	1	THR	CA-CB-CG2	5.77	120.31	110.50
11	Y	1	THR	CA-CB-CG2	5.65	120.11	110.50
9	W	126	ILE	N-CA-C	5.64	117.62	112.43
11	K	65	ILE	CG1-CB-CG2	-5.51	94.17	110.70
11	K	9	ARG	NH1-CZ-NH2	-5.50	112.15	119.30
11	Y	31	VAL	N-CA-C	5.47	116.65	109.21
3	Q	201	VAL	N-CA-C	5.47	116.19	110.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	201	VAL	N-CA-C	5.42	116.15	110.62
11	K	1	THR	N-CA-C	5.16	125.45	111.00
11	Y	65	ILE	CB-CG1-CD1	5.14	124.60	113.80
11	K	107	ARG	CG-CD-NE	5.11	123.24	112.00

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
11	K	9	ARG	Sidechain
11	Y	9	ARG	Sidechain
12	Z	108[B]	TYR	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	0	0
1	O	1915	0	1929	1	0
2	B	1904	0	1904	9	0
2	P	1904	0	1904	10	0
3	C	1881	0	1895	9	0
3	Q	1881	0	1895	7	0
4	D	1813	0	1797	3	0
4	R	1813	0	1797	2	0
5	E	1773	0	1775	1	0
5	S	1773	0	1775	1	0
6	F	1892	0	1883	0	0
6	T	1892	0	1883	1	0
7	G	1907	0	1901	3	0
7	U	1907	0	1901	4	0
8	H	1719	0	1719	5	0
8	V	1719	0	1719	5	0
9	I	1581	0	1574	11	0
9	W	1581	0	1574	7	0
10	J	1561	0	1569	9	0
10	X	1561	0	1569	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
11	K	1632	0	1590	16	0
11	Y	1632	0	1590	13	0
12	L	1764	0	1716	4	0
12	Z	1776	0	1724	5	0
13	M	1824	0	1832	1	0
13	a	1824	0	1832	0	0
14	N	1512	0	1481	3	0
14	b	1512	0	1481	4	0
15	A	1	0	0	0	0
15	G	1	0	0	0	0
15	I	2	0	0	0	0
15	J	1	0	0	0	0
15	K	2	0	0	0	0
15	L	1	0	0	0	0
15	N	1	0	0	0	0
15	X	1	0	0	0	0
15	Z	1	0	0	0	0
15	b	1	0	0	0	0
16	G	1	0	0	0	0
16	N	1	0	0	0	0
16	U	1	0	0	0	0
16	b	1	0	0	0	0
17	H	12	0	13	0	0
17	K	12	0	13	0	0
17	V	12	0	13	0	0
17	Y	12	0	13	0	0
18	K	43	0	0	1	0
18	Y	43	0	0	1	0
19	A	12	0	0	0	0
19	B	11	0	0	0	0
19	C	4	0	0	0	0
19	D	9	0	0	0	0
19	E	5	0	0	0	0
19	F	13	0	0	0	0
19	G	10	0	0	0	0
19	H	22	0	0	0	0
19	I	11	0	0	0	0
19	J	10	0	0	0	0
19	K	5	0	0	0	0
19	L	14	0	0	0	0
19	M	16	0	0	1	0
19	N	10	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	O	9	0	0	0	0
19	P	11	0	0	1	0
19	Q	4	0	0	0	0
19	R	4	0	0	0	0
19	S	7	0	0	0	0
19	T	10	0	0	1	0
19	U	16	0	0	0	0
19	V	16	0	0	0	0
19	W	7	0	0	0	0
19	X	11	0	0	0	0
19	Y	9	0	0	1	0
19	Z	9	0	0	0	0
19	a	16	0	0	0	0
19	b	8	0	0	0	0
All	All	49807	0	49190	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:93:HIS:NE2	2:B:113:ARG:CD	2.07	1.17
2:B:93:HIS:NE2	2:B:113:ARG:HD2	1.60	1.15
11:K:9:ARG:NH2	11:K:146:ASP:OD1	1.91	1.03
2:B:93:HIS:NE2	2:B:113:ARG:HD3	1.88	0.88
2:P:93:HIS:NE2	2:P:113:ARG:NE	2.26	0.83
2:P:93:HIS:CE1	2:P:113:ARG:NE	2.53	0.77
2:B:93:HIS:NE2	2:B:113:ARG:NE	2.36	0.74
9:I:98:ARG:HD2	9:I:126:ILE:HD12	1.71	0.73
11:Y:9:ARG:NH2	11:Y:146:ASP:OD1	2.21	0.73
11:Y:62:GLN:HA	11:Y:62:GLN:OE1	1.86	0.73
9:W:98:ARG:HD2	9:W:126:ILE:HD12	1.69	0.73
2:P:93:HIS:NE2	2:P:113:ARG:CD	2.52	0.72
4:R:89:VAL:HG12	11:Y:61:ARG:HD3	1.71	0.72
9:I:125:LEU:HD23	9:I:126:ILE:HG22	1.72	0.71
2:B:93:HIS:CE1	2:B:113:ARG:NE	2.62	0.68
4:D:89:VAL:HG12	11:K:61:ARG:HD3	1.75	0.68
11:K:62:GLN:HA	11:K:62:GLN:OE1	1.97	0.65
9:I:98:ARG:HD2	9:I:126:ILE:CD1	2.33	0.58
10:J:139:TYR:OH	10:X:25:ILE:O	2.23	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:J:25:ILE:O	10:X:139:TYR:OH	2.22	0.56
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.89	0.55
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.89	0.54
11:K:62:GLN:OE1	11:K:62:GLN:CA	2.56	0.54
10:X:126:VAL:HG12	10:X:128:LEU:HG	1.89	0.54
9:I:38:LYS:NZ	11:Y:208:ASN:O	2.41	0.54
10:J:126:VAL:HG12	10:J:128:LEU:HG	1.89	0.54
11:K:208:ASN:O	9:W:38:LYS:NZ	2.41	0.54
8:V:35:HIS:HB3	8:V:56:THR:HG21	1.91	0.53
8:H:35:HIS:HB3	8:H:56:THR:HG21	1.90	0.53
14:N:152:VAL:HA	14:N:175:MET:HE1	1.92	0.52
10:J:1:MET:HG2	10:J:34:LYS:HE3	1.91	0.52
10:J:50:ALA:O	11:K:91:LYS:NZ	2.42	0.52
14:b:152:VAL:HA	14:b:175:MET:HE1	1.92	0.52
2:P:93:HIS:CE1	19:P:301:HOH:O	2.64	0.51
3:C:201:VAL:O	3:C:202:GLN:CB	2.58	0.51
10:X:1:MET:HG2	10:X:34:LYS:HE3	1.92	0.51
12:L:31:THR:HG23	12:L:36:ASN:HD21	1.75	0.51
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.59	0.51
2:P:93:HIS:CE1	2:P:113:ARG:CZ	2.94	0.51
7:U:23:PHE:O	7:U:26:THR:HB	2.11	0.50
12:Z:31:THR:HG23	12:Z:36:ASN:HD21	1.75	0.50
7:G:23:PHE:O	7:G:26:THR:HB	2.11	0.50
8:V:53:GLU:O	8:V:57:GLN:HG2	2.12	0.50
2:B:50:LYS:O	2:B:51:VAL:C	2.55	0.50
2:B:93:HIS:CE1	2:B:113:ARG:CZ	2.95	0.49
2:P:50:LYS:O	2:P:51:VAL:C	2.55	0.49
11:Y:12:VAL:HG13	11:Y:179:VAL:HB	1.94	0.49
11:Y:62:GLN:OE1	11:Y:62:GLN:CA	2.60	0.49
12:Z:100:ARG:HD3	12:Z:105:TYR:CE2	2.48	0.48
12:L:100:ARG:HD3	12:L:105:TYR:CE2	2.49	0.48
2:P:93:HIS:CE1	2:P:113:ARG:HE	2.27	0.48
11:K:12:VAL:HG13	11:K:179:VAL:HB	1.94	0.48
8:H:53:GLU:O	8:H:57:GLN:HG2	2.13	0.48
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.44	0.47
14:b:83:LYS:HG3	14:b:119:VAL:CG2	2.44	0.47
3:C:201:VAL:O	3:C:202:GLN:HB3	2.14	0.47
9:I:126:ILE:HG21	9:I:126:ILE:HD13	1.35	0.47
13:M:2:GLN:NE2	19:M:301:HOH:O	2.46	0.47
9:W:98:ARG:CD	9:W:126:ILE:HD12	2.42	0.47
3:C:99:GLU:HG3	11:K:81:LYS:HD3	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:V:35:HIS:CB	8:V:56:THR:HG21	2.45	0.47
3:Q:201:VAL:O	3:Q:202:GLN:HB3	2.15	0.47
10:X:50:ALA:O	11:Y:91:LYS:NZ	2.48	0.47
8:H:35:HIS:CB	8:H:56:THR:HG21	2.45	0.46
9:W:10:ILE:HG21	9:W:141:ALA:HB3	1.97	0.46
9:I:10:ILE:HG21	9:I:141:ALA:HB3	1.98	0.46
3:C:96:LEU:O	11:K:81:LYS:HE2	2.15	0.46
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.98	0.46
11:K:62:GLN:O	11:K:65:ILE:HG22	2.16	0.45
11:Y:208:ASN:ND2	19:Y:401:HOH:O	2.48	0.45
9:I:20:VAL:HG23	9:I:189:ILE:HB	1.98	0.45
3:C:51:LYS:O	3:C:52:LEU:HB2	2.17	0.45
10:J:29:LYS:HD2	11:K:121:ILE:CG2	2.47	0.45
6:T:96:LYS:NZ	19:T:301:HOH:O	2.50	0.45
11:Y:62:GLN:O	11:Y:65:ILE:HG22	2.16	0.45
14:b:176:VAL:HG12	14:b:178:LEU:HD13	1.99	0.45
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.99	0.44
3:Q:96:LEU:O	11:Y:81:LYS:HE2	2.17	0.44
9:W:20:VAL:HG23	9:W:189:ILE:HB	1.98	0.44
14:N:176:VAL:HG12	14:N:178:LEU:HD13	1.99	0.44
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.52	0.44
3:Q:51:LYS:O	3:Q:52:LEU:HB2	2.17	0.44
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.83	0.44
3:C:35:LYS:HG2	3:C:158:SER:O	2.18	0.44
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.83	0.43
12:Z:125:PHE:CD2	12:Z:131:TYR:HB3	2.53	0.43
11:K:104:TRP:CE2	11:K:181:GLU:HB3	2.53	0.43
12:L:8:ASN:HA	12:L:30:ILE:O	2.19	0.43
9:I:98:ARG:CD	9:I:126:ILE:CD1	2.96	0.43
2:P:93:HIS:NE2	2:P:113:ARG:CG	2.82	0.43
8:H:196:ARG:NH2	9:I:150:GLU:O	2.52	0.43
10:X:3:ILE:HG23	10:X:18:SER:HB3	2.01	0.43
11:Y:104:TRP:CE2	11:Y:181:GLU:HB3	2.53	0.43
10:J:3:ILE:HG23	10:J:18:SER:HB3	2.01	0.43
7:G:78:ILE:N	7:G:79:PRO:CD	2.82	0.42
11:K:1:THR:CG2	11:K:2:THR:N	2.82	0.42
12:L:125:PHE:CD2	12:L:131:TYR:HB3	2.54	0.42
11:K:33:LYS:HG2	18:K:301:79P:C42	2.50	0.42
7:U:78:ILE:N	7:U:79:PRO:CD	2.82	0.42
11:K:100:MET:SD	11:K:128:VAL:CG1	3.08	0.42
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:K:1:THR:HG22	11:K:2:THR:N	2.33	0.42
9:I:125:LEU:CD2	9:I:126:ILE:HG22	2.45	0.41
10:J:5:LEU:HD23	10:J:132:ALA:HB2	2.02	0.41
4:D:91:HIS:HB3	4:D:99:ILE:CG2	2.50	0.41
9:W:20:VAL:HG13	9:W:118:PRO:HB3	2.01	0.41
10:X:5:LEU:HD23	10:X:132:ALA:HB2	2.02	0.41
3:C:149:GLU:HB2	3:C:150:PRO:HD2	2.02	0.41
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.51	0.41
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.19	0.41
3:C:169:VAL:HG23	3:C:196:SER:HB2	2.02	0.41
10:X:29:LYS:HD2	11:Y:121:ILE:CG2	2.50	0.41
5:E:77:ALA:N	5:E:78:PRO:CD	2.84	0.41
9:I:20:VAL:HG13	9:I:118:PRO:HB3	2.02	0.41
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.50	0.41
5:S:77:ALA:N	5:S:78:PRO:CD	2.84	0.41
3:Q:149:GLU:HB2	3:Q:150:PRO:HD2	2.02	0.41
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.51	0.41
11:Y:100:MET:SD	11:Y:128:VAL:CG1	3.08	0.41
2:P:145:TYR:OH	2:P:217:LYS:N	2.54	0.41
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.51	0.40
4:D:160:ASN:HB3	4:D:179:TRP:CE2	2.56	0.40
8:V:196:ARG:NH2	9:W:150:GLU:O	2.54	0.40
18:Y:301:79P:C51	12:Z:108[B]:TYR:OH	2.69	0.40
2:B:145:TYR:OH	2:B:217:LYS:N	2.55	0.40
4:R:91:HIS:HB3	4:R:99:ILE:CG2	2.51	0.40
14:b:36:ARG:HG3	14:b:42:TRP:CE2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	240 (97%)	7 (3%)	1 (0%)	30	60
1	O	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	30	60
2	B	242/258 (94%)	232 (96%)	7 (3%)	3 (1%)	10	34
2	P	242/258 (94%)	232 (96%)	7 (3%)	3 (1%)	10	34
3	C	238/254 (94%)	233 (98%)	3 (1%)	2 (1%)	16	44
3	Q	238/254 (94%)	233 (98%)	3 (1%)	2 (1%)	16	44
4	D	231/260 (89%)	226 (98%)	5 (2%)	0	100	100
4	R	231/260 (89%)	227 (98%)	4 (2%)	0	100	100
5	E	229/234 (98%)	222 (97%)	7 (3%)	0	100	100
5	S	229/234 (98%)	223 (97%)	6 (3%)	0	100	100
6	F	241/288 (84%)	239 (99%)	2 (1%)	0	100	100
6	T	241/288 (84%)	239 (99%)	2 (1%)	0	100	100
7	G	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
7	U	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
8	H	224/232 (97%)	221 (99%)	3 (1%)	0	100	100
8	V	224/232 (97%)	221 (99%)	3 (1%)	0	100	100
9	I	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
9	W	202/205 (98%)	196 (97%)	6 (3%)	0	100	100
10	J	193/198 (98%)	190 (98%)	3 (2%)	0	100	100
10	X	193/198 (98%)	190 (98%)	3 (2%)	0	100	100
11	K	209/211 (99%)	201 (96%)	7 (3%)	1 (0%)	24	55
11	Y	209/211 (99%)	201 (96%)	7 (3%)	1 (0%)	24	55
12	L	220/222 (99%)	214 (97%)	6 (3%)	0	100	100
12	Z	221/222 (100%)	216 (98%)	5 (2%)	0	100	100
13	M	231/246 (94%)	222 (96%)	9 (4%)	0	100	100
13	a	231/246 (94%)	222 (96%)	9 (4%)	0	100	100
14	N	194/196 (99%)	187 (96%)	7 (4%)	0	100	100
14	b	194/196 (99%)	187 (96%)	7 (4%)	0	100	100
All	All	6283/6612 (95%)	6122 (97%)	147 (2%)	14 (0%)	43	72

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
3	C	202	GLN
2	P	51	VAL
3	Q	202	GLN
1	A	2	THR
2	B	218	GLY
2	B	222	GLY
1	O	2	THR
2	P	218	GLY
2	P	222	GLY
3	C	205	ALA
3	Q	205	ALA
11	Y	39	PRO
11	K	39	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	205 (98%)	4 (2%)	50	81
1	O	209/209 (100%)	205 (98%)	4 (2%)	50	81
2	B	203/216 (94%)	196 (97%)	7 (3%)	32	68
2	P	203/216 (94%)	196 (97%)	7 (3%)	32	68
3	C	212/226 (94%)	203 (96%)	9 (4%)	26	61
3	Q	212/226 (94%)	203 (96%)	9 (4%)	26	61
4	D	194/215 (90%)	186 (96%)	8 (4%)	27	62
4	R	194/215 (90%)	186 (96%)	8 (4%)	27	62
5	E	190/193 (98%)	185 (97%)	5 (3%)	40	75
5	S	190/193 (98%)	185 (97%)	5 (3%)	40	75
6	F	201/239 (84%)	196 (98%)	5 (2%)	42	76
6	T	201/239 (84%)	196 (98%)	5 (2%)	42	76
7	G	206/210 (98%)	200 (97%)	6 (3%)	37	73
7	U	206/210 (98%)	200 (97%)	6 (3%)	37	73

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
8	H	185/190 (97%)	183 (99%)	2 (1%)	65	87
8	V	185/190 (97%)	183 (99%)	2 (1%)	65	87
9	I	172/173 (99%)	169 (98%)	3 (2%)	53	83
9	W	172/173 (99%)	169 (98%)	3 (2%)	53	83
10	J	173/175 (99%)	169 (98%)	4 (2%)	44	78
10	X	173/175 (99%)	169 (98%)	4 (2%)	44	78
11	K	165/165 (100%)	149 (90%)	16 (10%)	8	25
11	Y	165/165 (100%)	148 (90%)	17 (10%)	7	23
12	L	186/186 (100%)	181 (97%)	5 (3%)	39	74
12	Z	187/186 (100%)	182 (97%)	5 (3%)	39	74
13	M	199/208 (96%)	195 (98%)	4 (2%)	48	80
13	a	199/208 (96%)	195 (98%)	4 (2%)	48	80
14	N	162/162 (100%)	160 (99%)	2 (1%)	63	87
14	b	162/162 (100%)	160 (99%)	2 (1%)	63	87
All	All	5315/5534 (96%)	5154 (97%)	161 (3%)	36	72

All (161) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	55	LEU
2	B	79	LEU
2	B	93	HIS
2	B	102	ASN
2	B	113	ARG
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	51	LYS
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	213	VAL
3	C	240	GLU
4	D	99	ILE
4	D	125	LEU
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	55	LEU
5	E	71	LEU
5	E	188	LEU
6	F	123	ASN
6	F	172	LEU
6	F	181	GLU
6	F	221	ASN
6	F	240	GLN
7	G	26	THR
7	G	115	LEU
7	G	122	ARG
7	G	125	MET
7	G	235	ARG
7	G	236	LEU
8	H	68	LEU
8	H	196	ARG
9	I	37	ASN
9	I	126	ILE
9	I	171	LEU
10	J	1	MET
10	J	3	ILE
10	J	23	ARG
10	J	99	GLN
11	K	4	LEU
11	K	12	VAL
11	K	21	THR
11	K	29	GLN
11	K	31	VAL
11	K	35	ILE
11	K	61	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	K	62	GLN
11	K	83	LEU
11	K	86	MET
11	K	100	MET
11	K	117	GLU
11	K	125	THR
11	K	128	VAL
11	K	147	LEU
11	K	210	ILE
12	L	18	GLU
12	L	23	LEU
12	L	49	ASN
12	L	128	VAL
12	L	150	LEU
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
14	N	9	LYS
14	N	178	LEU
1	O	1	MET
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	55	LEU
2	P	79	LEU
2	P	93	HIS
2	P	102	ASN
2	P	113	ARG
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	51	LYS
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	213	VAL
3	Q	240	GLU
4	R	99	ILE
4	R	125	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	55	LEU
5	S	71	LEU
5	S	188	LEU
6	T	123	ASN
6	T	172	LEU
6	T	181	GLU
6	T	221	ASN
6	T	240	GLN
7	U	26	THR
7	U	115	LEU
7	U	122	ARG
7	U	125	MET
7	U	235	ARG
7	U	236	LEU
8	V	68	LEU
8	V	196	ARG
9	W	37	ASN
9	W	126	ILE
9	W	171	LEU
10	X	1	MET
10	X	3	ILE
10	X	23	ARG
10	X	99	GLN
11	Y	4	LEU
11	Y	12	VAL
11	Y	21	THR
11	Y	29	GLN
11	Y	31	VAL
11	Y	35	ILE
11	Y	61	ARG
11	Y	62	GLN
11	Y	65	ILE
11	Y	83	LEU
11	Y	86	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	Y	100	MET
11	Y	117	GLU
11	Y	125	THR
11	Y	128	VAL
11	Y	147	LEU
11	Y	210	ILE
12	Z	18	GLU
12	Z	23	LEU
12	Z	49	ASN
12	Z	128	VAL
12	Z	150	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
14	b	9	LYS
14	b	178	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (99) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	119	GLN
2	B	123	GLN
2	B	124	HIS
3	C	17	GLN
3	C	116	GLN
3	C	120	GLN
3	C	147	GLN
3	C	160	GLN
4	D	15	GLN
4	D	91	HIS
4	D	100	ASN
4	D	106	GLN
4	D	180	HIS
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	151	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	123	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	175	ASN
8	H	22	GLN
9	I	203	GLN
10	J	10	GLN
10	J	55	GLN
10	J	63	ASN
11	K	85	ASN
12	L	3	ASN
12	L	29	ASN
12	L	36	ASN
12	L	49	ASN
12	L	70	ASN
12	L	79	HIS
12	L	109	ASN
12	L	152	ASN
12	L	158	ASN
12	L	197	GLN
13	M	48	ASN
13	M	108	ASN
14	N	38	HIS
14	N	141	ASN
2	P	119	GLN
2	P	123	GLN
2	P	124	HIS
2	P	220	ASN
3	Q	17	GLN
3	Q	116	GLN
3	Q	120	GLN
3	Q	147	GLN
3	Q	160	GLN
4	R	15	GLN
4	R	91	HIS
4	R	100	ASN
4	R	180	HIS
5	S	68	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	S	92	ASN
5	S	99	ASN
5	S	116	GLN
5	S	120	GLN
5	S	151	ASN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	143	HIS
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
8	V	22	GLN
8	V	30	ASN
8	V	189	ASN
9	W	203	GLN
10	X	10	GLN
10	X	55	GLN
10	X	63	ASN
11	Y	85	ASN
11	Y	142	ASN
11	Y	207	ASN
12	Z	3	ASN
12	Z	29	ASN
12	Z	36	ASN
12	Z	49	ASN
12	Z	70	ASN
12	Z	79	HIS
12	Z	158	ASN
12	Z	197	GLN
13	a	48	ASN
13	a	108	ASN
14	b	38	HIS
14	b	141	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 22 ligands modelled in this entry, 16 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
17	MES	H	301	-	12,12,12	2.14	1 (8%)	15,16,16	1.21	1 (6%)
17	MES	Y	302	-	12,12,12	2.31	1 (8%)	15,16,16	1.06	1 (6%)
18	79P	Y	301	11	46,46,46	2.58	10 (21%)	58,62,62	1.77	12 (20%)
17	MES	V	301	-	12,12,12	2.28	1 (8%)	15,16,16	1.10	0
17	MES	K	304	-	12,12,12	2.41	1 (8%)	15,16,16	1.05	1 (6%)
18	79P	K	301	11	46,46,46	2.57	10 (21%)	58,62,62	1.73	13 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	MES	H	301	-	-	6/6/14/14	0/1/1/1
17	MES	Y	302	-	-	0/6/14/14	0/1/1/1
18	79P	Y	301	11	-	10/42/50/50	0/4/4/4
17	MES	V	301	-	-	2/6/14/14	0/1/1/1
17	MES	K	304	-	-	0/6/14/14	0/1/1/1
18	79P	K	301	11	-	9/42/50/50	0/4/4/4

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	Y	301	79P	C67-C68	-8.63	1.30	1.41
18	K	301	79P	C67-C66	-8.34	1.30	1.44
18	K	301	79P	C67-C68	-8.31	1.31	1.41
18	Y	301	79P	C67-C66	-8.14	1.30	1.44
17	K	304	MES	C8-S	-8.07	1.66	1.77
17	Y	302	MES	C8-S	-7.68	1.66	1.77
17	V	301	MES	C8-S	-7.49	1.67	1.77
17	H	301	MES	C8-S	-7.00	1.67	1.77
18	K	301	79P	C63-C67	-5.86	1.31	1.39
18	Y	301	79P	C63-C67	-5.84	1.31	1.39
18	Y	301	79P	C30-C41	-5.65	1.38	1.51
18	K	301	79P	C30-C41	-5.54	1.38	1.51
18	K	301	79P	C60-C68	-5.35	1.31	1.39
18	Y	301	79P	C60-C68	-4.97	1.31	1.39
18	K	301	79P	C68-N69	-4.15	1.31	1.37
18	Y	301	79P	C68-N69	-3.78	1.31	1.37
18	K	301	79P	C65-C66	-3.72	1.31	1.36
18	Y	301	79P	C65-N69	-3.54	1.31	1.37
18	Y	301	79P	C65-C66	-3.21	1.32	1.36
18	K	301	79P	C65-N69	-3.18	1.32	1.37
18	K	301	79P	O32-C31	-2.59	1.36	1.43
18	Y	301	79P	C37-C31	2.54	1.57	1.53
18	Y	301	79P	C11-C13	-2.44	1.46	1.52
18	K	301	79P	C11-C13	-2.04	1.47	1.52

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	K	301	79P	C30-C29-N28	-5.43	102.37	110.08
18	Y	301	79P	C30-C29-N28	-5.21	102.68	110.08
18	Y	301	79P	C56-N55-C50	3.62	116.77	111.14
18	Y	301	79P	C66-C65-N69	-3.51	106.45	110.31
18	Y	301	79P	C67-C66-C65	3.46	109.70	106.16
18	Y	301	79P	C56-N55-C54	-3.30	106.02	111.14
18	K	301	79P	C67-C66-C65	3.28	109.51	106.16
18	K	301	79P	C66-C65-N69	-3.22	106.78	110.31
17	H	301	MES	O1S-S-C8	3.17	111.52	106.73
18	K	301	79P	C16-C17-C66	-3.06	107.64	113.44
18	Y	301	79P	C63-C67-C68	2.86	121.80	118.84
18	K	301	79P	C56-N55-C50	2.64	115.25	111.14
18	Y	301	79P	C17-C16-N15	-2.63	105.61	110.64
18	Y	301	79P	C41-C30-C29	2.56	117.75	113.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	K	301	79P	C41-C30-C29	2.54	117.71	113.40
18	K	301	79P	C63-C67-C68	2.51	121.44	118.84
18	Y	301	79P	O52-C51-C50	-2.51	106.36	111.77
18	K	301	79P	C53-O52-C51	2.46	117.83	109.88
18	K	301	79P	O32-C31-C29	-2.43	103.45	109.28
18	Y	301	79P	C16-C17-C66	-2.43	108.85	113.44
18	Y	301	79P	C60-C68-C67	-2.38	119.89	122.19
18	K	301	79P	O52-C51-C50	-2.35	106.71	111.77
18	K	301	79P	C13-C11-N1	-2.26	105.99	111.59
18	K	301	79P	O52-C53-C54	-2.26	106.91	111.77
18	Y	301	79P	O52-C53-C54	-2.17	107.10	111.77
17	K	304	MES	O2S-S-C8	2.07	109.86	106.73
17	Y	302	MES	O2S-S-C8	2.06	109.84	106.73
18	K	301	79P	C38-C37-C31	-2.01	107.81	111.45

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
17	H	301	MES	C7-C8-S-O2S
17	H	301	MES	C7-C8-S-O3S
18	K	301	79P	C29-C31-C37-C38
18	K	301	79P	C29-C31-C37-C39
18	K	301	79P	C31-C37-C39-O40
18	K	301	79P	C38-C37-C39-O40
18	Y	301	79P	C2-C56-N55-C50
18	Y	301	79P	C29-C31-C37-C38
18	Y	301	79P	C29-C31-C37-C39
18	Y	301	79P	C31-C37-C39-O40
18	Y	301	79P	C38-C37-C39-O40
18	K	301	79P	O32-C31-C37-C38
18	Y	301	79P	C29-C30-C41-C46
18	Y	301	79P	C29-C30-C41-C42
18	K	301	79P	C29-C30-C41-C46
18	K	301	79P	C29-C30-C41-C42
18	K	301	79P	O32-C31-C37-C39
18	Y	301	79P	O32-C31-C37-C38
17	H	301	MES	C8-C7-N4-C3
17	H	301	MES	C8-C7-N4-C5
18	K	301	79P	C2-C56-N55-C50
17	H	301	MES	C7-C8-S-O1S
17	H	301	MES	N4-C7-C8-S

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	V	301	MES	N4-C7-C8-S
18	Y	301	79P	O32-C31-C37-C39
17	V	301	MES	C8-C7-N4-C5
18	Y	301	79P	C13-C11-N1-C2


There are no ring outliers.


2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
18	Y	301	79P	1	0
18	K	301	79P	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand 79P Y 301





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	-0.46	1 (0%) 88 84	36, 52, 88, 127	0
1	O	250/250 (100%)	-0.43	3 (1%) 76 68	38, 55, 100, 138	0
2	B	244/258 (94%)	-0.27	6 (2%) 58 48	38, 58, 101, 154	0
2	P	244/258 (94%)	-0.27	6 (2%) 58 48	41, 58, 101, 153	0
3	C	240/254 (94%)	-0.18	8 (3%) 49 39	36, 65, 134, 169	0
3	Q	240/254 (94%)	-0.08	5 (2%) 63 54	42, 73, 152, 196	0
4	D	235/260 (90%)	-0.36	2 (0%) 81 74	40, 60, 91, 127	0
4	R	235/260 (90%)	-0.22	2 (0%) 81 74	50, 68, 111, 138	0
5	E	231/234 (98%)	-0.29	0 100 100	43, 64, 104, 146	0
5	S	231/234 (98%)	-0.19	3 (1%) 75 66	47, 69, 110, 147	0
6	F	243/288 (84%)	-0.41	1 (0%) 88 84	37, 57, 108, 134	0
6	T	243/288 (84%)	-0.30	5 (2%) 63 54	37, 63, 118, 152	0
7	G	241/252 (95%)	-0.44	0 100 100	37, 55, 97, 153	0
7	U	241/252 (95%)	-0.42	1 (0%) 88 84	35, 54, 90, 130	0
8	H	226/232 (97%)	-0.45	0 100 100	36, 52, 89, 142	0
8	V	226/232 (97%)	-0.45	2 (0%) 81 74	38, 52, 84, 153	0
9	I	204/205 (99%)	-0.58	1 (0%) 87 82	36, 50, 82, 103	0
9	W	204/205 (99%)	-0.60	1 (0%) 87 82	36, 51, 81, 106	0
10	J	195/198 (98%)	-0.48	1 (0%) 87 82	34, 56, 86, 128	0
10	X	195/198 (98%)	-0.44	1 (0%) 87 82	39, 58, 87, 133	0
11	K	211/211 (100%)	-0.26	2 (0%) 81 74	39, 59, 92, 122	0
11	Y	211/211 (100%)	-0.22	2 (0%) 81 74	40, 61, 93, 124	0
12	L	222/222 (100%)	-0.32	1 (0%) 87 82	44, 57, 100, 129	0
12	Z	222/222 (100%)	-0.23	3 (1%) 73 64	30, 59, 100, 132	1 (0%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	-0.47	2 (0%) 81 74	35, 54, 83, 99	0
13	a	233/246 (94%)	-0.46	2 (0%) 81 74	34, 55, 80, 99	0
14	N	196/196 (100%)	-0.55	0 100 100	35, 49, 80, 104	0
14	b	196/196 (100%)	-0.61	0 100 100	35, 49, 81, 107	0
All	All	6342/6612 (95%)	-0.37	61 (0%) 79 72	30, 58, 102, 196	1 (0%)

All (61) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
10	X	1	MET	6.1
10	J	1	MET	4.5
12	Z	174	TYR	4.1
2	P	219	ALA	3.6
3	C	205	ALA	3.5
13	a	1	THR	3.3
4	D	241	ALA	3.3
12	L	174	TYR	3.2
3	Q	50	LEU	3.2
2	P	51	VAL	3.1
2	B	1	GLY	3.0
2	B	218	GLY	3.0
2	B	220	ASN	3.0
3	Q	51	LYS	2.9
3	Q	205	ALA	2.8
1	O	1	MET	2.8
2	P	1	GLY	2.8
2	P	218	GLY	2.8
3	C	51	LYS	2.7
6	T	204	LYS	2.7
11	Y	208	ASN	2.7
6	T	243	ILE	2.7
3	C	236	GLN	2.7
12	Z	108[A]	TYR	2.6
2	B	222	GLY	2.6
2	B	51	VAL	2.6
6	T	205	GLU	2.5
2	P	220	ASN	2.5
11	K	144	LYS	2.5
1	O	53	SER	2.5
2	B	219	ALA	2.5
8	V	224	GLN	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
6	F	202	ASP	2.4
11	Y	146	ASP	2.4
13	M	69	ASP	2.4
13	a	69	ASP	2.4
3	C	238	LYS	2.4
9	W	1	SER	2.4
4	R	238	LYS	2.3
5	S	122	TYR	2.3
1	A	1	MET	2.2
5	S	3	ASN	2.2
3	C	203	THR	2.2
3	Q	49	THR	2.2
3	C	206	LYS	2.2
8	V	223	ILE	2.1
2	P	52	THR	2.1
6	T	241	LYS	2.1
13	M	1	THR	2.1
11	K	146	ASP	2.1
3	C	240	GLU	2.1
3	Q	206	LYS	2.1
3	C	50	LEU	2.1
9	I	1	SER	2.1
12	Z	166	GLY	2.1
4	D	238	LYS	2.0
5	S	209	ASN	2.0
1	O	249	ALA	2.0
4	R	230	GLU	2.0
6	T	14	ASP	2.0
7	U	40	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
17	MES	V	301	12/12	0.84	0.20	66,74,101,109	0
15	MG	A	301	1/1	0.86	0.24	52,52,52,52	0
17	MES	H	301	12/12	0.89	0.17	69,75,92,95	0
17	MES	K	304	12/12	0.90	0.20	53,56,74,86	12
18	79P	K	301	43/43	0.90	0.12	48,56,81,88	0
17	MES	Y	302	12/12	0.91	0.14	55,57,72,77	12
18	79P	Y	301	43/43	0.91	0.12	52,59,86,90	0
15	MG	Z	301	1/1	0.94	0.08	69,69,69,69	0
15	MG	K	303	1/1	0.95	0.10	67,67,67,67	0
16	CL	b	202	1/1	0.95	0.10	60,60,60,60	0
15	MG	I	301	1/1	0.97	0.07	55,55,55,55	0
15	MG	X	201	1/1	0.97	0.06	47,47,47,47	0
15	MG	G	301	1/1	0.98	0.03	48,48,48,48	0
15	MG	b	201	1/1	0.98	0.05	44,44,44,44	0
16	CL	N	202	1/1	0.98	0.13	55,55,55,55	0
15	MG	N	201	1/1	0.98	0.04	50,50,50,50	0
15	MG	J	201	1/1	0.98	0.08	46,46,46,46	0
16	CL	G	302	1/1	0.99	0.06	44,44,44,44	0
15	MG	I	302	1/1	0.99	0.08	56,56,56,56	0
16	CL	U	301	1/1	0.99	0.10	44,44,44,44	0
15	MG	L	301	1/1	0.99	0.08	64,64,64,64	0
15	MG	K	302	1/1	0.99	0.07	59,59,59,59	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 79P K 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 79P Y 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.