



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 07:43 AM UTC

PDB ID : 5L6C / pdb_00005l6c
Title : Yeast 20S proteasome with mouse beta5i (1-138) and mouse beta6 (97-111; 118-133) in complex with epoxyketone inhibitor 18
Authors : Groll, M.; Huber, E.M.
Deposited on : 2016-05-28
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	98%
1	O	250	% 98% ..
2	B	258	2% 87% 7% • 5%
2	P	258	2% 87% 7% • 5%
3	C	254	3% 87% 6% • 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	
4	D	260	
4	R	260	
5	E	234	
5	S	234	
6	F	288	
6	T	288	
7	G	252	
7	U	252	
8	H	232	
8	V	232	
9	I	205	
9	W	205	
10	J	198	
10	X	198	
11	K	211	
11	Y	211	
12	L	222	
12	Z	222	
13	M	246	
13	a	246	
14	N	196	
14	b	196	

2 Entry composition

There are 19 unique types of molecules in this entry. The entry contains 49991 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	226	Total	C	N	O	S	0	1	0
			1726	1087	300	332	7			
8	V	226	Total	C	N	O	S	0	0	0
			1719	1082	298	332	7			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-8,Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	211	Total	C	N	O	S	0	0	0
			1645	1039	281	313	12			
11	Y	211	Total	C	N	O	S	0	0	0
			1645	1039	281	313	12			

- Molecule 12 is a protein called Proteasome subunit beta type-6,Proteasome subunit beta type-1,Proteasome subunit beta type-6,Proteasome subunit beta type-1,Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1764	1119	305	336	4			
12	Z	222	Total	C	N	O	S	0	0	0
			1764	1119	305	336	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	1	0
			1832	1159	315	351	7			
13	a	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			


- Molecule 15 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	G	1	Total Mg 1 1	0	0
15	I	2	Total Mg 2 2	0	0
15	J	1	Total Mg 1 1	0	0
15	K	1	Total Mg 1 1	0	0
15	L	1	Total Mg 1 1	0	0
15	N	1	Total Mg 1 1	0	0
15	Z	1	Total Mg 1 1	0	0

- Molecule 16 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	G	1	Total Cl 1 1	0	0
16	U	1	Total Cl 1 1	0	0

- Molecule 17 is {N}-(2 {R})-1-[(2 {S})-3-(4-methoxyphenyl)-1-[(2 {S},3 {S},4 {R})-4-methyl-3,5-bis(oxidanyl)-1-phenyl-pentan-2-yl]amino]-1-oxidanylidene-propan-2-yl]amino]-1-oxidanylidene-propan-2-yl]-1-methyl-5 {H}-indene-2-carboxamide (CCD ID: 6NV) (formula: C₃₆H₄₃N₃O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
17	K	1	Total	C	N	O	0	0
			45	36	3	6		
17	Y	1	Total	C	N	O	0	0
			45	36	3	6		

- Molecule 18 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
18	Y	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 19 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	A	27	Total	O	0	0
			27	27		
19	B	19	Total	O	0	0
			19	19		
19	C	17	Total	O	0	0
			17	17		
19	D	9	Total	O	0	0
			9	9		
19	E	13	Total	O	0	0
			13	13		
19	F	24	Total	O	0	0
			24	24		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	G	23	Total 23	O 23	0	0
19	H	24	Total 24	O 24	0	0
19	I	14	Total 14	O 14	0	0
19	J	17	Total 17	O 17	0	0
19	K	14	Total 14	O 14	0	0
19	L	22	Total 22	O 22	0	0
19	M	28	Total 28	O 28	0	0
19	N	21	Total 21	O 21	0	0
19	O	15	Total 15	O 15	0	0
19	P	14	Total 14	O 14	0	0
19	Q	7	Total 7	O 7	0	0
19	R	15	Total 15	O 15	0	0
19	S	8	Total 8	O 8	0	0
19	T	12	Total 12	O 12	0	0
19	U	29	Total 29	O 29	0	0
19	V	14	Total 14	O 14	0	0
19	W	18	Total 18	O 18	0	0
19	X	16	Total 16	O 16	0	0
19	Y	13	Total 13	O 13	0	0
19	Z	16	Total 16	O 16	0	0
19	a	16	Total 16	O 16	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	b	17	Total	O	0	0
			17	17		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Proteasome subunit alpha type-2

Chain A:  98% .




- Molecule 1: Proteasome subunit alpha type-2

Chain O:  98% ..



- Molecule 2: Proteasome subunit alpha type-3

Chain B:  87% 7% 5% 2%




- Molecule 2: Proteasome subunit alpha type-3

Chain P:  87% 7% 5% 2%





- Molecule 3: Proteasome subunit alpha type-4

Chain C:  87% 6% 6% 3%





- Molecule 3: Proteasome subunit alpha type-4



- Molecule 7: Proteasome subunit alpha type-1



- Molecule 7: Proteasome subunit alpha type-1




- Molecule 8: Proteasome subunit beta type-2



- Molecule 8: Proteasome subunit beta type-2



- Molecule 9: Proteasome subunit beta type-3





- Molecule 9: Proteasome subunit beta type-3






- Molecule 10: Proteasome subunit beta type-4





- Molecule 10: Proteasome subunit beta type-4




- Molecule 11: Proteasome subunit beta type-8, Proteasome subunit beta type-5



- Molecule 11: Proteasome subunit beta type-8, Proteasome subunit beta type-5



- Molecule 12: Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6



- Molecule 12: Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6, Proteasome subunit beta type-1, Proteasome subunit beta type-6




- Molecule 13: Proteasome subunit beta type-7

Chain M:  91% 5%



- Molecule 13: Proteasome subunit beta type-7

Chain a:  90% 5%



- Molecule 14: Proteasome subunit beta type-1

Chain N:  94% 6%



- Molecule 14: Proteasome subunit beta type-1

Chain b:  94% 6%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	135.57Å 300.64Å 145.79Å 90.00° 112.87° 90.00°	Depositor
Resolution (Å)	15.00 – 2.60 15.00 – 2.60	Depositor EDS
% Data completeness (in resolution range)	96.6 (15.00-2.60) 96.1 (15.00-2.60)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.60 (at 2.61Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.192 , 0.217 0.197 , 0.222	Depositor DCC
R_{free} test set	15778 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	56.7	Xtriage
Anisotropy	0.082	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 51.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	49991	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, 6NV, CL, MES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.40	0/1952	0.68	0/2642
1	O	0.40	0/1952	0.68	0/2642
2	B	0.41	0/1934	0.67	0/2618
2	P	0.40	0/1934	0.67	0/2618
3	C	0.41	0/1910	0.69	1/2586 (0.0%)
3	Q	0.41	0/1910	0.69	1/2586 (0.0%)
4	D	0.40	0/1837	0.65	0/2475
4	R	0.40	0/1837	0.65	0/2475
5	E	0.40	0/1800	0.64	0/2433
5	S	0.40	0/1800	0.65	0/2433
6	F	0.40	0/1932	0.69	0/2609
6	T	0.40	0/1932	0.69	0/2609
7	G	0.40	0/1945	0.67	0/2634
7	U	0.40	0/1945	0.67	0/2634
8	H	0.36	0/1761	0.67	0/2388
8	V	0.36	0/1750	0.66	0/2373
9	I	0.35	0/1611	0.68	0/2174
9	W	0.35	0/1611	0.68	0/2174
10	J	0.40	0/1589	0.83	6/2142 (0.3%)
10	X	0.40	0/1589	0.83	6/2142 (0.3%)
11	K	0.45	2/1681 (0.1%)	0.74	2/2268 (0.1%)
11	Y	0.45	2/1681 (0.1%)	0.73	3/2268 (0.1%)
12	L	0.40	0/1802	0.81	3/2430 (0.1%)
12	Z	0.41	0/1802	0.73	3/2430 (0.1%)
13	M	0.37	0/1866	0.67	0/2528
13	a	0.38	0/1855	0.67	0/2514
14	N	0.36	0/1541	0.67	1/2087 (0.0%)
14	b	0.36	0/1541	0.67	1/2087 (0.0%)
All	All	0.40	4/50300 (0.0%)	0.69	27/67999 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
10	J	0	2
10	X	0	1
12	L	0	1
All	All	0	4

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	Y	1	THR	CB-OG1	-7.07	1.32	1.43
11	Y	85	ASN	CG-ND2	-6.44	1.19	1.33
11	K	85	ASN	CG-ND2	-6.12	1.20	1.33
11	K	1	THR	CB-OG1	-5.07	1.35	1.43

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	L	100	ARG	NE-CZ-NH1	-13.04	108.46	121.50
12	L	100	ARG	NE-CZ-NH2	12.11	130.10	119.20
10	J	149	ARG	NE-CZ-NH1	-11.12	110.38	121.50
10	X	95	ARG	NE-CZ-NH1	-11.04	110.47	121.50
10	J	149	ARG	NE-CZ-NH2	10.39	128.55	119.20
10	X	95	ARG	NE-CZ-NH2	10.37	128.53	119.20
10	X	149	ARG	NE-CZ-NH2	-10.12	110.09	119.20
10	J	95	ARG	NE-CZ-NH2	-9.94	110.26	119.20
12	L	100	ARG	CD-NE-CZ	9.51	137.71	124.40
10	X	149	ARG	CD-NE-CZ	9.17	137.24	124.40
10	J	149	ARG	CD-NE-CZ	8.97	136.96	124.40
10	J	95	ARG	CD-NE-CZ	8.83	136.77	124.40
10	X	95	ARG	CD-NE-CZ	8.50	136.31	124.40
12	Z	100	ARG	NE-CZ-NH2	-8.38	111.66	119.20
12	Z	100	ARG	CD-NE-CZ	6.88	134.03	124.40
10	J	95	ARG	NE-CZ-NH1	6.64	128.14	121.50
12	Z	100	ARG	NE-CZ-NH1	6.60	128.10	121.50
10	X	149	ARG	NE-CZ-NH1	6.47	127.97	121.50
11	K	1	THR	N-CA-C	5.99	127.77	111.00
11	Y	1	THR	N-CA-C	5.55	126.56	111.00
3	Q	201	VAL	N-CA-C	5.55	116.28	110.62
11	Y	1	THR	CB-CA-C	-5.53	96.95	109.10
3	C	201	VAL	N-CA-C	5.51	116.25	110.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	Y	1	THR	CA-CB-CG2	5.14	119.24	110.50
14	b	115	LEU	N-CA-C	5.09	117.22	111.11
14	N	115	LEU	N-CA-C	5.04	117.16	111.11
11	K	1	THR	CA-CB-CG2	5.02	119.03	110.50

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
10	J	149	ARG	Sidechain
10	J	95	ARG	Sidechain
12	L	100	ARG	Sidechain
10	X	149	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	1	0
1	O	1915	0	1929	3	0
2	B	1904	0	1904	8	0
2	P	1904	0	1904	8	0
3	C	1881	0	1895	8	0
3	Q	1881	0	1895	7	0
4	D	1813	0	1797	5	0
4	R	1813	0	1797	2	0
5	E	1773	0	1775	2	0
5	S	1773	0	1775	2	0
6	F	1892	0	1883	1	0
6	T	1892	0	1883	1	0
7	G	1907	0	1901	3	0
7	U	1907	0	1901	4	0
8	H	1726	0	1726	6	0
8	V	1719	0	1719	4	0
9	I	1581	0	1574	8	0
9	W	1581	0	1574	7	0
10	J	1561	0	1569	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	X	1561	0	1569	4	0
11	K	1645	0	1589	15	0
11	Y	1645	0	1589	14	0
12	L	1764	0	1716	4	0
12	Z	1764	0	1716	3	0
13	M	1832	0	1845	2	0
13	a	1824	0	1832	4	0
14	N	1512	0	1481	5	0
14	b	1512	0	1481	5	0
15	G	1	0	0	0	0
15	I	2	0	0	0	0
15	J	1	0	0	0	0
15	K	1	0	0	0	0
15	L	1	0	0	0	0
15	N	1	0	0	0	0
15	Z	1	0	0	0	0
16	G	1	0	0	0	0
16	U	1	0	0	0	0
17	K	45	0	0	4	0
17	Y	45	0	0	3	0
18	Y	12	0	13	0	0
19	A	27	0	0	0	0
19	B	19	0	0	2	0
19	C	17	0	0	0	0
19	D	9	0	0	1	0
19	E	13	0	0	0	0
19	F	24	0	0	0	0
19	G	23	0	0	0	0
19	H	24	0	0	0	0
19	I	14	0	0	0	0
19	J	17	0	0	0	0
19	K	14	0	0	0	0
19	L	22	0	0	0	0
19	M	28	0	0	0	0
19	N	21	0	0	0	0
19	O	15	0	0	0	0
19	P	14	0	0	2	0
19	Q	7	0	0	0	0
19	R	15	0	0	0	0
19	S	8	0	0	0	0
19	T	12	0	0	0	0
19	U	29	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	V	14	0	0	0	0
19	W	18	0	0	0	0
19	X	16	0	0	0	0
19	Y	13	0	0	0	0
19	Z	16	0	0	0	0
19	a	16	0	0	1	0
19	b	17	0	0	0	0
All	All	49991	0	49161	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:78:ARG:NH1	19:D:301:HOH:O	2.12	0.83
11:K:33:LYS:HE2	17:K:301:6NV:C22	2.27	0.64
9:I:38:LYS:NZ	11:Y:208:ASN:O	2.33	0.61
12:L:100:ARG:HD2	12:L:105:TYR:CE2	2.37	0.58
11:K:208:ASN:O	9:W:38:LYS:NZ	2.37	0.57
11:Y:33:LYS:HE2	17:Y:301:6NV:C22	2.35	0.56
14:b:152:VAL:HA	14:b:175:MET:HE1	1.86	0.56
14:N:152:VAL:HA	14:N:175:MET:HE1	1.87	0.56
10:X:1:MET:HG2	10:X:34:LYS:HE3	1.89	0.55
10:J:1:MET:HG2	10:J:34:LYS:HE3	1.89	0.54
12:L:100:ARG:HD2	12:L:105:TYR:CZ	2.43	0.54
11:Y:1:THR:HG22	11:Y:2:THR:N	2.22	0.54
2:B:93:HIS:HB3	19:B:301:HOH:O	2.08	0.53
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.40	0.52
14:N:176:VAL:HG12	14:N:178:LEU:HD13	1.92	0.52
14:b:83:LYS:HG3	14:b:119:VAL:CG2	2.40	0.51
3:C:201:VAL:O	3:C:202:GLN:CB	2.59	0.51
14:b:176:VAL:HG12	14:b:178:LEU:HD13	1.92	0.51
17:Y:301:6NV:N41	17:Y:301:6NV:C29	2.73	0.51
11:K:1:THR:HG22	11:K:2:THR:N	2.26	0.50
17:K:301:6NV:C29	17:K:301:6NV:N41	2.72	0.50
2:P:50:LYS:O	2:P:51:VAL:C	2.54	0.50
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.59	0.50
7:U:23:PHE:O	7:U:26:THR:HB	2.12	0.49
9:I:10:ILE:HG21	9:I:141:ALA:HB3	1.94	0.49
2:B:50:LYS:O	2:B:51:VAL:C	2.55	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:G:23:PHE:O	7:G:26:THR:HB	2.12	0.49
4:R:89:VAL:HG12	11:Y:61:LYS:HG3	1.94	0.49
9:W:10:ILE:HG21	9:W:141:ALA:HB3	1.94	0.49
2:P:93:HIS:HB3	19:P:301:HOH:O	2.12	0.48
12:Z:124:SER:OG	12:Z:134:GLU:OE2	2.24	0.48
11:K:1:THR:CG2	11:K:2:THR:N	2.77	0.48
3:C:201:VAL:O	3:C:202:GLN:HB3	2.15	0.47
8:H:50:ALA:CB	9:I:126:ILE:HG23	2.45	0.47
8:V:35:HIS:HB3	8:V:56:THR:HG21	1.97	0.47
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.97	0.47
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.49	0.47
3:Q:201:VAL:O	3:Q:202:GLN:HB3	2.15	0.47
11:Y:1:THR:CG2	11:Y:2:THR:N	2.77	0.47
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.97	0.46
8:H:35:HIS:HB3	8:H:56:THR:HG21	1.97	0.46
11:Y:144:LYS:HB2	11:Y:147:LEU:HD13	1.99	0.45
11:K:144:LYS:HB2	11:K:147:LEU:HD13	1.99	0.45
3:C:51:LYS:O	3:C:52:LEU:HB2	2.17	0.44
8:H:114[B]:HIS:HE1	8:H:116:HIS:HD2	1.65	0.44
13:M:96:LEU:O	13:M:100:MET:HG2	2.18	0.44
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.83	0.44
14:b:35:THR:HG21	14:b:45:ARG:HE	1.83	0.44
9:I:36:SER:HB2	10:J:126:VAL:HG11	1.99	0.44
10:J:3:ILE:HG23	10:J:18:SER:HB3	2.00	0.43
3:Q:51:LYS:O	3:Q:52:LEU:HB2	2.17	0.43
2:B:217:LYS:C	2:B:219:ALA:H	2.27	0.43
10:X:148:TYR:O	10:X:149:ARG:HD3	2.17	0.43
14:N:35:THR:HG21	14:N:45:ARG:HE	1.84	0.43
13:a:96:LEU:O	13:a:100:MET:HG2	2.18	0.43
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.48	0.43
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.83	0.43
11:K:33:LYS:HE2	17:K:301:6NV:C17	2.48	0.43
11:K:35:ILE:HB	11:K:45:MET:HE3	2.00	0.43
7:G:78:ILE:N	7:G:79:PRO:CD	2.82	0.43
11:K:31:MET:HE1	17:K:301:6NV:C32	2.48	0.43
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.48	0.43
9:W:20:VAL:HG13	9:W:118:PRO:HB3	2.00	0.43
10:X:3:ILE:HG23	10:X:18:SER:HB3	2.00	0.43
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.19	0.43
3:C:149:GLU:HB2	3:C:150:PRO:HD2	2.01	0.43
8:H:196:ARG:NH2	9:I:150:GLU:O	2.52	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:I:20:VAL:HG13	9:I:118:PRO:HB3	2.00	0.42
2:P:217:LYS:C	2:P:219:ALA:H	2.27	0.42
3:Q:149:GLU:HB2	3:Q:150:PRO:HD2	2.01	0.42
9:W:26:LEU:HD21	9:W:185:VAL:HG23	2.00	0.42
11:K:35:ILE:HB	11:K:45:MET:CE	2.49	0.42
11:Y:35:ILE:HB	11:Y:45:MET:CE	2.50	0.42
3:C:35:LYS:HG2	3:C:158:SER:O	2.19	0.42
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.50	0.42
8:H:112:SER:HB3	8:H:125:LEU:HD13	2.02	0.42
9:I:26:LEU:HD21	9:I:185:VAL:HG23	2.00	0.42
7:U:78:ILE:N	7:U:79:PRO:CD	2.82	0.42
1:O:1:MET:HG3	6:T:122:TYR:CZ	2.54	0.42
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.50	0.42
8:H:3:ILE:HD11	8:H:46:ALA:HB2	2.02	0.42
8:V:112:SER:HB3	8:V:125:LEU:HD13	2.02	0.42
11:Y:35:ILE:HB	11:Y:45:MET:HE3	2.02	0.42
11:K:38:ASN:OD1	11:K:38:ASN:C	2.63	0.42
3:Q:97:THR:C	3:Q:98:LEU:HD23	2.45	0.42
11:K:44:THR:HG21	11:K:100:MET:HE3	2.01	0.41
8:V:50:ALA:CB	9:W:126:ILE:HG23	2.50	0.41
4:D:89:VAL:HG12	11:K:61:LYS:HG3	2.01	0.41
11:Y:104:TRP:CE2	11:Y:181:GLU:HB3	2.55	0.41
5:S:98:PHE:O	13:a:91:TYR:HA	2.20	0.41
11:Y:38:ASN:OD1	11:Y:38:ASN:C	2.62	0.41
11:K:35:ILE:HG12	11:K:36:GLU:N	2.35	0.41
11:K:104:TRP:CE2	11:K:181:GLU:HB3	2.55	0.41
2:P:113:ARG:NE	19:P:301:HOH:O	2.27	0.41
1:A:122:THR:HG22	2:B:128:ARG:HH21	1.86	0.41
5:E:12:PHE:H	6:F:19:GLN:HE22	1.68	0.41
9:I:9:GLY:HA3	9:I:41:LYS:HE2	2.03	0.41
13:M:165:ILE:HB	13:M:166:PRO:HD3	2.03	0.41
12:Z:31:THR:HG23	12:Z:36:ASN:HD21	1.85	0.41
1:O:122:THR:HG22	2:P:128:ARG:HH21	1.85	0.41
11:Y:35:ILE:HG12	11:Y:36:GLU:N	2.34	0.41
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.21	0.41
3:C:97:THR:C	3:C:98:LEU:HD23	2.45	0.41
4:D:91:HIS:CD2	4:D:99:ILE:HG22	2.56	0.41
14:N:133:PHE:HA	14:b:132:THR:O	2.21	0.41
9:W:101:PRO:HB3	9:W:126:ILE:HD12	2.02	0.41
11:Y:20:ALA:HB3	11:Y:28:SER:HB3	2.03	0.41
11:Y:44:THR:HG21	11:Y:100:MET:HE3	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
13:a:165:ILE:HB	13:a:166:PRO:HD3	2.03	0.41
2:B:113:ARG:NE	19:B:301:HOH:O	2.35	0.41
4:D:91:HIS:HB3	4:D:99:ILE:CG2	2.51	0.41
11:Y:33:LYS:HE2	17:Y:301:6NV:C17	2.51	0.41
2:B:145:TYR:OH	2:B:217:LYS:N	2.55	0.40
12:L:31:THR:HG23	12:L:36:ASN:HD21	1.84	0.40
2:P:145:TYR:OH	2:P:217:LYS:N	2.54	0.40
4:R:91:HIS:CD2	4:R:99:ILE:HG22	2.56	0.40
9:W:9:GLY:HA3	9:W:41:LYS:HE2	2.03	0.40
13:a:2:GLN:NE2	19:a:301:HOH:O	2.53	0.40
3:C:169:VAL:HG23	3:C:196:SER:HB2	2.02	0.40
12:L:8:ASN:HA	12:L:30:ILE:O	2.21	0.40
2:B:47:ALA:HB1	2:B:64:LYS:HD2	2.04	0.40
11:K:20:ALA:HB3	11:K:28:SER:HB3	2.02	0.40
5:S:77:ALA:N	5:S:78:PRO:CD	2.85	0.40
4:D:160:ASN:HB3	4:D:179:TRP:CE2	2.57	0.40
5:E:77:ALA:N	5:E:78:PRO:CD	2.85	0.40
2:P:47:ALA:HB1	2:P:64:LYS:HD2	2.04	0.40
8:V:3:ILE:HD11	8:V:46:ALA:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	30	51
1	O	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	30	51
2	B	242/258 (94%)	234 (97%)	5 (2%)	3 (1%)	10	23
2	P	242/258 (94%)	234 (97%)	5 (2%)	3 (1%)	10	23
3	C	238/254 (94%)	233 (98%)	3 (1%)	2 (1%)	16	34

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	Q	238/254 (94%)	233 (98%)	3 (1%)	2 (1%)	16	34
4	D	231/260 (89%)	228 (99%)	3 (1%)	0	100	100
4	R	231/260 (89%)	227 (98%)	4 (2%)	0	100	100
5	E	229/234 (98%)	224 (98%)	5 (2%)	0	100	100
5	S	229/234 (98%)	224 (98%)	5 (2%)	0	100	100
6	F	241/288 (84%)	239 (99%)	2 (1%)	0	100	100
6	T	241/288 (84%)	239 (99%)	2 (1%)	0	100	100
7	G	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
7	U	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
8	H	225/232 (97%)	220 (98%)	5 (2%)	0	100	100
8	V	224/232 (97%)	219 (98%)	5 (2%)	0	100	100
9	I	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	190 (98%)	3 (2%)	0	100	100
10	X	193/198 (98%)	190 (98%)	3 (2%)	0	100	100
11	K	209/211 (99%)	202 (97%)	7 (3%)	0	100	100
11	Y	209/211 (99%)	202 (97%)	7 (3%)	0	100	100
12	L	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
12	Z	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
13	M	232/246 (94%)	223 (96%)	8 (3%)	1 (0%)	30	51
13	a	231/246 (94%)	223 (96%)	7 (3%)	1 (0%)	30	51
14	N	194/196 (99%)	188 (97%)	6 (3%)	0	100	100
14	b	194/196 (99%)	188 (97%)	6 (3%)	0	100	100
All	All	6284/6612 (95%)	6132 (98%)	138 (2%)	14 (0%)	43	66

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
3	C	202	GLN
2	P	51	VAL
3	Q	202	GLN
1	A	2	THR
2	B	218	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	222	GLY
1	O	2	THR
2	P	218	GLY
2	P	222	GLY
3	C	205	ALA
13	M	83	ALA
3	Q	205	ALA
13	a	83	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	205 (98%)	4 (2%)	50	75
1	O	209/209 (100%)	205 (98%)	4 (2%)	50	75
2	B	203/216 (94%)	197 (97%)	6 (3%)	36	64
2	P	203/216 (94%)	197 (97%)	6 (3%)	36	64
3	C	212/226 (94%)	202 (95%)	10 (5%)	23	48
3	Q	212/226 (94%)	202 (95%)	10 (5%)	23	48
4	D	194/215 (90%)	185 (95%)	9 (5%)	24	49
4	R	194/215 (90%)	186 (96%)	8 (4%)	27	54
5	E	190/193 (98%)	185 (97%)	5 (3%)	40	68
5	S	190/193 (98%)	185 (97%)	5 (3%)	40	68
6	F	201/239 (84%)	196 (98%)	5 (2%)	42	69
6	T	201/239 (84%)	196 (98%)	5 (2%)	42	69
7	G	206/210 (98%)	200 (97%)	6 (3%)	37	65
7	U	206/210 (98%)	200 (97%)	6 (3%)	37	65
8	H	186/190 (98%)	181 (97%)	5 (3%)	39	67
8	V	185/190 (97%)	179 (97%)	6 (3%)	34	62
9	I	172/173 (99%)	169 (98%)	3 (2%)	53	78

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
9	W	172/173 (99%)	169 (98%)	3 (2%)	53	78
10	J	173/175 (99%)	169 (98%)	4 (2%)	44	71
10	X	173/175 (99%)	169 (98%)	4 (2%)	44	71
11	K	172/172 (100%)	166 (96%)	6 (4%)	32	59
11	Y	172/172 (100%)	166 (96%)	6 (4%)	32	59
12	L	186/186 (100%)	181 (97%)	5 (3%)	39	67
12	Z	186/186 (100%)	181 (97%)	5 (3%)	39	67
13	M	200/208 (96%)	196 (98%)	4 (2%)	48	74
13	a	199/208 (96%)	194 (98%)	5 (2%)	42	69
14	N	162/162 (100%)	159 (98%)	3 (2%)	50	75
14	b	162/162 (100%)	159 (98%)	3 (2%)	50	75
All	All	5330/5548 (96%)	5179 (97%)	151 (3%)	38	66

All (151) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	55	LEU
2	B	79	LEU
2	B	102	ASN
2	B	113	ARG
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	51	LYS
3	C	98	LEU
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	213	VAL
3	C	240	GLU
4	D	40	LEU
4	D	99	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	125	LEU
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	55	LEU
5	E	71	LEU
5	E	188	LEU
6	F	123	ASN
6	F	172	LEU
6	F	181	GLU
6	F	221	ASN
6	F	240	GLN
7	G	26	THR
7	G	115	LEU
7	G	122	ARG
7	G	125	MET
7	G	235	ARG
7	G	236	LEU
8	H	3	ILE
8	H	55	VAL
8	H	68	LEU
8	H	153	LYS
8	H	196	ARG
9	I	37	ASN
9	I	126	ILE
9	I	171	LEU
10	J	1	MET
10	J	3	ILE
10	J	99	GLN
10	J	174	MET
11	K	4	LEU
11	K	12	VAL
11	K	31	MET
11	K	35	ILE
11	K	88	LEU
11	K	147	LEU
12	L	23	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	L	49	ASN
12	L	128	VAL
12	L	132	GLN
12	L	150	LEU
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
14	N	9	LYS
14	N	36	ARG
14	N	178	LEU
1	O	1	MET
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	55	LEU
2	P	79	LEU
2	P	102	ASN
2	P	113	ARG
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	51	LYS
3	Q	98	LEU
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	213	VAL
3	Q	240	GLU
4	R	99	ILE
4	R	125	LEU
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	55	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	S	71	LEU
5	S	188	LEU
6	T	123	ASN
6	T	172	LEU
6	T	181	GLU
6	T	221	ASN
6	T	240	GLN
7	U	26	THR
7	U	115	LEU
7	U	122	ARG
7	U	125	MET
7	U	235	ARG
7	U	236	LEU
8	V	3	ILE
8	V	13	VAL
8	V	55	VAL
8	V	68	LEU
8	V	153	LYS
8	V	196	ARG
9	W	37	ASN
9	W	126	ILE
9	W	171	LEU
10	X	1	MET
10	X	3	ILE
10	X	99	GLN
10	X	174	MET
11	Y	4	LEU
11	Y	12	VAL
11	Y	31	MET
11	Y	35	ILE
11	Y	88	LEU
11	Y	147	LEU
12	Z	23	LEU
12	Z	49	ASN
12	Z	128	VAL
12	Z	132	GLN
12	Z	150	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	190	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	b	9	LYS
14	b	36	ARG
14	b	178	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (94) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	93	HIS
2	B	119	GLN
2	B	123	GLN
3	C	17	GLN
3	C	116	GLN
3	C	120	GLN
3	C	147	GLN
3	C	160	GLN
4	D	15	GLN
4	D	91	HIS
4	D	100	ASN
4	D	106	GLN
4	D	146	GLN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	120	GLN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	123	ASN
7	G	30	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	175	ASN
8	H	35	HIS
8	H	116	HIS
9	I	203	GLN
10	J	63	ASN
11	K	32	ASN
11	K	85	ASN
11	K	142	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	K	175	ASN
12	L	1	GLN
12	L	3	ASN
12	L	49	ASN
12	L	70	ASN
12	L	79	HIS
12	L	158	ASN
12	L	197	GLN
13	M	26	ASN
13	M	48	ASN
13	M	108	ASN
13	M	149	HIS
14	N	38	HIS
14	N	141	ASN
2	P	93	HIS
2	P	119	GLN
2	P	123	GLN
2	P	124	HIS
3	Q	17	GLN
3	Q	116	GLN
3	Q	120	GLN
3	Q	147	GLN
3	Q	160	GLN
4	R	15	GLN
4	R	91	HIS
4	R	100	ASN
4	R	106	GLN
4	R	225	ASN
5	S	68	HIS
5	S	99	ASN
5	S	116	GLN
5	S	120	GLN
5	S	151	ASN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	123	ASN
7	U	30	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	175	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	V	35	HIS
9	W	63	ASN
10	X	63	ASN
11	Y	32	ASN
11	Y	124	GLN
11	Y	142	ASN
11	Y	175	ASN
12	Z	3	ASN
12	Z	49	ASN
12	Z	158	ASN
12	Z	197	GLN
13	a	26	ASN
13	a	48	ASN
13	a	108	ASN
13	a	149	HIS
14	b	38	HIS
14	b	141	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 10 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	6NV	K	301	11	47,48,48	1.86	9 (19%)	55,66,66	1.64	9 (16%)
17	6NV	Y	301	11	47,48,48	1.96	11 (23%)	55,66,66	1.67	11 (20%)
18	MES	Y	302	-	12,12,12	2.34	1 (8%)	15,16,16	1.10	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	6NV	K	301	11	-	16/44/67/67	0/4/4/4
17	6NV	Y	301	11	-	19/44/67/67	0/4/4/4
18	MES	Y	302	-	-	0/6/14/14	0/1/1/1

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	Y	302	MES	C8-S	-7.84	1.66	1.77
17	Y	301	6NV	C38-C39	-5.75	1.33	1.49
17	K	301	6NV	C38-C39	-5.59	1.33	1.49
17	K	301	6NV	C3-C4	-5.21	1.39	1.51
17	Y	301	6NV	C3-C4	-4.77	1.40	1.51
17	K	301	6NV	C16-C17	-4.76	1.40	1.51
17	Y	301	6NV	C31-C36	-4.67	1.32	1.47
17	Y	301	6NV	C16-C17	-4.63	1.40	1.51
17	K	301	6NV	C31-C36	-4.16	1.34	1.47
17	Y	301	6NV	C32-C31	-3.83	1.31	1.40
17	Y	301	6NV	C34-C35	-3.68	1.36	1.49
17	K	301	6NV	C25-C23	3.60	1.59	1.53
17	K	301	6NV	C32-C31	-3.43	1.32	1.40
17	K	301	6NV	C34-C35	-3.36	1.38	1.49
17	Y	301	6NV	C25-C23	3.34	1.59	1.53
17	Y	301	6NV	C38-C30	-2.83	1.31	1.41
17	Y	301	6NV	C31-C30	-2.76	1.31	1.37
17	K	301	6NV	C31-C30	-2.30	1.32	1.37
17	K	301	6NV	C38-C30	-2.27	1.33	1.41
17	Y	301	6NV	C34-C33	-2.16	1.37	1.47
17	Y	301	6NV	C37-C36	-2.02	1.37	1.42

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	K	301	6NV	C38-C37-C36	-5.61	103.87	109.72
17	Y	301	6NV	C16-C15-N14	-5.14	102.79	110.08
17	Y	301	6NV	C38-C37-C36	-4.92	104.59	109.72
17	K	301	6NV	C16-C15-N14	-4.46	103.74	110.08
17	K	301	6NV	C32-C31-C30	-3.42	129.71	134.07
17	K	301	6NV	C34-C35-C36	-3.22	118.96	124.59
17	Y	301	6NV	C32-C31-C30	-3.19	130.00	134.07
17	Y	301	6NV	C34-C35-C36	-3.18	119.03	124.59
17	K	301	6NV	C17-C16-C15	2.80	118.14	113.40
17	K	301	6NV	C38-C30-C31	2.63	109.86	107.98
17	Y	301	6NV	C38-C30-C31	2.59	109.83	107.98
17	Y	301	6NV	C17-C16-C15	2.57	117.76	113.40
17	Y	301	6NV	C3-C2-C12	2.36	116.33	110.30
17	K	301	6NV	C26-C25-C23	-2.33	107.23	111.45
17	Y	301	6NV	C4-C3-C2	-2.29	107.27	113.36
17	K	301	6NV	C29-C30-C31	-2.21	123.07	128.43
17	K	301	6NV	O24-C23-C15	-2.19	104.02	109.28
18	Y	302	MES	O1S-S-C8	2.18	110.02	106.73
17	Y	301	6NV	C29-C30-C31	-2.18	123.16	128.43
17	Y	301	6NV	C9-O8-C7	-2.14	112.91	117.50
17	Y	301	6NV	C26-C25-C27	-2.03	107.17	109.76

There are no chirality outliers.

All (35) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
17	K	301	6NV	C15-C23-C25-C26
17	K	301	6NV	C15-C23-C25-C27
17	K	301	6NV	C26-C25-C27-O28
17	K	301	6NV	C23-C25-C27-O28
17	Y	301	6NV	C15-C23-C25-C26
17	Y	301	6NV	C15-C23-C25-C27
17	Y	301	6NV	C26-C25-C27-O28
17	K	301	6NV	C6-C7-O8-C9
17	K	301	6NV	C10-C7-O8-C9
17	Y	301	6NV	C10-C7-O8-C9
17	Y	301	6NV	C6-C7-O8-C9
17	K	301	6NV	O24-C23-C25-C27
17	Y	301	6NV	O24-C23-C25-C27
17	Y	301	6NV	C15-C16-C17-C22
17	Y	301	6NV	C15-C16-C17-C18
17	Y	301	6NV	C44-C42-N41-C39
17	Y	301	6NV	N14-C15-C16-C17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	K	301	6NV	C15-C16-C17-C22
17	Y	301	6NV	O13-C12-C2-C3
17	K	301	6NV	C15-C16-C17-C18
17	K	301	6NV	O24-C23-C25-C26
17	Y	301	6NV	O24-C23-C25-C26
17	Y	301	6NV	N14-C12-C2-C3
17	K	301	6NV	C44-C42-N41-C39
17	K	301	6NV	N14-C15-C16-C17
17	Y	301	6NV	C23-C25-C27-O28
17	K	301	6NV	O13-C12-C2-N1
17	Y	301	6NV	N41-C42-C44-N1
17	K	301	6NV	N14-C12-C2-N1
17	Y	301	6NV	O13-C12-C2-N1
17	Y	301	6NV	N14-C12-C2-N1
17	Y	301	6NV	N41-C42-C44-O45
17	K	301	6NV	N1-C2-C3-C4
17	Y	301	6NV	C43-C42-N41-C39
17	K	301	6NV	N41-C42-C44-N1


There are no ring outliers.

2 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	K	301	6NV	4	0
17	Y	301	6NV	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand 6NV K 301



Ligand 6NV Y 301



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	-0.39	1 (0%) 88 86	34, 52, 89, 125	0
1	O	250/250 (100%)	-0.35	2 (0%) 82 80	40, 56, 100, 136	0
2	B	244/258 (94%)	-0.18	6 (2%) 58 52	40, 59, 102, 153	0
2	P	244/258 (94%)	-0.19	6 (2%) 58 52	41, 60, 103, 153	0
3	C	240/254 (94%)	0.01	8 (3%) 49 43	39, 65, 132, 165	0
3	Q	240/254 (94%)	0.11	11 (4%) 37 32	33, 73, 154, 192	0
4	D	235/260 (90%)	-0.19	3 (1%) 75 71	44, 64, 94, 131	0
4	R	235/260 (90%)	-0.01	7 (2%) 52 47	55, 72, 111, 139	0
5	E	231/234 (98%)	-0.17	2 (0%) 81 78	45, 64, 103, 145	0
5	S	231/234 (98%)	-0.07	5 (2%) 62 57	49, 70, 109, 141	0
6	F	243/288 (84%)	-0.31	4 (1%) 70 66	38, 58, 106, 135	0
6	T	243/288 (84%)	-0.18	8 (3%) 49 43	37, 66, 118, 150	0
7	G	241/252 (95%)	-0.36	1 (0%) 88 86	36, 54, 92, 150	0
7	U	241/252 (95%)	-0.34	2 (0%) 82 80	39, 54, 90, 129	0
8	H	226/232 (97%)	-0.37	1 (0%) 88 86	32, 52, 85, 142	1 (0%)
8	V	226/232 (97%)	-0.32	2 (0%) 81 78	39, 54, 87, 162	0
9	I	204/205 (99%)	-0.48	1 (0%) 87 85	37, 53, 84, 105	0
9	W	204/205 (99%)	-0.50	1 (0%) 87 85	39, 53, 85, 104	0
10	J	195/198 (98%)	-0.44	1 (0%) 87 85	36, 54, 81, 123	0
10	X	195/198 (98%)	-0.39	3 (1%) 72 68	39, 56, 82, 132	0
11	K	211/211 (100%)	-0.13	2 (0%) 81 78	44, 62, 92, 116	0
11	Y	211/211 (100%)	-0.09	2 (0%) 81 78	42, 63, 91, 121	0
12	L	222/222 (100%)	-0.19	1 (0%) 87 85	42, 58, 103, 132	0
12	Z	222/222 (100%)	-0.18	1 (0%) 87 85	42, 61, 104, 137	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	-0.43	0 100 100	31, 53, 78, 95	1 (0%)
13	a	233/246 (94%)	-0.45	2 (0%) 81 78	37, 55, 79, 95	0
14	N	196/196 (100%)	-0.51	0 100 100	36, 48, 78, 105	0
14	b	196/196 (100%)	-0.52	0 100 100	35, 48, 79, 109	0
All	All	6342/6612 (95%)	-0.27	83 (1%) 75 71	31, 59, 102, 192	2 (0%)

All (83) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
12	Z	174	TYR	4.9
12	L	174	TYR	4.8
10	X	1	MET	4.8
2	P	219	ALA	4.5
10	J	1	MET	4.3
2	B	218	GLY	4.3
2	P	218	GLY	4.2
3	Q	50	LEU	4.1
3	Q	205	ALA	3.9
3	C	205	ALA	3.6
4	D	241	ALA	3.5
13	a	1	THR	3.4
9	W	1	SER	3.4
2	P	51	VAL	3.4
4	R	125	LEU	3.3
4	R	112	ALA	3.3
2	P	220	ASN	3.2
3	C	51	LYS	3.2
1	A	1	MET	3.1
4	R	241	ALA	3.1
2	B	219	ALA	3.0
3	Q	175	LYS	3.0
6	F	215	CYS	3.0
6	T	14	ASP	2.9
4	R	113	LEU	2.9
4	R	114	ARG	2.9
6	T	243	ILE	2.9
3	Q	49	THR	2.8
4	D	167	GLY	2.8
3	Q	3	ASP	2.8
6	T	215	CYS	2.8
4	R	203	LYS	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	Q	234	ILE	2.7
6	F	202	ASP	2.7
2	B	222	GLY	2.7
2	B	51	VAL	2.6
8	H	223	ILE	2.6
9	I	1	SER	2.6
8	V	224	GLN	2.6
3	C	240	GLU	2.5
10	X	174	MET	2.5
11	K	146	ASP	2.4
11	Y	146	ASP	2.4
5	S	173	ARG	2.4
5	S	96	LEU	2.4
6	T	178	HIS	2.4
3	C	50	LEU	2.4
2	B	220	ASN	2.4
1	O	53	SER	2.4
1	O	1	MET	2.3
5	E	122	TYR	2.3
2	B	93	HIS	2.3
5	S	209	ASN	2.3
3	C	186	VAL	2.3
3	Q	186	VAL	2.3
8	V	223	ILE	2.2
7	G	68	ARG	2.2
3	C	3	ASP	2.2
7	U	24	LYS	2.2
3	Q	206	LYS	2.2
3	C	234	ILE	2.2
11	K	40	TYR	2.2
5	S	122	TYR	2.2
6	T	244	ASN	2.2
6	T	204	LYS	2.1
11	Y	40	TYR	2.1
3	Q	204	GLY	2.1
5	S	207	VAL	2.1
2	P	61	SER	2.1
4	D	112	ALA	2.1
7	U	179	LYS	2.1
2	P	177	MET	2.1
4	R	116	GLY	2.1
6	F	243	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
13	a	69	ASP	2.1
3	Q	231	VAL	2.1
3	C	203	THR	2.0
3	Q	203	THR	2.0
5	E	207	VAL	2.0
6	F	201	GLU	2.0
6	T	205	GLU	2.0
10	X	195	PHE	2.0
6	T	2	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
18	MES	Y	302	12/12	0.75	0.25	56,57,64,66	12
17	6NV	Y	301	45/45	0.80	0.18	43,60,79,83	45
17	6NV	K	301	45/45	0.80	0.18	44,59,81,81	45
15	MG	Z	301	1/1	0.87	0.09	67,67,67,67	0
15	MG	I	301	1/1	0.93	0.08	62,62,62,62	0
15	MG	J	201	1/1	0.96	0.10	53,53,53,53	0
15	MG	K	302	1/1	0.98	0.10	55,55,55,55	0
15	MG	I	302	1/1	0.98	0.11	55,55,55,55	0
16	CL	G	302	1/1	0.98	0.06	43,43,43,43	0
16	CL	U	301	1/1	0.99	0.07	46,46,46,46	0
15	MG	N	201	1/1	0.99	0.03	53,53,53,53	0
15	MG	G	301	1/1	0.99	0.04	56,56,56,56	0
15	MG	L	301	1/1	0.99	0.09	52,52,52,52	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 6NV Y 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.