



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 04:48 AM UTC

PDB ID : 4L75 / pdb_00004l75
Title : Ca²⁺-bound D184N mutant MthK RCK domain at 2.4 Angstrom
Authors : Smith, F.J.; Rothberg, B.S.
Deposited on : 2013-06-13
Resolution : 2.39 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	242	2% 82%12%• 5%
1	B	242	% 77%15%• 7%
1	C	242	4% 78%13%• 9%
1	D	242	4% 79%13%8%
1	E	242	2% 78%12%• 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	242	2% 78% 12% • 8%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 10580 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Calcium-gated potassium channel MthK.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	229	Total	C	N	O	S	0	0	0
			1760	1099	315	339	7			
1	B	224	Total	C	N	O	S	0	0	0
			1735	1080	308	340	7			
1	C	221	Total	C	N	O	S	0	0	0
			1693	1057	303	326	7			
1	D	223	Total	C	N	O	S	0	0	0
			1708	1066	303	332	7			
1	E	221	Total	C	N	O	S	0	0	0
			1712	1066	303	336	7			
1	F	223	Total	C	N	O	S	0	0	0
			1729	1078	308	336	7			

There are 78 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	184	ASN	ASP	engineered mutation	UNP O27564
A	337	LEU	-	expression tag	UNP O27564
A	338	VAL	-	expression tag	UNP O27564
A	339	PRO	-	expression tag	UNP O27564
A	340	ARG	-	expression tag	UNP O27564
A	341	GLY	-	expression tag	UNP O27564
A	342	SER	-	expression tag	UNP O27564
A	343	HIS	-	expression tag	UNP O27564
A	344	HIS	-	expression tag	UNP O27564
A	345	HIS	-	expression tag	UNP O27564
A	346	HIS	-	expression tag	UNP O27564
A	347	HIS	-	expression tag	UNP O27564
A	348	HIS	-	expression tag	UNP O27564
B	184	ASN	ASP	engineered mutation	UNP O27564
B	337	LEU	-	expression tag	UNP O27564
B	338	VAL	-	expression tag	UNP O27564
B	339	PRO	-	expression tag	UNP O27564

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	340	ARG	-	expression tag	UNP O27564
B	341	GLY	-	expression tag	UNP O27564
B	342	SER	-	expression tag	UNP O27564
B	343	HIS	-	expression tag	UNP O27564
B	344	HIS	-	expression tag	UNP O27564
B	345	HIS	-	expression tag	UNP O27564
B	346	HIS	-	expression tag	UNP O27564
B	347	HIS	-	expression tag	UNP O27564
B	348	HIS	-	expression tag	UNP O27564
C	184	ASN	ASP	engineered mutation	UNP O27564
C	337	LEU	-	expression tag	UNP O27564
C	338	VAL	-	expression tag	UNP O27564
C	339	PRO	-	expression tag	UNP O27564
C	340	ARG	-	expression tag	UNP O27564
C	341	GLY	-	expression tag	UNP O27564
C	342	SER	-	expression tag	UNP O27564
C	343	HIS	-	expression tag	UNP O27564
C	344	HIS	-	expression tag	UNP O27564
C	345	HIS	-	expression tag	UNP O27564
C	346	HIS	-	expression tag	UNP O27564
C	347	HIS	-	expression tag	UNP O27564
C	348	HIS	-	expression tag	UNP O27564
D	184	ASN	ASP	engineered mutation	UNP O27564
D	337	LEU	-	expression tag	UNP O27564
D	338	VAL	-	expression tag	UNP O27564
D	339	PRO	-	expression tag	UNP O27564
D	340	ARG	-	expression tag	UNP O27564
D	341	GLY	-	expression tag	UNP O27564
D	342	SER	-	expression tag	UNP O27564
D	343	HIS	-	expression tag	UNP O27564
D	344	HIS	-	expression tag	UNP O27564
D	345	HIS	-	expression tag	UNP O27564
D	346	HIS	-	expression tag	UNP O27564
D	347	HIS	-	expression tag	UNP O27564
D	348	HIS	-	expression tag	UNP O27564
E	184	ASN	ASP	engineered mutation	UNP O27564
E	337	LEU	-	expression tag	UNP O27564
E	338	VAL	-	expression tag	UNP O27564
E	339	PRO	-	expression tag	UNP O27564
E	340	ARG	-	expression tag	UNP O27564
E	341	GLY	-	expression tag	UNP O27564
E	342	SER	-	expression tag	UNP O27564

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	343	HIS	-	expression tag	UNP O27564
E	344	HIS	-	expression tag	UNP O27564
E	345	HIS	-	expression tag	UNP O27564
E	346	HIS	-	expression tag	UNP O27564
E	347	HIS	-	expression tag	UNP O27564
E	348	HIS	-	expression tag	UNP O27564
F	184	ASN	ASP	engineered mutation	UNP O27564
F	337	LEU	-	expression tag	UNP O27564
F	338	VAL	-	expression tag	UNP O27564
F	339	PRO	-	expression tag	UNP O27564
F	340	ARG	-	expression tag	UNP O27564
F	341	GLY	-	expression tag	UNP O27564
F	342	SER	-	expression tag	UNP O27564
F	343	HIS	-	expression tag	UNP O27564
F	344	HIS	-	expression tag	UNP O27564
F	345	HIS	-	expression tag	UNP O27564
F	346	HIS	-	expression tag	UNP O27564
F	347	HIS	-	expression tag	UNP O27564
F	348	HIS	-	expression tag	UNP O27564

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Ca 1 1	0	0
2	B	1	Total Ca 1 1	0	0
2	C	1	Total Ca 1 1	0	0
2	D	1	Total Ca 1 1	0	0
2	E	1	Total Ca 1 1	0	0
2	F	1	Total Ca 1 1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	44	Total O 44 44	0	0
3	B	72	Total O 72 72	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	20	Total 20	O 20	0	0
3	D	18	Total 18	O 18	0	0
3	E	29	Total 29	O 29	0	0
3	F	54	Total 54	O 54	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Calcium-gated potassium channel MthK




- Molecule 1: Calcium-gated potassium channel MthK




- Molecule 1: Calcium-gated potassium channel MthK





- Molecule 1: Calcium-gated potassium channel MthK







- Molecule 1: Calcium-gated potassium channel MthK



- Molecule 1: Calcium-gated potassium channel MthK



4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	119.23Å 119.23Å 353.96Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	44.59 – 2.39 44.59 – 2.39	Depositor EDS
% Data completeness (in resolution range)	99.5 (44.59-2.39) 94.6 (44.59-2.39)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.23 (at 2.39Å)	Xtrriage
Refinement program	PHENIX 1.8.2_1309	Depositor
R, R_{free}	0.196 , 0.245 0.200 , 0.249	Depositor DCC
R_{free} test set	2020 reflections (3.40%)	wwPDB-VP
Wilson B-factor (Å ²)	54.1	Xtrriage
Anisotropy	0.093	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 40.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10580	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 43.00 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.8789e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	0/1782	0.83	0/2407
1	B	0.54	0/1756	0.86	0/2372
1	C	0.44	0/1714	0.82	0/2316
1	D	0.44	0/1729	0.85	1/2339 (0.0%)
1	E	0.44	0/1733	0.80	0/2340
1	F	0.49	0/1750	0.83	1/2363 (0.0%)
All	All	0.48	0/10464	0.83	2/14137 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	306	PRO	O-C-N	5.39	123.79	121.31
1	F	306	PRO	O-C-N	5.15	123.68	121.31

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1760	0	1774	17	0
1	B	1735	0	1742	24	0
1	C	1693	0	1699	23	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	1708	0	1705	19	0
1	E	1712	0	1717	24	0
1	F	1729	0	1744	22	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
3	A	44	0	0	1	0
3	B	72	0	0	2	0
3	C	20	0	0	6	0
3	D	18	0	0	5	0
3	E	29	0	0	4	0
3	F	54	0	0	1	0
All	All	10580	0	10381	111	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (111) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:235:SER:HB2	1:B:231:PRO:HB3	1.52	0.92
1:D:116:ARG:N	3:D:507:HOH:O	2.16	0.78
1:B:218:GLU:OE1	3:B:530:HOH:O	1.99	0.77
1:A:285:ILE:HG21	1:A:293:ILE:HD11	1.72	0.70
1:B:285:ILE:HG21	1:B:293:ILE:HD11	1.73	0.69
1:D:203:GLU:O	3:D:512:HOH:O	2.11	0.68
1:B:218:GLU:OE2	1:E:262:ARG:NH2	2.27	0.68
1:B:303:ILE:HD13	1:F:218:GLU:HG3	1.74	0.68
1:C:235:SER:HB2	1:D:231:PRO:HB3	1.75	0.67
1:D:301:GLU:OE2	3:D:509:HOH:O	2.13	0.66
1:E:235:SER:HB2	1:F:231:PRO:HB3	1.77	0.65
1:D:285:ILE:HG21	1:D:293:ILE:HD11	1.79	0.64
1:B:258:GLU:OE1	1:B:263:ARG:NH1	2.31	0.63
1:E:305:ASP:OD2	3:E:516:HOH:O	2.15	0.63
1:A:262:ARG:HG2	1:B:305:ASP:HB3	1.82	0.61
1:E:176:ARG:NH1	1:E:201:ILE:O	2.34	0.60
1:C:275:LEU:HD13	1:C:334:ILE:HA	1.83	0.60
1:A:241:ARG:HD3	1:A:248:GLU:OE2	2.02	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:231:PRO:HB3	1:B:235:SER:HB2	1.83	0.59
1:D:116:ARG:HB2	1:D:179:ARG:HB2	1.84	0.59
1:C:305:ASP:OD1	3:C:519:HOH:O	2.18	0.57
1:A:213:ARG:NH1	1:A:215:GLU:OE2	2.37	0.57
1:D:275:LEU:HD13	1:D:334:ILE:HA	1.88	0.56
1:F:281:LEU:HB2	1:F:308:ARG:HB3	1.87	0.56
1:E:116:ARG:NH1	1:E:138:GLU:OE1	2.39	0.55
1:E:285:ILE:HG21	1:E:293:ILE:HD11	1.87	0.55
1:B:241:ARG:HD3	1:B:248:GLU:OE2	2.07	0.55
1:B:281:LEU:HB2	1:B:308:ARG:HB3	1.88	0.54
1:F:116:ARG:NH2	3:F:530:HOH:O	2.39	0.54
1:D:145:ASP:O	1:D:148:VAL:HG22	2.08	0.54
1:E:213:ARG:NH1	1:E:215:GLU:OE2	2.41	0.54
1:E:241:ARG:HD3	1:E:248:GLU:OE2	2.08	0.54
1:B:327:ILE:HG22	1:B:331:LYS:HE3	1.91	0.53
1:E:241:ARG:NH1	1:E:248:GLU:OE2	2.34	0.53
1:D:227:GLN:NE2	3:D:506:HOH:O	2.42	0.52
1:F:124:SER:OG	1:F:184:ASN:OD1	2.11	0.52
1:C:145:ASP:O	1:C:148:VAL:HG22	2.09	0.52
1:F:123:TRP:CG	1:F:148:VAL:HG21	2.45	0.51
1:D:287:ASP:OD2	3:D:517:HOH:O	2.18	0.50
1:E:305:ASP:OD1	3:E:509:HOH:O	2.18	0.50
1:C:262:ARG:N	1:C:262:ARG:HD3	2.26	0.50
1:E:287:ASP:OD2	3:E:517:HOH:O	2.19	0.49
1:A:129:GLU:OE2	3:A:526:HOH:O	2.20	0.49
1:F:299:GLY:O	1:F:300:ASP:HB2	2.12	0.49
1:F:285:ILE:HD12	1:F:293:ILE:HD11	1.94	0.49
1:E:298:ARG:NH2	1:E:314:ALA:O	2.40	0.48
1:F:285:ILE:HB	1:F:293:ILE:HD11	1.94	0.48
1:C:116:ARG:NE	3:C:514:HOH:O	2.37	0.48
1:D:274:LYS:HG3	1:D:335:SER:O	2.14	0.48
1:D:327:ILE:HG22	1:D:331:LYS:HE3	1.96	0.47
1:C:122:GLY:HA3	1:C:185:LEU:HD23	1.97	0.47
1:D:241:ARG:HD3	1:D:248:GLU:OE1	2.14	0.47
1:E:125:GLU:HG2	1:F:212:GLU:O	2.15	0.47
1:C:231:PRO:HB3	1:D:235:SER:HB2	1.97	0.46
1:B:265:VAL:HG21	1:B:327:ILE:HD12	1.97	0.46
1:D:124:SER:OG	1:D:184:ASN:OD1	2.25	0.46
1:C:186:GLU:O	3:C:506:HOH:O	2.21	0.46
1:F:236:GLY:HA2	1:F:239:MET:HE2	1.97	0.46
1:E:231:PRO:HB3	1:F:235:SER:HB2	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:116:ARG:HD2	1:C:117:HIS:ND1	2.30	0.46
1:B:115:SER:OG	1:B:116:ARG:N	2.47	0.45
1:C:261:THR:C	1:C:262:ARG:HD3	2.41	0.45
1:D:267:VAL:HG12	1:D:334:ILE:HD11	1.97	0.45
1:F:241:ARG:HD3	1:F:248:GLU:OE2	2.17	0.45
1:C:275:LEU:HD22	1:C:334:ILE:HG22	1.97	0.45
1:E:307:PRO:HB2	1:E:309:ASP:OD1	2.16	0.45
1:C:236:GLY:HA2	1:C:239:MET:HE2	1.99	0.45
1:A:182:ILE:HD11	1:B:243:ILE:HD11	1.99	0.45
1:C:269:ILE:HD12	1:C:316:ASP:HB2	1.99	0.45
1:F:269:ILE:HD11	1:F:318:ILE:HD11	1.98	0.45
1:C:253:GLN:HG2	1:D:234:ILE:HD11	1.99	0.45
1:C:285:ILE:HG21	1:C:293:ILE:HD11	1.99	0.45
1:C:116:ARG:NH1	3:C:516:HOH:O	2.49	0.44
1:C:200:LYS:NZ	3:C:512:HOH:O	2.48	0.43
1:E:248:GLU:HG2	1:F:319:LEU:HD11	2.00	0.43
1:A:236:GLY:HA2	1:A:239:MET:HE2	2.00	0.43
1:E:248:GLU:HB3	1:F:264:MET:HE3	2.01	0.43
3:E:516:HOH:O	1:F:322:GLY:HA2	2.17	0.43
1:F:262:ARG:HH11	1:F:323:LYS:HD3	1.82	0.43
1:B:267:VAL:HG12	1:B:334:ILE:HD11	2.01	0.43
1:B:167:VAL:HG13	1:B:201:ILE:HD11	2.00	0.43
1:B:127:THR:CG2	1:B:184:ASN:HD21	2.31	0.43
1:B:185:LEU:HD12	1:B:190:GLU:HB3	2.00	0.43
1:C:327:ILE:HG22	1:C:331:LYS:HE3	2.01	0.43
1:A:123:TRP:CG	1:A:148:VAL:HG21	2.54	0.42
1:B:274:LYS:HG3	1:B:335:SER:O	2.19	0.42
1:E:274:LYS:HG3	1:E:335:SER:O	2.19	0.42
1:A:251:PHE:CE1	1:A:255:VAL:HG11	2.54	0.42
1:B:200:LYS:NZ	3:B:536:HOH:O	2.52	0.42
1:B:293:ILE:HD12	1:B:318:ILE:CG2	2.50	0.42
1:E:269:ILE:HD11	1:E:318:ILE:HD11	2.01	0.42
1:A:289:THR:HG21	1:A:330:LEU:HA	2.02	0.42
1:A:123:TRP:CZ2	1:A:151:LYS:HD3	2.55	0.41
1:B:123:TRP:CG	1:B:148:VAL:HG21	2.56	0.41
1:C:270:PRO:HD2	1:C:273:SER:HB2	2.02	0.41
1:E:262:ARG:HD2	1:F:304:ILE:O	2.19	0.41
1:E:233:VAL:HA	1:F:129:GLU:HG3	2.03	0.41
1:F:265:VAL:HG21	1:F:327:ILE:HD12	2.02	0.41
1:A:269:ILE:HD11	1:A:318:ILE:HD11	2.02	0.41
1:D:163:ASP:HA	1:D:164:PRO:HD3	1.90	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:247:TYR:HE1	1:B:317:ILE:HG13	1.86	0.41
1:C:213:ARG:NH1	3:C:505:HOH:O	2.54	0.41
1:E:212:GLU:O	1:F:125:GLU:HG2	2.21	0.41
1:E:324:PRO:O	1:E:328:GLU:HG2	2.20	0.41
1:D:123:TRP:CZ3	1:D:152:VAL:HG22	2.56	0.41
1:B:323:LYS:O	1:B:327:ILE:HG12	2.20	0.40
1:E:194:CYS:O	1:E:198:ILE:HG13	2.21	0.40
1:A:293:ILE:HD12	1:A:318:ILE:CG2	2.51	0.40
1:C:213:ARG:HB3	1:C:213:ARG:HH11	1.86	0.40
1:C:274:LYS:NZ	1:C:335:SER:OG	2.51	0.40
1:A:116:ARG:HB2	1:A:179:ARG:HB2	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	227/242 (94%)	224 (99%)	3 (1%)	0	100	100
1	B	222/242 (92%)	220 (99%)	2 (1%)	0	100	100
1	C	219/242 (90%)	217 (99%)	2 (1%)	0	100	100
1	D	221/242 (91%)	217 (98%)	4 (2%)	0	100	100
1	E	219/242 (90%)	216 (99%)	3 (1%)	0	100	100
1	F	221/242 (91%)	218 (99%)	3 (1%)	0	100	100
All	All	1329/1452 (92%)	1312 (99%)	17 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	191/207 (92%)	183 (96%)	8 (4%)	26	45
1	B	191/207 (92%)	186 (97%)	5 (3%)	40	63
1	C	183/207 (88%)	177 (97%)	6 (3%)	33	55
1	D	185/207 (89%)	183 (99%)	2 (1%)	65	82
1	E	188/207 (91%)	182 (97%)	6 (3%)	34	56
1	F	190/207 (92%)	184 (97%)	6 (3%)	34	56
All	All	1128/1242 (91%)	1095 (97%)	33 (3%)	37	60

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	114	LYS
1	A	148	VAL
1	A	175	VAL
1	A	184	ASN
1	A	189	SER
1	A	262	ARG
1	A	296	VAL
1	A	338	VAL
1	B	148	VAL
1	B	184	ASN
1	B	262	ARG
1	B	296	VAL
1	B	300	ASP
1	C	116	ARG
1	C	184	ASN
1	C	189	SER
1	C	262	ARG
1	C	278	VAL
1	C	296	VAL
1	D	175	VAL
1	D	296	VAL
1	E	116	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	148	VAL
1	E	212	GLU
1	E	262	ARG
1	E	296	VAL
1	E	300	ASP
1	F	116	ARG
1	F	148	VAL
1	F	212	GLU
1	F	262	ARG
1	F	296	VAL
1	F	338	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	227	GLN
1	B	158	ASN
1	B	161	HIS
1	D	158	ASN
1	E	227	GLN
1	F	147	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	229/242 (94%)	0.17	5 (2%) 62 58	45, 65, 96, 171	0
1	B	224/242 (92%)	-0.02	3 (1%) 75 71	41, 59, 86, 127	0
1	C	221/242 (91%)	0.41	9 (4%) 41 37	50, 77, 125, 143	0
1	D	223/242 (92%)	0.34	9 (4%) 42 38	52, 74, 110, 123	0
1	E	221/242 (91%)	0.32	5 (2%) 61 57	48, 78, 105, 119	0
1	F	223/242 (92%)	0.05	4 (1%) 67 63	42, 63, 92, 125	0
All	All	1341/1452 (92%)	0.21	35 (2%) 57 53	41, 69, 109, 171	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	312	PHE	4.7
1	E	336	ALA	4.4
1	D	338	VAL	4.1
1	C	325	GLU	3.4
1	C	252	VAL	3.2
1	C	336	ALA	3.2
1	D	251	PHE	3.2
1	D	259	GLU	3.1
1	A	111	ASP	3.0
1	D	261	THR	2.7
1	A	112	VAL	2.6
1	D	257	ALA	2.6
1	F	252	VAL	2.6
1	B	125	GLU	2.5
1	A	339	PRO	2.5
1	C	296	VAL	2.5
1	E	197	GLY	2.5
1	F	337	LEU	2.4
1	E	299	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	261	THR	2.3
1	E	275	LEU	2.3
1	D	253	GLN	2.3
1	E	125	GLU	2.3
1	C	324	PRO	2.2
1	C	257	ALA	2.2
1	A	338	VAL	2.2
1	D	280	VAL	2.2
1	F	338	VAL	2.2
1	D	300	ASP	2.2
1	C	310	TYR	2.1
1	B	243	ILE	2.1
1	D	320	GLY	2.1
1	B	338	VAL	2.1
1	F	305	ASP	2.0
1	A	313	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CA	C	401	1/1	0.85	0.07	132,132,132,132	0
2	CA	E	401	1/1	0.87	0.10	121,121,121,121	0
2	CA	D	401	1/1	0.93	0.06	117,117,117,117	0
2	CA	F	401	1/1	0.96	0.05	81,81,81,81	0
2	CA	B	401	1/1	0.97	0.04	81,81,81,81	0
2	CA	A	401	1/1	0.98	0.04	73,73,73,73	0

6.5 Other polymers [i](#)

There are no such residues in this entry.