



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 09:02 AM UTC

PDB ID : 7L7R / pdb_0000717r
Title : CCHFV Gc prefusion monomer bound to ADI-36121 and ADI-37801 Fabs
Authors : Mishra, A.K.; McLellan, J.S.
Deposited on : 2020-12-30
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	214	2% 92% 7%
2	B	230	3% 87% 6% 7%
3	C	214	32% 73% 21% ••
4	D	235	14% 74% 14% • 11%
5	G	547	11% 56% 11% 33%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	N	3	 67% 33%

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 9730 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ADI-36121 Fab light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	213	Total	C	N	O	S	0	0	0
			1639	1024	276	334	5			

- Molecule 2 is a protein called ADI-36121 Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	215	Total	C	N	O	S	0	0	0
			1623	1031	269	317	6			

- Molecule 3 is a protein called ADI-37801 Fab light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	205	Total	C	N	O	S	0	0	0
			1581	990	270	317	4			

- Molecule 4 is a protein called ADI-37801 Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	209	Total	C	N	O	S	0	0	0
			1579	1004	256	311	8			

- Molecule 5 is a protein called Glycoprotein C.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	G	365	Total	C	N	O	S	0	0	0
			2873	1813	490	545	25			

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
G	1580	GLY	-	expression tag	UNP Q8JSZ3
G	1581	SER	-	expression tag	UNP Q8JSZ3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	1582	LEU	-	expression tag	UNP Q8JSZ3
G	1583	GLU	-	expression tag	UNP Q8JSZ3
G	1584	VAL	-	expression tag	UNP Q8JSZ3
G	1585	LEU	-	expression tag	UNP Q8JSZ3
G	1586	PHE	-	expression tag	UNP Q8JSZ3
G	1587	GLN	-	expression tag	UNP Q8JSZ3

- Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	N	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	109	Total	O	0	0
			109	109		
7	B	119	Total	O	0	0
			119	119		
7	C	11	Total	O	0	0
			11	11		
7	D	35	Total	O	0	0
			35	35		
7	G	122	Total	O	0	0
			122	122		



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ADI-36121 Fab light chain




- Molecule 2: ADI-36121 Fab heavy chain




- Molecule 3: ADI-37801 Fab light chain




- Molecule 4: ADI-37801 Fab heavy chain





- Molecule 5: Glycoprotein C



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	60.20Å 95.18Å 323.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	43.05 – 2.10 43.05 – 2.10	Depositor EDS
% Data completeness (in resolution range)	98.2 (43.05-2.10) 98.1 (43.05-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.94 (at 2.10Å)	Xtriage
Refinement program	PHENIX 1.19_4080	Depositor
R, R_{free}	0.219 , 0.243 0.219 , 0.243	Depositor DCC
R_{free} test set	5458 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	39.9	Xtriage
Anisotropy	0.571	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 47.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9730	wwPDB-VP
Average B, all atoms (Å ²)	67.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.21	0/1674	0.42	0/2271
2	B	0.22	0/1663	0.41	0/2266
3	C	0.32	0/1615	0.57	0/2190
4	D	0.37	0/1619	0.62	1/2208 (0.0%)
5	G	0.24	0/2946	0.46	0/4006
All	All	0.27	0/9517	0.50	1/12941 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
4	D	78	PHE	CA-CB-CG	5.58	119.38	113.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1639	0	1592	12	0
2	B	1623	0	1601	9	0
3	C	1581	0	1545	31	0
4	D	1579	0	1537	25	0
5	G	2873	0	2762	39	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	N	39	0	34	0	0
7	A	109	0	0	2	0
7	B	119	0	0	6	0
7	C	11	0	0	0	0
7	D	35	0	0	5	0
7	G	122	0	0	3	0
All	All	9730	0	9071	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:103:TRP:O	7:D:301:HOH:O	1.90	0.88
2:B:86:ASP:OD1	7:B:301:HOH:O	1.93	0.85
5:G:1169:CYS:SG	7:G:1706:HOH:O	2.41	0.78
1:A:161:GLU:OE1	7:A:301:HOH:O	2.01	0.78
2:B:162:GLY:O	7:B:302:HOH:O	2.03	0.76
5:G:1166:THR:O	7:G:1601:HOH:O	2.02	0.76
2:B:79:TYR:OH	7:B:303:HOH:O	2.06	0.72
5:G:1091:SER:N	5:G:1103:SER:O	2.24	0.70
5:G:1338:HIS:O	5:G:1338:HIS:ND1	2.23	0.70
3:C:18:ARG:HG3	3:C:76:THR:HA	1.74	0.68
4:D:101:ASP:OD2	7:D:302:HOH:O	2.12	0.68
2:B:19:ARG:O	7:B:304:HOH:O	2.13	0.66
3:C:146:VAL:HG12	3:C:196:VAL:HG22	1.75	0.66
4:D:83:THR:HG22	4:D:85:ALA:H	1.60	0.66
1:A:17:ASP:OD1	7:A:302:HOH:O	2.12	0.66
2:B:125:ALA:O	7:B:305:HOH:O	2.15	0.65
3:C:79:GLN:HG3	3:C:80:PRO:HD2	1.79	0.65
5:G:1067:PRO:HD3	5:G:1248:LEU:HD21	1.80	0.64
5:G:1105:ARG:HG2	5:G:1429:GLU:HG2	1.80	0.64
5:G:1192:ARG:HH11	5:G:1362:MET:HE1	1.64	0.63
3:C:145:LYS:NZ	3:C:147:GLN:OE1	2.28	0.63
5:G:1135:VAL:HG22	5:G:1237:VAL:HG12	1.80	0.62
5:G:1119:SER:HB3	5:G:1134:THR:HG22	1.82	0.61
4:D:11:LEU:O	7:D:303:HOH:O	2.16	0.60
5:G:1083:THR:HG21	5:G:1118:ILE:HG22	1.85	0.59
3:C:47:LEU:HA	3:C:58:VAL:HG21	1.84	0.58
4:D:35:TYR:HB2	4:D:95:ASP:HB3	1.85	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:164:THR:HG22	3:C:174:SER:H	1.68	0.58
4:D:138:LEU:HB2	4:D:211:VAL:HG11	1.86	0.58
1:A:163:VAL:HG22	1:A:175:LEU:HD12	1.85	0.58
5:G:1100:ILE:HD12	5:G:1127:ALA:HB2	1.87	0.57
5:G:1255:PHE:HB2	5:G:1262:ILE:HB	1.87	0.57
4:D:123:PRO:HB3	4:D:211:VAL:HG22	1.86	0.56
4:D:138:LEU:HD12	4:D:211:VAL:HB	1.87	0.56
5:G:1153:GLY:HA3	5:G:1216:PHE:HB3	1.88	0.56
5:G:1090:TRP:HZ3	5:G:1430:VAL:HG11	1.70	0.56
5:G:1133:LEU:HD21	5:G:1262:ILE:HD11	1.88	0.55
4:D:123:PRO:CD	4:D:209:LYS:HE2	2.35	0.54
4:D:152:VAL:HG13	4:D:198:VAL:HG22	1.89	0.54
5:G:1215:LEU:HD21	5:G:1336:LEU:HD23	1.89	0.54
2:B:176:TYR:OH	7:B:306:HOH:O	2.17	0.54
4:D:69:ILE:O	7:D:304:HOH:O	2.19	0.54
5:G:1099:LYS:HA	5:G:1436:HIS:HB3	1.90	0.54
1:A:145:LYS:HE2	1:A:147:GLN:OE1	2.09	0.53
3:C:188:LYS:HE2	3:C:189:HIS:CE1	2.44	0.53
3:C:201:LEU:HD13	3:C:203:SER:C	2.33	0.53
5:G:1090:TRP:CZ3	5:G:1430:VAL:HG11	2.45	0.52
3:C:124:GLN:OE1	3:C:131:SER:N	2.42	0.52
5:G:1327:LEU:HD11	5:G:1404:ALA:HB1	1.92	0.52
3:C:197:THR:HG23	3:C:204:PRO:HG3	1.92	0.51
3:C:11:LEU:HD21	3:C:19:VAL:HG11	1.92	0.51
1:A:39:LYS:NZ	1:A:81:GLU:O	2.39	0.51
5:G:1088:LEU:HG	5:G:1122:LEU:HD22	1.93	0.51
4:D:121:VAL:C	4:D:122:PHE:HD1	2.19	0.50
3:C:123:GLU:HA	3:C:126:LYS:NZ	2.27	0.50
5:G:1348:TRP:CH2	5:G:1350:SER:HB2	2.47	0.50
5:G:1077:TYR:CE1	5:G:1138:MET:HG3	2.47	0.50
4:D:195:ILE:HG12	4:D:210:LYS:CG	2.42	0.49
5:G:1092:SER:O	5:G:1102:VAL:HA	2.13	0.49
2:B:82:MET:HE2	2:B:82(C):LEU:HD21	1.93	0.49
3:C:115:VAL:HG22	3:C:136:LEU:HD22	1.93	0.49
1:A:142:ARG:CZ	1:A:163:VAL:HG21	2.43	0.48
5:G:1161:PRO:O	5:G:1162:LYS:HG3	2.12	0.48
1:A:166:GLN:HG3	1:A:173:TYR:CZ	2.48	0.48
3:C:37:GLN:HB2	3:C:47:LEU:HD11	1.95	0.48
3:C:123:GLU:HA	3:C:126:LYS:HZ3	1.79	0.48
5:G:1287:GLU:N	7:G:1610:HOH:O	2.47	0.48
3:C:38:GLN:O	3:C:84:ALA:HB1	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:100:GLN:H	1:A:100:GLN:CD	2.22	0.47
3:C:94:TYR:OH	5:G:1191:TRP:HA	2.15	0.47
5:G:1081:VAL:HG11	5:G:1119:SER:OG	2.15	0.47
3:C:33:LEU:HD13	3:C:71:PHE:CG	2.49	0.47
5:G:1394:ASN:OD1	5:G:1394:ASN:N	2.44	0.46
4:D:96:ARG:O	4:D:100(C):GLY:HA3	2.15	0.46
5:G:1086:ILE:HD12	5:G:1119:SER:O	2.15	0.46
5:G:1239:LEU:HD23	5:G:1242:GLN:OE1	2.16	0.46
5:G:1383:ASN:O	5:G:1387:ILE:HG12	2.16	0.46
4:D:121:VAL:O	4:D:122:PHE:HD1	1.99	0.46
5:G:1237:VAL:HG21	5:G:1257:LEU:HD11	1.98	0.44
4:D:8:GLY:HA3	4:D:20:LEU:HD23	1.99	0.44
4:D:148:GLU:OE1	4:D:168:ALA:HB3	2.17	0.44
5:G:1215:LEU:HD22	5:G:1318:LEU:HD21	2.00	0.44
4:D:138:LEU:H	4:D:138:LEU:HD23	1.81	0.44
1:A:120:PRO:HD3	1:A:132:VAL:HG22	2.00	0.44
4:D:154:TRP:HB3	4:D:159:LEU:HD23	1.99	0.43
3:C:163:VAL:HG12	3:C:164:THR:H	1.84	0.43
5:G:1159:GLU:HG3	5:G:1209:GLY:O	2.18	0.43
5:G:1088:LEU:HD22	5:G:1106:SER:HB2	1.99	0.43
3:C:124:GLN:HA	4:D:122:PHE:CE2	2.54	0.43
2:B:1:GLU:CD	2:B:2:VAL:H	2.28	0.42
3:C:32:TRP:CZ3	3:C:50:LYS:HE3	2.54	0.42
2:B:96:PRO:HD3	2:B:101:GLU:HG2	2.01	0.42
4:D:119:PRO:HB3	4:D:145:TYR:HB3	2.01	0.42
3:C:145:LYS:HB3	3:C:145:LYS:HE3	1.52	0.42
3:C:188:LYS:HG2	3:C:189:HIS:CE1	2.54	0.42
5:G:1192:ARG:HA	5:G:1362:MET:HG3	2.02	0.42
3:C:103:LYS:HB2	3:C:103:LYS:HE2	1.88	0.41
3:C:33:LEU:HD13	3:C:71:PHE:CD1	2.55	0.41
3:C:106:ILE:H	3:C:166:GLN:HE22	1.67	0.41
3:C:83:PHE:HA	3:C:104:VAL:HG13	2.02	0.41
3:C:197:THR:HA	3:C:201:LEU:HD21	2.03	0.41
5:G:1093:VAL:HA	5:G:1102:VAL:HG12	2.01	0.41
1:A:81:GLU:CD	1:A:81:GLU:H	2.26	0.41
4:D:121:VAL:C	4:D:122:PHE:CD1	2.99	0.41
3:C:79:GLN:HG3	3:C:80:PRO:CD	2.50	0.41
5:G:1242:GLN:OE1	5:G:1257:LEU:HB3	2.21	0.41
5:G:1259:PRO:O	5:G:1430:VAL:HA	2.21	0.41
3:C:63:SER:O	3:C:73:LEU:HD12	2.22	0.40
4:D:87:THR:HG23	4:D:110:THR:HA	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:50:LYS:C	3:C:52:SER:H	2.29	0.40
1:A:100:GLN:CD	1:A:100:GLN:N	2.80	0.40
1:A:154:LEU:HD22	1:A:155:GLN:N	2.36	0.40
4:D:6:GLU:OE1	4:D:91:TYR:HA	2.20	0.40
4:D:96:ARG:HD3	7:D:302:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	211/214 (99%)	204 (97%)	7 (3%)	0	100	100
2	B	211/230 (92%)	209 (99%)	2 (1%)	0	100	100
3	C	201/214 (94%)	194 (96%)	7 (4%)	0	100	100
4	D	203/235 (86%)	200 (98%)	3 (2%)	0	100	100
5	G	359/547 (66%)	342 (95%)	17 (5%)	0	100	100
All	All	1185/1440 (82%)	1149 (97%)	36 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	188/189 (100%)	188 (100%)	0	100	100
2	B	184/197 (93%)	182 (99%)	2 (1%)	65	74
3	C	180/188 (96%)	171 (95%)	9 (5%)	22	22
4	D	180/202 (89%)	175 (97%)	5 (3%)	38	43
5	G	324/487 (66%)	322 (99%)	2 (1%)	78	86
All	All	1056/1263 (84%)	1038 (98%)	18 (2%)	53	62

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	5	LEU
2	B	127	SER
3	C	77	SER
3	C	106	ILE
3	C	107	LYS
3	C	161	GLU
3	C	163	VAL
3	C	169	LYS
3	C	170	ASP
3	C	174	SER
3	C	206	THR
4	D	11	LEU
4	D	113	SER
4	D	116	THR
4	D	179	SER
4	D	210	LYS
5	G	1285	ILE
5	G	1337	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	38	GLN
1	A	160	GLN
2	B	39	GLN
2	B	192	GLN
3	C	137	ASN
3	C	138	ASN
3	C	166	GLN
3	C	189	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	199	GLN
4	D	164	HIS
5	G	1269	ASN
5	G	1361	ASN
5	G	1398	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

3 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	N	1	6,5	14,14,15	0.37	0	17,19,21	0.61	0
6	NAG	N	2	6	14,14,15	0.22	0	17,19,21	0.59	0
6	BMA	N	3	6	11,11,12	0.59	0	15,15,17	0.93	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	N	1	6,5	-	0/6/23/26	0/1/1/1
6	NAG	N	2	6	-	1/6/23/26	0/1/1/1
6	BMA	N	3	6	-	2/2/19/22	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	N	3	BMA	C1-O5-C5	2.62	115.70	112.19

There are no chirality outliers.


All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	N	3	BMA	O5-C5-C6-O6
6	N	3	BMA	C4-C5-C6-O6
6	N	2	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	213/214 (99%)	0.39	5 (2%) 61 64	35, 53, 68, 81	0
2	B	215/230 (93%)	0.30	6 (2%) 55 57	35, 52, 62, 72	0
3	C	205/214 (95%)	1.65	68 (33%) 1 1	43, 111, 144, 167	0
4	D	209/235 (88%)	1.09	34 (16%) 4 4	41, 69, 104, 110	0
5	G	365/547 (66%)	0.86	58 (15%) 5 5	32, 48, 121, 148	0
All	All	1207/1440 (83%)	0.85	171 (14%) 6 6	32, 57, 128, 167	0

All (171) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
5	G	1340	ILE	6.0
5	G	1338	HIS	5.2
3	C	129	THR	4.7
5	G	1071	ILE	4.6
5	G	1437	THR	4.6
5	G	1083	THR	4.6
4	D	140	CYS	4.4
5	G	1325	ASN	4.1
5	G	1124	VAL	4.0
4	D	159	LEU	3.9
4	D	185	PRO	3.8
5	G	1068	TRP	3.7
5	G	1407	ASP	3.7
5	G	1405	HIS	3.6
3	C	125	LEU	3.6
3	C	7	SER	3.6
5	G	1093	VAL	3.6
3	C	173	TYR	3.5
3	C	132	VAL	3.5
3	C	113	PRO	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	D	99	TYR	3.4
3	C	146	VAL	3.4
5	G	1344	PHE	3.4
5	G	1287	GLU	3.4
5	G	1077	TYR	3.3
5	G	1337	ILE	3.3
3	C	209	PHE	3.3
5	G	1076	THR	3.3
5	G	1091	SER	3.3
3	C	68	GLY	3.3
3	C	192	TYR	3.3
3	C	51	ALA	3.2
3	C	186	TYR	3.2
3	C	205	VAL	3.2
3	C	148	TRP	3.2
5	G	1086	ILE	3.2
5	G	1090	TRP	3.1
3	C	193	ALA	3.1
5	G	1251	ALA	3.1
4	D	161	SER	3.1
5	G	1339	LYS	3.1
4	D	122	PHE	3.1
5	G	1175	CYS	3.1
3	C	136	LEU	3.1
3	C	128	GLY	3.0
4	D	41	PRO	3.0
3	C	85	THR	3.0
3	C	181	LEU	2.9
3	C	5	THR	2.9
5	G	1070	ALA	2.9
1	A	1	ASP	2.9
3	C	164	THR	2.9
4	D	116	THR	2.9
4	D	42	GLY	2.8
3	C	179	LEU	2.8
5	G	1088	LEU	2.8
1	A	194	CYS	2.8
3	C	10	THR	2.8
3	C	194	CYS	2.8
4	D	40	HIS	2.8
5	G	1097	GLY	2.8
4	D	136	ALA	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	78	LEU	2.8
4	D	193	THR	2.8
3	C	62	PHE	2.8
3	C	126	LYS	2.8
3	C	80	PRO	2.8
3	C	196	VAL	2.7
3	C	104	VAL	2.7
2	B	92	CYS	2.7
5	G	1067	PRO	2.7
5	G	1084	ALA	2.6
5	G	1394	ASN	2.6
5	G	1396	HIS	2.6
5	G	1435	LEU	2.6
3	C	163	VAL	2.6
3	C	116	PHE	2.6
4	D	146	PHE	2.6
4	D	214	LYS	2.6
5	G	1096	ARG	2.6
3	C	191	VAL	2.6
3	C	105	GLU	2.6
4	D	126	PRO	2.6
3	C	165	GLU	2.5
5	G	1285	ILE	2.5
3	C	142	ARG	2.5
4	D	158	ALA	2.5
5	G	1134	THR	2.5
5	G	1166	THR	2.5
3	C	212	GLY	2.5
3	C	20	THR	2.5
4	D	83	THR	2.5
3	C	127	SER	2.5
4	D	175	LEU	2.5
3	C	103	LYS	2.5
5	G	1118	ILE	2.5
5	G	1406	GLY	2.5
4	D	199	ASN	2.5
1	A	213	GLU	2.4
4	D	194	TYR	2.4
3	C	112	ALA	2.4
5	G	1066	ALA	2.4
3	C	115	VAL	2.4
4	D	207	VAL	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	52	SER	2.4
5	G	1419	TYR	2.4
4	D	151	THR	2.4
4	D	168	ALA	2.4
5	G	1099	LYS	2.4
5	G	1335	HIS	2.4
5	G	1386	ASN	2.4
5	G	1121	ASP	2.4
3	C	134	CYS	2.4
3	C	180	THR	2.4
4	D	123	PRO	2.4
1	A	57	GLY	2.4
5	G	1232	GLU	2.3
3	C	110	VAL	2.3
3	C	171	SER	2.3
5	G	1098	ASN	2.3
4	D	108	LEU	2.3
3	C	83	PHE	2.3
5	G	1100	ILE	2.3
4	D	135	THR	2.3
2	B	128	SER	2.3
3	C	131	SER	2.3
3	C	15	VAL	2.3
4	D	198	VAL	2.3
4	D	210	LYS	2.3
5	G	1286	GLU	2.2
3	C	202	SER	2.2
5	G	1169	CYS	2.2
2	B	1	GLU	2.2
1	A	149	LYS	2.2
4	D	195	ILE	2.2
5	G	1069	GLY	2.2
4	D	114	ALA	2.2
4	D	138	LEU	2.2
4	D	105	GLN	2.2
2	B	215	SER	2.2
3	C	114	SER	2.2
5	G	1393	LYS	2.2
3	C	11	LEU	2.2
3	C	197	THR	2.2
3	C	25	ALA	2.1
3	C	130	ALA	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	175	LEU	2.1
5	G	1336	LEU	2.1
3	C	56	SER	2.1
5	G	1255	PHE	2.1
5	G	1085	ASN	2.1
3	C	140	TYR	2.1
3	C	117	ILE	2.1
5	G	1404	ALA	2.1
5	G	1130	SER	2.1
3	C	158	ASN	2.1
4	D	43	GLN	2.1
3	C	31	ARG	2.1
3	C	144	ALA	2.1
5	G	1119	SER	2.1
5	G	1101	LEU	2.0
2	B	105	GLN	2.0
3	C	122	ASP	2.0
3	C	189	HIS	2.0
2	B	205	THR	2.0
5	G	1262	ILE	2.0
3	C	203	SER	2.0
5	G	1233	ALA	2.0
3	C	137	ASN	2.0
3	C	201	LEU	2.0
4	D	141	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	NAG	N	1	14/15	-	-	47,49,51,53	0
6	NAG	N	2	14/15	-	-	51,52,56,58	0
6	BMA	N	3	11/12	-	-	58,59,60,61	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.