



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 12:01 AM UTC

PDB ID : 1L8N / pdb_0000118n
Title : The 1.5Å crystal structure of alpha-D-glucuronidase from *Bacillus stearothermophilus* T-1, complexed with 4-O-methyl-glucuronic acid and xylotriase
Authors : Golan, G.; Shallom, D.; Teplitsky, A.; Zaide, G.; Shulami, S.; Baasov, T.; Stojanoff, V.; Thompson, A.; Shoham, Y.; Shoham, G.
Deposited on : 2002-03-21
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4235 (1.50-1.50)
Ramachandran outliers	187476	4153 (1.50-1.50)
Sidechain outliers	187428	4150 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	679	 84% 14% ..
2	B	2	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	A	752	-	-	X	-
4	GOL	A	754	-	X	X	-
4	GOL	A	755	-	-	X	-
4	GOL	A	756	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	A	760	-	-	X	-
4	GOL	A	761	-	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6401 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALPHA-D-GLUCURONIDASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	671	5617	3600	953	1042	22	0	42	0

- Molecule 2 is an oligosaccharide called beta-D-xylopyranose-(1-4)-beta-D-xylopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
			Total	C	O			
2	B	2	19	10	9	0	1	0

- Molecule 3 is 4-O-methyl-beta-D-glucopyranuronic acid (CCD ID: GCW) (formula: C₇H₁₂O₇).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			14	7	7		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	1
			6	3	3		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	667	Total	O	0	0
			667	667		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: ALPHA-D-GLUCURONIDASE



• Molecule 2: beta-D-xylopyranose-(1-4)-beta-D-xylopyranose



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	73.95Å 73.95Å 331.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 1.50	Depositor
% Data completeness (in resolution range)	95.1 (10.00-1.50)	Depositor
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS, SHELXL-97	Depositor
R, R_{free}	0.140 , 0.172	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6401	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: XYP, GOL, GCW

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.75	1/5960 (0.0%)	1.32	27/8084 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	526	HIS	CD2-NE2	-5.06	1.32	1.37

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	663	PHE	CA-CB-CG	-9.07	104.73	113.80
1	A	612	HIS	CA-CB-CG	-8.44	105.36	113.80
1	A	429	ASP	CA-CB-CG	7.11	119.71	112.60
1	A	30	ARG	NE-CZ-NH1	-6.95	114.55	121.50
1	A	47	ARG	CD-NE-CZ	6.71	133.79	124.40
1	A	30	ARG	NE-CZ-NH2	6.44	125.00	119.20
1	A	53	GLU	CB-CG-CD	-6.33	101.85	112.60
1	A	471	ASN	O-C-N	6.08	124.92	121.27
1	A	149	HIS	CA-CB-CG	-6.00	107.80	113.80
1	A	445	ASN	CA-C-N	-5.95	115.91	122.27
1	A	445	ASN	C-N-CA	-5.95	115.91	122.27
1	A	637	ARG	NE-CZ-NH1	-5.70	115.80	121.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	590	HIS	CA-CB-CG	-5.66	108.14	113.80
1	A	297	HIS	CA-CB-CG	-5.66	108.14	113.80
1	A	101	PRO	N-CA-CB	5.59	109.15	103.00
1	A	293	TYR	CA-CB-CG	-5.48	104.03	113.90
1	A	243[A]	GLU	CA-C-N	-5.37	115.27	121.71
1	A	243[A]	GLU	C-N-CA	-5.37	115.27	121.71
1	A	243[B]	GLU	CA-C-N	-5.37	115.27	121.71
1	A	243[B]	GLU	C-N-CA	-5.37	115.27	121.71
1	A	512	TYR	CA-C-N	-5.33	117.43	123.13
1	A	512	TYR	C-N-CA	-5.33	117.43	123.13
1	A	319[A]	CYS	CA-C-O	5.09	125.59	119.43
1	A	319[B]	CYS	CA-C-O	5.09	125.59	119.43
1	A	477	GLU	CB-CG-CD	5.08	121.23	112.60
1	A	98	ASP	CA-CB-CG	5.04	117.64	112.60
1	A	465	PHE	CA-CB-CG	-5.02	108.78	113.80

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	243[A]	GLU	Sidechain
1	A	243[B]	GLU	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5617	0	5430	96	0
2	B	19	0	0	0	0
3	A	14	0	11	0	0
4	A	84	0	106	46	0
5	A	667	0	0	19	0
All	All	6401	0	5547	100	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:243[B]:GLU:CD	1:A:243[B]:GLU:CG	2.41	0.93
1:A:521:MET:H	4:A:752:GOL:H31	1.34	0.93
1:A:520:TRP:HB2	4:A:752:GOL:H2	1.50	0.92
1:A:676:LYS:HB2	4:A:755:GOL:H2	1.53	0.90
1:A:630:LYS:HD2	4:A:750:GOL:H11	1.56	0.87
1:A:577:SER:HB3	1:A:580[A]:THR:HG22	1.59	0.84
1:A:644:ARG:HG3	4:A:754:GOL:H11	1.61	0.80
1:A:80:PRO:HG3	5:A:1321:HOH:O	1.84	0.77
1:A:574:MET:O	1:A:580[A]:THR:HG23	1.86	0.75
1:A:532:VAL:O	4:A:752:GOL:H32	1.86	0.75
4:A:762:GOL:H11	5:A:1401:HOH:O	1.85	0.75
1:A:352:GLU:HB2	1:A:436:ARG:HH21	1.51	0.74
1:A:223:ASP:O	1:A:227[B]:THR:HG23	1.88	0.74
1:A:521:MET:N	4:A:752:GOL:H31	2.04	0.72
1:A:611:THR:HG22	4:A:756:GOL:H2	1.72	0.71
1:A:676:LYS:N	4:A:755:GOL:H32	2.05	0.71
1:A:454:GLY:O	4:A:754:GOL:H12	1.90	0.71
1:A:526:HIS:HD2	1:A:528:TYR:H	1.38	0.70
4:A:755:GOL:H12	5:A:917:HOH:O	1.90	0.70
1:A:72:LEU:HA	5:A:1316:HOH:O	1.94	0.68
1:A:44:LYS:NZ	4:A:760:GOL:H12	2.09	0.67
1:A:580[A]:THR:HG21	5:A:1026:HOH:O	1.94	0.67
1:A:319[B]:CYS:SG	1:A:339:ALA:HB1	2.35	0.66
1:A:520:TRP:CB	4:A:752:GOL:H2	2.25	0.66
1:A:526:HIS:CD2	1:A:528:TYR:H	2.15	0.64
1:A:208[A]:LYS:HZ2	1:A:244[A]:ILE:HD13	1.63	0.63
1:A:507:ARG:HH11	1:A:507:ARG:HG3	1.62	0.63
1:A:78:GLU:HB3	5:A:1398:HOH:O	1.98	0.63
1:A:79:ARG:HG2	5:A:1348:HOH:O	1.98	0.62
1:A:639:HIS:O	1:A:643:GLU:HG3	1.99	0.62
1:A:75:GLU:HG3	5:A:1316:HOH:O	1.98	0.61
1:A:48[A]:SER:OG	4:A:760:GOL:H2	2.01	0.61
1:A:207:THR:HG21	1:A:243[B]:GLU:OE1	2.01	0.60
1:A:656:ARG:HH22	4:A:757:GOL:C3	2.15	0.59
1:A:192[A]:ILE:HD11	1:A:466:GLY:HA2	1.86	0.57
1:A:640:ASP:HB3	4:A:754:GOL:O2	2.04	0.57
1:A:544:HIS:HD2	4:A:752:GOL:O2	1.89	0.56
1:A:644:ARG:HE	4:A:754:GOL:C3	2.18	0.56
4:A:756:GOL:H32	5:A:1084:HOH:O	2.05	0.56
1:A:77:PHE:HB2	5:A:1348:HOH:O	2.07	0.55
1:A:107:ILE:HG23	5:A:1316:HOH:O	2.06	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:644:ARG:CG	4:A:754:GOL:H11	2.35	0.54
1:A:665:ARG:CG	4:A:761:GOL:H2	2.38	0.53
1:A:610:ASN:HB3	4:A:756:GOL:O2	2.09	0.53
1:A:557[B]:VAL:HG22	1:A:576:GLU:CD	2.34	0.52
1:A:665:ARG:HE	4:A:761:GOL:C2	2.23	0.52
1:A:557[B]:VAL:HG22	1:A:576:GLU:OE2	2.11	0.51
1:A:266:LYS:O	1:A:270[B]:GLN:HG3	2.11	0.51
1:A:644:ARG:HE	4:A:754:GOL:H32	1.76	0.51
1:A:150:TRP:HA	1:A:199:ASN:HA	1.93	0.51
1:A:208[A]:LYS:NZ	1:A:244[A]:ILE:HD13	2.25	0.51
1:A:665:ARG:HG2	4:A:761:GOL:H2	1.93	0.50
1:A:316[A]:ILE:CD1	1:A:355:ILE:HD12	2.42	0.50
1:A:630:LYS:NZ	4:A:750:GOL:H31	2.26	0.50
1:A:521:MET:HA	4:A:752:GOL:H31	1.94	0.50
1:A:644:ARG:CG	4:A:754:GOL:H31	2.41	0.49
1:A:44:LYS:HZ2	4:A:760:GOL:H12	1.76	0.49
1:A:521:MET:CA	4:A:752:GOL:H31	2.43	0.49
1:A:664:TYR:CD2	4:A:761:GOL:H32	2.48	0.49
1:A:676:LYS:CA	4:A:755:GOL:H32	2.43	0.48
1:A:507:ARG:HG3	1:A:507:ARG:NH1	2.28	0.48
1:A:76:GLU:HG3	5:A:1359:HOH:O	2.14	0.48
1:A:44:LYS:HG3	4:A:760:GOL:H11	1.94	0.48
1:A:455:HIS:HA	4:A:754:GOL:H12	1.95	0.47
1:A:79:ARG:HG2	5:A:1317:HOH:O	2.15	0.47
1:A:577:SER:HB3	1:A:580[A]:THR:CG2	2.40	0.47
1:A:678:TYR:O	4:A:761:GOL:H11	2.15	0.46
1:A:30:ARG:HH11	1:A:30:ARG:HD2	1.51	0.46
1:A:236[A]:ILE:HD13	1:A:278:PHE:CD2	2.50	0.46
1:A:656:ARG:HH22	4:A:757:GOL:H31	1.80	0.46
1:A:644:ARG:CD	4:A:754:GOL:H11	2.46	0.46
1:A:331:ARG:NH1	5:A:1416:HOH:O	2.49	0.46
1:A:656:ARG:NH2	4:A:757:GOL:O3	2.50	0.45
1:A:79:ARG:NE	5:A:1348:HOH:O	2.50	0.45
1:A:507:ARG:NH2	5:A:1047:HOH:O	2.50	0.45
1:A:94:ARG:NH2	5:A:1317:HOH:O	2.49	0.44
1:A:664:TYR:HD2	4:A:761:GOL:H32	1.80	0.44
1:A:86:VAL:HG23	1:A:87[A]:HIS:CD2	2.53	0.44
1:A:32:SER:O	1:A:36[A]:GLN:HG2	2.17	0.44
1:A:208[A]:LYS:HE3	5:A:1038:HOH:O	2.17	0.44
1:A:123:ARG:O	1:A:127[B]:MET:HG3	2.18	0.43
1:A:211:THR:HG21	1:A:244[A]:ILE:HD13	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:644:ARG:HG2	4:A:754:GOL:H31	2.01	0.43
1:A:382:ASN:HB3	1:A:437:TYR:O	2.19	0.43
1:A:79:ARG:N	5:A:1317:HOH:O	2.49	0.42
1:A:611:THR:HA	4:A:756:GOL:H2	2.02	0.42
1:A:384[B]:MET:HG3	1:A:440:ILE:HA	2.01	0.42
1:A:319[B]:CYS:SG	1:A:374:LEU:CD1	3.08	0.41
1:A:455:HIS:HA	4:A:754:GOL:C1	2.50	0.41
1:A:119:PHE:CG	1:A:189:SER:HA	2.55	0.41
1:A:269:TYR:CE2	1:A:275:PHE:HB3	2.55	0.41
1:A:577:SER:CB	1:A:580[A]:THR:HG22	2.40	0.41
1:A:583:ASP:OD1	1:A:599:HIS:HD2	2.04	0.41
1:A:661:THR:HG23	4:A:761:GOL:H12	2.03	0.41
1:A:665:ARG:HE	4:A:761:GOL:C1	2.34	0.41
1:A:8[B]:CYS:SG	1:A:459:GLN:HB3	2.60	0.41
1:A:87[B]:HIS:HE1	1:A:89:GLU:OE1	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	705/679 (104%)	691 (98%)	14 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	619/586 (106%)	608 (98%)	11 (2%)	51 24

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	ARG
1	A	40[A]	GLU
1	A	40[B]	GLU
1	A	53	GLU
1	A	204	LYS
1	A	244[A]	ILE
1	A	244[B]	ILE
1	A	266	LYS
1	A	397	GLN
1	A	579[A]	ASP
1	A	579[B]	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	GLN
1	A	43	GLN
1	A	142	ASN
1	A	213	HIS
1	A	349	GLN
1	A	360	ASN
1	A	382	ASN
1	A	526	HIS
1	A	599	HIS
1	A	639	HIS
1	A	672	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	XYP	B	1	2	10,10,10	1.29	1 (10%)	14,14,14	1.88	1 (7%)
2	XYP	B	2[A]	2	9,9,10	1.35	1 (11%)	10,12,14	0.86	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	XYP	B	1	2	-	-	0/1/1/1
2	XYP	B	2[A]	2	-	-	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1	XYP	O5-C5	2.11	1.47	1.43
2	B	2[A]	XYP	O5-C5	2.05	1.46	1.43

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1	XYP	O1-C1-O5	6.56	126.71	109.91


There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GOL	A	755	-	5,5,5	0.96	0	5,5,5	2.36	2 (40%)
4	GOL	A	758	-	5,5,5	0.70	0	5,5,5	1.91	2 (40%)
4	GOL	A	756	-	5,5,5	0.93	0	5,5,5	1.01	0
4	GOL	A	762	-	5,5,5	0.59	0	5,5,5	0.63	0
4	GOL	A	754	-	5,5,5	0.65	0	5,5,5	1.99	3 (60%)
4	GOL	A	750	-	5,5,5	0.64	0	5,5,5	0.62	0
4	GOL	A	760	-	5,5,5	0.64	0	5,5,5	0.77	0
4	GOL	A	753	-	5,5,5	0.81	0	5,5,5	0.27	0
3	GCW	A	701	-	14,14,14	1.55	3 (21%)	18,20,20	1.24	2 (11%)
4	GOL	A	759	-	5,5,5	0.43	0	5,5,5	1.75	1 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	A	761	-	5,5,5	0.53	0	5,5,5	1.74	1 (20%)
4	GOL	A	763[B]	-	5,5,5	0.66	0	5,5,5	0.28	0
4	GOL	A	751	-	5,5,5	0.77	0	5,5,5	0.45	0
4	GOL	A	757	-	5,5,5	0.81	0	5,5,5	0.70	0
4	GOL	A	752	-	5,5,5	1.07	1 (20%)	5,5,5	2.63	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	755	-	-	1/4/4/4	-
4	GOL	A	758	-	-	3/4/4/4	-
4	GOL	A	756	-	-	2/4/4/4	-
4	GOL	A	762	-	-	2/4/4/4	-
4	GOL	A	754	-	-	3/4/4/4	-
4	GOL	A	750	-	-	2/4/4/4	-
4	GOL	A	760	-	-	2/4/4/4	-
4	GOL	A	753	-	-	0/4/4/4	-
3	GCW	A	701	-	-	0/6/26/26	0/1/1/1
4	GOL	A	759	-	-	3/4/4/4	-
4	GOL	A	761	-	-	4/4/4/4	-
4	GOL	A	763[B]	-	-	0/4/4/4	-
4	GOL	A	751	-	-	0/4/4/4	-
4	GOL	A	757	-	-	4/4/4/4	-
4	GOL	A	752	-	-	3/4/4/4	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	701	GCW	C4-C5	3.47	1.58	1.52
3	A	701	GCW	O5-C5	2.24	1.47	1.43
3	A	701	GCW	C1-C2	2.04	1.57	1.52
4	A	752	GOL	O3-C3	-2.02	1.34	1.42

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	752	GOL	O3-C3-C2	5.30	134.24	110.38
4	A	755	GOL	O3-C3-C2	4.59	131.04	110.38
4	A	759	GOL	O2-C2-C3	3.01	121.63	109.18
3	A	701	GCW	O1-C1-O5	-2.92	101.72	110.41
4	A	758	GOL	O2-C2-C1	2.88	121.11	109.18
4	A	761	GOL	O1-C1-C2	2.63	122.21	110.38
4	A	758	GOL	O2-C2-C3	2.39	119.06	109.18
4	A	754	GOL	O2-C2-C3	2.35	118.93	109.18
4	A	754	GOL	O1-C1-C2	2.33	120.89	110.38
4	A	755	GOL	C3-C2-C1	2.33	120.33	111.80
4	A	754	GOL	O3-C3-C2	2.29	120.68	110.38
3	A	701	GCW	O5-C5-C4	-2.20	105.37	109.72

There are no chirality outliers.

All (29) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	750	GOL	O1-C1-C2-C3
4	A	752	GOL	O1-C1-C2-C3
4	A	754	GOL	C1-C2-C3-O3
4	A	756	GOL	O1-C1-C2-C3
4	A	757	GOL	C1-C2-C3-O3
4	A	758	GOL	O1-C1-C2-C3
4	A	760	GOL	C1-C2-C3-O3
4	A	761	GOL	O1-C1-C2-C3
4	A	761	GOL	C1-C2-C3-O3
4	A	752	GOL	O1-C1-C2-O2
4	A	757	GOL	O2-C2-C3-O3
4	A	761	GOL	O2-C2-C3-O3
4	A	752	GOL	C1-C2-C3-O3
4	A	754	GOL	O1-C1-C2-C3
4	A	757	GOL	O1-C1-C2-C3
4	A	758	GOL	C1-C2-C3-O3
4	A	762	GOL	O1-C1-C2-C3
4	A	755	GOL	O2-C2-C3-O3
4	A	756	GOL	O1-C1-C2-O2
4	A	759	GOL	O1-C1-C2-O2
4	A	760	GOL	O2-C2-C3-O3
4	A	750	GOL	O1-C1-C2-O2
4	A	754	GOL	O2-C2-C3-O3
4	A	759	GOL	O2-C2-C3-O3
4	A	761	GOL	O1-C1-C2-O2
4	A	762	GOL	O2-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	759	GOL	O1-C1-C2-C3
4	A	757	GOL	O1-C1-C2-O2
4	A	758	GOL	O1-C1-C2-O2

There are no ring outliers.

9 monomers are involved in 46 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	755	GOL	4	0
4	A	756	GOL	4	0
4	A	762	GOL	2	0
4	A	754	GOL	11	0
4	A	750	GOL	2	0
4	A	760	GOL	4	0
4	A	761	GOL	8	0
4	A	757	GOL	3	0
4	A	752	GOL	8	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.