



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 10:40 AM UTC

PDB ID : 3L9R / pdb_00003l9r
Title : Crystal structure of bovine CD1b3 with endogenously bound ligands
Authors : Zajonc, D.M.; Girardi, E.
Deposited on : 2010-01-05
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	283	0% 89% 8% .
1	C	283	4% 85% 12% .
1	E	283	2% 83% 14% .
1	G	283	2% 86% 11% .
2	B	98	4% 77% 22% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	98	8% 93% 7%
2	F	98	4% 92% 8%
2	H	98	5% 90% 9%
3	I	6	50% 50%
4	J	5	80% 20%
4	K	5	40% 20% 40%
4	L	5	60% 40%

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 12721 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CD1b3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	275	Total	C	N	O	S	0	0	0
			2124	1355	364	395	10			
1	C	274	Total	C	N	O	S	0	0	0
			2114	1350	364	390	10			
1	E	275	Total	C	N	O	S	0	2	0
			2143	1364	367	401	11			
1	G	275	Total	C	N	O	S	0	0	0
			2125	1355	367	393	10			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	278	HIS	-	expression tag	UNP Q1L1H6
A	279	HIS	-	expression tag	UNP Q1L1H6
A	280	HIS	-	expression tag	UNP Q1L1H6
A	281	HIS	-	expression tag	UNP Q1L1H6
A	282	HIS	-	expression tag	UNP Q1L1H6
A	283	HIS	-	expression tag	UNP Q1L1H6
C	278	HIS	-	expression tag	UNP Q1L1H6
C	279	HIS	-	expression tag	UNP Q1L1H6
C	280	HIS	-	expression tag	UNP Q1L1H6
C	281	HIS	-	expression tag	UNP Q1L1H6
C	282	HIS	-	expression tag	UNP Q1L1H6
C	283	HIS	-	expression tag	UNP Q1L1H6
E	278	HIS	-	expression tag	UNP Q1L1H6
E	279	HIS	-	expression tag	UNP Q1L1H6
E	280	HIS	-	expression tag	UNP Q1L1H6
E	281	HIS	-	expression tag	UNP Q1L1H6
E	282	HIS	-	expression tag	UNP Q1L1H6
E	283	HIS	-	expression tag	UNP Q1L1H6
G	278	HIS	-	expression tag	UNP Q1L1H6
G	279	HIS	-	expression tag	UNP Q1L1H6
G	280	HIS	-	expression tag	UNP Q1L1H6

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	281	HIS	-	expression tag	UNP Q1L1H6
G	282	HIS	-	expression tag	UNP Q1L1H6
G	283	HIS	-	expression tag	UNP Q1L1H6

- Molecule 2 is a protein called Beta-2-microglobulin.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	97	Total	C	N	O	S	0	0	0
			782	501	134	145	2			
2	D	98	Total	C	N	O	S	0	0	0
			780	500	134	144	2			
2	F	98	Total	C	N	O	S	0	0	0
			778	501	132	143	2			
2	H	98	Total	C	N	O	S	0	0	0
			786	504	134	146	2			

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)][alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	I	6	Total	C	N	O	0	0	0
			70	40	2	28			

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)][alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	J	5	Total	C	N	O	0	0	0
			59	34	2	23			
4	K	5	Total	C	N	O	0	0	0
			59	34	2	23			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	L	5	Total	C	N	O	0	0	0
			59	34	2	23			

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	E	1	Total	C	N	O	0	0
			14	8	1	5		
5	E	1	Total	C	N	O	0	0
			14	8	1	5		
5	G	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 6 is (2S)-3-(octadecanoyloxy)-2-[(9Z)-octadec-9-enoyloxy]propyl 2-(trimethylamm onio)ethyl phosphate (CCD ID: L9R) (formula: $C_{44}H_{86}NO_8P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O	P	0	0
			54	44	1	8	1		
6	E	1	Total	C	N	O	P	0	0
			54	44	1	8	1		

- Molecule 7 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			6	3	3		
7	C	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	C	1	Total	C	O	0	0
			6	3	3		
7	C	1	Total	C	O	0	0
			6	3	3		
7	E	1	Total	C	O	0	0
			6	3	3		
7	G	1	Total	C	O	0	0
			6	3	3		
7	G	1	Total	C	O	0	0
			6	3	3		
7	G	1	Total	C	O	0	0
			6	3	3		
7	G	1	Total	C	O	0	0
			6	3	3		

- Molecule 8 is (1S)-2-{[(S)-(2-aminoethoxy)(hydroxy)phosphoryl]oxy}-1-[(octadecanoyloxy)methyl]ethyl (9Z)-octadec-9-enoate (CCD ID: L9Q) (formula: C₄₁H₈₀NO₈P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	C	1	Total	C	N	O	P	0	0
			51	41	1	8	1		
8	G	1	Total	C	N	O	P	0	0
			51	41	1	8	1		

- Molecule 9 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	C	1	Total	Cl	0	0
			1	1		
9	G	1	Total	Cl	0	0
			1	1		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	93	Total	O	0	0
			93	93		
10	B	21	Total	O	0	0
			21	21		
10	C	90	Total	O	0	0
			90	90		
10	D	19	Total	O	0	0
			19	19		
10	E	114	Total	O	0	0
			114	114		
10	F	27	Total	O	0	0
			27	27		
10	G	111	Total	O	0	0
			111	111		
10	H	31	Total	O	0	0
			31	31		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: CD1b3




• Molecule 1: CD1b3




• Molecule 1: CD1b3




• Molecule 1: CD1b3




- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin



- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin




- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)][alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)][alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)][alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  40% 20% 40%



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)][alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  60% 40%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	137.53Å 139.97Å 111.95Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.00 – 2.30 45.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.4 (45.00-2.30) 99.4 (45.00-2.30)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.41 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.201 , 0.248 0.213 , 0.260	Depositor DCC
R_{free} test set	4805 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	40.1	Xtriage
Anisotropy	0.194	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 41.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.127 for k,h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12721	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, BMA, CL, L9Q, GOL, FUC, MAN, L9R

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.73	0/2181	0.90	1/2969 (0.0%)
1	C	0.75	0/2170	0.89	2/2953 (0.1%)
1	E	0.73	0/2199	0.88	0/2991
1	G	0.76	0/2182	0.91	0/2970
2	B	0.63	0/808	0.82	0/1104
2	D	0.61	0/806	0.84	0/1102
2	F	0.67	0/804	0.82	0/1100
2	H	0.63	0/812	0.80	0/1110
All	All	0.72	0/11962	0.88	3/16299 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	42	SER	N-CA-C	5.56	117.02	111.07
1	C	214	LYS	CA-C-N	-5.11	114.50	119.76
1	C	214	LYS	C-N-CA	-5.11	114.50	119.76

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2124	0	2015	22	0
1	C	2114	0	2003	31	0
1	E	2143	0	2032	38	0
1	G	2125	0	2020	31	0
2	B	782	0	716	14	0
2	D	780	0	702	7	0
2	F	778	0	704	4	0
2	H	786	0	713	7	0
3	I	70	0	61	0	0
4	J	59	0	52	2	0
4	K	59	0	52	2	0
4	L	59	0	52	1	0
5	A	14	0	13	0	0
5	C	14	0	13	0	0
5	E	28	0	26	1	0
5	G	14	0	13	3	0
6	A	54	0	86	6	0
6	E	54	0	86	11	1
7	A	6	0	8	0	0
7	C	18	0	24	0	0
7	E	6	0	8	3	0
7	G	24	0	32	1	0
8	C	51	0	79	10	0
8	G	51	0	79	3	1
9	C	1	0	0	0	0
9	G	1	0	0	0	0
10	A	93	0	0	2	0
10	B	21	0	0	0	0
10	C	90	0	0	1	0
10	D	19	0	0	0	0
10	E	114	0	0	4	0
10	F	27	0	0	0	0
10	G	111	0	0	0	0
10	H	31	0	0	0	0
All	All	12721	0	11589	139	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:13[A]:MET:HE1	10:E:334:HOH:O	1.67	0.92
1:E:103:GLU:HB2	7:E:284:GOL:H32	1.54	0.86
1:E:73:TYR:HB2	6:E:285:L9R:H32	1.59	0.82
1:A:73:TYR:HA	6:A:284:L9R:H3	1.62	0.81
1:E:72:ALA:CB	6:E:285:L9R:H5A	2.12	0.80
1:E:72:ALA:HB2	6:E:285:L9R:H5A	1.64	0.78
1:A:72:ALA:HB2	6:A:284:L9R:H8B	1.66	0.76
1:E:11:HIS:NE2	7:E:284:GOL:H31	2.02	0.73
1:C:236:MET:SD	2:D:8:GLN:HG2	2.31	0.70
1:G:183:ARG:NH2	1:G:185:VAL:HG21	2.07	0.69
1:E:183[A]:ARG:NH2	1:E:185:VAL:HG21	2.08	0.67
1:G:127:GLN:HG2	5:G:500:NAG:C8	2.26	0.66
1:E:135:PRO:O	1:E:136:ASP:HB2	1.94	0.66
2:D:7:ILE:HD12	2:D:90:ARG:HD3	1.76	0.66
1:A:43:ASP:HB2	10:A:387:HOH:O	1.96	0.64
1:A:154:ILE:HD12	6:A:284:L9R:H2	1.80	0.64
1:E:246:ARG:HD2	10:E:404:HOH:O	1.97	0.63
1:E:41:GLU:HG2	1:E:48:ILE:HD11	1.81	0.63
1:G:151:TYR:HD1	1:G:154:ILE:HD12	1.66	0.61
1:G:273:ILE:HG22	1:G:275:LEU:CD1	2.30	0.60
1:G:273:ILE:HG22	1:G:275:LEU:HD11	1.81	0.60
1:C:198:GLY:O	1:C:201:ARG:HB2	2.02	0.60
1:G:275:LEU:HD12	1:G:275:LEU:N	2.17	0.60
1:G:127:GLN:HG2	5:G:500:NAG:H81	1.83	0.59
2:H:36:GLU:HB2	2:H:82:LYS:HB2	1.84	0.58
1:G:104:LEU:CD1	1:G:170:LEU:HD21	2.33	0.58
1:A:73:TYR:CD1	6:A:284:L9R:H32A	2.39	0.57
1:C:126:ILE:O	1:C:127:GLN:HG3	2.05	0.57
1:C:154:ILE:HD13	8:C:284:L9Q:H13A	1.88	0.56
1:A:82:GLN:HA	1:A:82:GLN:OE1	2.05	0.56
1:A:117:ALA:HB2	2:B:59:TRP:CE2	2.40	0.56
1:E:183[A]:ARG:HH21	1:E:185:VAL:HG21	1.71	0.56
1:G:273:ILE:CG2	1:G:275:LEU:HD11	2.36	0.56
1:C:73:TYR:CD1	8:C:284:L9Q:H36	2.41	0.56
1:G:236:MET:SD	2:H:8:GLN:HG2	2.47	0.55
1:C:236:MET:HE1	2:D:8:GLN:HG2	1.87	0.55
1:G:274:ILE:C	1:G:275:LEU:HD12	2.31	0.55
1:E:127:GLN:HG2	5:E:508:NAG:C8	2.36	0.55
1:G:125:SER:CB	1:G:127:GLN:HE22	2.20	0.55
1:E:68:ASP:O	6:E:285:L9R:H8A	2.08	0.54
1:C:72:ALA:HB2	8:C:284:L9Q:HN	1.72	0.53
1:C:80:GLU:HG3	8:C:284:L9Q:H12	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:72:ALA:HB1	8:C:284:L9Q:C1	2.38	0.53
2:H:7:ILE:HD12	2:H:90:ARG:HD3	1.90	0.52
1:G:104:LEU:HD12	1:G:170:LEU:HD21	1.92	0.52
1:G:168:ARG:HG2	4:L:1:NAG:O7	2.09	0.52
1:E:248:THR:HG23	10:E:318:HOH:O	2.08	0.52
1:A:246:ARG:NH1	2:B:8:GLN:OE1	2.42	0.52
1:A:114:LEU:C	1:A:114:LEU:HD23	2.35	0.51
1:G:76:GLY:HA3	8:G:289:L9Q:H3A	1.93	0.51
2:B:36:GLU:HB3	2:B:82:LYS:HB2	1.92	0.51
1:G:187:PRO:HB3	1:G:211:PHE:HB3	1.92	0.51
1:E:264:LYS:HG2	1:E:272:ASP:CG	2.36	0.51
2:B:5:PRO:HA	2:B:30:PHE:HB3	1.93	0.50
1:A:264:LYS:HG2	1:A:272:ASP:CG	2.37	0.50
1:C:72:ALA:HB1	8:C:284:L9Q:H1	1.93	0.50
1:E:9:SER:HB3	1:E:103:GLU:HG3	1.93	0.49
1:E:117:ALA:HB2	2:F:59:TRP:CE2	2.47	0.49
1:E:73:TYR:HA	6:E:285:L9R:H3	1.94	0.49
1:A:133:PRO:HD3	1:A:145:CYS:SG	2.53	0.49
1:C:236:MET:CE	2:D:8:GLN:HG2	2.41	0.49
1:C:126:ILE:C	1:C:127:GLN:HG3	2.37	0.49
1:C:135:PRO:O	1:C:136:ASP:CB	2.61	0.48
1:G:140:ARG:HH22	7:G:286:GOL:H2	1.77	0.48
1:E:72:ALA:HB2	6:E:285:L9R:C5	2.37	0.48
1:E:168:ARG:HG2	4:K:1:NAG:O7	2.13	0.48
1:A:262:ARG:NH1	10:A:340:HOH:O	2.47	0.48
1:G:127:GLN:HG2	5:G:500:NAG:H82	1.96	0.48
1:C:117:ALA:HB2	2:D:59:TRP:CE2	2.49	0.48
1:E:12:LEU:HD22	6:E:285:L9R:H46	1.96	0.48
1:G:236:MET:HE1	2:H:8:GLN:HG2	1.95	0.48
2:F:41:LYS:HG3	2:F:77:TYR:CE2	2.49	0.48
1:E:193:SER:HB3	1:E:277:TRP:HH2	1.79	0.48
1:G:104:LEU:HD12	1:G:104:LEU:N	2.29	0.48
1:C:168:ARG:HD3	4:J:4:FUC:H61	1.95	0.47
1:C:123:PHE:CE1	8:C:284:L9Q:H25	2.49	0.47
1:C:104:LEU:HD23	1:C:110:ILE:HG12	1.96	0.47
2:B:22:TYR:CE1	2:B:68:GLU:HG2	2.49	0.47
1:E:69:LEU:HG	6:E:285:L9R:H32A	1.96	0.47
1:A:73:TYR:HD1	6:A:284:L9R:H32A	1.78	0.47
1:E:171:LEU:HD12	4:K:2:NAG:H82	1.98	0.46
1:C:196:THR:HA	1:C:197:PRO:HD3	1.80	0.46
1:C:73:TYR:HB2	8:C:284:L9Q:H32A	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:41:LYS:HG3	2:B:77:TYR:CE2	2.51	0.46
1:E:13[B]:MET:HE1	2:F:54:SER:OG	2.16	0.46
2:B:33:PRO:HG2	2:B:34:GLN:NE2	2.32	0.46
1:C:189:ALA:HA	1:C:207:HIS:O	2.16	0.45
1:C:246:ARG:NH2	2:D:9:VAL:O	2.49	0.45
4:J:2:NAG:H61	4:J:4:FUC:H3	1.98	0.45
1:A:193:SER:HB3	1:A:277:TRP:CH2	2.51	0.45
1:A:201:ARG:CZ	1:C:149:THR:HG21	2.47	0.45
1:E:183[B]:ARG:NH1	10:E:369:HOH:O	2.27	0.45
1:A:246:ARG:NH2	2:B:9:VAL:O	2.49	0.45
1:E:218:VAL:HB	1:E:247:VAL:HG21	1.99	0.45
1:E:123:PHE:CE1	6:E:285:L9R:H23A	2.52	0.44
1:A:193:SER:HB3	1:A:277:TRP:HH2	1.82	0.44
1:G:222:ARG:NH1	1:G:257:ALA:O	2.50	0.44
2:H:24:ASN:OD1	2:H:66:HIS:HB2	2.17	0.44
2:B:33:PRO:HG2	2:B:34:GLN:HE22	1.81	0.44
2:D:17:ASP:OD1	2:D:96:ARG:NH2	2.46	0.44
1:G:117:ALA:HB2	2:H:59:TRP:CE2	2.53	0.44
2:B:31:HIS:CD2	2:B:61:PHE:CE2	3.05	0.44
1:A:58:PHE:CZ	1:A:169:TYR:HB2	2.53	0.43
1:G:114:LEU:C	1:G:114:LEU:HD23	2.43	0.43
1:E:72:ALA:CB	6:E:285:L9R:C5	2.92	0.43
6:A:284:L9R:H7B	6:A:284:L9R:H4A	1.87	0.43
1:C:5:GLN:HG2	10:C:333:HOH:O	2.18	0.43
1:E:264:LYS:HG2	1:E:272:ASP:OD2	2.19	0.43
1:A:193:SER:O	2:B:97:ASP:HB3	2.19	0.42
2:B:6:LYS:O	2:B:27:VAL:HA	2.19	0.42
1:C:197:PRO:HG3	1:C:203:LEU:HB2	2.01	0.42
1:A:146:ALA:HB2	1:C:197:PRO:HB2	2.02	0.42
1:E:125:SER:HB2	1:E:127:GLN:OE1	2.19	0.41
1:G:75:ILE:HD12	8:G:289:L9Q:HN	1.85	0.41
1:G:263:VAL:HB	1:G:273:ILE:HB	2.01	0.41
1:C:68:ASP:OD1	1:C:71:ARG:NH1	2.54	0.41
1:E:186:LYS:HA	1:E:267:SER:OG	2.20	0.41
2:H:36:GLU:O	2:H:81:VAL:HA	2.20	0.41
1:G:99:THR:HG22	1:G:115:ARG:HB2	2.02	0.41
1:C:76:GLY:HA3	8:C:284:L9Q:H3A	2.02	0.41
1:C:244:TYR:HE2	1:C:246:ARG:HG3	1.85	0.41
1:G:275:LEU:CD1	1:G:275:LEU:N	2.83	0.41
1:C:58:PHE:CZ	1:C:169:TYR:HB2	2.55	0.41
1:E:197:PRO:HG2	1:E:201:ARG:HB2	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:231:GLN:OE1	1:C:142:GLN:NE2	2.54	0.41
1:E:61:ASP:O	1:E:65:GLU:HG3	2.21	0.41
1:E:135:PRO:O	1:E:136:ASP:CB	2.64	0.41
1:G:7:PRO:HG2	1:G:181:LEU:HD22	2.03	0.41
1:A:264:LYS:HG2	1:A:272:ASP:OD2	2.21	0.41
2:F:34:GLN:CD	2:F:34:GLN:H	2.29	0.41
1:E:51:LYS:HD2	1:E:241:TRP:CH2	2.56	0.40
1:G:183:ARG:NH1	1:G:241:TRP:O	2.54	0.40
2:B:25:CYS:HB2	2:B:39:LEU:HD21	2.02	0.40
2:B:95:ASP:O	2:B:96:ARG:C	2.64	0.40
1:E:11:HIS:CE1	7:E:284:GOL:H31	2.55	0.40
1:E:77:PHE:HA	6:E:285:L9R:H14A	2.03	0.40
1:G:193:SER:HB2	1:G:277:TRP:CH2	2.56	0.40
1:C:73:TYR:HE1	8:C:284:L9Q:H16	1.86	0.40
1:G:76:GLY:HA3	8:G:289:L9Q:C3	2.51	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:E:285:L9R:O1P	8:G:289:L9Q:O31[3_554]	2.04	0.16

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	271/283 (96%)	261 (96%)	10 (4%)	0	100	100
1	C	268/283 (95%)	258 (96%)	10 (4%)	0	100	100
1	E	273/283 (96%)	269 (98%)	4 (2%)	0	100	100
1	G	271/283 (96%)	266 (98%)	5 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	95/98 (97%)	92 (97%)	3 (3%)	0	100	100
2	D	96/98 (98%)	93 (97%)	3 (3%)	0	100	100
2	F	96/98 (98%)	94 (98%)	2 (2%)	0	100	100
2	H	96/98 (98%)	96 (100%)	0	0	100	100
All	All	1466/1524 (96%)	1429 (98%)	37 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	223/240 (93%)	221 (99%)	2 (1%)	70	84
1	C	221/240 (92%)	219 (99%)	2 (1%)	70	84
1	E	226/240 (94%)	222 (98%)	4 (2%)	51	70
1	G	223/240 (93%)	221 (99%)	2 (1%)	70	84
2	B	84/94 (89%)	84 (100%)	0	100	100
2	D	81/94 (86%)	81 (100%)	0	100	100
2	F	81/94 (86%)	78 (96%)	3 (4%)	30	45
2	H	83/94 (88%)	81 (98%)	2 (2%)	43	62
All	All	1222/1336 (92%)	1207 (99%)	15 (1%)	63	79

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	85	VAL
1	A	129	HIS
1	C	106	SER
1	C	235	LEU
1	E	51	LYS
1	E	83	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	235	LEU
1	E	274	ILE
2	F	46	ILE
2	F	48	SER
2	F	56	SER
1	G	86	ASN
1	G	235	LEU
2	H	8	GLN
2	H	65	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	127	GLN
1	A	150	GLN
2	B	72	ASN
1	C	5	GLN
1	C	127	GLN
1	C	142	GLN
1	C	184	GLN
1	C	227	GLN
1	E	27	GLN
2	F	34	GLN
2	F	66	HIS
1	G	14	GLN
1	G	26	ASN
1	G	105	HIS
2	H	2	GLN
2	H	31	HIS
2	H	34	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

21 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	NAG	I	1	3,1	14,14,15	0.61	0	17,19,21	1.77	5 (29%)
3	NAG	I	2	3	14,14,15	0.75	0	17,19,21	0.96	0
3	BMA	I	3	3	11,11,12	0.77	0	15,15,17	1.24	2 (13%)
3	MAN	I	4	3	11,11,12	0.55	0	15,15,17	1.29	1 (6%)
3	FUC	I	5	3	10,10,11	0.55	0	14,14,16	0.87	0
3	FUC	I	6	3	10,10,11	0.68	0	14,14,16	0.78	0
4	NAG	J	1	4,1	14,14,15	0.84	0	17,19,21	0.90	1 (5%)
4	NAG	J	2	4	14,14,15	0.77	0	17,19,21	1.03	1 (5%)
4	BMA	J	3	4	11,11,12	0.61	0	15,15,17	1.09	1 (6%)
4	FUC	J	4	4	10,10,11	0.62	0	14,14,16	0.59	0
4	FUC	J	5	4	10,10,11	0.61	0	14,14,16	0.92	1 (7%)
4	NAG	K	1	4,1	14,14,15	0.80	1 (7%)	17,19,21	1.54	3 (17%)
4	NAG	K	2	4	14,14,15	0.75	0	17,19,21	1.28	2 (11%)
4	BMA	K	3	4	11,11,12	0.62	0	15,15,17	1.11	1 (6%)
4	FUC	K	4	4	10,10,11	0.54	0	14,14,16	0.78	0
4	FUC	K	5	4	10,10,11	0.76	0	14,14,16	0.82	0
4	NAG	L	1	4,1	14,14,15	0.85	0	17,19,21	0.79	0
4	NAG	L	2	4	14,14,15	0.70	0	17,19,21	0.92	0
4	BMA	L	3	4	11,11,12	0.51	0	15,15,17	0.99	1 (6%)
4	FUC	L	4	4	10,10,11	0.69	0	14,14,16	1.04	0
4	FUC	L	5	4	10,10,11	0.80	0	14,14,16	0.73	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	I	1	3,1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	I	2	3	-	1/6/23/26	0/1/1/1
3	BMA	I	3	3	-	2/2/19/22	0/1/1/1
3	MAN	I	4	3	-	2/2/19/22	0/1/1/1
3	FUC	I	5	3	-	-	0/1/1/1
3	FUC	I	6	3	-	-	0/1/1/1
4	NAG	J	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	J	2	4	-	1/6/23/26	0/1/1/1
4	BMA	J	3	4	-	1/2/19/22	0/1/1/1
4	FUC	J	4	4	-	-	0/1/1/1
4	FUC	J	5	4	-	-	0/1/1/1
4	NAG	K	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	K	2	4	-	0/6/23/26	0/1/1/1
4	BMA	K	3	4	-	2/2/19/22	0/1/1/1
4	FUC	K	4	4	-	-	0/1/1/1
4	FUC	K	5	4	-	-	0/1/1/1
4	NAG	L	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	L	2	4	-	2/6/23/26	0/1/1/1
4	BMA	L	3	4	-	1/2/19/22	0/1/1/1
4	FUC	L	4	4	-	-	0/1/1/1
4	FUC	L	5	4	-	-	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	K	1	NAG	C1-C2	2.12	1.55	1.52

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	K	1	NAG	C2-N2-C7	4.15	128.46	122.90
3	I	4	MAN	C1-O5-C5	3.70	117.14	112.19
3	I	1	NAG	C2-N2-C7	-3.62	118.05	122.90
4	J	3	BMA	C1-O5-C5	3.47	116.84	112.19
4	L	3	BMA	C1-O5-C5	3.38	116.72	112.19
3	I	1	NAG	C4-C3-C2	3.18	115.67	111.02
3	I	3	BMA	C1-C2-C3	2.92	113.90	109.64
4	K	2	NAG	C2-N2-C7	-2.92	118.98	122.90
4	K	1	NAG	O7-C7-C8	-2.68	117.28	122.05
3	I	1	NAG	O4-C4-C3	-2.52	104.43	110.38
3	I	1	NAG	C1-C2-N2	-2.45	106.57	110.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	1	NAG	O5-C1-C2	2.42	115.04	111.29
4	J	5	FUC	O5-C5-C6	2.40	112.60	107.40
4	K	2	NAG	C1-O5-C5	2.33	115.30	112.19
4	K	3	BMA	C1-O5-C5	2.20	115.14	112.19
3	I	3	BMA	C3-C4-C5	2.13	114.10	110.23
4	J	1	NAG	O5-C1-C2	-2.10	108.03	111.29
4	J	2	NAG	C1-O5-C5	2.06	114.94	112.19
4	K	1	NAG	O7-C7-N2	2.01	125.53	121.98

There are no chirality outliers.

All (18) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	I	3	BMA	C4-C5-C6-O6
3	I	3	BMA	O5-C5-C6-O6
4	K	3	BMA	C4-C5-C6-O6
4	K	3	BMA	O5-C5-C6-O6
3	I	4	MAN	C4-C5-C6-O6
4	J	3	BMA	O5-C5-C6-O6
4	L	2	NAG	C4-C5-C6-O6
3	I	4	MAN	O5-C5-C6-O6
4	L	3	BMA	O5-C5-C6-O6
4	L	2	NAG	O5-C5-C6-O6
4	J	2	NAG	C4-C5-C6-O6
4	J	1	NAG	C3-C2-N2-C7
4	K	1	NAG	C3-C2-N2-C7
4	L	1	NAG	C3-C2-N2-C7
4	J	1	NAG	C1-C2-N2-C7
4	K	1	NAG	C1-C2-N2-C7
4	L	1	NAG	C1-C2-N2-C7
3	I	2	NAG	C4-C5-C6-O6

There are no ring outliers.


5 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	J	4	FUC	2	0
4	K	2	NAG	1	0
4	L	1	NAG	1	0
4	K	1	NAG	1	0
4	J	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.




Oligosaccharide Chain J



Oligosaccharide Chain K





5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 2 are monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	NAG	G	500	1	14,14,15	0.66	0	17,19,21	1.24	2 (11%)
6	L9R	E	285	-	53,53,53	1.28	7 (13%)	59,61,61	1.56	6 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	L9R	A	284	-	53,53,53	1.09	5 (9%)	59,61,61	1.29	5 (8%)
5	NAG	E	500	1	14,14,15	0.45	0	17,19,21	2.25	5 (29%)
7	GOL	E	284	-	5,5,5	0.38	0	5,5,5	0.28	0
5	NAG	E	508	1	14,14,15	0.63	0	17,19,21	1.53	3 (17%)
8	L9Q	G	289	-	50,50,50	0.92	1 (2%)	53,55,55	1.02	2 (3%)
7	GOL	C	285	-	5,5,5	0.21	0	5,5,5	1.11	1 (20%)
7	GOL	G	285	-	5,5,5	0.28	0	5,5,5	0.37	0
7	GOL	G	286	-	5,5,5	0.40	0	5,5,5	0.38	0
7	GOL	A	285	-	5,5,5	0.28	0	5,5,5	0.37	0
5	NAG	C	500	1	14,14,15	0.53	0	17,19,21	0.99	1 (5%)
5	NAG	A	500	1	14,14,15	0.55	0	17,19,21	1.60	4 (23%)
8	L9Q	C	284	-	50,50,50	0.89	2 (4%)	53,55,55	0.80	2 (3%)
7	GOL	G	284	-	5,5,5	0.27	0	5,5,5	0.38	0
7	GOL	C	288	-	5,5,5	0.50	0	5,5,5	0.80	0
7	GOL	C	286	-	5,5,5	0.45	0	5,5,5	0.37	0
7	GOL	G	287	-	5,5,5	0.38	0	5,5,5	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	G	500	1	-	2/6/23/26	0/1/1/1
6	L9R	E	285	-	-	31/57/57/57	-
6	L9R	A	284	-	-	34/57/57/57	-
5	NAG	E	500	1	-	4/6/23/26	0/1/1/1
7	GOL	E	284	-	-	0/4/4/4	-
5	NAG	E	508	1	-	2/6/23/26	0/1/1/1
8	L9Q	G	289	-	-	19/54/54/54	-
7	GOL	C	285	-	-	2/4/4/4	-
7	GOL	G	285	-	-	0/4/4/4	-
7	GOL	G	286	-	-	0/4/4/4	-
7	GOL	A	285	-	-	4/4/4/4	-
5	NAG	C	500	1	-	0/6/23/26	0/1/1/1
5	NAG	A	500	1	-	2/6/23/26	0/1/1/1
8	L9Q	C	284	-	-	21/54/54/54	-
7	GOL	G	284	-	-	4/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	GOL	C	288	-	-	1/4/4/4	-
7	GOL	C	286	-	-	2/4/4/4	-
7	GOL	G	287	-	-	0/4/4/4	-

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	E	285	L9R	C3-C2	3.33	1.61	1.50
6	E	285	L9R	O3-C3	2.76	1.51	1.45
6	E	285	L9R	O3-C11	2.39	1.40	1.33
8	G	289	L9Q	P-O4P	2.35	1.68	1.59
6	A	284	L9R	P-O3P	2.31	1.68	1.59
6	A	284	L9R	P-O4P	2.29	1.68	1.59
6	A	284	L9R	C1-C2	2.25	1.57	1.50
8	C	284	L9Q	P-O4P	2.22	1.68	1.59
6	A	284	L9R	O3-C11	2.20	1.39	1.33
6	E	285	L9R	C1-C2	2.16	1.57	1.50
6	A	284	L9R	C12-C11	2.16	1.57	1.50
8	C	284	L9Q	C12-C11	2.13	1.56	1.50
6	E	285	L9R	C12-C11	2.12	1.56	1.50
6	E	285	L9R	P-O3P	2.10	1.67	1.59
6	E	285	L9R	P-O4P	2.05	1.67	1.59

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	500	NAG	C1-O5-C5	7.17	121.80	112.19
6	E	285	L9R	O3-C3-C2	5.99	125.68	108.40
6	E	285	L9R	C3-C2-C1	5.48	124.57	111.78
6	A	284	L9R	O2-C31-C32	5.40	123.16	111.48
8	G	289	L9Q	O2-C31-C32	4.70	121.65	111.48
6	A	284	L9R	O3-C3-C2	4.63	121.75	108.40
6	E	285	L9R	O3-C11-C12	4.37	125.15	111.83
6	E	285	L9R	O2-C31-C32	3.70	119.49	111.48
6	A	284	L9R	O3-C11-C12	3.56	122.69	111.83
5	G	500	NAG	C1-O5-C5	3.48	116.84	112.19
5	E	508	NAG	C3-C4-C5	-3.36	104.15	110.23
5	A	500	NAG	C2-N2-C7	3.21	127.20	122.90
6	E	285	L9R	O3-C11-O11	-3.19	115.65	123.63
5	A	500	NAG	C1-O5-C5	2.89	116.06	112.19
8	C	284	L9Q	O2-C31-C32	2.73	117.39	111.48
5	A	500	NAG	C1-C2-N2	2.72	114.72	110.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	500	NAG	C4-C3-C2	-2.71	107.05	111.02
6	A	284	L9R	O3-C11-O11	-2.64	117.02	123.63
5	E	500	NAG	C8-C7-N2	2.49	120.25	116.12
5	G	500	NAG	O5-C5-C6	2.48	112.49	107.66
8	C	284	L9Q	O3-C11-C12	2.47	119.36	111.83
6	E	285	L9R	O2-C2-C1	-2.34	99.94	108.34
5	C	500	NAG	C1-C2-N2	-2.31	106.80	110.43
6	A	284	L9R	O2-C31-O31	-2.23	118.48	123.70
5	E	500	NAG	O7-C7-C8	-2.21	118.12	122.05
5	E	500	NAG	C6-C5-C4	-2.16	107.71	113.02
7	C	285	GOL	C3-C2-C1	-2.12	104.01	111.80
5	A	500	NAG	C4-C3-C2	-2.03	108.05	111.02
5	E	508	NAG	C1-O5-C5	2.02	114.90	112.19
5	E	508	NAG	O5-C5-C6	2.01	111.57	107.66
8	G	289	L9Q	O2-C2-C1	2.00	115.53	108.34

There are no chirality outliers.

All (128) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	500	NAG	C1-C2-N2-C7
6	A	284	L9R	C1-O3P-P-O4P
6	A	284	L9R	C4-O4P-P-O3P
6	A	284	L9R	O11-C11-O3-C3
6	A	284	L9R	C12-C11-O3-C3
6	A	284	L9R	O4P-C4-C5-N
6	E	285	L9R	C1-O3P-P-O1P
6	E	285	L9R	C1-O3P-P-O2P
6	E	285	L9R	C1-O3P-P-O4P
6	E	285	L9R	C4-O4P-P-O3P
6	E	285	L9R	O11-C11-O3-C3
6	E	285	L9R	C12-C11-O3-C3
7	A	285	GOL	C1-C2-C3-O3
7	G	284	GOL	C1-C2-C3-O3
8	C	284	L9Q	C4-O4P-P-O3P
8	C	284	L9Q	O4P-C4-C5-N
8	G	289	L9Q	C4-O4P-P-O3P
8	G	289	L9Q	O4P-C4-C5-N
6	A	284	L9R	O31-C31-O2-C2
6	A	284	L9R	C32-C31-O2-C2
8	C	284	L9Q	O11-C11-O3-C3
8	C	284	L9Q	C12-C11-O3-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	G	289	L9Q	C12-C11-O3-C3
5	E	500	NAG	O5-C5-C6-O6
8	G	289	L9Q	O11-C11-O3-C3
5	E	500	NAG	C4-C5-C6-O6
6	E	285	L9R	C4-C5-N-C6
5	E	500	NAG	C8-C7-N2-C2
5	E	500	NAG	O7-C7-N2-C2
7	G	284	GOL	O2-C2-C3-O3
8	G	289	L9Q	O31-C31-O2-C2
7	A	285	GOL	O1-C1-C2-C3
7	C	285	GOL	C1-C2-C3-O3
7	C	286	GOL	O1-C1-C2-C3
7	G	284	GOL	O1-C1-C2-C3
8	G	289	L9Q	C32-C31-O2-C2
6	A	284	L9R	C11-C12-C13-C14
6	E	285	L9R	C4-C5-N-C7
6	A	284	L9R	C43-C44-C45-C46
6	E	285	L9R	C43-C44-C45-C46
8	G	289	L9Q	C16-C17-C18-C19
7	A	285	GOL	O2-C2-C3-O3
7	C	286	GOL	O1-C1-C2-O2
8	C	284	L9Q	C12-C13-C14-C15
8	G	289	L9Q	C15-C16-C17-C18
6	A	284	L9R	C32-C33-C34-C35
5	G	500	NAG	C4-C5-C6-O6
8	C	284	L9Q	C34-C35-C36-C37
8	C	284	L9Q	C17-C18-C19-C20
6	A	284	L9R	C4-C5-N-C7
6	E	285	L9R	C4-C5-N-C8
6	E	285	L9R	C20-C21-C22-C23
8	G	289	L9Q	C18-C19-C20-C21
8	G	289	L9Q	C35-C36-C37-C38
8	C	284	L9Q	C36-C37-C38-C39
8	G	289	L9Q	C36-C37-C38-C39
8	C	284	L9Q	C33-C34-C35-C36
6	A	284	L9R	C4-C5-N-C6
6	A	284	L9R	C24-C25-C26-C27
8	G	289	L9Q	C42-C43-C44-C45
8	C	284	L9Q	C19-C20-C21-C22
7	A	285	GOL	O1-C1-C2-O2
6	E	285	L9R	C36-C37-C38-C39
8	C	284	L9Q	C13-C14-C15-C16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	284	L9R	C16-C17-C18-C19
6	A	284	L9R	C31-C32-C33-C34
8	C	284	L9Q	C32-C33-C34-C35
6	A	284	L9R	O3P-C1-C2-O2
6	A	284	L9R	C15-C16-C17-C18
8	G	289	L9Q	C21-C22-C23-C24
8	C	284	L9Q	C41-C42-C43-C44
7	C	285	GOL	O2-C2-C3-O3
5	G	500	NAG	O5-C5-C6-O6
6	A	284	L9R	C12-C13-C14-C15
8	G	289	L9Q	C33-C34-C35-C36
8	C	284	L9Q	C25-C26-C27-C28
6	A	284	L9R	C18-C19-C20-C21
6	E	285	L9R	O3P-C1-C2-O2
6	E	285	L9R	C23-C24-C25-C26
6	E	285	L9R	C18-C19-C20-C21
6	E	285	L9R	C45-C46-C47-C48
6	A	284	L9R	C40-C41-C42-C43
8	G	289	L9Q	C24-C25-C26-C27
6	A	284	L9R	C22-C23-C24-C25
6	E	285	L9R	C19-C20-C21-C22
6	E	285	L9R	C40-C41-C42-C43
6	A	284	L9R	C19-C20-C21-C22
6	E	285	L9R	C32-C33-C34-C35
6	E	285	L9R	O4P-C4-C5-N
6	E	285	L9R	C33-C34-C35-C36
8	C	284	L9Q	C39-C40-C41-C42
6	E	285	L9R	C13-C14-C15-C16
6	A	284	L9R	C4-C5-N-C8
6	A	284	L9R	C45-C46-C47-C48
6	E	285	L9R	O31-C31-O2-C2
5	E	508	NAG	C4-C5-C6-O6
6	E	285	L9R	C11-C12-C13-C14
6	A	284	L9R	C1-O3P-P-O1P
6	A	284	L9R	C4-O4P-P-O1P
6	E	285	L9R	C4-O4P-P-O1P
8	C	284	L9Q	C4-O4P-P-O1P
8	G	289	L9Q	C4-O4P-P-O1P
7	G	284	GOL	O1-C1-C2-O2
8	C	284	L9Q	C11-C12-C13-C14
6	A	284	L9R	O3P-C1-C2-C3
6	E	285	L9R	C17-C18-C19-C20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	E	285	L9R	C41-C42-C43-C44
8	C	284	L9Q	C42-C43-C44-C45
8	C	284	L9Q	O3-C11-C12-C13
6	A	284	L9R	C14-C15-C16-C17
6	E	285	L9R	C39-C40-C41-C42
8	C	284	L9Q	C15-C16-C17-C18
5	E	508	NAG	O5-C5-C6-O6
6	A	284	L9R	C20-C21-C22-C23
7	C	288	GOL	O1-C1-C2-C3
6	E	285	L9R	C21-C22-C23-C24
6	E	285	L9R	O3P-C1-C2-C3
8	G	289	L9Q	O3-C11-C12-C13
6	A	284	L9R	C39-C40-C41-C42
8	C	284	L9Q	C37-C38-C39-C40
8	G	289	L9Q	C41-C42-C43-C44
6	E	285	L9R	C32-C31-O2-C2
8	G	289	L9Q	C32-C33-C34-C35
6	A	284	L9R	O2-C31-C32-C33
6	A	284	L9R	C33-C34-C35-C36
6	A	284	L9R	C25-C26-C27-C28
6	A	284	L9R	O31-C31-C32-C33
5	A	500	NAG	O5-C5-C6-O6


There are no ring outliers.


8 monomers are involved in 39 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	G	500	NAG	3	0
6	E	285	L9R	11	1
6	A	284	L9R	6	0
7	E	284	GOL	3	0
5	E	508	NAG	1	0
8	G	289	L9Q	3	1
7	G	286	GOL	1	0
8	C	284	L9Q	10	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	275/283 (97%)	0.04	4 (1%) 72 73	23, 39, 63, 73	0
1	C	274/283 (96%)	0.17	11 (4%) 42 44	21, 40, 65, 77	0
1	E	275/283 (97%)	-0.06	6 (2%) 62 64	14, 36, 58, 69	2 (0%)
1	G	275/283 (97%)	0.03	7 (2%) 58 60	21, 36, 60, 69	0
2	B	97/98 (98%)	0.41	4 (4%) 41 43	29, 54, 88, 124	0
2	D	98/98 (100%)	0.71	8 (8%) 17 19	31, 59, 91, 111	0
2	F	98/98 (100%)	0.08	4 (4%) 41 43	27, 43, 66, 73	0
2	H	98/98 (100%)	0.38	5 (5%) 33 35	28, 51, 76, 95	0
All	All	1490/1524 (97%)	0.14	49 (3%) 49 51	14, 40, 71, 124	2 (0%)

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	3	VAL	4.7
2	D	98	LEU	4.5
1	A	109	ALA	4.4
1	E	109	ALA	4.3
2	B	1	ILE	4.2
2	B	88	GLN	4.2
1	G	3	VAL	4.1
1	C	107	GLY	4.0
2	D	1	ILE	4.0
2	D	84	VAL	4.0
1	G	257	ALA	4.0
1	C	198	GLY	3.9
1	C	4	PHE	3.6
2	H	88	GLN	3.6
1	A	107	GLY	3.5
1	G	4	PHE	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	257	ALA	3.5
2	H	1	ILE	3.2
2	H	91	ILE	3.1
1	A	3	VAL	3.0
1	G	23	TRP	2.9
1	C	199	PRO	2.7
2	D	76	GLN	2.7
2	D	87	GLU	2.7
1	A	136	ASP	2.6
1	E	129	HIS	2.6
1	E	107	GLY	2.6
2	D	88	GLN	2.5
1	E	278	HIS	2.5
2	D	73	SER	2.5
2	B	96	ARG	2.5
2	D	45	LYS	2.4
2	H	98	LEU	2.4
2	F	98	LEU	2.4
1	G	256	ALA	2.3
1	C	109	ALA	2.3
1	C	3	VAL	2.3
1	C	129	HIS	2.3
2	B	91	ILE	2.3
1	G	107	GLY	2.3
1	C	256	ALA	2.3
2	H	73	SER	2.3
1	G	255	GLU	2.2
1	C	253	ALA	2.2
2	F	73	SER	2.2
1	E	183[A]	ARG	2.1
1	C	23	TRP	2.1
2	F	87	GLU	2.1
2	F	46	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	BMA	J	3	11/12	0.72	0.14	62,69,76,77	0
3	MAN	I	4	11/12	0.75	0.14	80,88,98,99	0
4	BMA	L	3	11/12	0.77	0.12	63,69,75,75	0
3	BMA	I	3	11/12	0.79	0.12	67,74,82,83	0
4	BMA	K	3	11/12	0.83	0.11	59,66,71,73	0
4	FUC	L	4	10/11	0.89	0.11	47,52,58,59	0
4	FUC	K	4	10/11	0.90	0.10	45,50,54,54	0
4	NAG	J	2	14/15	0.91	0.09	43,48,52,58	0
3	NAG	I	1	14/15	0.91	0.10	38,43,48,51	0
3	FUC	I	5	10/11	0.91	0.10	50,55,61,61	0
4	FUC	L	5	10/11	0.91	0.10	40,44,47,50	0
4	FUC	J	5	10/11	0.92	0.10	41,46,49,51	0
3	NAG	I	2	14/15	0.93	0.08	42,49,56,60	0
4	FUC	J	4	10/11	0.93	0.08	48,53,60,60	0
4	NAG	L	2	14/15	0.95	0.07	37,46,51,57	0
3	FUC	I	6	10/11	0.95	0.06	35,40,45,49	0
4	NAG	K	2	14/15	0.95	0.08	36,44,49,53	0
4	FUC	K	5	10/11	0.95	0.08	32,38,41,44	0
4	NAG	J	1	14/15	0.96	0.07	32,36,44,44	0
4	NAG	K	1	14/15	0.97	0.05	31,35,40,42	0
4	NAG	L	1	14/15	0.97	0.05	29,34,40,43	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	NAG	G	500	14/15	0.61	0.18	60,70,78,80	0
5	NAG	C	500	14/15	0.64	0.18	78,87,91,93	0
5	NAG	E	500	14/15	0.67	0.19	79,87,95,96	0
5	NAG	A	500	14/15	0.68	0.18	86,94,98,100	0
5	NAG	E	508	14/15	0.72	0.16	63,72,77,81	0
7	GOL	G	286	6/6	0.74	0.16	66,67,69,69	0
8	L9Q	C	284	51/51	0.75	0.24	31,58,86,88	0
8	L9Q	G	289	51/51	0.75	0.22	34,51,81,83	0
6	L9R	A	284	54/54	0.76	0.22	38,59,86,87	0
6	L9R	E	285	54/54	0.77	0.22	31,56,82,85	0
7	GOL	C	288	6/6	0.79	0.17	51,52,55,56	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	GOL	C	285	6/6	0.82	0.16	41,45,46,48	0
7	GOL	C	286	6/6	0.85	0.14	53,56,57,59	0
7	GOL	E	284	6/6	0.86	0.14	53,54,55,56	0
7	GOL	G	285	6/6	0.88	0.11	44,45,46,46	0
7	GOL	G	287	6/6	0.89	0.12	47,48,50,51	0
7	GOL	G	284	6/6	0.90	0.11	55,55,55,55	0
7	GOL	A	285	6/6	0.91	0.10	56,56,57,58	0
9	CL	C	287	1/1	0.98	0.05	35,35,35,35	0
9	CL	G	288	1/1	0.98	0.04	30,30,30,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around L9Q C 284:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around L9Q G 289:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around L9R A 284:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around L9R E 285:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.