



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 06:50 AM UTC

PDB ID : 3LA4 / pdb_00003la4
Title : Crystal structure of the first plant urease from Jack bean (*Canavalia ensiformis*)
Authors : Ponnuraj, K.
Deposited on : 2010-01-06
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2260 (2.04-2.04)
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)
RSRZ outliers	180081	2260 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	840	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PO4	A	844	-	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6886 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Urease.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	837	Total	C	N	O	S	0	2	0
			6348	3984	1105	1216	43			

- Molecule 2 is NICKEL (II) ION (CCD ID: NI) (formula: Ni).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Ni	0	0
			2	2		

- Molecule 3 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		
3	A	1	Total	O	P	0	0
			5	4	1		

- Molecule 4 is ACETONE (CCD ID: ACN) (formula: C_3H_6O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	3	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	522	Total	O	0	0
			522	522		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Urease



4 Data and refinement statistics

Property	Value	Source
Space group	P 63 2 2	Depositor
Cell constants a, b, c, α , β , γ	138.56Å 138.56Å 198.35Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.05 20.00 – 2.05	Depositor EDS
% Data completeness (in resolution range)	99.5 (20.00-2.05) 99.4 (20.00-2.05)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.04 (at 2.04Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.183 , 0.201 0.189 , 0.208	Depositor DCC
R_{free} test set	2624 reflections (1.96%)	wwPDB-VP
Wilson B-factor (Å ²)	16.4	Xtriage
Anisotropy	0.451	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 55.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6886	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, KCX, CME, NI, ACN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	2/6400 (0.0%)	0.99	32/8672 (0.4%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	200	VAL	C-O	-10.20	1.13	1.24
1	A	767	LYS	CA-C	5.67	1.60	1.52

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	132	ARG	N-CA-C	11.31	124.92	110.33
1	A	320	VAL	N-CA-C	9.76	120.57	110.72
1	A	665	SER	N-CA-C	-8.64	98.06	110.59
1	A	199	ALA	CA-C-N	-7.82	112.89	123.14
1	A	199	ALA	C-N-CA	-7.82	112.89	123.14
1	A	556	ASP	N-CA-C	7.59	121.85	112.59
1	A	709	LYS	N-CA-C	-7.49	100.36	109.72
1	A	572	ASN	N-CA-C	7.17	125.67	109.81
1	A	767	LYS	N-CA-C	-7.05	103.64	111.82
1	A	215	ILE	N-CA-C	-6.96	102.47	110.05
1	A	520	THR	N-CA-C	6.70	118.50	110.19
1	A	200	VAL	O-C-N	6.63	130.42	123.26
1	A	682	ILE	N-CA-C	6.46	116.60	110.53
1	A	133	ILE	N-CA-C	-6.32	95.23	108.88
1	A	173	PHE	N-CA-C	6.25	118.89	111.33
1	A	518	ILE	N-CA-C	6.19	117.68	108.46
1	A	837	TYR	N-CA-C	6.16	121.68	114.04
1	A	761	SER	N-CA-C	6.10	117.46	108.86
1	A	628	SER	N-CA-C	6.09	120.87	113.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	446	SER	N-CA-C	6.01	118.20	110.39
1	A	548	GLY	N-CA-C	5.53	121.34	114.37
1	A	78	LEU	N-CA-C	5.47	118.18	107.57
1	A	268	CYS	CA-C-N	5.38	125.05	119.56
1	A	268	CYS	C-N-CA	5.38	125.05	119.56
1	A	444	THR	N-CA-C	-5.31	97.19	108.66
1	A	495	TRP	N-CA-C	-5.31	106.82	113.72
1	A	838	PHE	N-CA-C	5.31	118.88	109.96
1	A	519	HIS	N-CA-C	-5.21	98.91	108.02
1	A	581	THR	N-CA-C	5.12	117.27	111.02
1	A	242	HIS	N-CA-C	-5.08	105.83	111.36
1	A	564	LYS	N-CA-C	5.07	117.46	111.33
1	A	199	ALA	O-C-N	5.02	128.88	123.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6348	0	6330	129	0
2	A	2	0	0	0	0
3	A	10	0	0	2	0
4	A	4	0	6	0	0
5	A	522	0	0	10	1
All	All	6886	0	6336	129	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:591:VAL:C	1:A:592[B]:CME:N	1.67	1.46
1:A:725:MET:HE3	1:A:760:LEU:HD11	1.35	1.07

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:692:GLN:H	1:A:692:GLN:HE21	1.08	0.96
1:A:767:LYS:HE3	5:A:1213:HOH:O	1.68	0.92
1:A:275:HIS:HD2	1:A:277:LYS:H	1.25	0.84
1:A:592[A]:CME:SD	1:A:592[A]:CME:N	2.51	0.82
1:A:775:ASN:HD22	1:A:775:ASN:H	1.30	0.79
1:A:657:GLN:OE1	1:A:825:VAL:HG23	1.82	0.79
1:A:184:ARG:H	1:A:251:HIS:HD2	1.31	0.77
1:A:725:MET:HE2	1:A:760:LEU:HD21	1.64	0.77
1:A:767:LYS:CE	5:A:1213:HOH:O	2.30	0.77
1:A:245:ARG:CZ	1:A:245:ARG:HA	2.16	0.75
1:A:593:HIS:NE2	3:A:844:PO4:O4	2.19	0.74
1:A:479:HIS:ND1	1:A:512:HIS:HE1	1.85	0.73
1:A:461:PRO:HG3	1:A:752:THR:HG22	1.72	0.69
1:A:654:MET:HE1	1:A:825:VAL:HG21	1.74	0.68
1:A:66:GLY:H	1:A:69:GLN:HE21	1.42	0.67
1:A:613:LYS:HD3	1:A:815:THR:HA	1.76	0.66
1:A:141:ASP:OD1	1:A:275:HIS:HE1	1.78	0.66
1:A:738:ILE:HG13	1:A:741:PRO:HD3	1.77	0.66
1:A:275:HIS:CD2	1:A:277:LYS:H	2.10	0.65
1:A:565:ASN:H	1:A:565:ASN:HD22	1.45	0.63
1:A:207:CME:SD	1:A:207:CME:C	2.87	0.63
1:A:245:ARG:HA	1:A:245:ARG:NH1	2.13	0.62
1:A:715:THR:CG2	1:A:716:LYS:N	2.62	0.62
1:A:285:PRO:HG3	1:A:291:ILE:HD11	1.80	0.61
1:A:515:GLN:HE21	1:A:516:ILE:H	1.46	0.61
1:A:715:THR:HG23	1:A:716:LYS:N	2.15	0.61
1:A:591:VAL:HG12	1:A:592[A]:CME:SD	2.40	0.60
1:A:558:ILE:HD11	1:A:621:LEU:HD12	1.84	0.59
1:A:668:ASN:HD22	1:A:670:ASN:H	1.49	0.59
1:A:632:SER:O	1:A:638:GLY:HA3	2.03	0.59
1:A:725:MET:CE	1:A:760:LEU:HD21	2.33	0.59
1:A:268:CYS:HB3	1:A:271:ASN:ND2	2.18	0.59
1:A:63:HIS:HD2	5:A:1210:HOH:O	1.86	0.58
1:A:565:ASN:H	1:A:565:ASN:ND2	2.00	0.57
1:A:692:GLN:HE21	1:A:692:GLN:N	1.91	0.56
1:A:60:LEU:C	1:A:60:LEU:HD23	2.31	0.56
1:A:683:ASN:HD21	1:A:799:LYS:N	2.05	0.55
1:A:314:VAL:HG12	1:A:319:LYS:HD3	1.90	0.54
1:A:595:LEU:HB3	1:A:602:ASP:HB3	1.90	0.54
1:A:612:LYS:HE3	1:A:827:GLU:OE1	2.08	0.54
1:A:715:THR:CG2	1:A:716:LYS:H	2.20	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:570:SER:HB2	1:A:618:GLU:OE2	2.08	0.54
1:A:363:LEU:HD23	1:A:702:LEU:HD23	1.91	0.53
1:A:738:ILE:HG13	1:A:741:PRO:CD	2.38	0.53
1:A:135:GLY:HA2	1:A:292:ARG:O	2.08	0.53
1:A:732:GLY:O	1:A:734:PRO:HD3	2.08	0.52
1:A:636:ALA:O	1:A:637:MET:HB2	2.10	0.51
1:A:157:VAL:O	1:A:207:CME:HA	2.11	0.51
1:A:245:ARG:NH2	1:A:249:PHE:O	2.45	0.51
1:A:170:HIS:O	1:A:325:MET:HG2	2.12	0.50
1:A:544:TYR:O	1:A:545:HIS:C	2.53	0.50
1:A:349:TYR:O	1:A:674:ARG:HD2	2.12	0.50
1:A:451:ARG:NH1	5:A:1288:HOH:O	2.44	0.50
1:A:593:HIS:CE1	3:A:844:PO4:O4	2.65	0.50
1:A:38:LEU:C	1:A:38:LEU:HD23	2.36	0.50
1:A:39:ILE:O	1:A:43:ILE:HG12	2.12	0.50
1:A:775:ASN:HD22	1:A:775:ASN:N	2.03	0.49
1:A:156:LYS:HD2	1:A:207:CME:HE2	1.94	0.49
1:A:366:SER:OG	1:A:383:MET:HG2	2.11	0.49
1:A:591:VAL:C	1:A:592[A]:CME:SD	2.96	0.49
1:A:184:ARG:N	1:A:251:HIS:HD2	2.07	0.49
1:A:813:SER:O	1:A:814:TYR:HB2	2.12	0.49
1:A:613:LYS:HD2	1:A:813:SER:O	2.13	0.48
1:A:519:HIS:CE1	1:A:551:GLY:HA3	2.48	0.48
1:A:408:VAL:O	1:A:429:GLY:HA3	2.14	0.48
1:A:740:THR:N	1:A:741:PRO:HD2	2.29	0.48
1:A:443:CYS:O	1:A:445:PRO:HD3	2.14	0.47
1:A:87:PHE:CD2	1:A:92:LYS:HB2	2.49	0.47
1:A:408:VAL:HG21	1:A:427:LEU:HD22	1.95	0.47
1:A:66:GLY:H	1:A:69:GLN:NE2	2.11	0.47
1:A:715:THR:HG23	1:A:716:LYS:HG3	1.97	0.47
1:A:69:GLN:HE22	1:A:104:ASN:HA	1.80	0.46
1:A:683:ASN:HD21	1:A:799:LYS:H	1.61	0.46
1:A:172:HIS:HE1	1:A:324:GLY:O	1.99	0.46
1:A:404:ILE:HG12	1:A:426:THR:HB	1.98	0.46
1:A:6:ARG:O	1:A:10:LYS:HG2	2.16	0.45
1:A:668:ASN:HD22	1:A:668:ASN:C	2.24	0.45
1:A:170:HIS:HA	1:A:191:ARG:HD2	1.98	0.45
1:A:571:THR:CG2	1:A:633:ASP:HB2	2.47	0.45
1:A:582:ILE:HD11	1:A:612:LYS:HA	1.98	0.45
1:A:682:ILE:HG23	1:A:683:ASN:N	2.31	0.45
1:A:351:GLY:HA2	1:A:674:ARG:HD3	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:767:LYS:CD	5:A:1213:HOH:O	2.64	0.45
1:A:591:VAL:CA	1:A:592[B]:CME:N	2.71	0.45
1:A:132:ARG:H	1:A:132:ARG:HG2	1.12	0.45
1:A:775:ASN:HB3	1:A:784:VAL:HG21	1.99	0.45
1:A:59[A]:CME:HB3	1:A:59[A]:CME:HE3	1.48	0.44
1:A:185:ARG:NH1	5:A:1325:HOH:O	2.43	0.44
1:A:772:GLN:HG2	5:A:1088:HOH:O	2.18	0.44
1:A:132:ARG:HD3	1:A:292:ARG:HD3	2.00	0.44
1:A:775:ASN:H	1:A:775:ASN:ND2	2.04	0.44
1:A:556:ASP:HB2	1:A:559:LYS:HE3	2.01	0.43
1:A:74:VAL:HB	1:A:75:PRO:HD3	2.00	0.43
1:A:147:ASN:ND2	1:A:310:GLY:HA3	2.33	0.43
1:A:332:PRO:HA	1:A:333:PRO:HD3	1.95	0.43
1:A:529:VAL:HA	1:A:553:HIS:CD2	2.54	0.43
1:A:29:ARG:HD2	1:A:68:ARG:O	2.19	0.43
1:A:515:GLN:NE2	1:A:516:ILE:H	2.14	0.43
1:A:683:ASN:HB2	1:A:684:PRO:HD3	2.00	0.43
1:A:69:GLN:NE2	1:A:105:GLY:H	2.17	0.43
1:A:123:LYS:HE3	5:A:1133:HOH:O	2.17	0.43
1:A:399:VAL:HG22	1:A:707:MET:SD	2.59	0.43
1:A:587:ASP:O	1:A:591:VAL:HG23	2.19	0.42
1:A:591:VAL:HG12	1:A:592[A]:CME:CE	2.49	0.42
1:A:715:THR:HG22	1:A:716:LYS:H	1.83	0.42
1:A:314:VAL:CG1	1:A:319:LYS:HD3	2.49	0.42
1:A:573:PRO:HG2	5:A:1182:HOH:O	2.20	0.42
1:A:72:PRO:O	1:A:75:PRO:HD2	2.20	0.42
1:A:552:GLY:O	1:A:553:HIS:C	2.62	0.42
1:A:133:ILE:HB	1:A:136:GLU:HB3	2.02	0.42
1:A:450:MET:HE3	1:A:486:ALA:HB2	2.02	0.42
1:A:97:HIS:O	1:A:98:ASP:C	2.63	0.42
1:A:767:LYS:HD3	5:A:1213:HOH:O	2.19	0.42
1:A:183:ASP:CG	1:A:186:LYS:HG2	2.44	0.41
1:A:114:SER:O	1:A:115:LEU:HB2	2.21	0.41
1:A:153:VAL:HG23	1:A:259:GLU:HG2	2.02	0.41
1:A:341:ILE:HB	1:A:357:ILE:HB	2.02	0.41
1:A:632:SER:O	1:A:633:ASP:CB	2.69	0.41
1:A:285:PRO:HB2	1:A:289:ASP:HB2	2.03	0.41
1:A:406:CYS:HA	1:A:428:VAL:HB	2.01	0.41
1:A:775:ASN:N	1:A:775:ASN:ND2	2.65	0.41
1:A:668:ASN:ND2	1:A:670:ASN:H	2.17	0.40
1:A:765:VAL:O	1:A:786:ALA:HA	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:575:ARG:HA	1:A:576:PRO:HA	1.87	0.40
1:A:493:GLU:HG2	1:A:519:HIS:CD2	2.57	0.40
1:A:554:ALA:HA	1:A:555:PRO:HA	1.82	0.40
1:A:645:SER:O	1:A:649:GLN:HG3	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:1307:HOH:O	5:A:1307:HOH:O[12_555]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	829/840 (99%)	785 (95%)	43 (5%)	1 (0%)	48 43

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	545	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	672/683 (98%)	653 (97%)	19 (3%)	38	34

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	LYS
1	A	9	GLU
1	A	111	LEU
1	A	132	ARG
1	A	245	ARG
1	A	508	ILE
1	A	555	PRO
1	A	565	ASN
1	A	575	ARG
1	A	598	GLU
1	A	665	SER
1	A	668	ASN
1	A	692	GLN
1	A	715	THR
1	A	746	MET
1	A	775	ASN
1	A	780	LEU
1	A	836	ASN
1	A	839	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	ASN
1	A	42	GLN
1	A	69	GLN
1	A	79	ASN
1	A	82	GLN
1	A	147	ASN
1	A	172	HIS
1	A	218	ASN
1	A	251	HIS
1	A	275	HIS
1	A	281	ASN
1	A	455	GLN
1	A	512	HIS
1	A	515	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	524	ASN
1	A	565	ASN
1	A	585	HIS
1	A	635	GLN
1	A	668	ASN
1	A	683	ASN
1	A	692	GLN
1	A	775	ASN
1	A	836	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	CME	A	592[B]	-	8,9,10	1.58	1 (12%)	6,9,11	0.72	0
1	CME	A	592[A]	1	8,9,10	1.16	1 (12%)	6,9,11	1.72	2 (33%)
1	CME	A	207	1	8,9,10	0.76	0	6,9,11	1.93	2 (33%)
1	KCX	A	490	2,1	10,11,12	2.36	2 (20%)	6,12,14	1.47	1 (16%)
1	CME	A	59[B]	-	8,9,10	0.91	0	6,9,11	1.26	0
1	CME	A	59[A]	1	8,9,10	0.75	0	6,9,11	0.76	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CME	A	592[B]	-	-	1/5/8/10	-
1	CME	A	592[A]	1	-	3/5/8/10	-
1	CME	A	207	1	-	5/5/8/10	-
1	KCX	A	490	2,1	-	0/9/10/12	-
1	CME	A	59[B]	-	-	1/5/8/10	-
1	CME	A	59[A]	1	-	2/5/8/10	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	490	KCX	CX-NZ	6.81	1.47	1.35
1	A	592[B]	CME	CB-CA	-3.76	1.43	1.53
1	A	490	KCX	OQ1-CX	2.27	1.25	1.21
1	A	592[A]	CME	CB-CA	2.14	1.58	1.53

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	207	CME	CB-SG-SD	3.39	112.65	103.86
1	A	490	KCX	OQ1-CX-NZ	-3.32	119.88	124.92
1	A	592[A]	CME	CZ-CE-SD	-2.67	104.46	113.39
1	A	592[A]	CME	CE-SD-SG	2.44	114.18	103.46
1	A	207	CME	CA-CB-SG	2.08	122.96	114.45

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	59[A]	CME	CE-SD-SG-CB
1	A	59[B]	CME	CZ-CE-SD-SG
1	A	207	CME	CA-CB-SG-SD
1	A	592[A]	CME	CA-CB-SG-SD
1	A	592[A]	CME	CE-SD-SG-CB
1	A	592[A]	CME	SD-CE-CZ-OH
1	A	207	CME	CE-SD-SG-CB
1	A	207	CME	N-CA-CB-SG
1	A	592[B]	CME	N-CA-CB-SG
1	A	59[A]	CME	CZ-CE-SD-SG
1	A	207	CME	CZ-CE-SD-SG
1	A	207	CME	SD-CE-CZ-OH

There are no ring outliers.

4 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	592[B]	CME	2	0
1	A	592[A]	CME	4	0
1	A	207	CME	3	0
1	A	59[A]	CME	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 2 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PO4	A	844	-	4,4,4	1.85	1 (25%)	6,6,6	0.47	0
3	PO4	A	843	2	4,4,4	1.71	0	6,6,6	0.46	0
4	ACN	A	845	-	3,3,3	0.46	0	3,3,3	0.30	0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	844	PO4	P-O4	-2.36	1.47	1.54

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	844	PO4	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	4

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	58:MET	C	59[B]:CME	N	1.67
1	A	591:VAL	C	592[B]:CME	N	1.67
1	A	59[B]:CME	C	60:LEU	N	1.64
1	A	592[B]:CME	C	593:HIS	N	1.64

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	833/840 (99%)	-0.23	24 (2%) 53 55	10, 15, 26, 38	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	130	ASP	8.7
1	A	824	CYS	6.9
1	A	598	GLU	5.8
1	A	267	ASN	5.4
1	A	666	SER	5.3
1	A	131	ASN	5.2
1	A	825	VAL	3.9
1	A	245	ARG	3.7
1	A	597	ARG	3.6
1	A	665	SER	3.5
1	A	125	ALA	3.1
1	A	329	CYS	3.1
1	A	126	GLU	3.0
1	A	264	GLU	2.9
1	A	812	GLU	2.7
1	A	591	VAL	2.5
1	A	664	ASP	2.5
1	A	772	GLN	2.3
1	A	265	ASP	2.2
1	A	79	ASN	2.2
1	A	594	HIS	2.2
1	A	266	PRO	2.1
1	A	102	ARG	2.1
1	A	663	CYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CME	A	592[A]	10/11	0.55	0.27	30,36,46,47	10
1	CME	A	592[B]	10/11	0.55	0.27	30,36,46,47	10
1	CME	A	59[A]	10/11	0.81	0.15	18,24,46,47	10
1	CME	A	59[B]	10/11	0.81	0.15	18,24,46,47	10
1	CME	A	207	10/11	0.85	0.17	18,21,46,47	0
1	KCX	A	490	12/13	0.95	0.07	10,12,13,13	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	ACN	A	845	4/4	0.61	0.17	20,21,21,21	1
3	PO4	A	844	5/5	0.79	0.21	23,24,28,28	5
3	PO4	A	843	5/5	0.94	0.14	25,26,28,29	5
2	NI	A	842	1/1	0.99	0.04	16,16,16,16	0
2	NI	A	841	1/1	1.00	0.04	10,10,10,10	0

6.5 Other polymers [i](#)

There are no such residues in this entry.