



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 08:35 PM UTC

PDB ID : 3LAP / pdb_00003lap
Title : The Structure of the Intermediate Complex of the Arginine Repressor from Mycobacterium tuberculosis Bound to its DNA Operator and L-canavanine.
Authors : Cherney, L.T.; Cherney, M.M.; Garen, C.R.; James, M.N.G.; TB Structural Genomics Consortium (TBSGC)
Deposited on : 2010-01-06
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2057 (2.16-2.16)
Clashscore	190562	2159 (2.16-2.16)
Ramachandran outliers	187476	2134 (2.16-2.16)
Sidechain outliers	187428	2133 (2.16-2.16)
RSRZ outliers	180081	2059 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	170	 71% 14% • 12%
1	B	170	 70% 15% • 12%
1	C	170	 70% 17% • 12%
1	D	170	 72% 14% 5% 9%
1	E	170	 70% 18% • 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	170	 % 71% 16% 9%
2	G	16	 88% 12%
2	I	16	 75% 25%
2	K	16	 88% 12%
3	H	16	 69% 31%
3	J	16	 69% 31%
3	L	16	 69% 31%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	SO4	A	171	-	-	X	-
5	SO4	A	172	-	-	X	-
5	SO4	B	172	-	-	X	-
5	SO4	C	172	-	-	X	-

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 9356 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Arginine repressor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	149	1088	670	200	216	2	0	2	0
1	B	149	1087	669	200	216	2	0	2	0
1	C	149	1087	669	200	216	2	0	2	0
1	D	154	1112	682	206	222	2	0	0	0
1	E	154	1124	690	209	223	2	0	2	0
1	F	154	1124	690	209	223	2	0	2	0

- Molecule 2 is a DNA chain called 5'-D(*TP*TP*GP*CP*AP*TP*AP*AP*CP*GP*AP*TP*GP*CP*AP*A)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	G	16	326	157	62	92	15	0	0	0
2	I	16	326	157	62	92	15	0	0	0
2	K	16	326	157	62	92	15	0	0	0

- Molecule 3 is a DNA chain called 5'-D(*TP*TP*GP*CP*AP*TP*CP*GP*TP*TP*AP*TP*GP*CP*AP*A)-3'.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	H	16	324	157	56	96	15	0	0	0
3	J	16	324	157	56	96	15	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	L	16	324	157	56	96	15	0	0	0

- Molecule 4 is L-CANAVANINE (CCD ID: GGB) (formula: $C_5H_{12}N_4O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	A	1	12	5	4	3	0	0
4	B	1	12	5	4	3	0	0
4	C	1	12	5	4	3	0	0
4	D	1	12	5	4	3	0	0
4	E	1	12	5	4	3	0	0
4	F	1	12	5	4	3	0	0

- Molecule 5 is SULFATE ION (CCD ID: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		
5	D	1	Total	O	S	0	0
			5	4	1		
5	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	99	Total	O	0	0
			99	99		
6	B	103	Total	O	0	0
			103	103		
6	C	105	Total	O	0	0
			105	105		
6	D	65	Total	O	0	0
			65	65		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	E	71	Total 71	O 71	0	0
6	F	68	Total 68	O 68	0	0
6	G	25	Total 25	O 25	0	0
6	H	23	Total 23	O 23	0	0
6	I	21	Total 21	O 21	0	0
6	J	29	Total 29	O 29	0	0
6	K	31	Total 31	O 31	0	0
6	L	32	Total 32	O 32	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Arginine repressor

Chain A: 




- Molecule 1: Arginine repressor

Chain B: 




- Molecule 1: Arginine repressor

Chain C: 



- Molecule 1: Arginine repressor



Chain D: 






- Molecule 1: Arginine repressor

Chain E: 70% 18% 9%




- Molecule 1: Arginine repressor

Chain F: % 71% 16% 9%




- Molecule 2: 5'-D(*TP*TP*GP*CP*AP*TP*AP*AP*CP*GP*AP*TP*GP*CP*AP*A)-3'

Chain G: 88% 12%




- Molecule 2: 5'-D(*TP*TP*GP*CP*AP*TP*AP*AP*CP*GP*AP*TP*GP*CP*AP*A)-3'

Chain I: 75% 25%




- Molecule 2: 5'-D(*TP*TP*GP*CP*AP*TP*AP*AP*CP*GP*AP*TP*GP*CP*AP*A)-3'

Chain K: 88% 12%




- Molecule 3: 5'-D(*TP*TP*GP*CP*AP*TP*CP*GP*TP*TP*AP*TP*GP*CP*AP*A)-3'

Chain H: 69% 31%



- Molecule 3: 5'-D(*TP*TP*GP*CP*AP*TP*CP*GP*TP*TP*AP*TP*GP*CP*AP*A)-3'



- Molecule 3: 5'-D(*TP*TP*GP*CP*AP*TP*CP*GP*TP*TP*AP*TP*GP*CP*AP*A)-3'



4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	184.75Å 106.53Å 117.75Å 90.00° 121.40° 90.00°	Depositor
Resolution (Å)	39.00 – 2.15 39.00 – 2.15	Depositor EDS
% Data completeness (in resolution range)	91.5 (39.00-2.15) 91.2 (39.00-2.15)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.38 (at 2.16Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.5_2)	Depositor
R, R_{free}	0.184 , 0.205 0.179 , 0.200	Depositor DCC
R_{free} test set	4830 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	39.2	Xtrriage
Anisotropy	0.223	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 47.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.438 for 1/2*h-3/2*k,-1/2*h-1/2*k,-1/2*h +1/2*k-1 0.437 for 1/2*h+3/2*k,1/2*h-1/2*k,-1/2*h- 1/2*k-1	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	9356	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, GGB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.57	0/1101	0.98	3/1492 (0.2%)
1	B	0.58	0/1101	1.06	8/1492 (0.5%)
1	C	0.56	0/1101	0.94	4/1492 (0.3%)
1	D	0.52	0/1121	0.98	7/1521 (0.5%)
1	E	0.50	0/1140	0.95	4/1547 (0.3%)
1	F	0.47	0/1140	0.88	3/1547 (0.2%)
2	G	0.30	0/366	0.98	0/563
2	I	0.30	0/366	0.98	0/563
2	K	0.29	0/366	0.97	0/563
3	H	0.29	0/362	1.00	0/557
3	J	0.30	0/362	1.02	0/557
3	L	0.30	0/362	1.00	0/557
All	All	0.49	0/8888	0.97	29/12451 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1
1	E	0	1
1	F	0	1
All	All	0	3

There are no bond length outliers.

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	154	ARG	NE-CZ-NH2	-12.06	108.34	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	24	ARG	NE-CZ-NH2	11.55	129.60	119.20
1	E	170	ARG	NE-CZ-NH2	10.78	128.91	119.20
1	B	170	ARG	NE-CZ-NH2	10.70	128.83	119.20
1	E	170	ARG	NE-CZ-NH1	-10.53	110.97	121.50
1	A	24	ARG	NE-CZ-NH1	-10.37	111.13	121.50
1	B	154	ARG	CD-NE-CZ	10.27	138.78	124.40
1	C	118	ARG	NE-CZ-NH2	9.97	128.17	119.20
1	B	170	ARG	NE-CZ-NH1	-9.70	111.81	121.50
1	B	154	ARG	NE-CZ-NH1	9.30	130.80	121.50
1	D	154	ARG	NE-CZ-NH2	9.20	127.48	119.20
1	C	118	ARG	NE-CZ-NH1	-9.16	112.34	121.50
1	D	133	ARG	NE-CZ-NH2	8.96	127.26	119.20
1	D	154	ARG	NE-CZ-NH1	-8.77	112.73	121.50
1	D	133	ARG	NE-CZ-NH1	-8.55	112.95	121.50
1	A	24	ARG	CD-NE-CZ	8.26	135.96	124.40
1	B	170	ARG	CD-NE-CZ	7.99	135.59	124.40
1	E	170	ARG	CD-NE-CZ	7.83	135.35	124.40
1	C	118	ARG	CD-NE-CZ	7.09	134.33	124.40
1	D	154	ARG	CD-NE-CZ	6.43	133.41	124.40
1	F	84	GLY	N-CA-C	-6.33	104.44	112.54
1	E	84	GLY	N-CA-C	-6.20	104.60	112.54
1	D	84	GLY	N-CA-C	-6.18	104.63	112.54
1	D	133	ARG	CD-NE-CZ	6.03	132.85	124.40
1	B	80	VAL	CA-C-N	5.53	125.54	119.90
1	B	80	VAL	C-N-CA	5.53	125.54	119.90
1	F	92	GLY	N-CA-C	5.25	125.61	113.18
1	F	93	GLY	N-CA-C	-5.20	106.48	112.73
1	C	154	ARG	NE-CZ-NH1	-5.02	116.48	121.50

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	91	SER	Peptide
1	E	91	SER	Peptide
1	F	91	SER	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1088	0	1108	26	0
1	B	1087	0	1109	23	0
1	C	1087	0	1109	22	0
1	D	1112	0	1133	30	0
1	E	1124	0	1146	29	0
1	F	1124	0	1146	25	0
2	G	326	0	182	1	0
2	I	326	0	182	2	0
2	K	326	0	182	1	0
3	H	324	0	184	3	0
3	J	324	0	184	4	0
3	L	324	0	184	4	0
4	A	12	0	10	0	0
4	B	12	0	10	0	0
4	C	12	0	10	0	0
4	D	12	0	10	0	0
4	E	12	0	10	0	0
4	F	12	0	10	0	0
5	A	10	0	0	6	0
5	B	10	0	0	2	0
5	C	10	0	0	3	0
5	D	10	0	0	1	0
6	A	99	0	0	1	0
6	B	103	0	0	4	0
6	C	105	0	0	3	0
6	D	65	0	0	1	0
6	E	71	0	0	0	0
6	F	68	0	0	2	0
6	G	25	0	0	0	0
6	H	23	0	0	0	0
6	I	21	0	0	0	0
6	J	29	0	0	0	0
6	K	31	0	0	0	0
6	L	32	0	0	0	0
All	All	9356	0	7909	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:82:GLU:H	1:E:88:ARG:HB3	1.38	0.88
1:B:82:GLU:H	1:F:88:ARG:HB3	1.41	0.85
1:A:82:GLU:H	1:D:88:ARG:HB3	1.40	0.83
1:E:18:ARG:HG3	1:E:21:ARG:NH1	1.99	0.78
1:F:18:ARG:HG3	1:F:21:ARG:NH1	1.98	0.78
1:D:18:ARG:HG3	1:D:21:ARG:NH1	2.00	0.76
1:A:94:THR:HG23	5:A:171:SO4:O3	1.86	0.76
1:C:153:ALA:HB2	1:C:162:LEU:HD22	1.68	0.75
1:B:153:ALA:HB2	1:B:162:LEU:HD22	1.68	0.75
1:A:153:ALA:HB2	1:A:162:LEU:HD22	1.69	0.74
1:F:86:PRO:HG2	1:F:91:SER:HB2	1.70	0.72
1:A:94:THR:HG23	5:A:171:SO4:S	2.28	0.72
1:C:82:GLU:HG3	1:E:88:ARG:HD3	1.72	0.72
1:A:17:ASN:HB3	5:A:172:SO4:O4	1.91	0.71
1:C:17:ASN:HB3	5:C:171:SO4:O3	1.90	0.71
1:A:82:GLU:HG3	1:D:88:ARG:HD3	1.73	0.70
1:B:95:ASP:HB3	6:B:599:HOH:O	1.93	0.69
1:B:82:GLU:HG3	1:F:88:ARG:HD3	1.76	0.67
1:D:91:SER:N	1:D:92:GLY:HA3	2.10	0.67
1:D:86:PRO:HG2	1:D:91:SER:HB2	1.78	0.66
1:E:86:PRO:HG2	1:E:91:SER:HB2	1.77	0.66
1:C:82:GLU:N	1:E:88:ARG:HB3	2.09	0.66
1:E:91:SER:N	1:E:92:GLY:HA3	2.10	0.65
1:D:82:GLU:C	1:D:84:GLY:H	2.05	0.65
1:E:82:GLU:C	1:E:84:GLY:H	2.05	0.65
1:C:82:GLU:H	1:E:88:ARG:CB	2.09	0.64
1:A:82:GLU:N	1:D:88:ARG:HB3	2.13	0.64
1:F:82:GLU:C	1:F:84:GLY:H	2.04	0.63
1:E:90:VAL:HB	1:E:92:GLY:HA3	1.81	0.62
1:B:82:GLU:N	1:F:88:ARG:HB3	2.13	0.62
1:D:90:VAL:HB	1:D:92:GLY:HA3	1.81	0.62
1:E:108:THR:OG1	1:E:167:GLU:HG2	1.99	0.61
1:F:154:ARG:NH2	6:F:252:HOH:O	2.35	0.60
1:F:108:THR:OG1	1:F:167:GLU:HG2	2.01	0.60
1:A:95:ASP:HB3	6:A:328:HOH:O	2.02	0.60
1:F:34:VAL:HG11	1:F:40:LEU:HB2	1.85	0.59
1:A:82:GLU:H	1:D:88:ARG:CB	2.12	0.59
1:C:81:PRO:HB3	1:E:88:ARG:HD2	1.85	0.59
1:D:108:THR:OG1	1:D:167:GLU:HG2	2.02	0.59
1:B:82:GLU:H	1:F:88:ARG:CB	2.14	0.58
1:C:170:ARG:HD3	6:C:380:HOH:O	2.03	0.58
1:E:34:VAL:HG11	1:E:40:LEU:HB2	1.85	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:34:VAL:HG11	1:D:40:LEU:HB2	1.85	0.58
1:B:81:PRO:HB3	1:F:88:ARG:HD2	1.85	0.57
1:A:81:PRO:HB3	1:D:88:ARG:HD2	1.85	0.57
1:D:129:SER:O	1:D:133:ARG:HG3	2.05	0.57
1:F:153:ALA:HB2	1:F:162:LEU:HD22	1.87	0.57
1:B:137:PRO:O	1:B:154:ARG:HD2	2.05	0.57
1:A:20:GLY:O	1:A:24:ARG:HG2	2.06	0.56
1:D:153:ALA:HB2	1:D:162:LEU:HD22	1.88	0.55
1:C:17:ASN:HB2	5:C:172:SO4:O1	2.07	0.54
1:C:96:ARG:HD3	6:C:672:HOH:O	2.07	0.54
1:C:58:ARG:O	1:C:62[A]:GLU:HG3	2.09	0.53
1:E:18:ARG:HG3	1:E:21:ARG:HH12	1.72	0.53
1:E:153:ALA:HB2	1:E:162:LEU:HD22	1.91	0.52
1:A:58:ARG:O	1:A:62[A]:GLU:HG3	2.10	0.52
3:L:7:DC:H2''	3:L:8:DG:C8	2.45	0.52
1:D:18:ARG:HG3	1:D:21:ARG:HH12	1.74	0.52
1:B:16:ALA:HB1	5:B:172:SO4:O3	2.11	0.51
1:C:170:ARG:NH2	6:C:663:HOH:O	2.43	0.51
1:F:35:ARG:NH2	1:F:75:THR:O	2.44	0.51
1:B:58:ARG:O	1:B:62[A]:GLU:HG3	2.11	0.51
1:B:133:ARG:NH2	6:B:444:HOH:O	2.43	0.51
1:F:18:ARG:HG3	1:F:21:ARG:HH12	1.72	0.51
1:F:35:ARG:HG2	1:F:77:ILE:HG22	1.93	0.51
1:A:143:ILE:HG13	1:C:150:LEU:HD13	1.92	0.50
1:E:82:GLU:C	1:E:84:GLY:N	2.70	0.50
3:H:7:DC:H2''	3:H:8:DG:C8	2.46	0.50
1:D:35:ARG:NH2	1:D:75:THR:O	2.45	0.50
1:F:21:ARG:CD	1:F:51:VAL:HG11	2.41	0.50
1:A:94:THR:HG23	5:A:171:SO4:O2	2.11	0.50
1:D:35:ARG:HG2	1:D:77:ILE:HG22	1.94	0.50
1:F:82:GLU:C	1:F:84:GLY:N	2.69	0.50
1:C:17:ASN:N	5:C:172:SO4:O4	2.41	0.50
1:E:35:ARG:NH2	1:E:75:THR:O	2.46	0.49
1:D:21:ARG:CD	1:D:51:VAL:HG11	2.42	0.49
1:B:97:MET:HE3	1:B:169:LEU:HD13	1.95	0.49
1:D:82:GLU:C	1:D:84:GLY:N	2.70	0.49
1:E:21:ARG:CD	1:E:51:VAL:HG11	2.43	0.49
1:E:35:ARG:HG2	1:E:77:ILE:HG22	1.94	0.49
1:C:82:GLU:CG	1:E:88:ARG:HD3	2.43	0.48
1:A:33:GLN:OE1	5:D:171:SO4:O1	2.30	0.48
1:C:108:THR:HG22	1:C:117:LEU:HD22	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:133:ARG:NH2	6:B:208:HOH:O	2.46	0.48
1:C:97:MET:HE3	1:C:169:LEU:HD13	1.96	0.48
1:A:97:MET:HE3	1:A:169:LEU:HD13	1.96	0.48
1:F:90:VAL:HB	1:F:92:GLY:HA3	1.95	0.47
1:B:150:LEU:HD13	1:C:143:ILE:HG13	1.95	0.47
1:F:138:GLN:H	1:F:138:GLN:CD	2.22	0.47
3:J:7:DC:H2''	3:J:8:DG:C8	2.49	0.47
1:B:24:ARG:CZ	1:B:49:ILE:HD11	2.45	0.47
1:A:94:THR:N	5:A:171:SO4:O3	2.46	0.47
1:F:24:ARG:O	1:F:28:ILE:HG13	2.15	0.47
2:I:6:DT:H2''	2:I:7:DA:C8	2.50	0.46
1:C:82:GLU:HG3	1:E:88:ARG:CD	2.44	0.46
1:A:150:LEU:HD13	1:B:143:ILE:HG13	1.97	0.46
1:D:73:GLY:HA2	6:D:530:HOH:O	2.15	0.46
2:G:6:DT:H2''	2:G:7:DA:C8	2.51	0.46
1:A:18:ARG:HB3	5:A:172:SO4:O1	2.16	0.45
1:E:90:VAL:C	1:E:92:GLY:HA3	2.41	0.45
1:A:108:THR:HG22	1:A:117:LEU:HD22	1.99	0.45
1:A:81:PRO:O	1:A:82:GLU:HB2	2.17	0.45
1:E:24:ARG:O	1:E:28:ILE:HG13	2.16	0.45
2:K:6:DT:H2''	2:K:7:DA:C8	2.52	0.45
1:D:90:VAL:C	1:D:92:GLY:HA3	2.41	0.45
1:F:21:ARG:HD2	1:F:51:VAL:HG11	1.99	0.44
1:A:82:GLU:CG	1:D:88:ARG:HD3	2.45	0.44
1:D:21:ARG:HD2	1:D:51:VAL:HG11	1.99	0.44
1:A:136:LEU:H	1:A:136:LEU:HG	1.60	0.44
1:B:17:ASN:HB2	5:B:172:SO4:O4	2.16	0.44
1:F:129:SER:O	1:F:133:ARG:HG3	2.17	0.44
1:B:96:ARG:HD3	6:B:600:HOH:O	2.18	0.44
1:D:138:GLN:H	1:D:138:GLN:CD	2.26	0.44
3:J:2:DT:H2''	3:J:3:DG:C5'	2.48	0.44
1:B:81:PRO:O	1:B:82:GLU:HB2	2.18	0.43
1:A:82:GLU:HG3	1:D:88:ARG:CD	2.46	0.43
1:C:24:ARG:CZ	1:C:49:ILE:HD11	2.49	0.43
1:D:24:ARG:O	1:D:28:ILE:HG13	2.17	0.43
1:A:24:ARG:CZ	1:A:49:ILE:HD11	2.49	0.43
1:B:136:LEU:H	1:B:136:LEU:HG	1.63	0.43
1:E:21:ARG:HD2	1:E:51:VAL:HG11	2.00	0.43
3:L:2:DT:H2''	3:L:3:DG:C5'	2.48	0.43
1:C:81:PRO:O	1:C:82:GLU:HB2	2.18	0.42
1:E:129:SER:O	1:E:133:ARG:HG3	2.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:138:GLN:H	1:E:138:GLN:CD	2.28	0.42
1:A:109:ASP:CG	1:B:154:ARG:HH22	2.26	0.42
1:B:82:GLU:CG	1:F:88:ARG:HD3	2.48	0.42
1:B:108:THR:HG22	1:B:117:LEU:HD22	2.00	0.42
3:J:2:DT:H2''	3:J:3:DG:H5'	2.02	0.42
1:D:63:LEU:HD12	1:D:63:LEU:HA	1.88	0.42
2:I:9:DC:H2''	2:I:10:DG:O5'	2.20	0.42
1:E:87:VAL:HG13	1:E:88:ARG:HG3	2.01	0.41
1:F:87:VAL:HG13	1:F:88:ARG:HG3	2.01	0.41
1:D:87:VAL:HG13	1:D:88:ARG:HG3	2.02	0.41
3:H:1:DT:C6	3:H:2:DT:H72	2.56	0.41
1:E:58:ARG:O	1:E:62:GLU:HG3	2.20	0.41
1:F:133:ARG:NH2	6:F:388:HOH:O	2.54	0.41
3:H:2:DT:H2''	3:H:3:DG:C5'	2.50	0.41
3:L:2:DT:H2''	3:L:3:DG:H5'	2.03	0.41
1:D:91:SER:N	1:D:92:GLY:CA	2.83	0.41
1:C:95:ASP:O	1:C:99:ARG:HB2	2.21	0.40
3:J:1:DT:C6	3:J:2:DT:H72	2.56	0.40
3:L:1:DT:C6	3:L:2:DT:H72	2.57	0.40
1:D:68:LEU:HD22	1:D:68:LEU:HA	1.88	0.40
1:E:77:ILE:O	1:E:77:ILE:HG13	2.21	0.40
1:E:165:MET:SD	1:E:165:MET:C	3.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	147/170 (86%)	147 (100%)	0	0	100	100
1	B	147/170 (86%)	147 (100%)	0	0	100	100
1	C	147/170 (86%)	146 (99%)	1 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	152/170 (89%)	147 (97%)	5 (3%)	0	100	100
1	E	154/170 (91%)	148 (96%)	6 (4%)	0	100	100
1	F	154/170 (91%)	148 (96%)	5 (3%)	1 (1%)	21	15
All	All	901/1020 (88%)	883 (98%)	17 (2%)	1 (0%)	48	50

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	92	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	110/122 (90%)	99 (90%)	11 (10%)	7	3
1	B	110/122 (90%)	100 (91%)	10 (9%)	9	4
1	C	110/122 (90%)	100 (91%)	10 (9%)	9	4
1	D	113/122 (93%)	105 (93%)	8 (7%)	13	8
1	E	115/122 (94%)	105 (91%)	10 (9%)	9	5
1	F	115/122 (94%)	105 (91%)	10 (9%)	9	5
All	All	673/732 (92%)	614 (91%)	59 (9%)	10	5

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	ARG
1	A	63	LEU
1	A	68	LEU
1	A	79	VAL
1	A	80	VAL
1	A	91	SER
1	A	94	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	105	LEU
1	A	136	LEU
1	A	150	LEU
1	A	162	LEU
1	B	63	LEU
1	B	68	LEU
1	B	79	VAL
1	B	80	VAL
1	B	91	SER
1	B	94	THR
1	B	105	LEU
1	B	136	LEU
1	B	150	LEU
1	B	162	LEU
1	C	35	ARG
1	C	63	LEU
1	C	68	LEU
1	C	79	VAL
1	C	80	VAL
1	C	91	SER
1	C	94	THR
1	C	105	LEU
1	C	136	LEU
1	C	162	LEU
1	D	51	VAL
1	D	63	LEU
1	D	68	LEU
1	D	75	THR
1	D	79	VAL
1	D	80	VAL
1	D	105	LEU
1	D	138	GLN
1	E	51	VAL
1	E	63	LEU
1	E	68	LEU
1	E	75	THR
1	E	79	VAL
1	E	80	VAL
1	E	105	LEU
1	E	138	GLN
1	E	168[A]	ASN
1	E	168[B]	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	51	VAL
1	F	63	LEU
1	F	68	LEU
1	F	75	THR
1	F	79	VAL
1	F	80	VAL
1	F	105	LEU
1	F	138	GLN
1	F	168[A]	ASN
1	F	168[B]	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	17	ASN
1	E	17	ASN
1	F	17	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	SO4	A	172	-	4,4,4	0.23	0	6,6,6	0.24	0
5	SO4	B	172	-	4,4,4	0.24	0	6,6,6	0.12	0
5	SO4	D	172	-	4,4,4	0.27	0	6,6,6	0.16	0
4	GGB	F	200	-	9,11,11	2.13	3 (33%)	7,13,13	1.56	1 (14%)
4	GGB	D	200	-	9,11,11	2.17	3 (33%)	7,13,13	1.46	1 (14%)
5	SO4	A	171	-	4,4,4	0.22	0	6,6,6	0.20	0
5	SO4	C	172	-	4,4,4	0.25	0	6,6,6	0.09	0
4	GGB	B	200	-	9,11,11	2.09	3 (33%)	7,13,13	1.42	1 (14%)
5	SO4	B	171	-	4,4,4	0.24	0	6,6,6	0.19	0
4	GGB	C	200	-	9,11,11	2.08	3 (33%)	7,13,13	1.61	1 (14%)
4	GGB	E	200	-	9,11,11	2.13	2 (22%)	7,13,13	1.75	1 (14%)
5	SO4	D	171	-	4,4,4	0.24	0	6,6,6	0.39	0
5	SO4	C	171	-	4,4,4	0.22	0	6,6,6	0.22	0
4	GGB	A	200	-	9,11,11	2.23	3 (33%)	7,13,13	1.28	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GGB	F	200	-	-	0/9/11/11	-
4	GGB	D	200	-	-	1/9/11/11	-
4	GGB	B	200	-	-	0/9/11/11	-
4	GGB	C	200	-	-	0/9/11/11	-
4	GGB	E	200	-	-	0/9/11/11	-
4	GGB	A	200	-	-	0/9/11/11	-

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	200	GGB	OD-NE	-4.75	1.30	1.40
4	D	200	GGB	OD-NE	-4.60	1.30	1.40
4	C	200	GGB	OD-NE	-4.37	1.31	1.40
4	B	200	GGB	OD-NE	-4.30	1.31	1.40
4	E	200	GGB	CZ-NE	4.21	1.43	1.34
4	F	200	GGB	OD-NE	-4.19	1.31	1.40
4	E	200	GGB	OD-NE	-3.99	1.32	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	F	200	GGB	CZ-NE	3.86	1.43	1.34
4	A	200	GGB	CZ-NE	3.79	1.42	1.34
4	B	200	GGB	CZ-NE	3.71	1.42	1.34
4	D	200	GGB	CZ-NE	3.59	1.42	1.34
4	C	200	GGB	CZ-NE	3.46	1.42	1.34
4	C	200	GGB	OXT-C	2.28	1.37	1.30
4	A	200	GGB	OXT-C	2.27	1.37	1.30
4	F	200	GGB	OXT-C	2.14	1.37	1.30
4	B	200	GGB	OXT-C	2.13	1.37	1.30
4	D	200	GGB	OXT-C	2.08	1.37	1.30

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	200	GGB	OD-CG-CB	3.35	118.33	107.63
4	F	200	GGB	OD-CG-CB	3.33	118.27	107.63
4	C	200	GGB	OD-CG-CB	3.15	117.70	107.63
4	D	200	GGB	OD-CG-CB	2.87	116.81	107.63
4	B	200	GGB	OD-CG-CB	2.81	116.61	107.63
4	A	200	GGB	OD-CG-CB	2.42	115.36	107.63

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	200	GGB	OXT-C-CA-N

There are no ring outliers.

6 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	172	SO4	2	0
5	B	172	SO4	2	0
5	A	171	SO4	4	0
5	C	172	SO4	2	0
5	D	171	SO4	1	0
5	C	171	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	149/170 (87%)	-1.13	0 100 100	16, 35, 65, 109	2 (1%)
1	B	149/170 (87%)	-1.13	0 100 100	15, 35, 65, 110	2 (1%)
1	C	149/170 (87%)	-1.11	0 100 100	16, 35, 65, 110	2 (1%)
1	D	154/170 (90%)	-0.89	1 (0%) 85 87	25, 50, 112, 139	0
1	E	154/170 (90%)	-0.94	0 100 100	16, 50, 112, 139	2 (1%)
1	F	154/170 (90%)	-0.91	1 (0%) 85 87	16, 50, 112, 139	2 (1%)
2	G	16/16 (100%)	-1.36	0 100 100	34, 50, 66, 66	0
2	I	16/16 (100%)	-1.39	0 100 100	35, 49, 66, 67	0
2	K	16/16 (100%)	-1.44	0 100 100	35, 50, 67, 68	0
3	H	16/16 (100%)	-1.38	0 100 100	34, 51, 64, 64	0
3	J	16/16 (100%)	-1.27	0 100 100	34, 51, 64, 65	0
3	L	16/16 (100%)	-1.40	0 100 100	35, 51, 65, 67	0
All	All	1005/1116 (90%)	-1.05	2 (0%) 91 92	15, 41, 86, 139	10 (0%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	90	VAL	2.2
1	F	87	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	SO4	D	172	5/5	0.95	0.09	48,55,56,71	5
5	SO4	D	171	5/5	0.96	0.09	33,35,43,56	5
5	SO4	B	172	5/5	0.98	0.07	54,67,69,83	5
5	SO4	C	172	5/5	0.98	0.08	59,60,77,80	5
4	GGB	E	200	12/12	0.99	0.03	24,28,31,32	0
4	GGB	F	200	12/12	0.99	0.03	25,29,33,33	0
5	SO4	A	171	5/5	0.99	0.04	43,44,62,64	5
5	SO4	A	172	5/5	0.99	0.06	40,50,63,64	5
5	SO4	B	171	5/5	0.99	0.06	48,51,52,71	5
4	GGB	A	200	12/12	0.99	0.03	23,26,32,37	0
5	SO4	C	171	5/5	0.99	0.07	41,49,59,63	5
4	GGB	B	200	12/12	0.99	0.03	22,26,32,35	0
4	GGB	C	200	12/12	0.99	0.03	23,28,37,39	0
4	GGB	D	200	12/12	0.99	0.03	22,26,32,34	0

6.5 Other polymers [i](#)

There are no such residues in this entry.