



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 25, 2026 – 09:22 PM UTC

PDB ID : 6LAM / pdb_00006lam
Title : Crystal structure of rhesus macaque MHC class I molecule Mamu-B*098 complexed with lysophosphatidylethanolamine
Authors : Shima, Y.; Morita, D.
Deposited on : 2019-11-12
Resolution : 1.80 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : **FAILED**
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

MolProbity failed to run properly - the sequence quality summary graphics cannot be shown.

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 6969 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MHC class I antigen.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	277	2316	1432	418	456	10	0	10	0
1	C	277	2274	1409	408	449	8	0	5	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	167	SER	CYS	engineered mutation	UNP A0A1E1GJG5
C	167	SER	CYS	engineered mutation	UNP A0A1E1GJG5

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	100	838	532	145	157	4	0	1	0
2	D	100	838	532	145	157	4	0	1	0

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Zn	0	1
			3	3		
3	C	4	Total	Zn	0	0
			4	4		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0

- Molecule 5 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (CCD ID: TRS) (formula: C₄H₁₂NO₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			8	4	1	3		
5	C	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 6 is (2R)-2,3-dihydroxypropyl hexadecanoate (CCD ID: EKG) (formula: C₁₉H₃₈O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			23	19	4		
6	C	1	Total	C	O	0	1
			46	38	8		

- Molecule 7 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	C	1	Total	Cl	0	1
			2	2		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	196	Total	O	0	1
			197	197		
8	B	52	Total	O	0	1
			53	53		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	C	193	Total 194	O 194	0	1
8	D	61	Total 61	O 61	0	0

MolProbity failed to run properly - this section is therefore empty.

3 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	251.88Å 46.73Å 84.98Å 90.00° 90.80° 90.00°	Depositor
Resolution (Å)	40.09 – 1.80 40.09 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.0 (40.09-1.80) 99.0 (40.09-1.80)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.75 (at 1.79Å)	Xtrriage
Refinement program	PHENIX 1.14_3260	Depositor
R, R_{free}	0.191 , 0.229 0.192 , 0.229	Depositor DCC
R_{free} test set	4465 reflections (4.83%)	wwPDB-VP
Wilson B-factor (Å ²)	22.1	Xtrriage
Anisotropy	0.517	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 40.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.015 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6969	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

4 Model quality [i](#)

4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

4.6 Ligand geometry [i](#)

Of 40 ligands modelled in this entry, 9 are monoatomic - leaving 31 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	A	309	-	3,3,3	0.46	0	2,2,2	0.50	0
4	EDO	B	101	-	3,3,3	0.44	0	2,2,2	0.46	0
4	EDO	D	102	-	3,3,3	0.40	0	2,2,2	0.68	0
4	EDO	C	313	-	3,3,3	0.56	0	2,2,2	0.54	0
4	EDO	B	103	-	3,3,3	0.46	0	2,2,2	0.40	0
4	EDO	C	309	-	3,3,3	0.48	0	2,2,2	0.38	0
4	EDO	D	105	-	3,3,3	0.62	0	2,2,2	0.15	0
4	EDO	D	101	-	3,3,3	0.42	0	2,2,2	0.37	0
4	EDO	C	314	-	3,3,3	0.39	0	2,2,2	0.45	0
6	EKG	C	316[A]	-	22,22,22	0.19	0	23,23,23	0.22	0
4	EDO	A	306	-	3,3,3	0.45	0	2,2,2	0.22	0
4	EDO	A	308	-	3,3,3	0.39	0	2,2,2	0.37	0
4	EDO	B	102	-	3,3,3	0.49	0	2,2,2	0.33	0
4	EDO	C	310	3	3,3,3	0.05	0	2,2,2	0.11	0
5	TRS	C	315	-	7,7,7	0.29	0	9,9,9	0.47	0
4	EDO	D	106	-	3,3,3	0.49	0	2,2,2	0.54	0
4	EDO	A	303	-	3,3,3	0.39	0	2,2,2	0.40	0
6	EKG	C	316[B]	-	22,22,22	0.19	0	23,23,23	0.22	0
4	EDO	D	104	-	3,3,3	0.49	0	2,2,2	0.56	0
4	EDO	C	312	-	3,3,3	0.48	0	2,2,2	0.10	0
4	EDO	C	305	-	3,3,3	0.51	0	2,2,2	0.19	0
4	EDO	C	311	-	3,3,3	0.43	0	2,2,2	0.55	0
4	EDO	C	306	-	3,3,3	0.53	0	2,2,2	0.25	0
4	EDO	C	308	-	3,3,3	0.46	0	2,2,2	0.30	0
4	EDO	A	304	-	3,3,3	0.48	0	2,2,2	0.10	0
4	EDO	A	305	-	3,3,3	0.38	0	2,2,2	0.33	0
4	EDO	C	307	-	3,3,3	0.49	0	2,2,2	0.38	0
4	EDO	D	103	-	3,3,3	0.47	0	2,2,2	0.38	0
5	TRS	A	310	-	7,7,7	0.39	0	9,9,9	0.81	0
4	EDO	A	307	-	3,3,3	0.43	0	2,2,2	0.29	0
6	EKG	A	311	-	22,22,22	0.82	2 (9%)	23,23,23	1.04	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	309	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	B	101	-	-	1/1/1/1	-
4	EDO	D	102	-	-	0/1/1/1	-
4	EDO	C	313	-	-	0/1/1/1	-
4	EDO	B	103	-	-	0/1/1/1	-
4	EDO	C	309	-	-	0/1/1/1	-
4	EDO	D	105	-	-	0/1/1/1	-
4	EDO	D	101	-	-	0/1/1/1	-
4	EDO	C	314	-	-	0/1/1/1	-
6	EKG	C	316[A]	-	-	12/22/22/22	-
4	EDO	A	306	-	-	0/1/1/1	-
4	EDO	A	308	-	-	0/1/1/1	-
4	EDO	B	102	-	-	0/1/1/1	-
4	EDO	C	310	3	-	0/1/1/1	-
5	TRS	C	315	-	-	0/9/9/9	-
4	EDO	D	106	-	-	0/1/1/1	-
4	EDO	A	303	-	-	0/1/1/1	-
6	EKG	C	316[B]	-	-	13/22/22/22	-
4	EDO	D	104	-	-	0/1/1/1	-
4	EDO	C	312	-	-	0/1/1/1	-
4	EDO	C	305	-	-	0/1/1/1	-
4	EDO	C	311	-	-	0/1/1/1	-
4	EDO	C	306	-	-	1/1/1/1	-
4	EDO	C	308	-	-	1/1/1/1	-
4	EDO	A	304	-	-	0/1/1/1	-
4	EDO	A	305	-	-	1/1/1/1	-
4	EDO	C	307	-	-	0/1/1/1	-
4	EDO	D	103	-	-	1/1/1/1	-
5	TRS	A	310	-	-	9/9/9/9	-
4	EDO	A	307	-	-	0/1/1/1	-
6	EKG	A	311	-	-	15/22/22/22	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	311	EKG	O20-C1	2.45	1.40	1.33
6	A	311	EKG	O20-C21	-2.10	1.40	1.45

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	311	EKG	O20-C1-C2	2.44	119.26	111.83

There are no chirality outliers.


5 of 54 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	A	310	TRS	C2-C-C1-O1
5	A	310	TRS	C3-C-C1-O1
5	A	310	TRS	N-C-C1-O1
5	A	310	TRS	C3-C-C2-O2
5	A	310	TRS	N-C-C2-O2

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





4.7 Other polymers [i](#)

There are no such residues in this entry.

4.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

5 Fit of model and data [i](#)

5.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	277/277 (100%)	0.30	15 (5%) 31 30	9, 25, 45, 58	10 (3%)
1	C	277/277 (100%)	0.22	16 (5%) 29 27	8, 24, 47, 66	5 (1%)
2	B	100/100 (100%)	1.10	24 (24%) 2 1	15, 35, 64, 80	1 (1%)
2	D	100/100 (100%)	0.47	10 (10%) 12 11	15, 29, 50, 64	1 (1%)
All	All	754/754 (100%)	0.40	65 (8%) 16 14	8, 26, 51, 80	17 (2%)

The worst 5 of 65 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	73	ASN	5.7
2	B	1	ILE	4.7
1	C	276	PRO	4.4
2	D	1	ILE	4.3
2	D	0	ALA	4.2

5.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	EKG	C	316[A]	23/23	0.67	0.23	19,43,55,66	23
6	EKG	C	316[B]	23/23	0.67	0.23	19,43,55,66	23
4	EDO	D	106	4/4	0.72	0.21	31,34,42,46	0
4	EDO	C	311	4/4	0.74	0.17	30,33,40,50	0
6	EKG	A	311	23/23	0.75	0.18	18,46,59,63	0
4	EDO	C	306	4/4	0.79	0.18	29,35,35,42	0
5	TRS	A	310	8/8	0.81	0.16	33,41,42,48	0
4	EDO	D	104	4/4	0.82	0.17	27,38,44,45	0
4	EDO	B	103	4/4	0.83	0.16	39,42,46,47	0
4	EDO	C	312	4/4	0.84	0.27	33,37,41,50	0
4	EDO	D	103	4/4	0.84	0.14	29,32,33,49	0
3	ZN	C	304	1/1	0.85	0.15	86,86,86,86	0
4	EDO	A	305	4/4	0.87	0.16	27,32,34,37	0
4	EDO	C	308	4/4	0.87	0.14	34,38,41,48	0
4	EDO	C	309	4/4	0.87	0.18	28,33,33,41	0
4	EDO	A	303	4/4	0.87	0.18	36,39,40,46	0
4	EDO	C	310	4/4	0.88	0.18	28,31,37,44	0
4	EDO	A	308	4/4	0.90	0.13	36,42,45,46	0
4	EDO	D	102	4/4	0.90	0.15	33,37,39,42	0
5	TRS	C	315	8/8	0.90	0.10	25,30,34,35	0
4	EDO	D	105	4/4	0.91	0.14	26,28,33,42	0
4	EDO	C	307	4/4	0.92	0.10	25,26,28,33	0
4	EDO	D	101	4/4	0.92	0.11	22,32,32,41	0
4	EDO	C	313	4/4	0.93	0.10	18,22,28,31	0
4	EDO	B	101	4/4	0.93	0.11	27,30,41,42	0
4	EDO	A	304	4/4	0.93	0.12	29,30,34,35	0
4	EDO	A	309	4/4	0.93	0.09	27,30,32,34	0
4	EDO	C	314	4/4	0.94	0.11	25,28,28,37	0
4	EDO	A	306	4/4	0.94	0.08	33,33,37,40	0
7	CL	C	317[A]	1/1	0.94	0.09	32,32,32,32	1
7	CL	C	317[B]	1/1	0.94	0.09	36,36,36,36	1
4	EDO	A	307	4/4	0.95	0.09	22,29,32,39	0
3	ZN	C	302	1/1	0.96	0.06	32,32,32,32	0
4	EDO	C	305	4/4	0.96	0.13	23,26,28,31	0
4	EDO	B	102	4/4	0.96	0.05	23,28,30,32	0
3	ZN	C	303	1/1	0.99	0.04	25,25,25,25	0
3	ZN	A	301[B]	1/1	0.99	0.03	16,16,16,16	1
3	ZN	A	302	1/1	0.99	0.03	19,19,19,19	0
3	ZN	C	301	1/1	0.99	0.02	20,20,20,20	0
3	ZN	A	301[A]	1/1	0.99	0.03	17,17,17,17	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different

orientation to approximate a three-dimensional view.




Electron density around EKG C 316 (A):


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around EKG C 316 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





5.5 Other polymers [i](#)

There are no such residues in this entry.