



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 10:09 AM UTC

PDB ID : 4LE4 / pdb_00004le4
Title : Crystal structure of PaGluc131A with cellotriose
Authors : Jiang, T.; Chan, H.C.; Huang, C.H.; Ko, T.P.; Huang, T.Y.; Liu, J.R.; Guo, R.T.
Deposited on : 2013-06-25
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	252	3% 85% 12% ..
1	B	252	4% 78% 17% ..
1	C	252	% 76% 19% .
1	D	252	% 81% 16% ..
2	E	3	100%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 8847 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-glucanase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	248	Total	C	N	O	S	0	0	0
			1942	1232	332	374	4			
1	B	245	Total	C	N	O	S	0	0	0
			1920	1216	329	371	4			
1	C	242	Total	C	N	O	S	0	0	0
			1900	1204	325	367	4			
1	D	247	Total	C	N	O	S	0	0	0
			1935	1227	331	373	4			

- Molecule 2 is an oligosaccharide called beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	E	3	Total	C	O	0	0	0
			34	18	16			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	322	Total	O	0	0
			322	322		
3	B	305	Total	O	0	0
			305	305		
3	C	251	Total	O	0	0
			251	251		
3	D	238	Total	O	0	0
			238	238		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Beta-glucanase




- Molecule 1: Beta-glucanase




- Molecule 1: Beta-glucanase




- Molecule 1: Beta-glucanase





● Molecule 2: beta-D-glucopyranose-(1-4)-beta-D-glucopyranose-(1-4)-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	54.62Å 61.85Å 79.04Å 81.54° 75.16° 77.27°	Depositor
Resolution (Å)	25.00 – 1.80 25.00 – 1.80	Depositor EDS
% Data completeness (in resolution range)	(Not available) (25.00-1.80) 94.3 (25.00-1.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.05 (at 1.80Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, R_{free}	0.178 , 0.216 0.179 , 0.216	Depositor DCC
R_{free} test set	4307 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	16.0	Xtriage
Anisotropy	0.080	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 47.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8847	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: BGC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.68	0/2006	1.03	3/2745 (0.1%)
1	B	0.77	5/1982 (0.3%)	1.03	6/2710 (0.2%)
1	C	0.65	1/1961 (0.1%)	0.99	5/2681 (0.2%)
1	D	0.61	0/1998	1.01	6/2733 (0.2%)
All	All	0.68	6/7947 (0.1%)	1.01	20/10869 (0.2%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	120	MET	SD-CE	-13.31	1.46	1.79
1	B	22	LEU	C-O	-10.03	1.11	1.23
1	B	21	ILE	C-O	-8.14	1.15	1.24
1	B	20	THR	C-O	-6.76	1.15	1.24
1	B	22	LEU	N-CA	-5.10	1.39	1.46
1	B	22	LEU	CA-CB	-5.03	1.45	1.53

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	161	LEU	N-CA-C	-7.59	96.85	109.07
1	B	235	TYR	CA-C-N	7.49	127.93	119.92
1	B	235	TYR	C-N-CA	7.49	127.93	119.92
1	B	161	LEU	N-CA-C	-6.79	98.14	109.07
1	B	123	ASP	N-CA-C	-6.42	105.27	113.23
1	A	161	LEU	N-CA-C	-6.30	98.97	109.24
1	C	49	GLN	N-CA-C	-6.30	99.75	109.76
1	D	161	LEU	N-CA-C	-6.21	99.08	109.07
1	B	153	ALA	N-CA-C	6.07	123.23	109.81
1	C	145	LEU	N-CA-C	-5.88	100.59	109.95
1	D	145	LEU	N-CA-C	-5.41	101.35	109.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	70	ASN	N-CA-C	-5.40	101.42	109.42
1	D	235	TYR	CA-C-N	5.40	125.70	119.92
1	D	235	TYR	C-N-CA	5.40	125.70	119.92
1	A	66	PRO	N-CA-C	-5.40	107.11	113.86
1	B	49	GLN	N-CA-C	-5.37	101.71	110.20
1	A	238	SER	N-CA-C	-5.27	101.28	109.24
1	C	48	TYR	N-CA-C	5.13	117.80	109.24
1	D	126	ALA	CA-C-N	5.05	125.34	119.93
1	D	126	ALA	C-N-CA	5.05	125.34	119.93

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1942	0	1809	34	0
1	B	1920	0	1784	38	0
1	C	1900	0	1766	44	0
1	D	1935	0	1802	36	0
2	E	34	0	30	0	0
3	A	322	0	0	8	0
3	B	305	0	0	5	0
3	C	251	0	0	2	0
3	D	238	0	0	3	0
All	All	8847	0	7191	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:39:TRP:HE1	1:C:103:GLN:HE21	1.20	0.89
1:D:265:ILE:HD11	3:D:516:HOH:O	1.72	0.87

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:30:MET:HE3	1:B:35:ASP:HB2	1.56	0.87
1:A:219:ASN:HB3	1:B:152:GLY:HA3	1.61	0.82
1:C:120:MET:HE3	1:C:121:ARG:C	2.07	0.80
1:B:153:ALA:HB3	3:B:543:HOH:O	1.83	0.78
1:A:219:ASN:HB3	1:B:152:GLY:CA	2.15	0.77
1:C:120:MET:HE3	1:C:121:ARG:N	2.00	0.77
1:B:139:GLU:HB2	1:B:222:ASP:HB2	1.65	0.76
1:C:120:MET:HE3	1:C:121:ARG:CA	2.14	0.76
1:C:39:TRP:HE1	1:C:103:GLN:NE2	1.85	0.75
1:D:193:THR:HG22	1:D:213:LYS:HD3	1.69	0.74
3:A:312:HOH:O	1:B:153:ALA:HB2	1.89	0.72
1:A:70:ASN:HD22	1:A:182:ASN:HD21	1.38	0.71
1:A:219:ASN:ND2	1:A:221:ALA:H	1.88	0.70
1:D:129:THR:HG23	1:D:158:ASP:O	1.91	0.70
1:B:207:ARG:NH1	3:B:602:HOH:O	2.27	0.68
1:D:129:THR:HG22	1:D:158:ASP:H	1.59	0.68
1:B:152:GLY:O	1:B:153:ALA:HB3	1.95	0.66
1:D:133:HIS:HE1	1:D:240:GLU:OE1	1.78	0.66
1:C:65:SER:HA	1:C:78:GLN:HE21	1.62	0.65
1:A:91:ASN:ND2	3:A:326:HOH:O	2.30	0.65
1:A:139:GLU:HB2	1:A:222:ASP:HB2	1.78	0.64
1:B:114:TYR:CE1	1:B:186:GLU:HG3	2.33	0.64
1:A:198:HIS:HD2	1:A:208:LYS:NZ	1.95	0.64
1:C:198:HIS:HD2	1:C:208:LYS:NZ	1.96	0.64
1:B:116:HIS:HE1	1:B:250:GLU:OE1	1.81	0.63
1:A:216:THR:O	1:A:216:THR:HG23	1.98	0.62
1:B:153:ALA:O	1:B:154:PRO:C	2.42	0.62
1:C:131:ARG:HD2	1:C:230:LEU:O	2.00	0.62
1:D:207:ARG:HD3	1:D:210:ALA:HA	1.81	0.62
1:C:39:TRP:NE1	1:C:103:GLN:HE21	1.95	0.62
1:B:70:ASN:HD22	1:B:182:ASN:HD21	1.46	0.61
1:C:28:ASN:HD21	1:C:77:ARG:H	1.49	0.61
1:C:65:SER:HB3	1:C:68:TYR:CD2	2.35	0.60
1:D:129:THR:CG2	1:D:158:ASP:H	2.13	0.60
1:C:139:GLU:HB2	1:C:222:ASP:HB2	1.84	0.60
1:A:220:GLY:O	3:A:319:HOH:O	2.17	0.60
1:B:19:GLY:O	1:B:20:THR:HB	2.00	0.59
1:C:120:MET:CE	1:C:120:MET:C	2.75	0.59
1:D:96:ARG:HD3	1:D:229:GLU:OE1	2.02	0.59
1:C:22:LEU:HD11	1:C:251:SER:OG	2.03	0.59
1:A:116:HIS:HE1	1:A:250:GLU:OE2	1.85	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:120:MET:HE3	1:C:120:MET:C	2.29	0.58
1:D:77:ARG:NH2	1:D:77:ARG:HB2	2.19	0.58
1:C:120:MET:HE1	1:C:243:TYR:CD2	2.39	0.57
1:A:181:HIS:ND1	1:A:198:HIS:HE1	2.02	0.57
1:C:120:MET:HE1	1:C:122:LYS:HG3	1.86	0.57
1:A:216:THR:HG23	3:A:325:HOH:O	2.04	0.57
1:B:263:GLN:HA	3:B:592:HOH:O	2.04	0.56
1:B:149:TRP:HZ2	1:B:153:ALA:HA	1.71	0.55
1:D:91:ASN:CG	3:D:510:HOH:O	2.50	0.55
1:B:187:ILE:HG12	1:B:194:VAL:HG13	1.89	0.55
1:D:129:THR:CG2	1:D:157:SER:HB3	2.37	0.55
1:B:66:PRO:HD3	1:B:78:GLN:HE21	1.72	0.54
1:A:149:TRP:CZ2	1:A:154:PRO:HD3	2.42	0.53
1:A:252:GLY:O	1:A:253:SER:CB	2.55	0.53
1:C:19:GLY:HA3	1:C:253:SER:O	2.07	0.53
1:C:120:MET:CE	1:C:243:TYR:CD2	2.91	0.53
1:D:193:THR:CG2	1:D:213:LYS:HD3	2.39	0.52
1:B:65:SER:HA	1:B:78:GLN:HE21	1.73	0.52
1:C:181:HIS:ND1	1:C:198:HIS:HE1	2.07	0.52
1:A:219:ASN:HD21	1:A:221:ALA:C	2.17	0.52
1:A:252:GLY:O	1:A:253:SER:HB3	2.10	0.52
1:D:129:THR:HG23	1:D:158:ASP:C	2.35	0.52
3:A:330:HOH:O	1:B:153:ALA:HA	2.09	0.51
1:A:216:THR:O	1:A:216:THR:CG2	2.57	0.51
1:C:28:ASN:ND2	1:C:77:ARG:H	2.08	0.51
1:A:198:HIS:HD2	1:A:208:LYS:HZ2	1.59	0.51
1:B:207:ARG:NH2	3:B:597:HOH:O	2.43	0.51
1:D:129:THR:HG22	1:D:158:ASP:N	2.24	0.51
1:B:150:LEU:O	1:B:152:GLY:N	2.44	0.50
1:B:152:GLY:O	1:B:153:ALA:CB	2.58	0.50
1:C:260:GLY:O	3:C:354:HOH:O	2.19	0.50
1:A:219:ASN:CG	1:B:152:GLY:O	2.55	0.50
1:A:96:ARG:HD3	1:A:229:GLU:OE1	2.11	0.49
1:D:22:LEU:HD11	1:D:251:SER:HB3	1.94	0.49
1:A:65:SER:HA	1:A:78:GLN:HE21	1.76	0.49
1:D:129:THR:HG22	1:D:129:THR:O	2.13	0.49
1:B:115:TYR:O	1:B:184:ALA:HA	2.11	0.49
1:D:65:SER:HB3	1:D:68:TYR:CD2	2.48	0.49
1:A:265:ILE:HD13	3:A:518:HOH:O	2.13	0.48
1:A:19:GLY:HA2	1:A:252:GLY:O	2.13	0.48
1:C:22:LEU:HD13	1:C:250:GLU:HA	1.94	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:129:THR:CG2	1:D:158:ASP:N	2.76	0.48
1:B:116:HIS:HD2	3:B:301:HOH:O	1.96	0.48
1:C:120:MET:C	1:C:120:MET:HE2	2.39	0.48
1:C:228:LEU:C	1:C:228:LEU:HD23	2.39	0.48
1:A:216:THR:HG22	3:A:599:HOH:O	2.13	0.47
1:D:232:ARG:HD3	1:D:235:TYR:CD2	2.48	0.47
1:C:23:TRP:CH2	1:C:25:GLY:HA3	2.50	0.47
1:A:70:ASN:ND2	1:A:182:ASN:HD21	2.10	0.47
1:B:207:ARG:NH2	1:B:211:PRO:HD3	2.29	0.47
1:C:94:ASN:OD1	1:C:95:MET:HG3	2.14	0.47
1:D:48:TYR:CD1	1:D:100:LEU:HB3	2.50	0.46
1:A:219:ASN:HB3	1:B:152:GLY:HA2	1.97	0.46
1:A:219:ASN:CG	1:A:221:ALA:H	2.24	0.46
1:B:23:TRP:CH2	1:B:25:GLY:HA3	2.51	0.46
1:C:183:VAL:HG12	1:C:184:ALA:N	2.30	0.46
1:A:141:HIS:HD2	1:A:144:GLU:OE1	1.99	0.46
1:A:230:LEU:HD12	1:A:230:LEU:N	2.30	0.45
1:D:115:TYR:O	1:D:184:ALA:HA	2.15	0.45
1:D:139:GLU:HB2	1:D:222:ASP:HB2	1.98	0.45
1:D:234:GLY:O	1:D:236:PRO:HD3	2.16	0.45
1:C:198:HIS:HD2	1:C:208:LYS:HZ2	1.65	0.45
1:C:101:ILE:HD13	1:C:224:HIS:HA	1.99	0.45
1:A:112:LYS:HE2	3:A:335:HOH:O	2.16	0.45
1:D:129:THR:HG21	1:D:157:SER:HB3	1.98	0.45
1:D:66:PRO:HD3	1:D:78:GLN:HE21	1.82	0.45
1:B:183:VAL:HG12	1:B:184:ALA:N	2.33	0.44
1:C:198:HIS:CG	1:C:199:SER:N	2.85	0.44
1:D:129:THR:HG22	1:D:157:SER:HB3	1.98	0.44
1:C:22:LEU:HD12	1:C:22:LEU:N	2.31	0.44
1:D:228:LEU:C	1:D:228:LEU:HD23	2.42	0.44
1:C:230:LEU:HD12	1:C:230:LEU:N	2.33	0.43
1:B:228:LEU:HD23	1:B:228:LEU:C	2.44	0.43
1:C:66:PRO:HD3	1:C:78:GLN:HE21	1.83	0.43
1:A:219:ASN:HD21	1:A:221:ALA:H	1.65	0.43
1:B:261:PRO:C	1:B:263:GLN:H	2.27	0.43
1:C:163:TRP:CE3	1:C:170:GLN:HB2	2.53	0.43
1:D:65:SER:HA	1:D:78:GLN:HE21	1.84	0.43
1:D:85:ASP:OD1	1:D:85:ASP:C	2.61	0.43
1:A:192:GLY:HA2	1:A:216:THR:CG2	2.48	0.43
1:B:65:SER:HA	1:B:78:GLN:NE2	2.34	0.43
1:C:183:VAL:CG1	1:C:184:ALA:N	2.82	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:31:THR:HG23	3:D:637:HOH:O	2.18	0.42
1:B:148:GLY:C	1:B:158:ASP:HB3	2.45	0.42
1:B:186:GLU:O	1:B:194:VAL:HA	2.20	0.42
1:C:49:GLN:HE21	1:C:103:GLN:HE22	1.66	0.42
1:C:65:SER:HA	1:C:78:GLN:NE2	2.31	0.42
1:C:235:TYR:CD1	1:C:235:TYR:N	2.88	0.42
1:D:198:HIS:CG	1:D:199:SER:N	2.87	0.42
1:B:134:GLN:OE1	1:B:141:HIS:HE1	2.02	0.42
1:B:189:PHE:CD1	1:B:216:THR:HG22	2.55	0.42
1:C:65:SER:HB3	1:C:68:TYR:CE2	2.55	0.42
1:D:77:ARG:NH2	1:D:77:ARG:CB	2.83	0.41
1:A:108:ILE:HD11	1:A:220:GLY:O	2.20	0.41
1:B:116:HIS:CE1	1:B:250:GLU:OE1	2.68	0.41
1:D:149:TRP:CH2	1:D:151:SER:HA	2.55	0.41
1:D:265:ILE:C	1:D:265:ILE:HD12	2.45	0.41
1:A:112:LYS:HE2	1:A:112:LYS:HB3	1.77	0.41
1:C:85:ASP:C	1:C:85:ASP:OD1	2.64	0.41
1:C:131:ARG:NH2	1:C:237:ASP:OD1	2.46	0.40
1:B:232:ARG:HD3	1:B:235:TYR:CE1	2.57	0.40
1:C:31:THR:HG22	3:C:488:HOH:O	2.20	0.40
1:D:265:ILE:H	1:D:265:ILE:HG13	1.73	0.40
1:D:183:VAL:HG12	1:D:184:ALA:N	2.37	0.40
1:C:153:ALA:HB1	1:C:154:PRO:HD2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	246/252 (98%)	236 (96%)	8 (3%)	2 (1%)	16 6
1	B	243/252 (96%)	229 (94%)	10 (4%)	4 (2%)	7 2

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	240/252 (95%)	225 (94%)	15 (6%)	0	100	100
1	D	245/252 (97%)	238 (97%)	7 (3%)	0	100	100
All	All	974/1008 (97%)	928 (95%)	40 (4%)	6 (1%)	21	11

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	153	ALA
1	B	154	PRO
1	A	252	GLY
1	B	151	SER
1	A	253	SER
1	B	152	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	205/206 (100%)	204 (100%)	1 (0%)	81	80
1	B	202/206 (98%)	199 (98%)	3 (2%)	57	49
1	C	200/206 (97%)	197 (98%)	3 (2%)	57	49
1	D	204/206 (99%)	202 (99%)	2 (1%)	68	64
All	All	811/824 (98%)	802 (99%)	9 (1%)	65	60

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	219	ASN
1	B	95	MET
1	B	154	PRO
1	B	156	ILE
1	C	112	LYS
1	C	120	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	211	PRO
1	D	91	ASN
1	D	168	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (37) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	37	ASN
1	A	43	ASN
1	A	49	GLN
1	A	78	GLN
1	A	91	ASN
1	A	116	HIS
1	A	125	ASN
1	A	134	GLN
1	A	141	HIS
1	A	182	ASN
1	A	198	HIS
1	A	219	ASN
1	A	263	GLN
1	B	43	ASN
1	B	44	GLN
1	B	49	GLN
1	B	78	GLN
1	B	110	GLN
1	B	116	HIS
1	B	182	ASN
1	B	239	ASN
1	C	28	ASN
1	C	43	ASN
1	C	44	GLN
1	C	49	GLN
1	C	78	GLN
1	C	91	ASN
1	C	103	GLN
1	C	198	HIS
1	D	43	ASN
1	D	44	GLN
1	D	49	GLN
1	D	78	GLN
1	D	133	HIS
1	D	168	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	239	ASN
1	D	263	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

3 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	BGC	E	1	2	12,12,12	0.94	0	17,17,17	2.45	1 (5%)
2	BGC	E	2	2	11,11,12	1.02	0	15,15,17	0.99	1 (6%)
2	BGC	E	3	2	11,11,12	1.21	2 (18%)	15,15,17	0.73	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BGC	E	1	2	-	2/2/22/22	0/1/1/1
2	BGC	E	2	2	-	0/2/19/22	0/1/1/1
2	BGC	E	3	2	-	0/2/19/22	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	3	BGC	O5-C1	2.39	1.47	1.43
2	E	3	BGC	O5-C5	2.13	1.47	1.43

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	1	BGC	O6-C6-C5	9.86	144.90	111.33
2	E	2	BGC	C6-C5-C4	-2.12	107.82	113.02

There are no chirality outliers.


All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	1	BGC	C4-C5-C6-O6
2	E	1	BGC	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	248/252 (98%)	-0.40	7 (2%) 55 55	6, 15, 30, 46	0
1	B	245/252 (97%)	-0.09	11 (4%) 38 37	9, 18, 31, 53	0
1	C	242/252 (96%)	-0.06	3 (1%) 76 77	14, 22, 33, 44	0
1	D	247/252 (98%)	-0.04	2 (0%) 82 83	9, 21, 35, 51	0
All	All	982/1008 (97%)	-0.15	23 (2%) 61 61	6, 19, 33, 53	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	153	ALA	6.5
1	B	152	GLY	5.0
1	D	265	ILE	4.3
1	A	252	GLY	3.4
1	A	216	THR	3.3
1	A	219	ASN	2.9
1	B	19	GLY	2.8
1	C	217	SER	2.7
1	B	216	THR	2.7
1	A	220	GLY	2.6
1	B	154	PRO	2.6
1	A	266	PRO	2.6
1	B	156	ILE	2.6
1	B	20	THR	2.6
1	C	213	LYS	2.5
1	C	19	GLY	2.4
1	D	42	GLY	2.3
1	B	253	SER	2.2
1	B	262	GLY	2.2
1	A	19	GLY	2.2
1	B	151	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	265	ILE	2.0
1	B	215	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	BGC	E	2	11/12	0.72	0.12	49,52,54,55	0
2	BGC	E	3	11/12	0.74	0.15	43,47,49,52	0
2	BGC	E	1	12/12	0.77	0.12	54,55,57,57	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.