



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 6, 2026 – 04:40 AM UTC

PDB ID : 5LE5 / pdb_00005le5
Title : Native human 20S proteasome at 1.8 Angstrom
Authors : Schrader, J.; Henneberg, F.; Mata, R.; Tittmann, K.; Schneider, T.R.; Stark, H.; Bourenkov, G.; Chari, A.
Deposited on : 2016-06-29
Resolution : 1.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	234	4% 89% 7% ...
1	O	234	8% 88% 9% ...
2	B	261	3% 87% 7% 5%
2	P	261	7% 84% 9% 5%
3	C	248	10% 79% 14% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	248	
4	D	241	
4	R	241	
5	E	263	
5	S	263	
6	F	255	
6	T	255	
7	G	246	
7	U	246	
8	H	234	
8	V	234	
9	I	205	
9	W	205	
10	J	201	
10	X	201	
11	K	204	
11	Y	204	
12	L	213	
12	Z	213	
13	M	219	
13	a	219	
14	N	205	
14	b	205	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	6V1	U	47	X	-	-	-

2 Entry composition

There are 19 unique types of molecules in this entry. The entry contains 52161 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	230	Total	C	N	O	S	0	2	0
			1799	1151	307	335	6			
1	O	230	Total	C	N	O	S	0	0	0
			1779	1136	301	336	6			

- Molecule 2 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	248	Total	C	N	O	S	0	1	0
			1942	1226	332	373	11			
2	P	247	Total	C	N	O	S	0	2	0
			1919	1211	326	371	11			

- Molecule 3 is a protein called Proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	237	Total	C	N	O	S	0	0	0
			1836	1152	328	351	5			
3	Q	234	Total	C	N	O	S	0	0	0
			1821	1143	319	354	5			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	233	Total	C	N	O	S	0	2	0
			1783	1118	294	360	11			
4	R	233	Total	C	N	O	S	0	1	0
			1773	1115	295	352	11			

- Molecule 5 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	234	Total	C	N	O	S	0	0	0
			1833	1150	328	344	11			
5	S	238	Total	C	N	O	S	0	3	0
			1880	1179	339	351	11			

- Molecule 6 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	239	Total	C	N	O	S	0	4	0
			1890	1200	323	355	12			
6	T	240	Total	C	N	O	S	0	1	0
			1867	1186	320	349	12			

- Molecule 7 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	244	Total	C	N	O	S	0	2	0
			1928	1223	322	370	13			
7	U	235	Total	C	N	O	S	0	0	0
			1820	1151	306	350	13			

- Molecule 8 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	220	Total	C	N	O	S	0	2	0
			1672	1053	286	320	13			
8	V	220	Total	C	N	O	S	0	2	0
			1655	1042	278	322	13			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	6	0
			1633	1039	274	301	19			
9	W	204	Total	C	N	O	S	0	2	0
			1604	1021	269	295	19			

- Molecule 10 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	196	Total	C	N	O	S	0	2	0
			1585	1017	268	290	10			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	196	Total	C	N	O	S	0	2	0
			1590	1019	270	291	10			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	201	Total	C	N	O	S	0	0	0
			1543	974	267	293	9			
11	Y	199	Total	C	N	O	S	0	3	0
			1564	988	275	291	10			

- Molecule 12 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	213	Total	C	N	O	S	0	2	0
			1656	1048	283	314	11			
12	Z	213	Total	C	N	O	S	0	1	0
			1644	1043	281	309	11			

- Molecule 13 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	216	Total	C	N	O	S	0	0	0
			1687	1064	291	320	12			
13	a	216	Total	C	N	O	S	0	1	0
			1688	1065	291	320	12			

- Molecule 14 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	202	Total	C	N	O	S	0	1	0
			1515	951	258	293	13			
14	b	203	Total	C	N	O	S	0	1	0
			1526	958	259	296	13			

- Molecule 15 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	A	4	Total	Cl	0	0
			4	4		
15	B	2	Total	Cl	0	0
			2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	C	2	Total 2	Cl 2	0	0
15	D	2	Total 2	Cl 2	0	0
15	E	3	Total 3	Cl 3	0	0
15	F	1	Total 1	Cl 1	0	0
15	G	2	Total 2	Cl 2	0	0
15	H	2	Total 2	Cl 2	0	0
15	I	1	Total 1	Cl 1	0	0
15	K	4	Total 4	Cl 4	0	0
15	M	4	Total 4	Cl 4	0	0
15	N	3	Total 3	Cl 3	0	0
15	O	4	Total 4	Cl 4	0	0
15	P	1	Total 1	Cl 1	0	0
15	Q	2	Total 2	Cl 2	0	0
15	R	2	Total 2	Cl 2	0	0
15	S	3	Total 3	Cl 3	0	0
15	U	1	Total 1	Cl 1	0	0
15	V	2	Total 2	Cl 2	0	0
15	W	1	Total 1	Cl 1	0	0
15	Y	5	Total 5	Cl 5	0	0
15	a	3	Total 3	Cl 3	0	0
15	b	3	Total 3	Cl 3	0	0

- Molecule 16 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: $C_{10}H_{22}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
16	G	1	Total	C	O	0	0
			16	10	6		
16	I	1	Total	C	O	0	0
			16	10	6		
16	I	1	Total	C	O	0	0
			16	10	6		
16	L	1	Total	C	O	0	0
			16	10	6		
16	W	1	Total	C	O	0	0
			16	10	6		
16	Z	1	Total	C	O	0	0
			16	10	6		
16	a	1	Total	C	O	0	0
			16	10	6		
16	b	1	Total	C	O	0	0
			16	10	6		
16	b	1	Total	C	O	0	0
			16	10	6		

- Molecule 17 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	G	1	Total	K	0	0
			1	1		
17	L	1	Total	K	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	N	1	Total 1	K 1	0	0
17	U	1	Total 1	K 1	0	0
17	Z	1	Total 1	K 1	0	0
17	b	1	Total 1	K 1	0	0

- Molecule 18 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	H	2	Total 2	Mg 2	0	0
18	I	2	Total 2	Mg 2	0	0
18	J	1	Total 1	Mg 1	0	0
18	K	1	Total 1	Mg 1	0	0
18	L	1	Total 1	Mg 1	0	0
18	V	1	Total 1	Mg 1	0	0
18	W	1	Total 1	Mg 1	0	0
18	X	1	Total 1	Mg 1	0	0

- Molecule 19 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	A	112	Total 112	O 112	0	0
19	B	123	Total 123	O 123	0	0
19	C	75	Total 75	O 75	0	0
19	D	83	Total 83	O 83	0	0
19	E	134	Total 134	O 134	0	0

Continued on next page...



Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	F	189	Total 189	O 189	0	0
19	G	190	Total 190	O 190	0	0
19	H	151	Total 151	O 151	0	0
19	I	149	Total 149	O 149	0	0
19	J	127	Total 127	O 127	0	0
19	K	108	Total 108	O 108	0	0
19	L	115	Total 115	O 115	0	0
19	M	155	Total 155	O 155	0	0
19	N	164	Total 164	O 164	0	0
19	O	85	Total 85	O 85	0	0
19	P	111	Total 111	O 111	0	0
19	Q	66	Total 66	O 66	0	0
19	R	126	Total 126	O 126	0	0
19	S	115	Total 115	O 115	0	0
19	T	85	Total 85	O 85	0	0
19	U	100	Total 100	O 100	0	0
19	V	108	Total 108	O 108	0	0
19	W	117	Total 117	O 117	0	0
19	X	120	Total 120	O 120	0	0
19	Y	145	Total 145	O 145	0	0
19	Z	168	Total 168	O 168	0	0



Continued on next page...

Continued from previous page...



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	a	164	Total 164	O 164	0	0
19	b	127	Total 127	O 127	0	0




- Molecule 3: Proteasome subunit alpha type-7





- Molecule 4: Proteasome subunit alpha type-5




- Molecule 4: Proteasome subunit alpha type-5




- Molecule 5: Proteasome subunit alpha type-1





- Molecule 5: Proteasome subunit alpha type-1







• Molecule 6: Proteasome subunit alpha type-3




• Molecule 6: Proteasome subunit alpha type-3



• Molecule 7: Proteasome subunit alpha type-6




• Molecule 7: Proteasome subunit alpha type-6





• Molecule 8: Proteasome subunit beta type-7







• Molecule 8: Proteasome subunit beta type-7





• Molecule 9: Proteasome subunit beta type-3




• Molecule 9: Proteasome subunit beta type-3



• Molecule 10: Proteasome subunit beta type-2



• Molecule 10: Proteasome subunit beta type-2



• Molecule 11: Proteasome subunit beta type-5




- Molecule 11: Proteasome subunit beta type-5

Chain Y:  90% 7% .





- Molecule 12: Proteasome subunit beta type-1

Chain L:  93% 6% .





- Molecule 12: Proteasome subunit beta type-1

Chain Z:  95% . .




- Molecule 13: Proteasome subunit beta type-4

Chain M:  93% 6% .




- Molecule 13: Proteasome subunit beta type-4

Chain a:  91% 7% ..





- Molecule 14: Proteasome subunit beta type-6

Chain N:  93% 5% .



- Molecule 14: Proteasome subunit beta type-6

Chain b:  94% 5% .



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	113.44Å 202.77Å 316.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	170.66 – 1.80 170.66 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.9 (170.66-1.80) 99.9 (170.66-1.80)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.11 (at 1.80Å)	Xtriage
Refinement program	REFMAC 5.8.0103	Depositor
R, R_{free}	0.182 , 0.212 0.190 , 0.217	Depositor DCC
R_{free} test set	33208 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	34.1	Xtriage
Anisotropy	0.231	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 38.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	52161	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.79% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: YCM, CL, MG, K, 1PE, 6V1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.95	1/1844 (0.1%)	0.96	1/2500 (0.0%)
1	O	0.85	0/1818	0.96	1/2467 (0.0%)
2	B	1.06	3/1975 (0.2%)	1.07	6/2665 (0.2%)
2	P	0.97	3/1955 (0.2%)	0.98	0/2642
3	C	1.18	4/1851 (0.2%)	1.09	6/2502 (0.2%)
3	Q	1.07	3/1835 (0.2%)	1.07	1/2485 (0.0%)
4	D	0.95	0/1810	1.01	7/2448 (0.3%)
4	R	1.03	0/1800	1.06	6/2431 (0.2%)
5	E	0.99	0/1851	1.03	3/2502 (0.1%)
5	S	0.94	0/1908	0.99	4/2577 (0.2%)
6	F	1.12	4/1937 (0.2%)	1.07	4/2607 (0.2%)
6	T	0.99	0/1905	1.06	6/2567 (0.2%)
7	G	1.08	1/1925 (0.1%)	1.05	8/2598 (0.3%)
7	U	0.90	0/1806	0.94	2/2438 (0.1%)
8	H	1.09	1/1705 (0.1%)	1.01	2/2307 (0.1%)
8	V	0.89	0/1688	0.97	1/2288 (0.0%)
9	I	1.04	0/1668	0.97	0/2247
9	W	0.89	0/1636	0.95	7/2205 (0.3%)
10	J	1.30	8/1605 (0.5%)	1.05	3/2170 (0.1%)
10	X	1.08	2/1613 (0.1%)	1.02	5/2180 (0.2%)
11	K	1.04	1/1574 (0.1%)	1.02	3/2128 (0.1%)
11	Y	1.07	0/1604	0.98	1/2165 (0.0%)
12	L	0.90	0/1692	0.94	0/2281
12	Z	1.03	0/1677	1.01	3/2260 (0.1%)
13	M	1.01	0/1720	1.00	1/2328 (0.0%)
13	a	1.06	0/1724	1.02	5/2334 (0.2%)
14	N	1.18	2/1544 (0.1%)	1.04	1/2090 (0.0%)
14	b	1.07	4/1556 (0.3%)	1.03	1/2107 (0.0%)
All	All	1.03	37/49226 (0.1%)	1.01	88/66519 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	P	0	1
3	C	0	1
3	Q	0	2
4	D	0	3
7	U	1	0
9	I	0	1
10	X	0	1
12	Z	0	1
All	All	1	10

The worst 5 of 37 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	182	GLU	CG-CD	16.72	1.93	1.52
3	Q	189	LYS	C-O	16.44	1.44	1.24
3	C	182	GLU	CD-OE2	-14.01	0.98	1.25
10	J	154	GLU	CA-C	12.91	1.69	1.52
10	J	10	PRO	C-O	-12.48	1.08	1.24

The worst 5 of 88 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	G	183	VAL	CB-CA-C	-11.30	96.88	112.14
6	F	190	VAL	CB-CA-C	-10.78	97.59	112.14
6	T	190	VAL	CB-CA-C	-9.52	99.56	112.04
10	X	1	MET	CB-CG-SD	-9.42	84.45	112.70
5	E	58	ALA	N-CA-C	8.49	121.48	111.71

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	U	47	6V1	C1

5 of 10 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	C	202	GLY	Peptide
4	D	175[A]	GLU	Peptide
4	D	175[B]	GLU	Peptide,Mainchain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
9	I	78[B]	GLY	Peptide
2	P	54	LYS	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1799	0	1793	9	0
1	O	1779	0	1747	12	0
2	B	1942	0	1938	8	0
2	P	1919	0	1895	18	0
3	C	1836	0	1821	21	0
3	Q	1821	0	1788	12	0
4	D	1783	0	1751	6	0
4	R	1773	0	1760	9	0
5	E	1833	0	1797	9	0
5	S	1880	0	1850	13	0
6	F	1890	0	1886	12	0
6	T	1867	0	1847	12	0
7	G	1928	0	1905	11	0
7	U	1820	0	1792	12	0
8	H	1672	0	1703	6	0
8	V	1655	0	1661	10	0
9	I	1633	0	1660	4	0
9	W	1604	0	1626	2	0
10	J	1585	0	1568	22	0
10	X	1590	0	1580	9	0
11	K	1543	0	1495	4	0
11	Y	1564	0	1539	9	0
12	L	1656	0	1655	7	0
12	Z	1644	0	1644	3	0
13	M	1687	0	1666	6	0
13	a	1688	0	1666	12	0
14	N	1515	0	1492	4	0
14	b	1526	0	1503	8	0
15	A	4	0	0	0	0
15	B	2	0	0	1	0
15	C	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
15	D	2	0	0	0	0
15	E	3	0	0	0	0
15	F	1	0	0	0	0
15	G	2	0	0	0	0
15	H	2	0	0	1	0
15	I	1	0	0	0	0
15	K	4	0	0	0	0
15	M	4	0	0	1	0
15	N	3	0	0	0	0
15	O	4	0	0	0	0
15	P	1	0	0	0	0
15	Q	2	0	0	0	0
15	R	2	0	0	1	0
15	S	3	0	0	0	0
15	U	1	0	0	0	0
15	V	2	0	0	0	0
15	W	1	0	0	0	0
15	Y	5	0	0	1	0
15	a	3	0	0	1	0
15	b	3	0	0	1	0
16	G	16	0	22	1	0
16	I	32	0	44	0	0
16	L	16	0	22	0	0
16	W	16	0	22	0	0
16	Z	16	0	22	0	0
16	a	16	0	22	0	0
16	b	32	0	44	0	0
17	G	1	0	0	0	0
17	L	1	0	0	0	0
17	N	1	0	0	0	0
17	U	1	0	0	0	0
17	Z	1	0	0	0	0
17	b	1	0	0	0	0
18	H	2	0	0	0	0
18	I	2	0	0	0	0
18	J	1	0	0	0	0
18	K	1	0	0	0	0
18	L	1	0	0	0	0
18	V	1	0	0	0	0
18	W	1	0	0	0	0
18	X	1	0	0	0	0
19	A	112	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	B	123	0	0	0	0
19	C	75	0	0	0	0
19	D	83	0	0	0	0
19	E	134	0	0	1	0
19	F	189	0	0	5	0
19	G	190	0	0	5	0
19	H	151	0	0	2	0
19	I	149	0	0	1	0
19	J	127	0	0	1	0
19	K	108	0	0	0	0
19	L	115	0	0	2	0
19	M	155	0	0	0	0
19	N	164	0	0	0	0
19	O	85	0	0	1	0
19	P	111	0	0	0	0
19	Q	66	0	0	0	0
19	R	126	0	0	2	0
19	S	115	0	0	3	0
19	T	85	0	0	1	0
19	U	100	0	0	0	0
19	V	108	0	0	2	0
19	W	117	0	0	2	0
19	X	120	0	0	1	0
19	Y	145	0	0	0	0
19	Z	168	0	0	0	0
19	a	164	0	0	2	0
19	b	127	0	0	0	0
All	All	52161	0	48226	251	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 251 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:182:GLU:CD	3:C:182:GLU:CG	1.93	1.39
10:J:1:MET:HG3	10:J:134:TYR:CD2	1.92	1.04
10:J:183:ILE:O	10:J:184:ASP:OD1	1.83	0.97
9:I:16[A]:LYS:O	19:I:401:HOH:O	1.85	0.95
12:L:144:MET:HE1	12:L:185:ARG:HB2	1.52	0.91

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	230/234 (98%)	220 (96%)	6 (3%)	4 (2%)	7	2
1	O	228/234 (97%)	214 (94%)	7 (3%)	7 (3%)	3	0
2	B	247/261 (95%)	238 (96%)	9 (4%)	0	100	100
2	P	247/261 (95%)	234 (95%)	11 (4%)	2 (1%)	16	6
3	C	234/248 (94%)	224 (96%)	6 (3%)	4 (2%)	7	2
3	Q	229/248 (92%)	218 (95%)	6 (3%)	5 (2%)	5	1
4	D	233/241 (97%)	223 (96%)	6 (3%)	4 (2%)	7	2
4	R	232/241 (96%)	223 (96%)	6 (3%)	3 (1%)	9	3
5	E	231/263 (88%)	226 (98%)	4 (2%)	1 (0%)	30	19
5	S	238/263 (90%)	234 (98%)	4 (2%)	0	100	100
6	F	241/255 (94%)	238 (99%)	3 (1%)	0	100	100
6	T	239/255 (94%)	233 (98%)	4 (2%)	2 (1%)	16	6
7	G	241/246 (98%)	237 (98%)	4 (2%)	0	100	100
7	U	228/246 (93%)	224 (98%)	4 (2%)	0	100	100
8	H	220/234 (94%)	217 (99%)	3 (1%)	0	100	100
8	V	220/234 (94%)	215 (98%)	4 (2%)	1 (0%)	24	14
9	I	208/205 (102%)	204 (98%)	4 (2%)	0	100	100
9	W	204/205 (100%)	198 (97%)	6 (3%)	0	100	100
10	J	195/201 (97%)	192 (98%)	3 (2%)	0	100	100
10	X	195/201 (97%)	192 (98%)	3 (2%)	0	100	100
11	K	199/204 (98%)	195 (98%)	4 (2%)	0	100	100
11	Y	200/204 (98%)	197 (98%)	3 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
12	L	213/213 (100%)	211 (99%)	2 (1%)	0	100	100
12	Z	212/213 (100%)	210 (99%)	2 (1%)	0	100	100
13	M	214/219 (98%)	208 (97%)	6 (3%)	0	100	100
13	a	215/219 (98%)	209 (97%)	6 (3%)	0	100	100
14	N	201/205 (98%)	198 (98%)	3 (2%)	0	100	100
14	b	202/205 (98%)	199 (98%)	3 (2%)	0	100	100
All	All	6196/6458 (96%)	6031 (97%)	132 (2%)	33 (0%)	24	14

5 of 33 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	52	LYS
1	A	53	SER
4	D	127	ASP
4	D	176	GLY
1	O	52	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	188/191 (98%)	178 (95%)	10 (5%)	20	9
1	O	184/191 (96%)	172 (94%)	12 (6%)	15	5
2	B	205/221 (93%)	197 (96%)	8 (4%)	28	16
2	P	201/221 (91%)	188 (94%)	13 (6%)	15	5
3	C	189/210 (90%)	179 (95%)	10 (5%)	20	9
3	Q	189/210 (90%)	175 (93%)	14 (7%)	13	4
4	D	194/203 (96%)	187 (96%)	7 (4%)	31	18
4	R	192/203 (95%)	190 (99%)	2 (1%)	68	64
5	E	195/223 (87%)	189 (97%)	6 (3%)	35	23
5	S	201/223 (90%)	192 (96%)	9 (4%)	24	12

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	F	200/212 (94%)	191 (96%)	9 (4%)	24	12
6	T	194/212 (92%)	184 (95%)	10 (5%)	21	9
7	G	206/207 (100%)	197 (96%)	9 (4%)	25	13
7	U	192/207 (93%)	183 (95%)	9 (5%)	23	11
8	H	183/195 (94%)	179 (98%)	4 (2%)	45	34
8	V	180/195 (92%)	172 (96%)	8 (4%)	25	13
9	I	178/174 (102%)	178 (100%)	0	100	100
9	W	174/174 (100%)	174 (100%)	0	100	100
10	J	166/170 (98%)	161 (97%)	5 (3%)	36	24
10	X	168/170 (99%)	165 (98%)	3 (2%)	51	43
11	K	153/159 (96%)	144 (94%)	9 (6%)	18	7
11	Y	157/159 (99%)	153 (98%)	4 (2%)	42	30
12	L	179/178 (101%)	171 (96%)	8 (4%)	24	12
12	Z	176/178 (99%)	170 (97%)	6 (3%)	32	20
13	M	179/181 (99%)	176 (98%)	3 (2%)	53	45
13	a	179/181 (99%)	175 (98%)	4 (2%)	45	34
14	N	157/159 (99%)	155 (99%)	2 (1%)	61	54
14	b	159/159 (100%)	159 (100%)	0	100	100
All	All	5118/5366 (95%)	4934 (96%)	184 (4%)	31	18

5 of 184 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	Q	2	SER
6	T	53	VAL
3	Q	105	GLU
4	R	217	LEU
7	U	42	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 74 such sidechains are listed below:

Mol	Chain	Res	Type
6	T	63	ASN
13	a	89	HIS
6	T	143	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	X	174	ASN
8	H	153	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

12 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	6V1	G	47	7	13,15,16	3.29	5 (38%)	10,20,22	2.22	4 (40%)
7	6V1	U	47	7	13,15,16	2.26	2 (15%)	10,20,22	2.84	4 (40%)
5	6V1	S	148	5	13,15,16	2.03	3 (23%)	10,20,22	3.20	5 (50%)
5	6V1	E	148	5	13,15,16	1.94	5 (38%)	10,20,22	2.94	3 (30%)
7	6V1	U	161	7	13,15,16	1.88	4 (30%)	10,20,22	2.38	4 (40%)
3	YCM	Q	63	3	7,9,10	1.68	1 (14%)	5,10,12	3.49	3 (60%)
7	6V1	G	161	7	13,15,16	1.99	4 (30%)	10,20,22	2.08	3 (30%)
3	YCM	C	63	3	7,9,10	1.12	1 (14%)	5,10,12	0.82	0
7	YCM	G	137	7	7,9,10	2.25	3 (42%)	5,10,12	2.30	3 (60%)
10	6V1	X	91	10	13,15,16	2.72	4 (30%)	10,20,22	5.42	8 (80%)
7	YCM	U	137	7	7,9,10	1.30	1 (14%)	5,10,12	1.82	2 (40%)
10	6V1	J	91	10	13,15,16	2.39	2 (15%)	10,20,22	5.65	7 (70%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	6V1	G	47	7	-	0/6/25/27	0/1/1/1
7	6V1	U	47	7	1/1/5/6	2/6/25/27	0/1/1/1
5	6V1	S	148	5	-	2/6/25/27	0/1/1/1
5	6V1	E	148	5	-	2/6/25/27	0/1/1/1
7	6V1	U	161	7	-	1/6/25/27	0/1/1/1
3	YCM	Q	63	3	-	4/6/8/10	-
7	6V1	G	161	7	-	1/6/25/27	0/1/1/1
3	YCM	C	63	3	-	1/6/8/10	-
7	YCM	G	137	7	-	2/6/8/10	-
10	6V1	X	91	10	-	2/6/25/27	0/1/1/1
7	YCM	U	137	7	-	2/6/8/10	-
10	6V1	J	91	10	-	2/6/25/27	0/1/1/1

The worst 5 of 35 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	G	47	6V1	CB-SG	-8.81	1.73	1.82
10	X	91	6V1	C1-SG	-7.89	1.74	1.83
10	J	91	6V1	C1-SG	-7.53	1.75	1.83
7	U	47	6V1	CB-SG	-6.76	1.75	1.82
5	S	148	6V1	CB-SG	-4.97	1.77	1.82

The worst 5 of 46 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	J	91	6V1	C6-N3-C2	10.00	135.09	123.37
10	J	91	6V1	C5-C4-N3	9.49	114.04	108.07
10	X	91	6V1	C6-N3-C2	9.18	134.12	123.37
10	X	91	6V1	C5-C4-N3	8.57	113.46	108.07
10	X	91	6V1	O7-C2-N3	6.25	131.72	124.14

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	U	47	6V1	C1

5 of 21 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	63	YCM	CE-CD-SG-CB
5	E	148	6V1	C3-C6-N3-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	E	148	6V1	C3-C6-N3-C4
7	G	137	YCM	CE-CD-SG-CB
7	G	137	YCM	SG-CD-CE-NZ2

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 82 ligands modelled in this entry, 73 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
16	1PE	W	303	-	15,15,15	0.56	0	14,14,14	0.49	0
16	1PE	L	301	-	15,15,15	0.61	0	14,14,14	0.72	1 (7%)
16	1PE	Z	301	-	15,15,15	0.63	0	14,14,14	0.61	0
16	1PE	a	304	-	15,15,15	0.54	0	14,14,14	0.56	0
16	1PE	G	303	-	15,15,15	0.58	0	14,14,14	0.69	0
16	1PE	b	504	-	15,15,15	0.61	0	14,14,14	0.77	0
16	1PE	I	304	-	15,15,15	0.53	0	14,14,14	0.63	0
16	1PE	I	303	-	15,15,15	0.55	0	14,14,14	0.85	1 (7%)
16	1PE	b	505	-	15,15,15	0.66	0	14,14,14	0.39	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	1PE	W	303	-	-	6/13/13/13	-
16	1PE	L	301	-	-	6/13/13/13	-
16	1PE	Z	301	-	-	6/13/13/13	-
16	1PE	a	304	-	-	4/13/13/13	-
16	1PE	G	303	-	-	3/13/13/13	-
16	1PE	b	504	-	-	5/13/13/13	-
16	1PE	I	304	-	-	5/13/13/13	-
16	1PE	I	303	-	-	8/13/13/13	-
16	1PE	b	505	-	-	9/13/13/13	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	I	303	1PE	C25-OH5-C14	2.11	122.49	113.26
16	L	301	1PE	C26-OH6-C15	2.10	122.45	113.26

There are no chirality outliers.

5 of 52 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
16	L	301	1PE	OH6-C15-C25-OH5
16	W	303	1PE	OH6-C15-C25-OH5
16	Z	301	1PE	OH6-C15-C25-OH5
16	b	505	1PE	OH5-C14-C24-OH4
16	I	303	1PE	C15-C25-OH5-C14

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
16	G	303	1PE	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	230/234 (98%)	0.19	9 (3%) 43 43	18, 42, 75, 87	2 (0%)
1	O	230/234 (98%)	0.74	18 (7%) 19 17	36, 56, 92, 119	0
2	B	248/261 (95%)	0.44	7 (2%) 55 55	27, 48, 85, 130	1 (0%)
2	P	247/261 (94%)	0.61	19 (7%) 19 17	28, 53, 91, 133	2 (0%)
3	C	236/248 (95%)	0.87	26 (11%) 10 9	32, 57, 97, 128	0
3	Q	233/248 (93%)	0.85	28 (12%) 9 7	31, 54, 95, 127	0
4	D	233/241 (96%)	0.67	11 (4%) 36 35	21, 55, 85, 106	2 (0%)
4	R	233/241 (96%)	0.32	13 (5%) 30 29	18, 40, 62, 82	1 (0%)
5	E	233/263 (88%)	0.26	17 (7%) 21 19	25, 39, 82, 98	0
5	S	237/263 (90%)	0.30	10 (4%) 40 40	23, 43, 72, 94	3 (1%)
6	F	239/255 (93%)	-0.12	5 (2%) 63 64	17, 31, 52, 72	4 (1%)
6	T	240/255 (94%)	0.57	16 (6%) 24 22	25, 49, 79, 105	1 (0%)
7	G	241/246 (97%)	0.00	6 (2%) 58 58	16, 35, 65, 89	2 (0%)
7	U	232/246 (94%)	0.68	17 (7%) 21 19	38, 56, 86, 122	0
8	H	220/234 (94%)	0.02	11 (5%) 34 33	18, 32, 62, 87	2 (0%)
8	V	220/234 (94%)	0.33	8 (3%) 46 46	23, 44, 78, 100	2 (0%)
9	I	204/205 (99%)	-0.27	1 (0%) 87 88	18, 32, 51, 64	6 (2%)
9	W	204/205 (99%)	0.16	3 (1%) 72 72	24, 44, 65, 72	2 (0%)
10	J	195/201 (97%)	0.12	7 (3%) 46 46	15, 38, 55, 70	2 (1%)
10	X	195/201 (97%)	0.14	4 (2%) 63 64	18, 38, 54, 69	2 (1%)
11	K	201/204 (98%)	0.09	2 (0%) 79 80	32, 41, 65, 90	0
11	Y	199/204 (97%)	-0.19	1 (0%) 87 88	19, 33, 51, 62	3 (1%)
12	L	213/213 (100%)	0.23	1 (0%) 87 88	23, 45, 65, 83	2 (0%)
12	Z	213/213 (100%)	-0.13	1 (0%) 87 88	24, 34, 55, 73	1 (0%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
13	M	216/219 (98%)	-0.09	3 (1%)	73 73	24, 35, 59, 94	0
13	a	216/219 (98%)	-0.05	4 (1%)	66 66	24, 35, 57, 82	1 (0%)
14	N	202/205 (98%)	-0.11	4 (1%)	65 65	18, 32, 52, 91	1 (0%)
14	b	203/205 (99%)	0.05	7 (3%)	48 48	30, 38, 63, 90	1 (0%)
All	All	6213/6458 (96%)	0.25	259 (4%)	40 40	15, 42, 78, 133	43 (0%)

The worst 5 of 259 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
14	N	202	LEU	7.8
5	E	57	ALA	6.3
3	Q	50	VAL	5.7
4	R	241	ILE	5.5
10	J	184	ASP	5.5

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	6V1	U	47	15/16	0.84	0.18	64,96,103,104	0
7	YCM	U	137	10/11	0.86	0.15	46,54,72,72	0
7	YCM	G	137	10/11	0.87	0.15	27,34,48,49	0
3	YCM	C	63	10/11	0.88	0.13	48,50,59,60	0
7	6V1	G	47	15/16	0.90	0.14	33,52,55,55	0
5	6V1	S	148	15/16	0.90	0.14	35,56,62,64	0
3	YCM	Q	63	10/11	0.91	0.10	45,48,59,60	0
5	6V1	E	148	15/16	0.91	0.14	29,45,55,55	0
10	6V1	J	91	15/16	0.94	0.12	31,44,50,50	0
7	6V1	U	161	15/16	0.94	0.11	48,62,69,70	0
10	6V1	X	91	15/16	0.94	0.13	32,47,53,53	0
7	6V1	G	161	15/16	0.95	0.10	28,44,50,52	0

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
16	1PE	b	505	16/16	0.78	0.18	64,67,78,78	0
16	1PE	I	304	16/16	0.81	0.17	48,61,71,75	0
15	CL	O	303	1/1	0.82	0.17	74,74,74,74	0
16	1PE	a	304	16/16	0.83	0.17	57,62,69,71	0
15	CL	b	502	1/1	0.86	0.20	59,59,59,59	0
15	CL	K	305	1/1	0.86	0.30	60,60,60,60	0
16	1PE	W	303	16/16	0.87	0.13	55,58,64,66	0
16	1PE	Z	301	16/16	0.87	0.14	51,61,64,64	0
15	CL	M	302	1/1	0.87	0.25	62,62,62,62	0
16	1PE	b	504	16/16	0.87	0.14	41,50,67,68	0
16	1PE	L	301	16/16	0.87	0.14	49,62,66,69	0
15	CL	D	301	1/1	0.88	0.22	61,61,61,61	0
15	CL	C	301	1/1	0.88	0.19	56,56,56,56	0
15	CL	B	302	1/1	0.89	0.27	54,54,54,54	0
15	CL	C	302	1/1	0.89	0.20	63,63,63,63	0
15	CL	H	303	1/1	0.90	0.23	51,51,51,51	0
15	CL	Y	305	1/1	0.90	0.24	54,54,54,54	0
15	CL	D	302	1/1	0.90	0.20	53,53,53,53	0
16	1PE	G	303	16/16	0.90	0.11	34,42,51,56	0
16	1PE	I	303	16/16	0.90	0.12	48,52,60,68	0
15	CL	E	303	1/1	0.90	0.19	54,54,54,54	0
18	MG	V	301	1/1	0.91	0.11	48,48,48,48	0
15	CL	A	302	1/1	0.92	0.11	61,61,61,61	0
15	CL	M	301	1/1	0.92	0.29	52,52,52,52	0
15	CL	O	304	1/1	0.92	0.22	55,55,55,55	0
15	CL	V	303	1/1	0.92	0.16	59,59,59,59	0
15	CL	S	302	1/1	0.93	0.15	54,54,54,54	0
18	MG	H	301	1/1	0.93	0.08	45,45,45,45	0
15	CL	K	303	1/1	0.93	0.14	62,62,62,62	0
15	CL	K	304	1/1	0.94	0.19	52,52,52,52	0
15	CL	V	302	1/1	0.94	0.17	50,50,50,50	0
15	CL	F	301	1/1	0.94	0.15	46,46,46,46	0
15	CL	Y	304	1/1	0.94	0.15	51,51,51,51	0
15	CL	Q	302	1/1	0.94	0.29	54,54,54,54	0
15	CL	a	301	1/1	0.94	0.24	53,53,53,53	0
15	CL	W	302	1/1	0.95	0.09	49,49,49,49	0
15	CL	Y	303	1/1	0.95	0.10	56,56,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
15	CL	M	304	1/1	0.95	0.12	49,49,49,49	0
15	CL	R	301	1/1	0.95	0.17	50,50,50,50	0
15	CL	S	301	1/1	0.95	0.32	59,59,59,59	0
15	CL	a	303	1/1	0.95	0.13	52,52,52,52	0
15	CL	B	301	1/1	0.95	0.11	37,37,37,37	0
15	CL	G	302	1/1	0.95	0.11	56,56,56,56	0
18	MG	K	301	1/1	0.95	0.10	33,33,33,33	0
15	CL	Q	301	1/1	0.95	0.14	62,62,62,62	0
15	CL	S	303	1/1	0.96	0.15	48,48,48,48	0
15	CL	a	302	1/1	0.96	0.11	42,42,42,42	0
15	CL	N	501	1/1	0.96	0.10	42,42,42,42	0
15	CL	O	301	1/1	0.96	0.11	49,49,49,49	0
15	CL	O	302	1/1	0.96	0.10	59,59,59,59	0
17	K	L	302	1/1	0.96	0.14	42,42,42,42	0
17	K	U	302	1/1	0.96	0.13	38,38,38,38	0
17	K	b	506	1/1	0.96	0.17	38,38,38,38	0
15	CL	R	302	1/1	0.96	0.25	48,48,48,48	0
15	CL	E	302	1/1	0.96	0.13	49,49,49,49	0
15	CL	K	302	1/1	0.96	0.15	41,41,41,41	0
15	CL	b	503	1/1	0.97	0.13	44,44,44,44	0
15	CL	I	302	1/1	0.97	0.10	40,40,40,40	0
15	CL	A	304	1/1	0.97	0.18	52,52,52,52	0
15	CL	A	301	1/1	0.97	0.10	45,45,45,45	0
15	CL	N	502	1/1	0.97	0.13	43,43,43,43	0
15	CL	Y	301	1/1	0.97	0.09	33,33,33,33	0
18	MG	I	301	1/1	0.97	0.12	29,29,29,29	0
18	MG	J	301	1/1	0.97	0.04	41,41,41,41	0
15	CL	b	501	1/1	0.97	0.21	44,44,44,44	0
15	CL	N	503	1/1	0.97	0.15	40,40,40,40	0
18	MG	X	301	1/1	0.97	0.06	44,44,44,44	0
17	K	Z	302	1/1	0.98	0.08	34,34,34,34	0
15	CL	M	303	1/1	0.98	0.10	38,38,38,38	0
15	CL	G	301	1/1	0.98	0.23	41,41,41,41	0
15	CL	A	303	1/1	0.98	0.17	42,42,42,42	0
18	MG	I	305	1/1	0.98	0.11	26,26,26,26	0
15	CL	Y	302	1/1	0.98	0.15	47,47,47,47	0
15	CL	U	301	1/1	0.98	0.15	51,51,51,51	0
18	MG	L	303	1/1	0.98	0.15	33,33,33,33	0
17	K	N	504	1/1	0.98	0.13	37,37,37,37	0
18	MG	W	301	1/1	0.98	0.11	34,34,34,34	0
15	CL	P	301	1/1	0.98	0.12	45,45,45,45	0
15	CL	E	301	1/1	0.99	0.19	54,54,54,54	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
15	CL	H	304	1/1	0.99	0.16	47,47,47,47	0
17	K	G	304	1/1	0.99	0.10	28,28,28,28	0
18	MG	H	302	1/1	0.99	0.09	29,29,29,29	0

6.5 Other polymers [i](#)

There are no such residues in this entry.