



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:39 PM UTC

PDB ID : 6LGI / pdb_00006lgi
Title : Bombyx mori GH13 sucrose hydrolase mutant E322Q covalent intermediate complexed with fructose
Authors : Miyazaki, T.
Deposited on : 2019-12-05
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	598	
1	B	598	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	ACT	B	707	-	-	X	-

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 10474 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sucrose hydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	570	Total	C	N	O	S	0	4	0
			4685	3006	775	890	14			
1	B	570	Total	C	N	O	S	0	8	0
			4721	3026	779	900	16			

There are 44 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	9	MET	-	expression tag	UNP A0A077JI83
A	10	GLY	-	expression tag	UNP A0A077JI83
A	11	SER	-	expression tag	UNP A0A077JI83
A	12	SER	-	expression tag	UNP A0A077JI83
A	13	HIS	-	expression tag	UNP A0A077JI83
A	14	HIS	-	expression tag	UNP A0A077JI83
A	15	HIS	-	expression tag	UNP A0A077JI83
A	16	HIS	-	expression tag	UNP A0A077JI83
A	17	HIS	-	expression tag	UNP A0A077JI83
A	18	HIS	-	expression tag	UNP A0A077JI83
A	19	SER	-	expression tag	UNP A0A077JI83
A	20	SER	-	expression tag	UNP A0A077JI83
A	21	GLY	-	expression tag	UNP A0A077JI83
A	22	LEU	-	expression tag	UNP A0A077JI83
A	23	VAL	-	expression tag	UNP A0A077JI83
A	24	PRO	-	expression tag	UNP A0A077JI83
A	25	ARG	-	expression tag	UNP A0A077JI83
A	26	GLY	-	expression tag	UNP A0A077JI83
A	27	SER	-	expression tag	UNP A0A077JI83
A	28	HIS	-	expression tag	UNP A0A077JI83
A	29	MET	-	expression tag	UNP A0A077JI83
A	322	GLN	GLU	engineered mutation	UNP A0A077JI83
B	9	MET	-	expression tag	UNP A0A077JI83
B	10	GLY	-	expression tag	UNP A0A077JI83
B	11	SER	-	expression tag	UNP A0A077JI83

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	12	SER	-	expression tag	UNP A0A077JI83
B	13	HIS	-	expression tag	UNP A0A077JI83
B	14	HIS	-	expression tag	UNP A0A077JI83
B	15	HIS	-	expression tag	UNP A0A077JI83
B	16	HIS	-	expression tag	UNP A0A077JI83
B	17	HIS	-	expression tag	UNP A0A077JI83
B	18	HIS	-	expression tag	UNP A0A077JI83
B	19	SER	-	expression tag	UNP A0A077JI83
B	20	SER	-	expression tag	UNP A0A077JI83
B	21	GLY	-	expression tag	UNP A0A077JI83
B	22	LEU	-	expression tag	UNP A0A077JI83
B	23	VAL	-	expression tag	UNP A0A077JI83
B	24	PRO	-	expression tag	UNP A0A077JI83
B	25	ARG	-	expression tag	UNP A0A077JI83
B	26	GLY	-	expression tag	UNP A0A077JI83
B	27	SER	-	expression tag	UNP A0A077JI83
B	28	HIS	-	expression tag	UNP A0A077JI83
B	29	MET	-	expression tag	UNP A0A077JI83
B	322	GLN	GLU	engineered mutation	UNP A0A077JI83


- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	3	Total Mg 3 3	0	0
2	B	2	Total Mg 2 2	0	0

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Ca 1 1	0	0
3	B	1	Total Ca 1 1	0	0

- Molecule 4 is beta-D-glucopyranose (CCD ID: BGC) (formula: C₆H₁₂O₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			11	6	5		
4	B	1	Total	C	O	0	0
			11	6	5		

- Molecule 5 is beta-D-fructofuranose (CCD ID: FRU) (formula: $C_6H_{12}O_6$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			12	6	6		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			12	6	6		

- Molecule 6 is beta-D-fructopyranose (CCD ID: BDF) (formula: $C_6H_{12}O_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			12	6	6		
6	B	1	Total	C	O	0	0
			12	6	6		

- Molecule 7 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			4	2	2		
7	B	1	Total	C	O	0	0
			4	2	2		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	445	Total	O	0	0
			445	445		
8	B	538	Total	O	0	0
			538	538		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Sucrose hydrolase



• Molecule 1: Sucrose hydrolase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	65.41Å 147.06Å 153.54Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.04 – 1.60 42.04 – 1.60	Depositor EDS
% Data completeness (in resolution range)	99.6 (42.04-1.60) 99.6 (42.04-1.60)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.30 (at 1.60Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.178 , 0.207 0.189 , 0.217	Depositor DCC
R_{free} test set	9549 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å ²)	20.0	Xtriage
Anisotropy	0.042	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 38.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.016 for -h,l,k	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10474	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, BDF, BGC, FRU, CA, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.11	5/4831 (0.1%)	1.27	3/6581 (0.0%)
1	B	1.15	4/4867 (0.1%)	1.25	10/6629 (0.2%)
All	All	1.13	9/9698 (0.1%)	1.26	13/13210 (0.1%)

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	344	HIS	C-O	-6.81	1.16	1.24
1	A	381	PRO	C-O	-6.61	1.16	1.23
1	A	388	HIS	CE1-NE2	6.00	1.38	1.32
1	B	52	VAL	C-O	5.75	1.29	1.24
1	A	74	GLY	C-O	5.59	1.30	1.23
1	B	503	LYS	C-O	5.56	1.30	1.24
1	A	81	HIS	CE1-NE2	5.51	1.38	1.32
1	B	347	PHE	C-O	5.41	1.30	1.23
1	A	88	ASP	C-O	5.35	1.31	1.24

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	566	THR	CA-CB-OG1	-6.70	99.55	109.60
1	B	577	HIS	CA-CB-CG	-6.61	107.19	113.80
1	B	65	ASP	CA-CB-CG	6.38	118.98	112.60
1	B	140	ASP	CA-CB-CG	6.03	118.63	112.60
1	B	103	PHE	CA-CB-CG	-5.87	107.93	113.80
1	B	388	HIS	CA-CB-CG	-5.68	108.12	113.80
1	B	82	PHE	CA-CB-CG	-5.49	108.31	113.80
1	A	468	THR	CA-CB-OG1	-5.35	101.57	109.60
1	B	121	GLU	CB-CG-CD	5.15	121.35	112.60
1	A	397	PHE	O-C-N	5.13	125.32	121.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	393	MET	CG-SD-CE	-5.04	89.82	100.90
1	B	498	ALA	O-C-N	5.01	127.86	122.15
1	B	115	TYR	CA-C-O	-5.01	115.24	120.55

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4685	0	4403	28	0
1	B	4721	0	4427	37	0
2	A	3	0	0	0	0
2	B	2	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	11	0	10	0	0
4	B	11	0	10	0	0
5	A	12	0	12	0	0
5	B	12	0	12	0	0
6	A	12	0	12	0	0
6	B	12	0	12	0	0
7	A	4	0	3	0	0
7	B	4	0	3	2	0
8	A	445	0	0	1	0
8	B	538	0	0	2	0
All	All	10474	0	8904	65	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (65) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:203:ARG:HE	1:A:205:GLN:HE21	1.33	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:327[A]:VAL:HG23	8:A:1203:HOH:O	1.87	0.75
1:B:203:ARG:HE	1:B:205:GLN:HE21	1.38	0.72
1:B:91[B]:TRP:CH2	7:B:707:ACT:H2	2.29	0.68
1:B:91[B]:TRP:C	1:B:91[B]:TRP:CD1	2.73	0.67
1:B:178:ASN:HB2	1:B:181:VAL:HG12	1.78	0.66
1:B:427:ARG:CZ	1:B:489:ILE:HD11	2.28	0.64
1:A:203:ARG:HE	1:A:205:GLN:NE2	1.98	0.62
1:B:175:ASN:ND2	1:B:181:VAL:CG1	2.67	0.57
1:B:203:ARG:HH21	1:B:205:GLN:HE22	1.52	0.57
1:B:375[A]:MET:HE1	1:B:381:PRO:N	2.19	0.56
1:B:497:THR:O	1:B:503:LYS:HE2	2.05	0.54
1:A:427:ARG:CZ	1:A:489:ILE:HD11	2.38	0.53
1:B:178:ASN:O	1:B:179:PRO:C	2.50	0.53
1:B:203:ARG:HE	1:B:205:GLN:NE2	2.05	0.53
1:A:305:LEU:HD22	1:A:319[B]:VAL:HG23	1.91	0.52
1:B:393[A]:MET:HB3	1:B:394:PRO:HD3	1.91	0.52
1:A:186:SER:HG	1:A:188:TRP:CG	2.28	0.52
1:A:203:ARG:HH21	1:A:205:GLN:HE22	1.59	0.51
1:B:277:SER:HA	1:B:282:TYR:CG	2.46	0.50
1:A:91[B]:TRP:CD1	1:A:91[B]:TRP:C	2.88	0.50
1:A:393:MET:HB3	1:A:394:PRO:HD3	1.93	0.50
1:B:497:THR:O	1:B:503:LYS:CE	2.58	0.50
1:A:407:ILE:HG21	1:A:546:LEU:HD13	1.94	0.49
1:A:91[B]:TRP:CZ2	1:A:245:ARG:HD2	2.49	0.48
1:B:91[B]:TRP:CZ3	7:B:707:ACT:H2	2.48	0.48
1:B:315:ASP:HB2	8:B:896:HOH:O	2.14	0.48
1:B:175:ASN:ND2	1:B:181:VAL:HG12	2.28	0.47
1:A:84:ASP:OD2	1:A:495:LYS:HE2	2.15	0.46
1:A:98:SER:HB3	1:A:100:MET:HE2	1.98	0.46
1:A:294:LEU:HD12	1:A:294:LEU:C	2.41	0.46
1:B:178:ASN:O	1:B:180:GLY:N	2.49	0.46
1:A:385:PHE:CE1	1:A:409:ASN:HB2	2.51	0.45
1:B:461:PRO:HB3	1:B:472:PHE:CG	2.52	0.45
1:A:277:SER:HA	1:A:282:TYR:CD2	2.52	0.44
1:A:446:ASP:HB2	1:A:447:PRO:HD2	2.00	0.44
1:A:572:TYR:CD2	1:A:573:VAL:HG23	2.53	0.44
1:B:100:MET:HE3	1:B:114:HIS:CD2	2.53	0.44
1:A:461:PRO:HB3	1:A:472:PHE:CG	2.53	0.44
1:B:375[A]:MET:HE1	1:B:380:ILE:C	2.42	0.43
1:B:375[B]:MET:HG3	1:B:376:PRO:HD2	2.00	0.43
1:A:277:SER:HA	1:A:282:TYR:CG	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:177:GLU:C	1:B:179:PRO:HD3	2.44	0.43
1:B:107:ILE:HD12	8:B:807:HOH:O	2.19	0.42
1:B:456:ASP:N	1:B:457:PRO:CD	2.82	0.42
1:B:572:TYR:CD2	1:B:573:VAL:HG23	2.55	0.42
1:A:448:ASP:O	1:A:451:HIS:HE1	2.02	0.42
1:B:360:ASN:HB2	1:B:529:ASP:O	2.20	0.42
1:A:124:GLU:OE2	1:A:239:LYS:NZ	2.52	0.42
1:B:38:PRO:HA	1:B:39:PRO:HD3	1.94	0.42
1:B:178:ASN:N	1:B:179:PRO:HD3	2.34	0.42
1:B:446:ASP:HB2	1:B:447:PRO:CD	2.49	0.42
1:A:554:ARG:HH21	1:A:592:SER:HB3	1.85	0.41
1:A:139:LEU:O	1:A:244:PHE:HA	2.20	0.41
1:B:91[B]:TRP:CZ2	1:B:245:ARG:HD2	2.55	0.41
1:B:242:ASP:O	1:B:317:ARG:HA	2.19	0.41
1:B:249:LEU:HD12	1:B:321:SER:HB2	2.02	0.41
1:B:404:GLY:HA3	1:B:548:PHE:CZ	2.55	0.41
1:A:246:LEU:HD12	1:A:319[A]:VAL:HG21	2.02	0.41
1:A:456:ASP:N	1:A:457:PRO:CD	2.84	0.41
1:B:175:ASN:ND2	1:B:181:VAL:HG13	2.36	0.41
1:B:305:LEU:HD22	1:B:319[B]:VAL:HG23	2.02	0.41
1:A:91[B]:TRP:CZ2	1:A:245:ARG:CD	3.05	0.40
1:B:175:ASN:HD22	1:B:181:VAL:HG13	1.86	0.40
1:A:186:SER:HG	1:A:188:TRP:CD1	2.39	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	572/598 (96%)	559 (98%)	13 (2%)	0	100	100
1	B	576/598 (96%)	560 (97%)	15 (3%)	1 (0%)	43	24

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1148/1196 (96%)	1119 (98%)	28 (2%)	1 (0%)	48 27

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	179	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	504/524 (96%)	501 (99%)	3 (1%)	78 66
1	B	508/524 (97%)	506 (100%)	2 (0%)	84 75
All	All	1012/1048 (97%)	1007 (100%)	5 (0%)	81 70

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	128	ASP
1	A	166	PHE
1	A	217	ASP
1	B	166	PHE
1	B	177	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	55	GLN
1	A	205	GLN
1	A	312	HIS
1	A	391	ASN
1	A	514	GLN
1	A	577	HIS
1	B	191	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	205	GLN
1	B	443	ASN
1	B	514	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 15 ligands modelled in this entry, 7 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	BGC	B	704	1	11,11,12	1.59	1 (9%)	15,15,17	1.91	2 (13%)
5	FRU	A	705	-	11,12,12	1.04	1 (9%)	10,18,18	1.19	1 (10%)
5	FRU	B	705	-	11,12,12	1.57	2 (18%)	10,18,18	1.25	1 (10%)
6	BDF	A	706	-	12,12,12	0.79	0	18,18,18	0.91	1 (5%)
6	BDF	B	706	-	12,12,12	0.85	1 (8%)	18,18,18	1.06	2 (11%)
7	ACT	B	707	-	3,3,3	1.13	0	3,3,3	0.98	0
7	ACT	A	707	-	3,3,3	1.29	1 (33%)	3,3,3	1.46	0
4	BGC	A	704	1	11,11,12	1.41	2 (18%)	15,15,17	2.12	7 (46%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BGC	B	704	1	-	0/2/19/22	0/1/1/1
5	FRU	A	705	-	-	0/5/24/24	0/1/1/1
5	FRU	B	705	-	-	0/5/24/24	0/1/1/1
6	BDF	A	706	-	-	0/3/23/23	0/1/1/1
6	BDF	B	706	-	-	0/3/23/23	0/1/1/1
4	BGC	A	704	1	-	0/2/19/22	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	704	BGC	O5-C1	-4.21	1.36	1.43
5	B	705	FRU	O5-C2	2.93	1.48	1.43
5	B	705	FRU	O3-C3	2.55	1.47	1.42
4	A	704	BGC	O5-C1	2.52	1.47	1.43
7	A	707	ACT	CH3-C	2.17	1.57	1.49
4	A	704	BGC	C6-C5	2.15	1.59	1.51
6	B	706	BDF	O6-C2	2.13	1.45	1.43
5	A	705	FRU	C1-C2	2.01	1.57	1.52

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	704	BGC	C1-O5-C5	5.81	119.98	112.19
4	A	704	BGC	C1-C2-C3	4.13	115.66	109.64
4	B	704	BGC	C3-C4-C5	-3.14	104.54	110.23
4	A	704	BGC	C3-C4-C5	-2.99	104.81	110.23
4	A	704	BGC	C1-O5-C5	2.91	116.08	112.19
6	B	706	BDF	O2-C2-C1	-2.78	106.51	111.35
5	A	705	FRU	O1-C1-C2	2.67	117.58	111.67
4	A	704	BGC	O4-C4-C5	2.63	115.79	109.32
4	A	704	BGC	O2-C2-C1	-2.56	103.36	109.22
6	A	706	BDF	O2-C2-C1	-2.47	107.04	111.35
5	B	705	FRU	O3-C3-C4	-2.42	104.69	113.25
4	A	704	BGC	O5-C5-C6	-2.39	103.01	107.66
6	B	706	BDF	O2-C2-C3	2.24	111.94	107.93
4	A	704	BGC	O2-C2-C3	2.07	114.43	110.15

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.


1 monomer is involved in 2 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	B	707	ACT	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	570/598 (95%)	0.62	21 (3%)	45 47	13, 30, 50, 85	4 (0%)
1	B	570/598 (95%)	0.41	30 (5%)	32 33	11, 27, 48, 102	8 (1%)
All	All	1140/1196 (95%)	0.51	51 (4%)	38 40	11, 29, 49, 102	12 (1%)

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	37	PRO	5.4
1	B	176	PRO	5.3
1	B	181	VAL	4.3
1	B	37	PRO	4.2
1	A	38	PRO	4.1
1	B	179	PRO	3.6
1	A	452	LEU	3.6
1	B	173	LEU	3.6
1	B	452	LEU	3.4
1	A	43	ILE	3.4
1	A	272	LEU	3.4
1	B	180	GLY	3.3
1	B	449	THR	3.2
1	B	273	THR	3.1
1	B	433	TRP	3.1
1	B	38	PRO	3.0
1	A	447	PRO	2.9
1	B	477	ASN	2.8
1	B	577	HIS	2.8
1	B	448	ASP	2.7
1	A	446	ASP	2.6
1	A	39	PRO	2.6
1	A	275	PHE	2.6
1	B	174	PRO	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	183	LEU	2.5
1	A	273	THR	2.5
1	B	272	LEU	2.4
1	A	566	THR	2.4
1	A	163	TYR	2.4
1	B	446	ASP	2.4
1	B	275	PHE	2.3
1	B	451	HIS	2.3
1	A	433	TRP	2.3
1	B	447	PRO	2.3
1	A	448	ASP	2.3
1	A	581	LEU	2.2
1	B	450	TYR	2.2
1	A	449	THR	2.2
1	A	261	GLU	2.1
1	A	579	ALA	2.1
1	B	175	ASN	2.1
1	B	476	THR	2.1
1	B	484	GLU	2.1
1	A	40	THR	2.1
1	B	497	THR	2.1
1	A	451	HIS	2.1
1	B	258	ALA	2.1
1	B	182	ARG	2.1
1	B	170	ALA	2.0
1	B	496	GLU	2.0
1	A	202	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	ACT	A	707	4/4	0.85	0.16	34,37,37,39	0
6	BDF	A	706	12/12	0.88	0.13	37,43,49,51	0
6	BDF	B	706	12/12	0.90	0.12	31,33,36,39	0
7	ACT	B	707	4/4	0.94	0.10	32,34,36,37	0
5	FRU	A	705	12/12	0.96	0.09	28,31,32,34	0
5	FRU	B	705	12/12	0.96	0.08	24,26,30,31	0
4	BGC	A	704	11/12	0.96	0.07	22,23,25,27	0
2	MG	A	708	1/1	0.98	0.05	24,24,24,24	0
2	MG	B	703	1/1	0.98	0.15	33,33,33,33	0
2	MG	A	701	1/1	0.98	0.05	28,28,28,28	0
4	BGC	B	704	11/12	0.98	0.05	19,21,25,25	0
2	MG	A	703	1/1	0.98	0.13	37,37,37,37	0
3	CA	A	702	1/1	0.99	0.03	25,25,25,25	0
3	CA	B	702	1/1	0.99	0.04	24,24,24,24	0
2	MG	B	701	1/1	1.00	0.02	23,23,23,23	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around BDF A 706:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BDF B 706:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FRU A 705:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FRU B 705:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BGC A 704:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG A 708:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG B 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG A 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BGC B 704:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG A 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CA A 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around CA B 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around MG B 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.