



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 10:51 PM UTC

PDB ID : 1LH7 / pdb_00001lh7
Title : X-RAY STRUCTURAL INVESTIGATION OF LEGHEMOGLOBIN. VI.
STRUCTURE OF ACETATE-FERRILEGHEMOGLOBIN AT A RESO-
LUTION OF 2.0 ANGSTROMS (RUSSIAN)
Authors : Vainshtein, B.K.; Harutyunyan, E.H.; Kuranova, I.P.; Borisov, V.V.; Sosfenov,
N.I.; Pavlovsky, A.G.; Grebenko, A.I.; Konareva, N.V.
Deposited on : 1982-04-23
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	153	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NBE	A	155	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 1295 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called LEGHEMOGLOBIN (NITROSOBENZENE).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	153	Total	C	N	O	S	36	1	0
			1180	761	193	225	1			

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	79	GLU	GLN	conflict	UNP P02240
A	150	ASP	ASN	conflict	UNP P02240

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	3	0
			43	34	1	4	4		

- Molecule 3 is NITROSOBENZENE (CCD ID: NBE) (formula: C_6H_5NO).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			8	6	1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	64	Total	O	0	0
			64	64		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: LEGHEMOGLOBIN (NITROSOBENZENE)



4 Data and refinement statistics

Property	Value	Source
Space group	B 1 1 2	Depositor
Cell constants a, b, c, α , β , γ	93.23Å 38.25Å 51.88Å 90.00° 90.00° 98.70°	Depositor
Resolution (Å)	(Not available) – 2.00 200.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) ((Not available)-2.00) 60.2 (200.00-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$	-	Xtriage
Refinement program	unknown	Depositor
R, R_{free}	(Not available) , (Not available) (Not available) , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	20.9	Xtriage
Anisotropy	0.256	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.46 , 121.6	EDS
L-test for twinning ¹	$\langle L \rangle = 0.39$, $\langle L^2 \rangle = 0.21$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.73	EDS
Total number of atoms	1295	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 13.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NBE, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	4.52	320/1214 (26.4%)	2.85	146/1648 (8.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	14

All (320) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	27	HIS	CG-ND1	18.11	1.58	1.38
1	A	27	HIS	CE1-NE2	18.04	1.50	1.32
1	A	63	HIS	CE1-NE2	14.88	1.47	1.32
1	A	63	HIS	ND1-CE1	13.50	1.46	1.32
1	A	111	LYS	N-CA	12.95	1.61	1.46
1	A	133	ALA	CA-C	12.54	1.69	1.52
1	A	99	SER	N-CA	12.47	1.62	1.46
1	A	63	HIS	CG-ND1	12.42	1.51	1.38
1	A	51	SER	CA-C	11.91	1.64	1.52
1	A	106	HIS	ND1-CE1	11.71	1.44	1.32
1	A	63	HIS	CD2-NE2	11.63	1.50	1.37
1	A	85	VAL	CA-C	11.29	1.66	1.52
1	A	122	VAL	N-CA	11.29	1.61	1.46
1	A	61	GLN	C-O	11.21	1.37	1.24
1	A	109	VAL	CA-CB	11.18	1.66	1.54
1	A	106	HIS	CD2-NE2	11.01	1.50	1.37
1	A	97	HIS	CG-CD2	-11.00	1.23	1.35
1	A	11	VAL	N-CA	11.00	1.59	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	45	SER	N-CA	10.90	1.59	1.46
1	A	103	ALA	CA-C	10.86	1.66	1.52
1	A	75	ALA	N-CA	10.78	1.59	1.46
1	A	18	PHE	N-CA	10.74	1.59	1.46
1	A	86	THR	N-CA	10.73	1.60	1.46
1	A	108	PRO	C-N	10.68	1.46	1.33
1	A	95	SER	N-CA	10.68	1.59	1.46
1	A	107	PHE	N-CA	10.55	1.58	1.46
1	A	106	HIS	CB-CG	10.49	1.64	1.50
1	A	52	GLU	N-CA	10.48	1.57	1.45
1	A	91	LYS	C-N	-10.43	1.18	1.33
1	A	136	ILE	CA-CB	10.35	1.65	1.54
1	A	97	HIS	CA-CB	10.31	1.69	1.53
1	A	145	ILE	N-CA	10.24	1.58	1.46
1	A	52	GLU	C-N	10.19	1.44	1.33
1	A	152	ALA	N-CA	10.18	1.59	1.46
1	A	84	VAL	N-CA	10.12	1.58	1.46
1	A	116	LYS	N-CA	-10.09	1.34	1.46
1	A	110	VAL	CA-C	10.04	1.66	1.52
1	A	72	TYR	C-O	9.98	1.35	1.24
1	A	98	VAL	CA-C	9.94	1.65	1.52
1	A	67	VAL	CA-C	9.92	1.65	1.52
1	A	149	MET	C-O	9.91	1.35	1.24
1	A	87	ASP	CA-C	9.82	1.67	1.53
1	A	68	PHE	C-O	9.80	1.36	1.24
1	A	137	ALA	CA-C	9.76	1.66	1.52
1	A	50	THR	CA-CB	9.74	1.67	1.53
1	A	88	ALA	N-CA	9.74	1.58	1.46
1	A	65	GLY	C-O	9.67	1.35	1.23
1	A	13	SER	CA-CB	9.64	1.68	1.53
1	A	10	LEU	CA-C	9.61	1.65	1.52
1	A	130	LEU	N-CA	9.58	1.58	1.46
1	A	93	LEU	C-N	-9.48	1.22	1.33
1	A	144	VAL	CA-C	9.46	1.66	1.52
1	A	63	HIS	CA-C	9.42	1.64	1.52
1	A	115	LEU	N-CA	9.41	1.57	1.46
1	A	113	ALA	CA-CB	9.39	1.68	1.53
1	A	53	VAL	CA-CB	9.32	1.66	1.54
1	A	104	ASP	N-CA	9.25	1.57	1.46
1	A	98	VAL	CA-CB	-9.16	1.43	1.54
1	A	143	ILE	CA-CB	9.16	1.66	1.54
1	A	17	GLU	CA-C	9.14	1.64	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	25	HIS	CE1-NE2	9.13	1.41	1.32
1	A	152	ALA	C-O	9.09	1.36	1.24
1	A	134	TRP	N-CA	9.08	1.58	1.46
1	A	68	PHE	N-CA	9.07	1.57	1.46
1	A	64	ALA	N-CA	9.07	1.57	1.46
1	A	94	GLY	CA-C	9.07	1.63	1.51
1	A	30	PHE	N-CA	9.06	1.57	1.46
1	A	12	LYS	CA-C	-9.04	1.41	1.52
1	A	124	ALA	N-CA	9.00	1.58	1.46
1	A	20	ALA	N-CA	-8.96	1.34	1.46
1	A	141	LEU	N-CA	8.95	1.57	1.46
1	A	136	ILE	N-CA	-8.91	1.36	1.46
1	A	13	SER	N-CA	-8.88	1.35	1.46
1	A	120	GLU	CA-CB	8.87	1.67	1.53
1	A	77	GLN	N-CA	-8.84	1.35	1.46
1	A	114	ILE	CA-C	8.83	1.64	1.52
1	A	27	HIS	CD2-NE2	8.77	1.47	1.37
1	A	71	VAL	N-CA	8.76	1.56	1.46
1	A	123	GLY	CA-C	8.76	1.64	1.51
1	A	15	TRP	N-CA	8.73	1.57	1.46
1	A	14	SER	CA-C	8.69	1.64	1.52
1	A	42	ASP	C-N	8.60	1.45	1.34
1	A	151	ASP	CA-C	8.59	1.64	1.52
1	A	90	LEU	CA-CB	8.59	1.67	1.53
1	A	15	TRP	C-O	8.54	1.34	1.24
1	A	25	HIS	ND1-CE1	8.50	1.41	1.32
1	A	74	ALA	CA-C	8.41	1.63	1.52
1	A	60	LEU	CA-C	8.41	1.64	1.52
1	A	92	ASN	C-O	8.40	1.34	1.24
1	A	71	VAL	CA-C	8.36	1.63	1.52
1	A	64	ALA	C-O	8.32	1.34	1.24
1	A	78	LEU	C-N	-8.26	1.22	1.33
1	A	129	GLU	CA-C	8.23	1.63	1.52
1	A	140	GLU	CA-C	8.23	1.63	1.52
1	A	91	LYS	CA-C	8.21	1.63	1.52
1	A	101	GLY	CA-C	8.15	1.62	1.51
1	A	124	ALA	C-O	8.14	1.34	1.24
1	A	80	VAL	CA-C	-8.11	1.43	1.52
1	A	11	VAL	CA-CB	-8.06	1.44	1.54
1	A	27	HIS	ND1-CE1	8.05	1.40	1.32
1	A	70	LEU	N-CA	-8.05	1.36	1.46
1	A	121	VAL	CA-C	8.04	1.63	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	132[A]	SER	N-CA	-8.04	1.36	1.46
1	A	132[B]	SER	N-CA	-8.04	1.36	1.46
1	A	132[C]	SER	N-CA	-8.04	1.36	1.46
1	A	81	THR	CA-CB	8.03	1.66	1.53
1	A	75	ALA	C-O	7.99	1.33	1.24
1	A	132[A]	SER	CA-CB	7.94	1.66	1.53
1	A	132[B]	SER	CA-CB	7.94	1.66	1.53
1	A	132[C]	SER	CA-CB	7.94	1.66	1.53
1	A	54	PRO	CA-C	7.90	1.62	1.52
1	A	81	THR	N-CA	-7.89	1.36	1.46
1	A	78	LEU	CA-C	7.85	1.63	1.52
1	A	100	LYS	C-N	-7.84	1.23	1.33
1	A	30	PHE	CA-CB	7.79	1.65	1.53
1	A	82	GLY	CA-C	7.79	1.62	1.51
1	A	56	ASN	C-O	7.76	1.31	1.23
1	A	127	SER	C-O	7.75	1.33	1.23
1	A	45	SER	CA-C	-7.73	1.42	1.52
1	A	147	LYS	N-CA	-7.68	1.37	1.46
1	A	114	ILE	N-CA	7.67	1.55	1.46
1	A	138	TYR	N-CA	7.67	1.55	1.46
1	A	145	ILE	C-O	7.61	1.33	1.24
1	A	38	PRO	N-CA	7.54	1.57	1.47
1	A	102	VAL	N-CA	7.52	1.55	1.46
1	A	63	HIS	CB-CG	7.51	1.60	1.50
1	A	146	LYS	CA-C	-7.51	1.42	1.52
1	A	138	TYR	CZ-OH	7.50	1.53	1.38
1	A	77	GLN	CA-CB	7.49	1.65	1.53
1	A	148	GLU	C-O	7.46	1.33	1.24
1	A	142	ALA	CA-C	-7.44	1.42	1.52
1	A	148	GLU	CA-C	7.42	1.63	1.52
1	A	55	GLN	C-O	7.41	1.33	1.24
1	A	127	SER	N-CA	7.40	1.55	1.45
1	A	138	TYR	CB-CG	7.39	1.68	1.51
1	A	10	LEU	CB-CG	7.39	1.68	1.53
1	A	64	ALA	CA-C	7.38	1.62	1.52
1	A	150	ASP	CA-CB	7.37	1.64	1.53
1	A	43	LEU	CA-CB	7.36	1.65	1.53
1	A	106	HIS	N-CA	-7.32	1.37	1.46
1	A	119	LYS	CA-C	-7.31	1.43	1.52
1	A	54	PRO	C-N	-7.29	1.23	1.33
1	A	115	LEU	CA-C	-7.26	1.43	1.52
1	A	149	MET	CA-C	-7.23	1.43	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	34	LEU	N-CA	7.20	1.55	1.46
1	A	120	GLU	C-N	-7.19	1.24	1.33
1	A	117	THR	CA-C	7.18	1.62	1.52
1	A	76	ILE	C-O	7.18	1.32	1.24
1	A	8	ALA	C-O	7.17	1.33	1.24
1	A	4	THR	C-O	7.17	1.33	1.23
1	A	55	GLN	CA-CB	-7.17	1.43	1.54
1	A	83	VAL	N-CA	7.05	1.54	1.46
1	A	96	VAL	C-O	7.04	1.32	1.24
1	A	131	ASN	C-N	6.97	1.43	1.33
1	A	127	SER	CA-C	-6.96	1.44	1.52
1	A	139	ASP	N-CA	-6.94	1.38	1.46
1	A	26	THR	C-N	-6.94	1.24	1.34
1	A	71	VAL	C-O	6.92	1.32	1.24
1	A	85	VAL	C-N	-6.91	1.24	1.33
1	A	131	ASN	CA-C	-6.90	1.43	1.52
1	A	27	HIS	C-N	6.89	1.42	1.33
1	A	15	TRP	CD2-CE2	6.88	1.53	1.41
1	A	142	ALA	C-O	6.86	1.32	1.24
1	A	120	GLU	N-CA	-6.84	1.38	1.46
1	A	2	ALA	C-N	-6.80	1.24	1.33
1	A	79	GLU	CA-CB	-6.77	1.42	1.53
1	A	125	LYS	CA-C	-6.75	1.43	1.52
1	A	28	ARG	CA-CB	6.74	1.63	1.53
1	A	52	GLU	C-O	6.74	1.32	1.23
1	A	8	ALA	CA-C	-6.73	1.43	1.52
1	A	126	TRP	C-N	-6.72	1.24	1.33
1	A	37	ALA	CA-C	6.71	1.61	1.52
1	A	56	ASN	C-N	-6.71	1.23	1.33
1	A	67	VAL	C-N	-6.69	1.24	1.34
1	A	55	GLN	N-CA	6.67	1.55	1.45
1	A	139	ASP	CA-CB	6.67	1.63	1.53
1	A	43	LEU	C-N	-6.66	1.23	1.33
1	A	69	LYS	CA-C	-6.66	1.43	1.52
1	A	17	GLU	C-N	-6.65	1.25	1.33
1	A	65	GLY	N-CA	6.64	1.54	1.45
1	A	76	ILE	N-CA	6.64	1.54	1.46
1	A	28	ARG	CA-C	-6.63	1.44	1.52
1	A	7	GLN	CA-C	6.62	1.61	1.52
1	A	150	ASP	C-O	6.61	1.31	1.24
1	A	81	THR	C-O	-6.60	1.15	1.24
1	A	22	ILE	C-N	-6.56	1.25	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	93	LEU	CA-CB	6.55	1.63	1.53
1	A	144	VAL	C-N	-6.55	1.25	1.33
1	A	118	ILE	N-CA	6.55	1.54	1.46
1	A	147	LYS	CA-C	6.52	1.61	1.52
1	A	95	SER	C-N	-6.52	1.25	1.33
1	A	95	SER	CB-OG	6.47	1.55	1.42
1	A	28	ARG	CZ-NH1	6.46	1.41	1.32
1	A	29	PHE	N-CA	-6.45	1.38	1.46
1	A	19	ASN	CA-C	-6.45	1.43	1.52
1	A	141	LEU	CA-C	6.45	1.61	1.52
1	A	38	PRO	C-N	-6.43	1.25	1.33
1	A	99	SER	CA-C	-6.42	1.44	1.52
1	A	18	PHE	CB-CG	6.41	1.65	1.50
1	A	83	VAL	C-N	6.40	1.41	1.33
1	A	12	LYS	C-O	6.40	1.31	1.24
1	A	52	GLU	CA-CB	-6.39	1.43	1.53
1	A	47	LEU	CA-C	6.39	1.60	1.52
1	A	76	ILE	CA-C	-6.39	1.44	1.52
1	A	5	GLU	CA-CB	6.38	1.63	1.53
1	A	68	PHE	CA-CB	-6.38	1.42	1.53
1	A	128	GLU	N-CA	-6.38	1.38	1.46
1	A	59	GLU	N-CA	-6.32	1.38	1.46
1	A	48	LYS	N-CA	6.30	1.54	1.46
1	A	79	GLU	N-CA	6.30	1.54	1.46
1	A	112	GLU	CA-C	-6.30	1.44	1.52
1	A	47	LEU	CA-CB	6.24	1.62	1.53
1	A	6	SER	CA-C	6.24	1.61	1.52
1	A	49	GLY	CA-C	-6.21	1.43	1.51
1	A	15	TRP	NE1-CE2	-6.20	1.30	1.37
1	A	147	LYS	CA-CB	6.17	1.62	1.53
1	A	18	PHE	CA-C	6.17	1.60	1.52
1	A	119	LYS	C-N	6.15	1.42	1.33
1	A	89	THR	C-O	6.12	1.31	1.24
1	A	96	VAL	C-N	6.11	1.42	1.33
1	A	46	PHE	N-CA	-6.08	1.38	1.46
1	A	18	PHE	C-O	6.07	1.31	1.24
1	A	69	LYS	C-O	6.00	1.31	1.24
1	A	58	PRO	N-CD	5.99	1.56	1.47
1	A	3	LEU	CA-CB	5.98	1.63	1.53
1	A	44	PHE	CA-C	5.97	1.60	1.52
1	A	8	ALA	N-CA	5.96	1.53	1.46
1	A	49	GLY	C-N	5.96	1.41	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	61	GLN	N-CA	5.95	1.53	1.46
1	A	14	SER	C-N	-5.93	1.25	1.34
1	A	39	ALA	C-O	5.93	1.31	1.24
1	A	31	ILE	CA-CB	-5.92	1.46	1.54
1	A	117	THR	CA-CB	5.90	1.62	1.53
1	A	126	TRP	CA-C	5.87	1.60	1.52
1	A	106	HIS	CA-C	5.86	1.60	1.52
1	A	41	LYS	CA-C	5.83	1.60	1.52
1	A	19	ASN	C-O	5.83	1.31	1.24
1	A	148	GLU	N-CA	5.82	1.53	1.46
1	A	137	ALA	CA-CB	-5.80	1.44	1.53
1	A	106	HIS	CA-CB	5.79	1.62	1.53
1	A	40	ALA	CA-CB	5.78	1.63	1.53
1	A	143	ILE	N-CA	-5.76	1.39	1.46
1	A	105	ALA	CA-C	-5.68	1.44	1.52
1	A	112	GLU	C-N	5.68	1.41	1.33
1	A	112	GLU	CG-CD	5.68	1.66	1.52
1	A	35	GLU	CD-OE2	5.67	1.36	1.25
1	A	74	ALA	C-N	-5.66	1.26	1.33
1	A	121	VAL	CB-CG2	5.66	1.71	1.52
1	A	71	VAL	C-N	-5.64	1.26	1.33
1	A	73	GLU	CA-CB	5.64	1.62	1.53
1	A	88	ALA	C-N	-5.62	1.26	1.33
1	A	5	GLU	CA-C	-5.62	1.45	1.52
1	A	70	LEU	CA-C	5.62	1.60	1.52
1	A	83	VAL	CA-C	5.62	1.58	1.52
1	A	107	PHE	C-O	-5.61	1.19	1.24
1	A	9	ALA	N-CA	-5.60	1.39	1.46
1	A	126	TRP	N-CA	-5.58	1.39	1.46
1	A	140	GLU	CA-CB	5.57	1.61	1.53
1	A	145	ILE	CA-CB	-5.55	1.47	1.54
1	A	99	SER	C-O	5.55	1.31	1.24
1	A	42	ASP	C-O	5.54	1.31	1.24
1	A	149	MET	N-CA	5.53	1.53	1.46
1	A	32	LEU	CA-C	-5.51	1.45	1.52
1	A	20	ALA	CA-CB	5.49	1.62	1.53
1	A	120	GLU	CG-CD	5.48	1.65	1.52
1	A	35	GLU	CA-C	-5.47	1.45	1.52
1	A	136	ILE	C-N	-5.46	1.26	1.33
1	A	16	GLU	CA-CB	5.46	1.61	1.53
1	A	111	LYS	CB-CG	5.45	1.68	1.52
1	A	45	SER	C-O	5.44	1.30	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	14	SER	CB-OG	-5.43	1.31	1.42
1	A	41	LYS	C-N	-5.42	1.26	1.33
1	A	120	GLU	C-O	-5.40	1.17	1.24
1	A	55	GLN	C-N	5.38	1.40	1.33
1	A	79	GLU	C-O	5.37	1.30	1.24
1	A	6	SER	C-N	-5.36	1.26	1.34
1	A	34	LEU	C-N	5.36	1.41	1.34
1	A	33	VAL	N-CA	-5.34	1.40	1.46
1	A	141	LEU	CB-CG	5.34	1.64	1.53
1	A	11	VAL	CB-CG1	5.33	1.70	1.52
1	A	32	LEU	CA-CB	5.33	1.62	1.53
1	A	121	VAL	C-N	5.33	1.40	1.34
1	A	44	PHE	CB-CG	5.31	1.62	1.50
1	A	10	LEU	C-N	-5.29	1.27	1.33
1	A	6	SER	N-CA	-5.27	1.39	1.46
1	A	108	PRO	N-CD	-5.25	1.40	1.47
1	A	135	THR	CA-C	-5.25	1.46	1.52
1	A	47	LEU	CB-CG	5.24	1.64	1.53
1	A	92	ASN	CB-CG	5.23	1.65	1.52
1	A	59	GLU	C-N	-5.23	1.27	1.33
1	A	29	PHE	CA-C	5.21	1.59	1.52
1	A	114	ILE	CB-CG1	5.21	1.63	1.53
1	A	95	SER	C-O	5.20	1.30	1.24
1	A	7	GLN	CA-CB	-5.20	1.44	1.53
1	A	80	VAL	CA-CB	5.19	1.60	1.54
1	A	45	SER	CB-OG	5.18	1.52	1.42
1	A	126	TRP	C-O	5.17	1.30	1.23
1	A	42	ASP	N-CA	5.17	1.53	1.46
1	A	11	VAL	C-O	5.16	1.30	1.24
1	A	78	LEU	N-CA	5.15	1.52	1.46
1	A	146	LYS	CA-CB	5.14	1.61	1.53
1	A	19	ASN	N-CA	5.13	1.53	1.46
1	A	54	PRO	C-O	5.13	1.30	1.23
1	A	16	GLU	C-O	5.12	1.30	1.24
1	A	18	PHE	CA-CB	-5.10	1.45	1.53
1	A	143	ILE	C-N	-5.10	1.27	1.33
1	A	117	THR	C-O	-5.09	1.18	1.24
1	A	150	ASP	N-CA	-5.08	1.40	1.46
1	A	29	PHE	C-N	5.07	1.40	1.33
1	A	96	VAL	CA-CB	-5.05	1.48	1.54
1	A	122	VAL	CA-CB	-5.05	1.48	1.54
1	A	88	ALA	C-O	5.05	1.30	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	136	ILE	CB-CG1	5.05	1.63	1.53
1	A	72	TYR	CG-CD2	5.04	1.50	1.39
1	A	152	ALA	CA-CB	-5.03	1.44	1.53
1	A	129	GLU	C-N	-5.03	1.26	1.33
1	A	92	ASN	C-N	5.03	1.40	1.33
1	A	46	PHE	C-O	-5.03	1.17	1.24
1	A	58	PRO	CA-C	-5.02	1.44	1.52
1	A	151	ASP	C-N	-5.01	1.25	1.33

All (146) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	49	GLY	N-CA-C	-9.99	102.80	114.69
1	A	12	LYS	O-C-N	9.72	132.09	122.07
1	A	56	ASN	CA-CB-CG	-8.98	103.62	112.60
1	A	87	ASP	CA-CB-CG	-8.93	103.67	112.60
1	A	23	PRO	N-CA-CB	8.73	112.78	103.52
1	A	31	ILE	CB-CA-C	-8.62	100.33	112.22
1	A	149	MET	O-C-N	8.55	131.32	122.09
1	A	81	THR	N-CA-C	-8.34	103.24	113.41
1	A	71	VAL	N-CA-C	8.26	119.05	110.62
1	A	91	LYS	CA-C-O	8.01	129.18	119.97
1	A	102	VAL	CA-C-O	-7.97	111.63	121.11
1	A	19	ASN	CA-CB-CG	-7.84	104.76	112.60
1	A	54	PRO	N-CA-CB	7.78	110.09	103.25
1	A	110	VAL	O-C-N	-7.72	114.07	121.87
1	A	61	GLN	O-C-N	7.70	130.40	122.09
1	A	21	ASN	CA-CB-CG	-7.62	104.98	112.60
1	A	97	HIS	ND1-CE1-NE2	-7.57	100.83	108.40
1	A	57	ASN	CA-CB-CG	-7.56	105.04	112.60
1	A	131	ASN	CA-CB-CG	-7.47	105.13	112.60
1	A	142	ALA	O-C-N	7.39	131.36	122.27
1	A	15	TRP	CG-CD2-CE3	-7.24	126.66	133.90
1	A	47	LEU	N-CA-C	-7.17	105.06	113.88
1	A	133	ALA	O-C-N	-7.15	114.54	122.12
1	A	116	LYS	CA-C-O	-7.13	113.36	120.70
1	A	131	ASN	O-C-N	7.08	129.63	122.12
1	A	15	TRP	CE2-CD2-CE3	7.07	125.87	118.80
1	A	68	PHE	O-C-N	6.95	130.82	122.27
1	A	17	GLU	O-C-N	-6.95	114.76	122.12
1	A	119	LYS	O-C-N	6.83	129.94	122.15
1	A	27	HIS	N-CA-C	-6.81	103.92	111.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	22	ILE	CB-CA-C	-6.73	107.31	113.70
1	A	15	TRP	CD2-CE3-CZ3	-6.64	109.96	118.60
1	A	115	LEU	O-C-N	6.44	129.49	122.15
1	A	128	GLU	O-C-N	6.42	129.47	122.15
1	A	116	LYS	CA-C-N	6.41	129.20	120.54
1	A	116	LYS	C-N-CA	6.41	129.20	120.54
1	A	113	ALA	N-CA-C	-6.39	104.40	111.36
1	A	48	LYS	CB-CA-C	-6.36	101.01	110.16
1	A	28	ARG	O-C-N	6.35	128.61	122.07
1	A	92	ASN	O-C-N	6.35	130.84	122.33
1	A	36	ILE	N-CA-C	-6.34	103.41	112.35
1	A	65	GLY	O-C-N	6.34	129.19	122.28
1	A	63	HIS	N-CA-CB	-6.30	100.94	110.07
1	A	108	PRO	CA-C-O	-6.30	110.08	119.34
1	A	126	TRP	CE2-CD2-CE3	6.29	125.09	118.80
1	A	127	SER	O-C-N	6.22	130.70	123.17
1	A	140	GLU	O-C-N	-6.21	115.54	122.12
1	A	49	GLY	CA-C-O	-6.20	112.64	119.27
1	A	124	ALA	O-C-N	6.17	130.98	122.46
1	A	112	GLU	CA-C-O	-6.13	113.93	120.42
1	A	24	LYS	O-C-N	6.12	129.57	122.17
1	A	32	LEU	N-CA-C	-6.11	104.53	112.23
1	A	57	ASN	O-C-N	6.08	128.11	121.36
1	A	8	ALA	O-C-N	6.05	130.44	122.33
1	A	45	SER	O-C-N	6.05	129.30	122.22
1	A	33	VAL	CA-C-N	6.03	129.48	120.31
1	A	33	VAL	C-N-CA	6.03	129.48	120.31
1	A	112	GLU	N-CA-CB	6.02	119.08	110.16
1	A	108	PRO	N-CA-C	-6.00	105.71	113.57
1	A	41	LYS	CB-CA-C	-5.99	100.66	110.85
1	A	90	LEU	N-CA-C	-5.98	104.88	111.82
1	A	153	ALA	N-CA-CB	-5.95	101.47	110.40
1	A	151	ASP	O-C-N	-5.94	115.27	122.22
1	A	5	GLU	N-CA-C	-5.93	104.89	111.71
1	A	106	HIS	CA-C-N	5.92	127.11	120.06
1	A	106	HIS	C-N-CA	5.92	127.11	120.06
1	A	14	SER	CA-C-O	5.88	126.73	119.97
1	A	78	LEU	O-C-N	-5.88	115.04	122.27
1	A	24	LYS	N-CA-C	5.87	118.57	111.40
1	A	71	VAL	CA-C-O	5.87	127.05	120.95
1	A	119	LYS	CA-C-O	-5.74	114.34	120.42
1	A	56	ASN	CA-C-O	5.74	128.20	121.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	4	THR	CA-CB-OG1	-5.72	101.02	109.60
1	A	92	ASN	CA-CB-CG	-5.71	106.89	112.60
1	A	35	GLU	CB-CA-C	-5.70	99.72	110.67
1	A	131	ASN	CA-C-O	-5.70	114.51	120.55
1	A	131	ASN	N-CA-C	-5.69	105.07	111.28
1	A	146	LYS	N-CA-C	-5.68	105.23	111.82
1	A	118	ILE	CB-CA-C	-5.65	103.10	112.26
1	A	151	ASP	CA-C-O	5.65	126.48	120.10
1	A	93	LEU	CA-C-N	-5.65	113.05	120.22
1	A	93	LEU	C-N-CA	-5.65	113.05	120.22
1	A	126	TRP	CD2-CE2-CZ2	-5.65	116.75	122.40
1	A	63	HIS	ND1-CE1-NE2	-5.64	102.76	108.40
1	A	134	TRP	O-C-N	5.64	129.89	122.33
1	A	29	PHE	CD1-CG-CD2	5.63	127.04	118.60
1	A	20	ALA	N-CA-C	-5.61	105.69	112.54
1	A	91	LYS	O-C-N	-5.60	115.38	122.27
1	A	13	SER	CA-C-O	5.60	126.70	120.82
1	A	117	THR	N-CA-CB	5.60	118.28	109.94
1	A	35	GLU	CA-CB-CG	-5.60	102.90	114.10
1	A	76	ILE	O-C-N	5.60	127.59	121.83
1	A	112	GLU	O-C-N	5.59	128.53	122.15
1	A	122	VAL	O-C-N	5.58	127.78	122.20
1	A	69	LYS	O-C-N	5.57	129.12	122.27
1	A	34	LEU	CA-C-O	-5.54	113.60	119.97
1	A	23	PRO	N-CA-C	-5.53	106.32	113.57
1	A	98	VAL	N-CA-CB	-5.53	103.02	110.54
1	A	147	LYS	N-CA-C	-5.51	105.17	111.07
1	A	51	SER	CA-C-O	5.51	127.51	120.07
1	A	41	LYS	N-CA-C	5.49	117.34	111.36
1	A	27	HIS	CB-CG-CD2	-5.46	124.10	131.20
1	A	29	PHE	CA-C-N	5.46	127.60	120.28
1	A	29	PHE	C-N-CA	5.46	127.60	120.28
1	A	29	PHE	CA-C-O	-5.44	115.11	120.82
1	A	11	VAL	CB-CA-C	-5.43	104.81	112.14
1	A	111	LYS	CB-CA-C	-5.42	102.33	110.90
1	A	42	ASP	CA-C-O	-5.42	112.27	119.10
1	A	63	HIS	N-CA-C	5.41	116.98	111.14
1	A	26	THR	N-CA-C	5.39	117.16	111.28
1	A	108	PRO	O-C-N	5.39	129.55	122.27
1	A	84	VAL	CA-C-N	5.37	129.09	122.37
1	A	84	VAL	C-N-CA	5.37	129.09	122.37
1	A	129	GLU	CB-CG-CD	-5.35	103.50	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	99	SER	O-C-N	5.34	128.84	122.27
1	A	19	ASN	O-C-N	5.34	129.82	122.46
1	A	124	ALA	CB-CA-C	-5.33	99.29	110.17
1	A	83	VAL	CA-C-O	-5.33	116.42	121.64
1	A	148	GLU	N-CA-C	5.32	118.87	112.38
1	A	36	ILE	CA-CB-CG1	5.30	119.41	110.40
1	A	27	HIS	ND1-CG-CD2	5.28	111.38	106.10
1	A	42	ASP	O-C-N	5.27	129.44	122.43
1	A	139	ASP	CA-CB-CG	-5.26	107.34	112.60
1	A	146	LYS	O-C-N	5.25	128.73	122.27
1	A	107	PHE	N-CA-C	5.24	120.80	113.57
1	A	4	THR	O-C-N	5.24	129.09	122.65
1	A	107	PHE	N-CA-CB	5.23	118.81	110.39
1	A	149	MET	CA-CB-CG	-5.22	103.66	114.10
1	A	89	THR	N-CA-CB	-5.18	102.50	110.12
1	A	54	PRO	CA-C-O	5.18	127.21	121.36
1	A	85	VAL	N-CA-C	5.17	116.15	108.23
1	A	15	TRP	CB-CG-CD1	5.17	134.65	126.90
1	A	96	VAL	N-CA-C	5.16	115.88	110.62
1	A	106	HIS	CG-CD2-NE2	5.15	112.35	107.20
1	A	129	GLU	O-C-N	-5.12	116.69	122.12
1	A	145	ILE	O-C-N	5.11	126.83	121.87
1	A	103	ALA	CA-C-N	5.11	127.38	120.38
1	A	103	ALA	C-N-CA	5.11	127.38	120.38
1	A	68	PHE	CA-CB-CG	-5.08	108.72	113.80
1	A	80	VAL	CA-CB-CG2	-5.07	101.78	110.40
1	A	114	ILE	CA-C-N	5.07	127.49	120.29
1	A	114	ILE	C-N-CA	5.07	127.49	120.29
1	A	17	GLU	CA-C-O	5.04	125.89	120.55
1	A	55	GLN	N-CA-CB	-5.03	103.25	110.65
1	A	134	TRP	CG-CD1-NE1	-5.02	103.67	110.20
1	A	83	VAL	N-CA-C	5.02	115.92	108.65

There are no chirality outliers.

All (14) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	105	ALA	Mainchain
1	A	118	ILE	Mainchain
1	A	139	ASP	Sidechain
1	A	151	ASP	Sidechain
1	A	16	GLU	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	17	GLU	Sidechain
1	A	19	ASN	Sidechain
1	A	2	ALA	Mainchain
1	A	35	GLU	Sidechain
1	A	42	ASP	Sidechain
1	A	61	GLN	Sidechain
1	A	78	LEU	Mainchain
1	A	87	ASP	Sidechain
1	A	92	ASN	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1180	0	1200	30	15
2	A	43	0	30	7	0
3	A	8	0	5	12	0
4	A	64	0	0	1	4
All	All	1295	0	1235	35	17

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (35) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:30:PHE:HZ	3:A:155:NBE:H5	1.31	0.92
1:A:63:HIS:HB3	3:A:155:NBE:C4	2.14	0.77
1:A:63:HIS:HB3	3:A:155:NBE:H4	1.66	0.76
2:A:154:HEM:NA	3:A:155:NBE:H2	2.01	0.74
1:A:92:ASN:O	1:A:96:VAL:HG12	1.91	0.70
1:A:63:HIS:HB3	3:A:155:NBE:C3	2.22	0.70
2:A:154:HEM:C4A	3:A:155:NBE:H2	2.30	0.66
1:A:30:PHE:CZ	3:A:155:NBE:H5	2.24	0.61
1:A:63:HIS:HB3	3:A:155:NBE:H3	1.82	0.60
1:A:31:ILE:O	1:A:35:GLU:HG3	2.01	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:18:PHE:CE1	1:A:25:HIS:HB3	2.38	0.58
1:A:77:GLN:NE2	1:A:85:VAL:H	2.02	0.57
1:A:21:ASN:C	1:A:21:ASN:HD22	2.12	0.57
1:A:87:ASP:O	1:A:91:LYS:HG3	2.05	0.57
2:A:154:HEM:C1A	3:A:155:NBE:H2	2.42	0.55
2:A:154:HEM:NA	3:A:155:NBE:C2	2.70	0.55
1:A:30:PHE:HZ	3:A:155:NBE:C5	2.13	0.54
2:A:154:HEM:C1A	3:A:155:NBE:C2	2.90	0.54
1:A:103:ALA:O	1:A:106:HIS:HB2	2.09	0.53
1:A:47:LEU:HB3	4:A:216:HOH:O	2.11	0.50
1:A:21:ASN:C	1:A:21:ASN:ND2	2.72	0.48
1:A:102:VAL:HG13	2:A:154:HEM:HAC	1.97	0.47
1:A:17:GLU:OE2	1:A:122:VAL:HG12	2.14	0.47
1:A:18:PHE:O	1:A:25:HIS:HD2	1.98	0.47
1:A:54:PRO:HB2	1:A:57:ASN:HB2	1.99	0.44
1:A:139:ASP:O	1:A:143:ILE:HG13	2.17	0.44
1:A:100:LYS:HG3	2:A:154:HEM:HAD2	2.00	0.43
1:A:93:LEU:HA	1:A:93:LEU:HD23	1.54	0.43
1:A:75:ALA:HB2	1:A:137:ALA:HB2	2.01	0.43
1:A:22:ILE:HB	1:A:23:PRO:HD3	2.01	0.43
1:A:6:SER:O	1:A:10:LEU:HG	2.19	0.42
1:A:22:ILE:HD13	1:A:22:ILE:HA	1.81	0.42
1:A:2:ALA:O	1:A:3:LEU:HB2	2.20	0.42
1:A:37:ALA:HA	1:A:38:PRO:HD2	1.90	0.41

All (17) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:TRP:O	1:A:126:TRP:O[2_555]	1.13	1.07
1:A:124:ALA:O	1:A:127:SER:CB[2_555]	1.30	0.90
1:A:124:ALA:CB	1:A:129:GLU:N[2_555]	1.41	0.79
1:A:124:ALA:O	1:A:127:SER:CA[2_555]	1.46	0.74
1:A:124:ALA:O	1:A:127:SER:C[2_555]	1.52	0.68
1:A:124:ALA:C	1:A:127:SER:CB[2_555]	1.65	0.55
1:A:124:ALA:O	1:A:128:GLU:N[2_555]	1.67	0.53
4:A:215:HOH:O	4:A:215:HOH:O[2_555]	1.68	0.52
1:A:10:LEU:CD1	1:A:125:LYS:CD[2_555]	1.83	0.37
4:A:190:HOH:O	4:A:215:HOH:O[2_555]	1.85	0.35
1:A:125:LYS:CA	1:A:127:SER:CB[2_555]	1.86	0.34

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:125:LYS:CA	1:A:127:SER:OG[2_555]	1.86	0.34
1:A:124:ALA:O	1:A:127:SER:OG[2_555]	1.91	0.29
1:A:56:ASN:OD1	4:A:171:HOH:O[1_565]	1.94	0.26
1:A:125:LYS:N	1:A:127:SER:CB[2_555]	2.01	0.19
1:A:125:LYS:C	1:A:127:SER:CB[2_555]	2.05	0.15
1:A:125:LYS:O	4:A:215:HOH:O[2_555]	2.13	0.07

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	153/153 (100%)	148 (97%)	4 (3%)	1 (1%)	18 14

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	3	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	114/125 (91%)	112 (98%)	2 (2%)	51 58

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	LEU
1	A	96	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	21	ASN
1	A	25	HIS
1	A	56	ASN
1	A	61	GLN
1	A	77	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NBE	A	155	2	8,8,8	1.47	2 (25%)	9,9,9	1.58	2 (22%)
2	HEM	A	154	1,3	50,50,50	4.36	34 (68%)	67,82,82	2.12	29 (43%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NBE	A	155	2	-	2/2/2/2	0/1/1/1
2	HEM	A	154	1,3	-	3/14/54/54	-

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	154	HEM	FE-NB	14.27	2.38	1.94
2	A	154	HEM	C1D-C2D	8.52	1.61	1.44
2	A	154	HEM	FE-ND	7.70	2.18	1.94
2	A	154	HEM	CBD-CGD	7.20	1.67	1.50
2	A	154	HEM	CAB-C3B	7.19	1.66	1.47
2	A	154	HEM	C4D-C3D	6.76	1.56	1.45
2	A	154	HEM	C3B-C4B	6.53	1.57	1.44
2	A	154	HEM	CHD-C4C	6.31	1.50	1.38
2	A	154	HEM	CHB-C4A	5.65	1.52	1.39
2	A	154	HEM	C1A-NA	5.24	1.49	1.39
2	A	154	HEM	CMD-C2D	5.15	1.61	1.50
2	A	154	HEM	CAD-C3D	4.73	1.63	1.51
2	A	154	HEM	CHC-C1C	4.49	1.47	1.38
2	A	154	HEM	CAC-C3C	4.33	1.58	1.47
2	A	154	HEM	C3C-C2C	4.26	1.45	1.37
2	A	154	HEM	CMC-C2C	4.22	1.59	1.50
2	A	154	HEM	CAA-C2A	4.18	1.62	1.51
2	A	154	HEM	C1B-C2B	4.13	1.52	1.44
2	A	154	HEM	CMA-C3A	4.05	1.59	1.50
2	A	154	HEM	C2A-C3A	3.66	1.48	1.38
2	A	154	HEM	C1C-NC	3.64	1.46	1.39
2	A	154	HEM	C4A-NA	3.47	1.46	1.39
2	A	154	HEM	CBA-CGA	3.46	1.58	1.50
2	A	154	HEM	CMB-C2B	3.20	1.57	1.50
2	A	154	HEM	CHA-C1A	3.20	1.46	1.39
2	A	154	HEM	C4C-NC	3.06	1.45	1.39
2	A	154	HEM	FE-NA	3.04	2.05	1.95
2	A	154	HEM	O1D-CGD	2.81	1.31	1.22
3	A	155	NBE	C4-C3	-2.65	1.32	1.38
2	A	154	HEM	O2A-CGA	-2.51	1.22	1.30
2	A	154	HEM	C4A-C3A	2.50	1.49	1.43
2	A	154	HEM	CBD-CAD	-2.34	1.43	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	154	HEM	O2D-CGD	-2.24	1.23	1.30
2	A	154	HEM	CBB-CAB	2.18	1.40	1.30
3	A	155	NBE	C5-C6	2.12	1.42	1.38
2	A	154	HEM	CHC-C4B	2.07	1.43	1.39

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	154	HEM	C4B-C3B-C2B	-4.83	102.84	107.28
2	A	154	HEM	CMA-C3A-C4A	-4.64	118.36	125.42
2	A	154	HEM	CHD-C1D-ND	-4.46	119.63	124.42
2	A	154	HEM	O2D-CGD-O1D	-3.83	113.48	123.33
2	A	154	HEM	CHA-C1A-NA	3.48	130.17	123.86
2	A	154	HEM	CHA-C4D-ND	-3.39	120.17	124.37
2	A	154	HEM	CHB-C4A-NA	3.28	129.81	123.86
2	A	154	HEM	CHD-C4C-NC	3.20	127.94	124.45
2	A	154	HEM	C3A-C4A-NA	-3.18	105.05	110.14
2	A	154	HEM	C3B-C4B-NB	3.15	111.73	109.47
2	A	154	HEM	O2A-CGA-O1A	-3.14	115.27	123.33
2	A	154	HEM	C2A-C1A-NA	-3.11	106.70	110.15
3	A	155	NBE	C3-C2-C1	3.08	123.75	119.75
2	A	154	HEM	CAA-CBA-CGA	-3.07	105.53	113.67
2	A	154	HEM	C4A-NA-C1A	3.04	110.78	105.82
2	A	154	HEM	C3B-C2B-C1B	2.99	108.66	106.41
2	A	154	HEM	CMA-C3A-C2A	2.84	131.65	125.62
2	A	154	HEM	C3D-C4D-ND	2.81	113.25	110.17
2	A	154	HEM	C4C-NC-C1C	2.80	110.39	105.82
2	A	154	HEM	C4A-C3A-C2A	2.77	109.98	106.82
2	A	154	HEM	CHC-C1C-NC	2.67	127.36	124.45
3	A	155	NBE	C4-C5-C6	2.61	123.46	120.24
2	A	154	HEM	CAD-C3D-C4D	2.41	128.89	124.70
2	A	154	HEM	CHD-C1D-C2D	2.36	128.76	125.03
2	A	154	HEM	CHC-C4B-NB	-2.20	122.05	124.42
2	A	154	HEM	CAA-C2A-C1A	-2.14	120.75	124.94
2	A	154	HEM	CAA-C2A-C3A	2.12	131.84	127.07
2	A	154	HEM	CAD-CBD-CGD	-2.12	108.04	113.67
2	A	154	HEM	C4C-CHD-C1D	2.09	130.47	126.02
2	A	154	HEM	C4C-C3C-C2C	2.03	108.58	106.81
2	A	154	HEM	O2A-CGA-CBA	2.01	120.36	114.00

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	154	HEM	C2C-C3C-CAC-CBC
3	A	155	NBE	C2-C1-N-O
2	A	154	HEM	C4C-C3C-CAC-CBC
3	A	155	NBE	C6-C1-N-O
2	A	154	HEM	CAD-CBD-CGD-O1D

There are no ring outliers.

2 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	155	NBE	12	0
2	A	154	HEM	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	91:LYS	C	92:ASN	N	1.18

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	153/153 (100%)	-0.83	0 100 100	6, 18, 41, 54	20 (13%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NBE	A	155	8/8	0.96	0.06	19,33,53,58	0
2	HEM	A	154	43/43	0.98	0.05	0,18,43,56	3

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.