



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 04:36 PM UTC

PDB ID : 2LH3 / pdb_00002lh3
Title : X-RAY STRUCTURAL INVESTIGATION OF LEGHEMOGLOBIN. VI. STRUCTURE OF ACETATE-FERRILEGHEMOGLOBIN AT A RESOLUTION OF 2.0 ANGSTROMS (RUSSIAN)
Authors : Vainshtein, B.K.; Harutyunyan, E.H.; Kuranova, I.P.; Borisov, V.V.; Sosfenov, N.I.; Pavlovsky, A.G.; Grebenko, A.I.; Konareva, N.V.
Deposited on : 1982-04-23
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	153	83% 72% 22% 5%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 1291 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called LEGHEMOGLOBIN (CYANO MET).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	153	Total	C	N	O	S	35	1	0
			1180	761	193	225	1			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	79	GLU	GLN	conflict	UNP P02240
A	150	ASP	ASN	conflict	UNP P02240


- Molecule 2 is CYANIDE ION (CCD ID: CYN) (formula: CN).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	N	0	0
			2	1	1		

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula:

C₃₄H₃₂FeN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	66	Total	O	0	0
			66	66		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: LEGHEMOGLOBIN (CYANO MET)



4 Data and refinement statistics

Property	Value	Source
Space group	B 1 1 2	Depositor
Cell constants a, b, c, α , β , γ	93.19Å 38.41Å 52.07Å 90.00° 90.00° 98.90°	Depositor
Resolution (Å)	(Not available) – 2.00 46.03 – 2.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) ((Not available)-2.00) 92.5 (46.03-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$	-	Xtriage
Refinement program	unknown	Depositor
R, R_{free}	(Not available) , (Not available) 0.441 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	20.4	Xtriage
Anisotropy	0.238	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.43 , 101.1	EDS
L-test for twinning ¹	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.65	EDS
Total number of atoms	1291	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 13.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CYN, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	4.37	314/1214 (25.9%)	2.68	113/1648 (6.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	9

All (314) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	106	HIS	ND1-CE1	16.86	1.49	1.32
1	A	27	HIS	CE1-NE2	15.50	1.48	1.32
1	A	27	HIS	CG-ND1	12.39	1.51	1.38
1	A	106	HIS	CD2-NE2	12.23	1.51	1.37
1	A	109	VAL	CA-CB	11.46	1.67	1.54
1	A	85	VAL	CA-C	11.39	1.66	1.53
1	A	94	GLY	CA-C	11.36	1.64	1.52
1	A	88	ALA	N-CA	11.30	1.60	1.46
1	A	111	LYS	N-CA	11.04	1.59	1.46
1	A	65	GLY	C-O	10.81	1.36	1.23
1	A	106	HIS	CB-CG	10.73	1.65	1.50
1	A	133	ALA	CA-C	10.68	1.66	1.52
1	A	104	ASP	N-CA	10.64	1.59	1.46
1	A	145	ILE	N-CA	10.64	1.59	1.46
1	A	144	VAL	CA-C	10.58	1.65	1.52
1	A	134	TRP	N-CA	10.54	1.59	1.46
1	A	11	VAL	N-CA	10.51	1.59	1.46
1	A	25	HIS	ND1-CE1	10.51	1.43	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	61	GLN	C-O	10.50	1.36	1.24
1	A	72	TYR	C-O	10.40	1.36	1.24
1	A	102	VAL	N-CA	10.40	1.58	1.46
1	A	95	SER	N-CA	10.30	1.58	1.46
1	A	51	SER	CA-C	10.29	1.64	1.52
1	A	86	THR	N-CA	10.23	1.58	1.46
1	A	67	VAL	CA-C	9.88	1.64	1.52
1	A	143	ILE	CA-CB	9.87	1.66	1.54
1	A	124	ALA	N-CA	9.81	1.59	1.46
1	A	103	ALA	CA-C	9.74	1.64	1.52
1	A	136	ILE	CA-CB	9.73	1.65	1.54
1	A	74	ALA	CA-C	9.69	1.65	1.52
1	A	63	HIS	CE1-NE2	9.68	1.42	1.32
1	A	63	HIS	CA-C	9.60	1.65	1.52
1	A	10	LEU	CA-C	9.57	1.65	1.52
1	A	52	GLU	N-CA	9.55	1.57	1.45
1	A	75	ALA	N-CA	9.47	1.58	1.46
1	A	18	PHE	N-CA	9.41	1.57	1.46
1	A	98	VAL	CA-C	9.40	1.65	1.52
1	A	149	MET	C-O	9.35	1.35	1.24
1	A	99	SER	N-CA	9.31	1.57	1.46
1	A	97	HIS	CG-CD2	-9.23	1.25	1.35
1	A	152	ALA	C-O	9.14	1.36	1.24
1	A	68	PHE	C-O	9.07	1.35	1.24
1	A	53	VAL	CA-CB	9.05	1.65	1.54
1	A	108	PRO	C-N	9.00	1.44	1.33
1	A	15	TRP	C-O	8.96	1.35	1.24
1	A	124	ALA	C-O	8.93	1.35	1.24
1	A	122	VAL	N-CA	8.90	1.58	1.46
1	A	121	VAL	CA-C	8.85	1.63	1.52
1	A	99	SER	C-O	8.83	1.35	1.24
1	A	107	PHE	N-CA	8.83	1.55	1.46
1	A	130	LEU	N-CA	8.82	1.57	1.46
1	A	45	SER	N-CA	8.82	1.57	1.46
1	A	137	ALA	CA-C	8.81	1.64	1.52
1	A	113	ALA	CA-CB	8.80	1.67	1.53
1	A	25	HIS	CE1-NE2	8.78	1.41	1.32
1	A	87	ASP	CA-C	8.76	1.66	1.53
1	A	152	ALA	N-CA	8.76	1.57	1.46
1	A	115	LEU	N-CA	8.74	1.57	1.46
1	A	110	VAL	CA-C	8.71	1.65	1.52
1	A	68	PHE	N-CA	8.68	1.57	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	17	GLU	CA-C	8.64	1.64	1.52
1	A	101	GLY	CA-C	8.64	1.63	1.51
1	A	78	LEU	CA-C	8.63	1.64	1.52
1	A	8	ALA	C-O	8.62	1.34	1.24
1	A	132[A]	SER	CA-CB	8.58	1.66	1.53
1	A	132[B]	SER	CA-CB	8.58	1.66	1.53
1	A	132[C]	SER	CA-CB	8.58	1.66	1.53
1	A	131	ASN	CA-C	-8.54	1.41	1.52
1	A	120	GLU	CA-CB	8.48	1.66	1.53
1	A	79	GLU	C-O	8.45	1.34	1.24
1	A	97	HIS	CA-CB	8.44	1.66	1.53
1	A	75	ALA	C-O	8.41	1.34	1.24
1	A	84	VAL	N-CA	8.40	1.56	1.46
1	A	12	LYS	CA-C	-8.35	1.42	1.52
1	A	76	ILE	C-O	8.34	1.34	1.24
1	A	69	LYS	C-O	8.34	1.34	1.24
1	A	142	ALA	CA-C	-8.32	1.42	1.52
1	A	83	VAL	N-CA	8.25	1.56	1.46
1	A	14	SER	CA-C	8.23	1.63	1.52
1	A	64	ALA	N-CA	8.22	1.56	1.46
1	A	138	TYR	N-CA	8.21	1.56	1.46
1	A	80	VAL	CA-C	-8.21	1.42	1.52
1	A	55	GLN	C-O	8.13	1.34	1.24
1	A	138	TYR	CZ-OH	8.04	1.54	1.38
1	A	151	ASP	CA-C	8.02	1.63	1.52
1	A	43	LEU	CA-CB	8.00	1.66	1.53
1	A	81	THR	CA-CB	7.97	1.65	1.53
1	A	123	GLY	CA-C	7.97	1.65	1.51
1	A	90	LEU	CA-CB	7.93	1.66	1.53
1	A	129	GLU	CA-C	7.90	1.63	1.52
1	A	13	SER	N-CA	-7.89	1.36	1.46
1	A	7	GLN	N-CA	7.88	1.55	1.46
1	A	78	LEU	C-N	-7.87	1.23	1.33
1	A	79	GLU	N-CA	7.87	1.56	1.46
1	A	54	PRO	C-N	-7.86	1.23	1.33
1	A	91	LYS	CA-C	7.85	1.62	1.52
1	A	12	LYS	C-O	7.68	1.33	1.24
1	A	97	HIS	C-N	-7.64	1.24	1.33
1	A	140	GLU	CA-C	7.64	1.62	1.52
1	A	138	TYR	CA-C	-7.64	1.43	1.52
1	A	77	GLN	N-CA	-7.63	1.37	1.46
1	A	50	THR	C-N	-7.61	1.23	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	141	LEU	N-CA	7.59	1.56	1.46
1	A	15	TRP	NE1-CE2	-7.58	1.29	1.37
1	A	114	ILE	CA-C	7.54	1.62	1.52
1	A	60	LEU	CA-C	7.54	1.62	1.52
1	A	45	SER	CA-C	-7.50	1.42	1.52
1	A	15	TRP	N-CA	7.49	1.55	1.46
1	A	9	ALA	CA-CB	7.48	1.65	1.53
1	A	81	THR	N-CA	-7.48	1.36	1.46
1	A	52	GLU	C-N	7.46	1.41	1.33
1	A	77	GLN	CA-CB	7.45	1.65	1.53
1	A	71	VAL	N-CA	7.43	1.56	1.46
1	A	9	ALA	N-CA	-7.39	1.37	1.46
1	A	59	GLU	N-CA	-7.38	1.37	1.46
1	A	148	GLU	N-CA	7.38	1.55	1.46
1	A	127	SER	C-O	7.35	1.33	1.23
1	A	54	PRO	CA-C	7.34	1.61	1.52
1	A	67	VAL	C-N	-7.30	1.23	1.34
1	A	40	ALA	CA-CB	7.30	1.66	1.53
1	A	4	THR	C-O	7.29	1.33	1.23
1	A	11	VAL	CA-CB	-7.26	1.45	1.54
1	A	143	ILE	N-CA	-7.24	1.37	1.46
1	A	126	TRP	C-N	-7.23	1.24	1.33
1	A	148	GLU	C-O	7.23	1.33	1.24
1	A	61	GLN	N-CA	7.20	1.55	1.46
1	A	3	LEU	CA-CB	7.17	1.65	1.53
1	A	92	ASN	C-O	7.14	1.33	1.24
1	A	149	MET	N-CA	7.12	1.55	1.46
1	A	132[A]	SER	N-CA	-7.12	1.38	1.46
1	A	132[B]	SER	N-CA	-7.12	1.38	1.46
1	A	132[C]	SER	N-CA	-7.12	1.38	1.46
1	A	8	ALA	CA-C	-7.11	1.43	1.52
1	A	100	LYS	C-N	-7.08	1.24	1.33
1	A	17	GLU	C-N	-7.08	1.24	1.33
1	A	29	PHE	N-CA	-7.07	1.37	1.46
1	A	147	LYS	CA-C	7.07	1.61	1.52
1	A	6	SER	CA-C	7.06	1.61	1.52
1	A	38	PRO	C-N	-7.06	1.24	1.33
1	A	64	ALA	C-O	7.05	1.32	1.24
1	A	46	PHE	N-CA	-7.04	1.36	1.46
1	A	142	ALA	C-O	7.03	1.32	1.24
1	A	18	PHE	C-O	7.02	1.32	1.24
1	A	20	ALA	N-CA	-7.02	1.36	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	43	LEU	C-N	-6.99	1.23	1.33
1	A	45	SER	C-O	6.99	1.32	1.24
1	A	30	PHE	N-CA	6.98	1.55	1.46
1	A	115	LEU	CA-C	-6.96	1.43	1.52
1	A	28	ARG	CA-C	-6.96	1.43	1.52
1	A	148	GLU	CA-C	6.94	1.62	1.52
1	A	26	THR	C-N	-6.92	1.24	1.33
1	A	93	LEU	CA-CB	6.91	1.64	1.53
1	A	95	SER	C-N	-6.90	1.25	1.33
1	A	125	LYS	CA-C	-6.89	1.43	1.52
1	A	95	SER	CB-OG	6.88	1.55	1.42
1	A	146	LYS	CA-C	-6.87	1.43	1.52
1	A	147	LYS	CA-CB	6.86	1.64	1.53
1	A	147	LYS	N-CA	-6.86	1.38	1.46
1	A	128	GLU	N-CA	-6.85	1.38	1.46
1	A	48	LYS	N-CA	6.80	1.54	1.46
1	A	118	ILE	N-CA	6.80	1.55	1.46
1	A	16	GLU	C-O	6.79	1.32	1.24
1	A	145	ILE	CA-CB	-6.78	1.45	1.54
1	A	30	PHE	CA-CB	6.77	1.64	1.53
1	A	138	TYR	CB-CG	6.76	1.66	1.51
1	A	49	GLY	C-N	6.76	1.42	1.33
1	A	19	ASN	CA-C	-6.75	1.43	1.52
1	A	2	ALA	C-N	-6.75	1.24	1.33
1	A	2	ALA	CA-CB	6.74	1.64	1.53
1	A	13	SER	CA-CB	6.74	1.63	1.53
1	A	119	LYS	CA-C	-6.72	1.43	1.52
1	A	76	ILE	CA-C	-6.66	1.43	1.52
1	A	135	THR	CA-C	-6.65	1.44	1.52
1	A	50	THR	CA-CB	6.63	1.63	1.53
1	A	63	HIS	ND1-CE1	6.63	1.39	1.32
1	A	73	GLU	CA-CB	6.62	1.63	1.53
1	A	36	ILE	C-N	6.60	1.39	1.33
1	A	27	HIS	ND1-CE1	6.59	1.39	1.32
1	A	105	ALA	CA-C	-6.59	1.43	1.52
1	A	126	TRP	CA-C	6.56	1.61	1.52
1	A	32	LEU	CA-CB	6.54	1.64	1.53
1	A	70	LEU	CA-C	6.54	1.61	1.52
1	A	44	PHE	CA-C	6.49	1.60	1.52
1	A	52	GLU	C-O	6.49	1.32	1.23
1	A	15	TRP	CD2-CE2	6.49	1.52	1.41
1	A	96	VAL	C-O	6.49	1.32	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	58	PRO	C-O	6.48	1.31	1.24
1	A	57	ASN	C-O	6.46	1.32	1.24
1	A	69	LYS	CA-C	-6.46	1.44	1.52
1	A	42	ASP	C-N	6.43	1.42	1.33
1	A	70	LEU	N-CA	-6.43	1.38	1.46
1	A	42	ASP	C-O	6.41	1.32	1.24
1	A	98	VAL	CA-CB	-6.39	1.46	1.54
1	A	134	TRP	C-O	6.39	1.32	1.24
1	A	27	HIS	CD2-NE2	6.38	1.44	1.37
1	A	74	ALA	C-N	-6.34	1.25	1.34
1	A	131	ASN	C-O	6.34	1.31	1.24
1	A	150	ASP	CA-CB	6.34	1.63	1.53
1	A	18	PHE	CB-CG	6.33	1.65	1.50
1	A	139	ASP	CA-CB	6.33	1.63	1.53
1	A	11	VAL	C-O	6.32	1.31	1.24
1	A	150	ASP	N-CA	-6.32	1.38	1.46
1	A	119	LYS	C-N	6.31	1.42	1.33
1	A	19	ASN	C-O	6.30	1.32	1.24
1	A	47	LEU	CA-C	6.28	1.61	1.52
1	A	62	ALA	C-O	6.28	1.31	1.24
1	A	10	LEU	C-N	-6.27	1.25	1.33
1	A	7	GLN	CA-C	6.27	1.60	1.52
1	A	82	GLY	CA-C	6.25	1.60	1.51
1	A	145	ILE	C-O	6.25	1.31	1.24
1	A	92	ASN	N-CA	6.25	1.54	1.46
1	A	38	PRO	N-CA	6.23	1.55	1.47
1	A	73	GLU	C-O	6.21	1.31	1.24
1	A	88	ALA	C-O	6.20	1.31	1.24
1	A	104	ASP	C-O	6.19	1.31	1.24
1	A	139	ASP	N-CA	-6.19	1.39	1.46
1	A	97	HIS	CE1-NE2	6.18	1.38	1.32
1	A	116	LYS	N-CA	-6.16	1.38	1.46
1	A	136	ILE	N-CA	-6.16	1.39	1.46
1	A	29	PHE	C-N	6.15	1.42	1.34
1	A	37	ALA	CA-C	6.15	1.61	1.52
1	A	149	MET	CA-C	-6.15	1.44	1.52
1	A	80	VAL	C-O	6.14	1.30	1.24
1	A	89	THR	C-O	6.13	1.31	1.24
1	A	127	SER	CA-C	-6.13	1.44	1.52
1	A	37	ALA	CA-CB	-6.11	1.46	1.53
1	A	28	ARG	CZ-NH1	6.04	1.41	1.32
1	A	106	HIS	N-CA	-6.02	1.39	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	141	LEU	CB-CG	6.02	1.65	1.53
1	A	8	ALA	N-CA	6.02	1.53	1.46
1	A	79	GLU	CA-CB	-6.00	1.43	1.53
1	A	58	PRO	CA-C	-5.97	1.43	1.52
1	A	126	TRP	N-CA	-5.97	1.38	1.46
1	A	63	HIS	CD2-NE2	-5.91	1.31	1.37
1	A	71	VAL	C-N	-5.91	1.25	1.33
1	A	71	VAL	CA-C	5.90	1.61	1.52
1	A	130	LEU	CB-CG	5.89	1.65	1.53
1	A	52	GLU	CA-CB	-5.88	1.44	1.53
1	A	117	THR	CA-C	5.88	1.60	1.52
1	A	56	ASN	C-N	-5.88	1.24	1.33
1	A	112	GLU	C-N	5.88	1.41	1.33
1	A	5	GLU	CA-C	-5.86	1.44	1.52
1	A	95	SER	C-O	5.86	1.30	1.24
1	A	31	ILE	CA-CB	-5.84	1.46	1.54
1	A	44	PHE	CB-CG	5.82	1.64	1.50
1	A	64	ALA	CA-C	5.80	1.60	1.52
1	A	144	VAL	C-N	-5.78	1.26	1.33
1	A	60	LEU	C-N	-5.78	1.26	1.33
1	A	46	PHE	CB-CG	5.77	1.64	1.50
1	A	68	PHE	CA-CB	-5.76	1.43	1.53
1	A	55	GLN	N-CA	5.75	1.53	1.46
1	A	140	GLU	CA-CB	5.75	1.62	1.53
1	A	80	VAL	CA-CB	5.74	1.61	1.54
1	A	6	SER	C-N	-5.73	1.26	1.33
1	A	58	PRO	N-CD	5.72	1.55	1.47
1	A	32	LEU	CA-C	-5.69	1.45	1.52
1	A	6	SER	CA-CB	5.69	1.62	1.53
1	A	56	ASN	C-O	5.68	1.31	1.24
1	A	151	ASP	C-N	-5.68	1.25	1.33
1	A	60	LEU	N-CA	5.68	1.53	1.46
1	A	66	LYS	CA-CB	5.67	1.62	1.53
1	A	28	ARG	CA-CB	5.66	1.62	1.53
1	A	136	ILE	C-N	-5.64	1.26	1.34
1	A	20	ALA	CA-CB	5.61	1.63	1.53
1	A	59	GLU	CA-C	5.61	1.59	1.52
1	A	112	GLU	CG-CD	5.60	1.66	1.52
1	A	71	VAL	C-O	5.58	1.31	1.24
1	A	122	VAL	C-O	5.56	1.31	1.24
1	A	93	LEU	C-N	-5.56	1.26	1.33
1	A	131	ASN	C-N	5.53	1.41	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	106	HIS	CA-CB	5.52	1.62	1.53
1	A	39	ALA	C-O	5.52	1.31	1.24
1	A	27	HIS	C-N	5.50	1.41	1.33
1	A	10	LEU	CB-CG	5.49	1.64	1.53
1	A	30	PHE	C-N	-5.49	1.26	1.33
1	A	114	ILE	CB-CG1	5.46	1.64	1.53
1	A	66	LYS	N-CA	-5.46	1.39	1.46
1	A	106	HIS	C-O	-5.45	1.17	1.24
1	A	55	GLN	CA-CB	-5.41	1.45	1.53
1	A	152	ALA	CA-CB	-5.39	1.44	1.53
1	A	47	LEU	CA-CB	5.38	1.61	1.53
1	A	120	GLU	N-CA	-5.38	1.39	1.46
1	A	49	GLY	CA-C	-5.38	1.44	1.51
1	A	120	GLU	CG-CD	5.37	1.65	1.52
1	A	62	ALA	CA-C	-5.36	1.45	1.52
1	A	18	PHE	CA-CB	-5.35	1.45	1.53
1	A	24	LYS	CA-C	-5.34	1.46	1.52
1	A	6	SER	N-CA	-5.34	1.39	1.46
1	A	72	TYR	N-CA	5.33	1.52	1.46
1	A	117	THR	CB-OG1	5.33	1.52	1.43
1	A	96	VAL	C-N	5.31	1.41	1.33
1	A	113	ALA	C-O	-5.30	1.18	1.24
1	A	54	PRO	C-O	5.30	1.30	1.23
1	A	106	HIS	CA-C	5.29	1.59	1.52
1	A	22	ILE	CA-C	5.29	1.58	1.52
1	A	142	ALA	C-N	5.28	1.40	1.33
1	A	65	GLY	N-CA	5.27	1.52	1.45
1	A	60	LEU	C-O	5.26	1.30	1.24
1	A	140	GLU	C-N	-5.25	1.26	1.34
1	A	53	VAL	CA-C	-5.25	1.47	1.52
1	A	62	ALA	CA-CB	5.21	1.61	1.53
1	A	117	THR	C-O	-5.18	1.18	1.24
1	A	127	SER	N-CA	5.16	1.52	1.45
1	A	37	ALA	N-CA	5.16	1.51	1.46
1	A	46	PHE	C-O	-5.11	1.17	1.24
1	A	82	GLY	C-N	5.11	1.40	1.33
1	A	137	ALA	N-CA	5.09	1.52	1.46
1	A	153	ALA	C-OXT	5.06	1.33	1.23
1	A	7	GLN	C-O	5.05	1.30	1.24
1	A	150	ASP	C-O	5.04	1.30	1.24
1	A	5	GLU	CA-CB	5.03	1.61	1.53
1	A	47	LEU	CB-CG	5.02	1.63	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	65	GLY	CA-C	-5.02	1.46	1.52
1	A	83	VAL	C-N	5.00	1.39	1.33

All (113) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	56	ASN	CA-CB-CG	-9.95	102.65	112.60
1	A	54	PRO	N-CA-CB	9.48	111.60	103.25
1	A	65	GLY	O-C-N	9.16	130.99	122.19
1	A	19	ASN	CA-CB-CG	-8.96	103.64	112.60
1	A	21	ASN	CA-CB-CG	-8.81	103.79	112.60
1	A	131	ASN	O-C-N	8.76	132.13	122.15
1	A	142	ALA	O-C-N	8.56	131.91	122.15
1	A	12	LYS	O-C-N	8.54	131.31	122.09
1	A	8	ALA	O-C-N	8.51	131.85	122.15
1	A	108	PRO	N-CA-CB	8.48	111.65	103.51
1	A	48	LYS	CB-CA-C	-8.11	98.48	110.16
1	A	49	GLY	N-CA-C	-7.86	105.34	114.69
1	A	138	TYR	O-C-N	7.85	130.57	122.09
1	A	80	VAL	O-C-N	7.68	129.89	121.90
1	A	112	GLU	CA-C-O	-7.61	112.36	120.42
1	A	83	VAL	N-CA-C	7.47	119.70	108.80
1	A	76	ILE	O-C-N	7.45	131.67	121.84
1	A	45	SER	O-C-N	7.44	130.93	122.22
1	A	104	ASP	CA-CB-CG	-7.27	105.33	112.60
1	A	61	GLN	O-C-N	7.19	130.35	122.15
1	A	15	TRP	CG-CD2-CE3	-6.81	127.09	133.90
1	A	97	HIS	ND1-CE1-NE2	-6.75	101.65	108.40
1	A	135	THR	O-C-N	6.73	129.36	122.09
1	A	33	VAL	CB-CA-C	-6.71	103.38	111.97
1	A	99	SER	O-C-N	6.69	130.05	122.22
1	A	149	MET	O-C-N	6.67	130.91	122.23
1	A	31	ILE	CB-CA-C	-6.54	103.19	112.22
1	A	115	LEU	O-C-N	6.53	129.59	122.15
1	A	87	ASP	CA-CB-CG	-6.44	106.16	112.60
1	A	53	VAL	CA-C-N	6.41	126.44	119.90
1	A	53	VAL	C-N-CA	6.41	126.44	119.90
1	A	44	PHE	CA-CB-CG	6.33	120.12	113.80
1	A	36	ILE	N-CA-C	-6.31	104.12	111.00
1	A	69	LYS	O-C-N	6.24	129.27	122.15
1	A	119	LYS	O-C-N	6.23	129.93	122.27
1	A	23	PRO	N-CA-CB	6.21	110.09	103.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	83	VAL	CA-C-O	-6.21	115.34	121.67
1	A	106	HIS	CG-CD2-NE2	6.15	113.35	107.20
1	A	131	ASN	CA-CB-CG	-6.12	106.48	112.60
1	A	37	ALA	N-CA-C	6.12	119.50	108.55
1	A	107	PHE	CA-CB-CG	-6.06	107.74	113.80
1	A	146	LYS	O-C-N	6.05	129.30	122.22
1	A	41	LYS	N-CA-C	6.03	117.86	111.28
1	A	102	VAL	N-CA-C	6.03	116.85	108.89
1	A	49	GLY	CA-C-O	-6.01	112.84	119.27
1	A	106	HIS	CA-C-N	6.01	128.51	120.58
1	A	106	HIS	C-N-CA	6.01	128.51	120.58
1	A	35	GLU	CB-CG-CD	-5.98	102.43	112.60
1	A	58	PRO	O-C-N	5.96	130.32	122.27
1	A	63	HIS	ND1-CG-CD2	5.92	112.02	106.10
1	A	72	TYR	O-C-N	5.89	128.87	122.15
1	A	92	ASN	CA-CB-CG	-5.87	106.73	112.60
1	A	139	ASP	CA-CB-CG	-5.85	106.75	112.60
1	A	19	ASN	O-C-N	5.83	130.51	122.46
1	A	112	GLU	O-C-N	5.83	128.80	122.15
1	A	116	LYS	CA-C-O	-5.82	114.25	120.42
1	A	127	SER	O-C-N	5.81	130.28	122.96
1	A	67	VAL	N-CA-C	5.81	115.99	110.42
1	A	126	TRP	CE2-CD2-CE3	5.78	124.58	118.80
1	A	145	ILE	N-CA-C	5.75	116.52	110.72
1	A	49	GLY	O-C-N	5.74	129.13	122.65
1	A	95	SER	N-CA-C	5.74	117.21	111.07
1	A	71	VAL	CA-C-O	5.72	126.65	120.47
1	A	15	TRP	CE2-CD2-CE3	5.71	124.51	118.80
1	A	78	LEU	N-CA-C	5.71	117.50	111.28
1	A	62	ALA	O-C-N	5.68	128.63	122.15
1	A	92	ASN	O-C-N	5.64	129.21	122.27
1	A	103	ALA	CA-C-N	5.64	128.40	120.28
1	A	103	ALA	C-N-CA	5.64	128.40	120.28
1	A	119	LYS	CA-C-O	-5.61	113.52	119.97
1	A	106	HIS	ND1-CE1-NE2	-5.57	102.83	108.40
1	A	108	PRO	CA-C-O	-5.55	111.23	119.00
1	A	29	PHE	CA-C-O	-5.53	114.98	120.90
1	A	78	LEU	CA-C-O	5.50	126.38	120.55
1	A	83	VAL	CB-CA-C	-5.48	102.71	110.82
1	A	21	ASN	N-CA-C	5.48	119.59	109.24
1	A	14	SER	CA-C-O	5.48	126.27	119.97
1	A	28	ARG	O-C-N	5.47	128.39	122.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	15	TRP	CD2-CE3-CZ3	-5.47	111.49	118.60
1	A	91	LYS	N-CA-C	5.45	117.30	111.36
1	A	135	THR	CA-C-O	-5.42	115.12	120.70
1	A	85	VAL	O-C-N	-5.41	116.78	122.68
1	A	145	ILE	O-C-N	5.41	127.40	121.83
1	A	85	VAL	N-CA-C	5.38	116.10	107.98
1	A	102	VAL	CA-C-O	-5.36	114.74	120.85
1	A	73	GLU	O-C-N	5.33	127.77	122.12
1	A	27	HIS	N-CA-C	-5.32	105.56	111.36
1	A	122	VAL	O-C-N	5.32	128.28	122.12
1	A	42	ASP	O-C-N	5.28	129.25	122.39
1	A	79	GLU	O-C-N	5.28	128.17	122.15
1	A	84	VAL	N-CA-C	5.27	115.36	107.51
1	A	63	HIS	CE1-NE2-CD2	-5.26	103.74	109.00
1	A	3	LEU	N-CA-CB	5.25	119.37	110.49
1	A	27	HIS	CB-CG-CD2	-5.25	124.37	131.20
1	A	4	THR	O-C-N	5.24	128.82	122.85
1	A	134	TRP	O-C-N	5.24	128.71	122.27
1	A	144	VAL	N-CA-C	5.22	115.44	110.53
1	A	35	GLU	CB-CA-C	-5.20	102.00	110.85
1	A	15	TRP	O-C-N	5.20	129.30	122.33
1	A	22	ILE	N-CA-C	5.18	120.07	108.88
1	A	27	HIS	ND1-CG-CD2	5.18	111.28	106.10
1	A	109	VAL	N-CA-CB	5.18	116.50	110.65
1	A	29	PHE	CD1-CG-CD2	5.17	126.35	118.60
1	A	98	VAL	N-CA-C	5.12	115.90	110.72
1	A	88	ALA	O-C-N	5.11	127.54	122.12
1	A	128	GLU	O-C-N	5.10	127.96	122.15
1	A	54	PRO	CA-C-O	5.08	127.11	121.36
1	A	126	TRP	CD2-CE2-CZ2	-5.07	117.33	122.40
1	A	107	PHE	N-CA-CB	5.05	119.14	110.34
1	A	139	ASP	O-C-N	5.03	127.32	122.09
1	A	67	VAL	CA-C-O	5.02	126.50	121.17
1	A	133	ALA	O-C-N	-5.02	116.80	122.12
1	A	48	LYS	N-CA-C	5.01	117.42	109.96

There are no chirality outliers.

All (9) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	151	ASP	Sidechain
1	A	17	GLU	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	35	GLU	Sidechain
1	A	42	ASP	Sidechain
1	A	56	ASN	Sidechain
1	A	57	ASN	Sidechain
1	A	59	GLU	Sidechain
1	A	7	GLN	Sidechain
1	A	92	ASN	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1180	0	1200	20	19
2	A	2	0	0	0	0
3	A	43	0	30	2	0
4	A	66	0	0	0	5
All	All	1291	0	1230	20	21

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (20) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:21:ASN:C	1:A:21:ASN:HD22	2.12	0.56
1:A:26:THR:HB	1:A:64:ALA:HB3	1.87	0.56
1:A:77:GLN:NE2	1:A:85:VAL:H	2.02	0.56
1:A:92:ASN:O	1:A:96:VAL:HG12	2.06	0.55
1:A:63:HIS:HE1	3:A:155:HEM:CHA	2.24	0.50
1:A:21:ASN:C	1:A:21:ASN:ND2	2.71	0.49
1:A:139:ASP:O	1:A:143:ILE:HG13	2.12	0.49
1:A:87:ASP:O	1:A:91:LYS:HG3	2.13	0.49
1:A:18:PHE:CE1	1:A:25:HIS:HB3	2.48	0.48
1:A:2:ALA:O	1:A:3:LEU:HB2	2.15	0.47
1:A:106:HIS:O	1:A:109:VAL:HB	2.15	0.47
1:A:17:GLU:OE2	1:A:122:VAL:HG12	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:57:ASN:OD1	1:A:59:GLU:HB2	2.17	0.45
1:A:103:ALA:O	1:A:106:HIS:HB2	2.17	0.44
1:A:22:ILE:HB	1:A:23:PRO:HD3	2.00	0.44
1:A:31:ILE:O	1:A:35:GLU:HG3	2.17	0.44
1:A:93:LEU:HA	1:A:93:LEU:HD23	1.56	0.43
1:A:102:VAL:HG13	3:A:155:HEM:HAC	2.02	0.41
1:A:69:LYS:HE2	1:A:69:LYS:HB3	1.91	0.41

All (21) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:TRP:O	1:A:126:TRP:O[2_555]	0.99	1.21
1:A:124:ALA:O	1:A:127:SER:CB[2_555]	1.22	0.98
1:A:124:ALA:CB	1:A:129:GLU:N[2_555]	1.33	0.87
1:A:124:ALA:O	1:A:127:SER:CA[2_555]	1.33	0.87
1:A:124:ALA:O	1:A:127:SER:C[2_555]	1.47	0.73
1:A:124:ALA:C	1:A:127:SER:CB[2_555]	1.50	0.70
4:A:218:HOH:O	4:A:218:HOH:O[2_555]	1.52	0.68
1:A:125:LYS:CA	1:A:127:SER:OG[2_555]	1.70	0.50
1:A:124:ALA:O	1:A:128:GLU:N[2_555]	1.76	0.44
1:A:125:LYS:CA	1:A:127:SER:CB[2_555]	1.77	0.43
1:A:124:ALA:O	1:A:127:SER:OG[2_555]	1.78	0.42
1:A:10:LEU:CD1	1:A:125:LYS:CD[2_555]	1.83	0.37
1:A:125:LYS:N	1:A:127:SER:CB[2_555]	1.83	0.37
1:A:56:ASN:OD1	4:A:171:HOH:O[1_565]	1.84	0.36
4:A:192:HOH:O	4:A:218:HOH:O[2_555]	1.97	0.23
1:A:124:ALA:C	1:A:127:SER:OG[2_555]	2.05	0.15
1:A:125:LYS:C	1:A:127:SER:CB[2_555]	2.05	0.15
1:A:56:ASN:N	4:A:171:HOH:O[1_565]	2.06	0.14
1:A:125:LYS:N	1:A:127:SER:OG[2_555]	2.10	0.10
1:A:124:ALA:CB	1:A:128:GLU:C[2_555]	2.11	0.09
1:A:127:SER:CA	4:A:159:HOH:O[2_555]	2.17	0.03

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	153/153 (100%)	147 (96%)	5 (3%)	1 (1%)	18 14

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	3	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	127/125 (102%)	125 (98%)	2 (2%)	55 62

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	LEU
1	A	96	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	21	ASN
1	A	25	HIS
1	A	61	GLN
1	A	77	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	HEM	A	155	2,1	50,50,50	4.22	31 (62%)	67,82,82	2.10	24 (35%)
2	CYN	A	154	3	1,1,1	0.13	0	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	A	155	2,1	-	6/14/54/54	-

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	155	HEM	FE-NB	11.55	2.30	1.94
3	A	155	HEM	FE-ND	8.54	2.21	1.94
3	A	155	HEM	C1D-C2D	7.08	1.58	1.44
3	A	155	HEM	C4D-C3D	6.91	1.56	1.45
3	A	155	HEM	C1B-C2B	6.72	1.58	1.44
3	A	155	HEM	C3B-C4B	6.62	1.57	1.44
3	A	155	HEM	CAB-C3B	6.38	1.64	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	155	HEM	CBD-CGD	6.27	1.65	1.50
3	A	155	HEM	CHD-C4C	6.25	1.50	1.38
3	A	155	HEM	CHC-C1C	5.63	1.49	1.38
3	A	155	HEM	FE-NA	5.39	2.12	1.95
3	A	155	HEM	CHB-C4A	5.17	1.51	1.39
3	A	155	HEM	CAD-C3D	5.03	1.64	1.51
3	A	155	HEM	CMD-C2D	4.79	1.60	1.50
3	A	155	HEM	CMB-C2B	4.64	1.60	1.50
3	A	155	HEM	CMC-C2C	4.60	1.60	1.50
3	A	155	HEM	CHA-C1A	4.53	1.49	1.39
3	A	155	HEM	C1A-NA	4.50	1.48	1.39
3	A	155	HEM	C3C-C2C	4.50	1.46	1.37
3	A	155	HEM	C1C-NC	3.72	1.46	1.39
3	A	155	HEM	CAC-C3C	3.69	1.57	1.47
3	A	155	HEM	CAA-C2A	3.67	1.60	1.51
3	A	155	HEM	O1A-CGA	3.57	1.33	1.22
3	A	155	HEM	C2A-C3A	3.33	1.47	1.38
3	A	155	HEM	CBA-CGA	3.28	1.58	1.50
3	A	155	HEM	CMA-C3A	3.21	1.57	1.50
3	A	155	HEM	O1D-CGD	2.64	1.30	1.22
3	A	155	HEM	C4A-NA	2.50	1.44	1.39
3	A	155	HEM	CBD-CAD	-2.27	1.44	1.51
3	A	155	HEM	C4A-C3A	2.12	1.48	1.43
3	A	155	HEM	C4B-NB	2.09	1.42	1.38

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	155	HEM	C3B-C4B-NB	5.01	113.06	109.47
3	A	155	HEM	CHC-C1C-NC	4.33	129.17	124.45
3	A	155	HEM	C2A-C1A-NA	-4.09	105.61	110.15
3	A	155	HEM	C4C-NC-C1C	4.04	112.41	105.82
3	A	155	HEM	C4A-NA-C1A	3.96	112.28	105.82
3	A	155	HEM	CHD-C4C-NC	3.91	128.71	124.45
3	A	155	HEM	C3A-C4A-NA	-3.64	104.31	110.14
3	A	155	HEM	C4C-C3C-C2C	3.26	109.64	106.81
3	A	155	HEM	CHA-C1A-NA	3.26	129.77	123.86
3	A	155	HEM	CMA-C3A-C4A	-3.14	120.64	125.42
3	A	155	HEM	C4B-C3B-C2B	-3.06	104.46	107.28
3	A	155	HEM	CHB-C4A-NA	3.04	129.38	123.86
3	A	155	HEM	O2D-CGD-O1D	-2.96	115.71	123.33
3	A	155	HEM	CHD-C1D-ND	-2.95	121.25	124.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	155	HEM	CHC-C4B-NB	-2.91	121.29	124.42
3	A	155	HEM	CAD-C3D-C4D	2.89	129.73	124.70
3	A	155	HEM	C4A-C3A-C2A	2.80	110.02	106.82
3	A	155	HEM	CHB-C1B-NB	-2.73	120.99	124.37
3	A	155	HEM	CHA-C4D-ND	-2.43	121.36	124.37
3	A	155	HEM	C3D-C4D-ND	2.38	112.78	110.17
3	A	155	HEM	CAD-CBD-CGD	-2.37	107.38	113.67
3	A	155	HEM	C2C-C1C-NC	-2.20	105.57	109.64
3	A	155	HEM	C2B-C1B-NB	2.15	112.32	109.84
3	A	155	HEM	CMD-C2D-C1D	2.10	128.31	125.03

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	155	HEM	C2C-C3C-CAC-CBC
3	A	155	HEM	C4C-C3C-CAC-CBC
3	A	155	HEM	CAA-CBA-CGA-O2A
3	A	155	HEM	CAA-CBA-CGA-O1A
3	A	155	HEM	CAD-CBD-CGD-O1D
3	A	155	HEM	CAD-CBD-CGD-O2D

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	155	HEM	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	153/153 (100%)	3.80	127 (83%) 0 0	7, 17, 39, 54	19 (12%)

All (127) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	GLY	15.6
1	A	152	ALA	9.5
1	A	2	ALA	8.4
1	A	153	ALA	7.9
1	A	9	ALA	7.9
1	A	126	TRP	7.7
1	A	49	GLY	7.7
1	A	150	ASP	7.6
1	A	50	THR	7.0
1	A	143	ILE	6.6
1	A	151	ASP	6.6
1	A	48	LYS	6.6
1	A	5	GLU	6.6
1	A	45	SER	6.6
1	A	123	GLY	6.5
1	A	128	GLU	6.4
1	A	83	VAL	6.3
1	A	88	ALA	6.2
1	A	86	THR	6.1
1	A	62	ALA	6.0
1	A	54	PRO	6.0
1	A	136	ILE	5.9
1	A	149	MET	5.8
1	A	58	PRO	5.6
1	A	142	ALA	5.5
1	A	92	ASN	5.4
1	A	3	LEU	5.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	90	LEU	5.3
1	A	53	VAL	5.2
1	A	144	VAL	5.2
1	A	147	LYS	5.0
1	A	4	THR	5.0
1	A	79	GLU	4.9
1	A	23	PRO	4.9
1	A	20	ALA	4.9
1	A	130	LEU	4.8
1	A	56	ASN	4.6
1	A	91	LYS	4.6
1	A	6	SER	4.6
1	A	12	LYS	4.6
1	A	114	ILE	4.5
1	A	27	HIS	4.5
1	A	14	SER	4.4
1	A	107	PHE	4.4
1	A	55	GLN	4.4
1	A	129	GLU	4.4
1	A	26	THR	4.3
1	A	94	GLY	4.2
1	A	15	TRP	4.2
1	A	59	GLU	4.2
1	A	146	LYS	4.2
1	A	95	SER	4.2
1	A	51	SER	4.1
1	A	108	PRO	4.1
1	A	11	VAL	4.1
1	A	21	ASN	4.0
1	A	96	VAL	3.9
1	A	81	THR	3.9
1	A	47	LEU	3.9
1	A	57	ASN	3.9
1	A	148	GLU	3.9
1	A	132[A]	SER	3.8
1	A	61	GLN	3.8
1	A	10	LEU	3.8
1	A	98	VAL	3.8
1	A	64	ALA	3.8
1	A	78	LEU	3.7
1	A	127	SER	3.7
1	A	25	HIS	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	102	VAL	3.6
1	A	44	PHE	3.6
1	A	117	THR	3.6
1	A	66	LYS	3.6
1	A	31	ILE	3.6
1	A	97	HIS	3.5
1	A	120	GLU	3.4
1	A	22	ILE	3.4
1	A	89	THR	3.4
1	A	104	ASP	3.4
1	A	113	ALA	3.4
1	A	124	ALA	3.3
1	A	18	PHE	3.3
1	A	13	SER	3.3
1	A	85	VAL	3.3
1	A	87	ASP	3.3
1	A	119	LYS	3.2
1	A	42	ASP	3.2
1	A	46	PHE	3.2
1	A	24	LYS	3.2
1	A	105	ALA	3.2
1	A	67	VAL	3.1
1	A	121	VAL	3.1
1	A	122	VAL	3.1
1	A	77	GLN	3.1
1	A	52	GLU	3.0
1	A	71	VAL	3.0
1	A	100	LYS	3.0
1	A	35	GLU	3.0
1	A	145	ILE	2.9
1	A	16	GLU	2.9
1	A	60	LEU	2.9
1	A	19	ASN	2.9
1	A	72	TYR	2.8
1	A	74	ALA	2.8
1	A	99	SER	2.7
1	A	140	GLU	2.7
1	A	93	LEU	2.7
1	A	110	VAL	2.7
1	A	8	ALA	2.6
1	A	17	GLU	2.5
1	A	68	PHE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	133	ALA	2.5
1	A	28	ARG	2.4
1	A	34	LEU	2.4
1	A	134	TRP	2.4
1	A	32	LEU	2.4
1	A	116	LYS	2.4
1	A	73	GLU	2.3
1	A	70	LEU	2.3
1	A	109	VAL	2.3
1	A	38	PRO	2.3
1	A	39	ALA	2.3
1	A	40	ALA	2.3
1	A	101	GLY	2.3
1	A	33	VAL	2.2
1	A	65	GLY	2.2
1	A	41	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CYN	A	154	2/2	0.85	0.33	3,3,3,15	0
3	HEM	A	155	43/43	0.85	0.18	5,14,50,61	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.