



Full wwPDB EM Validation Report ⓘ

Mar 6, 2026 – 07:13 PM UTC

PDB ID : 7LHH / pdb_00007lhh
EMDB ID : EMD-23340
Title : Cryo-EM structure of E. coli P pilus tip assembly intermediate PapC-PapD-PapK-PapG in the second conformation
Authors : Du, M.; Yuan, Z.; Werneburg, G.; Henderson, N.; Chauhan, H.; Kovach, A.; Zhao, G.; Johl, J.; Li, H.; Thanassi, D.
Deposited on : 2021-01-23
Resolution : 7.20 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 7.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	444 (6.70 - 7.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	809	52% 78% 20% .
2	D	218	30% 81% 17% ..
3	K	178	56% 71% 17% 12%
4	G	336	24% 70% 22% . 6%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 11521 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called P fimbrial usher protein PapC.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	C	806	Total	C	N	O	S	0	0
			6200	3870	1092	1222	16		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	125	ARG	TRP	conflict	UNP A0A773A954

- Molecule 2 is a protein called Chaperone protein PapD.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	D	215	Total	C	N	O	S	0	0
			1696	1073	290	328	5		

- Molecule 3 is a protein called Fimbrial adapter PapK.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	K	157	Total	C	N	O	S	0	0
			1189	749	211	227	2		


- Molecule 4 is a protein called P fimbria tip G-adhesin PapG-II.


Mol	Chain	Residues	Atoms					AltConf	Trace
4	G	316	Total	C	N	O	S	0	0
			2436	1554	418	456	8		

3 Residue-property plots



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: P fimbrial usher protein PapC







• Molecule 2: Chaperone protein PapD




• Molecule 3: Fimbrial adapter PapK



• Molecule 4: P fimbria tip G-adhesin PapG-II





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	131650	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.089	Depositor
Minimum map value	-0.043	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.007	Depositor
Recommended contour level	0.038	Depositor
Map size (Å)	205.8, 205.8, 205.8	wwPDB
Map dimensions	200, 200, 200	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.029, 1.029, 1.029	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	C	0.44	2/6335 (0.0%)	1.07	41/8609 (0.5%)
2	D	0.40	0/1731	0.97	7/2351 (0.3%)
3	K	0.32	0/1215	0.93	7/1649 (0.4%)
4	G	0.40	0/2502	1.02	19/3405 (0.6%)
All	All	0.42	2/11783 (0.0%)	1.03	74/16014 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	763	GLU	CA-CB	6.11	1.60	1.52
1	C	647	MET	N-CA	5.44	1.52	1.46

All (74) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	500	LYS	N-CA-C	10.33	122.50	111.03
4	G	206	GLU	N-CA-C	8.85	129.65	110.80
2	D	112	LYS	N-CA-C	8.44	122.77	110.28
1	C	762	ASP	N-CA-C	8.06	124.58	111.37
4	G	208	LEU	N-CA-C	7.92	127.67	110.80
1	C	622	TYR	N-CA-C	7.42	121.58	109.85
4	G	220	SER	N-CA-C	7.36	119.20	111.03
1	C	461	ASN	N-CA-C	7.14	121.25	111.54
1	C	248	SER	N-CA-C	7.13	121.03	110.48
1	C	368	ASN	N-CA-C	-7.11	101.72	110.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	235	ILE	N-CA-C	-6.97	106.11	111.62
4	G	173	ILE	N-CA-C	6.96	114.44	107.55
3	K	75	CYS	N-CA-C	-6.83	104.94	113.55
1	C	498	ILE	N-CA-C	-6.73	97.89	108.86
1	C	647	MET	N-CA-C	6.72	120.58	110.64
2	D	205	PHE	N-CA-C	6.70	119.38	110.53
1	C	568	GLY	N-CA-C	6.49	120.58	111.10
1	C	622	TYR	CA-C-N	6.49	133.94	121.54
1	C	622	TYR	C-N-CA	6.49	133.94	121.54
2	D	137	VAL	N-CA-C	-6.36	99.37	109.17
1	C	270	THR	N-CA-C	6.21	116.44	108.24
1	C	488	LEU	N-CA-C	-6.18	99.63	109.76
3	K	57	TRP	CA-C-N	6.08	129.92	120.68
3	K	57	TRP	C-N-CA	6.08	129.92	120.68
1	C	499	ARG	N-CA-C	5.98	117.61	110.19
1	C	509	ASN	N-CA-C	5.97	119.47	107.41
1	C	619	GLN	CA-C-N	5.96	132.92	121.54
1	C	619	GLN	C-N-CA	5.96	132.92	121.54
3	K	59	PRO	N-CA-C	5.92	117.93	110.70
1	C	367	SER	N-CA-C	5.90	118.09	110.65
1	C	470	MET	N-CA-C	5.86	117.16	108.60
3	K	36	HIS	N-CA-C	5.76	116.69	108.74
1	C	605	ARG	CA-CB-CG	5.71	125.53	114.10
1	C	549	THR	N-CA-C	-5.71	105.65	113.30
4	G	270	GLY	N-CA-C	5.65	118.13	111.35
4	G	205	ASN	N-CA-C	5.62	117.25	109.15
3	K	60	PRO	N-CA-C	-5.57	100.99	112.47
2	D	114	PHE	N-CA-C	5.57	116.53	107.23
1	C	338	TYR	N-CA-C	5.55	117.50	109.07
1	C	20	ARG	N-CA-C	5.54	117.39	111.36
1	C	327	VAL	N-CA-C	5.47	120.70	108.88
4	G	29	LEU	N-CA-C	5.47	117.38	110.33
4	G	229	GLY	N-CA-C	5.39	120.31	112.55
4	G	223	SER	CA-C-N	5.36	130.56	122.68
4	G	223	SER	C-N-CA	5.36	130.56	122.68
1	C	759	MET	N-CA-C	5.32	117.16	109.07
1	C	324	THR	N-CA-C	-5.32	105.93	112.90
1	C	396	PRO	CA-N-CD	-5.31	104.57	112.00
1	C	252	MET	N-CA-C	5.29	117.96	111.82
4	G	328	SER	N-CA-C	5.27	117.87	109.81
1	C	579	SER	N-CA-C	5.26	117.07	109.07
4	G	133	ASP	N-CA-C	5.26	117.82	109.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	671	VAL	N-CA-C	-5.25	101.05	109.20
1	C	366	LEU	N-CA-C	-5.25	102.70	110.46
1	C	6	ASP	N-CA-C	5.23	117.88	111.82
1	C	448	TYR	CA-CB-CG	-5.21	104.51	113.90
1	C	132	THR	N-CA-C	-5.21	102.34	110.42
2	D	42	GLN	N-CA-C	5.20	118.42	111.24
1	C	26	TYR	CA-CB-CG	5.20	123.26	113.90
2	D	53	THR	N-CA-C	5.19	119.81	112.75
3	K	118	ASP	N-CA-C	-5.15	106.84	113.23
1	C	571	ASP	N-CA-C	5.15	115.14	107.88
4	G	303	GLY	N-CA-C	5.15	116.76	111.56
4	G	53	ARG	N-CA-C	5.14	118.91	109.10
1	C	121	MET	N-CA-C	5.11	114.18	108.25
1	C	583	ASN	N-CA-C	5.07	116.76	108.55
2	D	31	TYR	N-CA-C	5.07	116.69	109.14
4	G	179	MET	N-CA-C	5.06	115.22	108.23
1	C	442	ARG	N-CA-C	5.05	116.84	108.20
4	G	317	SER	CA-C-N	5.05	131.18	121.54
4	G	317	SER	C-N-CA	5.05	131.18	121.54
1	C	165	SER	N-CA-C	5.05	119.04	107.48
4	G	205	ASN	CA-C-N	5.04	131.16	121.54
4	G	205	ASN	C-N-CA	5.04	131.16	121.54

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	217	ILE	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	6200	0	5930	89	0
2	D	1696	0	1702	22	0
3	K	1189	0	1184	16	0
4	G	2436	0	2324	64	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	11521	0	11140	183	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (183) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:G:173:ILE:O	4:G:207:MET:HG2	1.47	1.13
4:G:92:THR:HG22	4:G:98:LEU:HD11	1.42	1.02
4:G:83:TRP:O	4:G:178:GLY:O	1.81	0.99
4:G:83:TRP:CB	4:G:178:GLY:O	2.12	0.97
4:G:92:THR:CG2	4:G:98:LEU:HD11	1.96	0.94
1:C:635:ILE:HG22	1:C:636:THR:HG23	1.51	0.90
4:G:83:TRP:CA	4:G:178:GLY:O	2.25	0.84
4:G:173:ILE:HG13	4:G:207:MET:HA	1.62	0.80
1:C:540:TYR:CE1	4:G:91:MET:CB	2.66	0.79
1:C:787:CYS:SG	1:C:805:CYS:HB3	2.22	0.79
4:G:83:TRP:C	4:G:178:GLY:O	2.28	0.77
2:D:54:PRO:HD2	2:D:67:VAL:HG23	1.66	0.77
4:G:173:ILE:C	4:G:207:MET:HG2	2.09	0.76
1:C:540:TYR:HE1	4:G:91:MET:CB	2.01	0.73
4:G:64:CYS:HB3	4:G:138:CYS:SG	2.33	0.69
4:G:93:GLN:NE2	4:G:170:SER:OG	2.27	0.67
4:G:83:TRP:CB	4:G:179:MET:HA	2.23	0.67
4:G:32:VAL:HA	4:G:206:GLU:CB	2.25	0.67
4:G:92:THR:CG2	4:G:98:LEU:CD1	2.72	0.67
4:G:90:VAL:HG23	4:G:98:LEU:HB2	1.79	0.63
2:D:110:LYS:HE3	3:K:176:THR:OG1	1.99	0.62
4:G:92:THR:HG23	4:G:98:LEU:HG	1.83	0.59
4:G:171:VAL:HB	4:G:209:PHE:HB3	1.84	0.59
1:C:787:CYS:SG	1:C:805:CYS:CB	2.91	0.59
1:C:595:GLN:HG2	1:C:619:GLN:HB3	1.84	0.58
4:G:173:ILE:O	4:G:207:MET:CG	2.36	0.57
4:G:103:HIS:HB2	4:G:157:LYS:HG2	1.86	0.57
1:C:787:CYS:SG	1:C:788:GLN:N	2.78	0.55
1:C:339:LYS:HB2	1:C:361:GLU:HB2	1.87	0.55
4:G:92:THR:HG23	4:G:98:LEU:CD1	2.37	0.55
1:C:246:LEU:HB2	1:C:340:LEU:HB2	1.89	0.55
4:G:36:GLN:HE21	4:G:38:GLY:H	1.55	0.54
4:G:212:LYS:NZ	4:G:213:ASN:O	2.41	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:G:277:LEU:HB3	4:G:325:LEU:HB3	1.90	0.54
4:G:81:ILE:O	4:G:179:MET:CB	2.56	0.53
4:G:269:HIS:HB3	4:G:272:LYS:HE2	1.89	0.53
1:C:270:THR:OG1	1:C:271:ASN:N	2.41	0.53
1:C:279:GLN:HE22	1:C:281:ARG:HH21	1.56	0.53
2:D:37:ILE:HA	2:D:88:PHE:HA	1.91	0.52
4:G:316:GLU:HG2	4:G:320:ILE:HA	1.91	0.52
3:K:34:PRO:HG3	4:G:232:SER:HB2	1.92	0.52
2:D:134:LEU:HB3	2:D:212:CYS:HB2	1.92	0.52
4:G:24:ILE:HG23	4:G:181:ARG:O	2.10	0.52
3:K:102:VAL:HG23	3:K:169:ALA:HB2	1.92	0.52
4:G:92:THR:HG23	4:G:98:LEU:CG	2.40	0.52
2:D:137:VAL:HG22	2:D:142:ARG:HH11	1.75	0.51
4:G:244:THR:HA	4:G:308:THR:HA	1.93	0.51
4:G:261:ARG:HH22	4:G:276:GLY:H	1.58	0.51
1:C:583:ASN:N	1:C:583:ASN:OD1	2.44	0.51
4:G:64:CYS:CB	4:G:138:CYS:SG	2.98	0.51
4:G:90:VAL:CG2	4:G:98:LEU:HB2	2.39	0.51
3:K:80:VAL:HG13	3:K:142:LEU:HD13	1.91	0.51
1:C:691:THR:OG1	1:C:721:ARG:NH2	2.44	0.51
1:C:346:ARG:NH2	1:C:350:HIS:O	2.44	0.51
4:G:83:TRP:N	4:G:178:GLY:O	2.44	0.50
1:C:395:VAL:O	1:C:428:ARG:NH2	2.44	0.50
4:G:39:ASN:HD21	4:G:212:LYS:HB3	1.77	0.50
1:C:608:LEU:HB2	1:C:642:LEU:HD23	1.94	0.50
1:C:173:THR:HG23	1:C:173:THR:O	2.11	0.50
1:C:595:GLN:HE21	1:C:619:GLN:H	1.59	0.50
1:C:600:ALA:HB3	1:C:615:ILE:HB	1.94	0.50
3:K:81:GLY:HA3	3:K:131:LYS:HG2	1.93	0.50
1:C:215:ARG:NH1	1:C:217:ILE:HG12	2.26	0.50
2:D:187:ASN:O	2:D:207:CYS:SG	2.70	0.49
1:C:464:SER:OG	1:C:465:SER:N	2.45	0.49
1:C:409:ARG:NH1	1:C:413:GLU:OE1	2.45	0.49
1:C:36:VAL:HA	1:C:117:LEU:HB3	1.94	0.49
1:C:565:ASN:HB2	1:C:586:LEU:HB2	1.94	0.49
2:D:101:ASN:ND2	3:K:48:PHE:O	2.45	0.49
1:C:168:PHE:HB3	1:C:191:GLN:HB3	1.95	0.49
1:C:694:ASP:HB3	1:C:697:ARG:HB2	1.95	0.49
1:C:303:ARG:HH12	4:G:290:VAL:HG12	1.78	0.49
4:G:107:SER:O	4:G:123:LYS:NZ	2.44	0.49
2:D:78:LEU:O	2:D:80:GLN:NE2	2.46	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:G:254:ASN:O	4:G:256:ARG:NH1	2.46	0.48
4:G:284:ILE:HG13	4:G:312:ARG:HB2	1.95	0.48
3:K:109:ARG:HD3	3:K:162:VAL:HA	1.96	0.48
1:C:773:PRO:HB2	1:C:793:GLU:HA	1.95	0.48
4:G:117:ASP:N	4:G:117:ASP:OD1	2.47	0.48
1:C:513:ASN:OD1	1:C:518:GLN:NE2	2.46	0.48
2:D:8:ARG:O	2:D:8:ARG:NH1	2.45	0.48
2:D:207:CYS:HB3	2:D:212:CYS:SG	2.54	0.48
1:C:483:ASN:HB2	1:C:511:TYR:HB3	1.95	0.47
2:D:130:ASP:OD1	2:D:130:ASP:N	2.46	0.47
1:C:264:ILE:HG22	1:C:266:GLY:H	1.79	0.47
1:C:278:GLN:NE2	1:C:305:ARG:O	2.47	0.47
1:C:108:ILE:HG22	1:C:119:ILE:HG12	1.95	0.47
2:D:91:ARG:NH2	2:D:92:GLU:O	2.48	0.47
4:G:80:TYR:HE1	4:G:181:ARG:HG2	1.79	0.47
1:C:175:GLY:HA3	1:C:184:ARG:HA	1.95	0.47
1:C:255:PRO:HB3	1:C:258:ARG:HH21	1.80	0.47
1:C:762:ASP:N	1:C:762:ASP:OD1	2.47	0.47
1:C:789:VAL:HG11	1:C:803:LEU:HB3	1.96	0.47
1:C:577:LEU:HB3	1:C:605:ARG:HE	1.79	0.47
3:K:136:LYS:HB2	3:K:143:GLU:HB2	1.97	0.47
1:C:149:ASP:OD1	1:C:149:ASP:N	2.48	0.46
4:G:87:PRO:HA	4:G:118:SER:HA	1.97	0.46
1:C:543:ILE:HB	1:C:554:TYR:HB3	1.96	0.46
1:C:492:ARG:HE	1:C:500:LYS:HZ1	1.64	0.46
1:C:730:ARG:HA	1:C:769:SER:HA	1.98	0.46
1:C:559:SER:OG	1:C:560:ASN:N	2.49	0.46
1:C:685:SER:HB2	1:C:715:GLU:HG3	1.98	0.46
4:G:239:HIS:HB3	4:G:313:LEU:HD12	1.98	0.46
1:C:454:TYR:O	1:C:458:ARG:HB2	2.16	0.46
1:C:750:THR:OG1	1:C:780:ASN:ND2	2.49	0.46
2:D:135:ASN:ND2	2:D:210:SER:O	2.48	0.46
3:K:93:GLU:OE2	3:K:101:LYS:NZ	2.46	0.46
4:G:82:ALA:HA	4:G:179:MET:CB	2.45	0.46
4:G:82:ALA:C	4:G:179:MET:CB	2.89	0.46
1:C:300:SER:OG	1:C:301:SER:N	2.49	0.46
1:C:495:TYR:HB2	1:C:498:ILE:HB	1.98	0.46
1:C:231:ILE:HD12	1:C:239:TRP:HE1	1.81	0.46
1:C:72:THR:OG1	1:C:74:ASP:OD1	2.34	0.45
4:G:23:ASN:HD21	4:G:137:LEU:HD13	1.81	0.45
1:C:329:TYR:O	1:C:332:ARG:NH1	2.44	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:G:284:ILE:HD12	4:G:312:ARG:HH21	1.81	0.45
1:C:734:ILE:HG13	1:C:765:LEU:HD13	1.97	0.45
3:K:51:ARG:HH11	3:K:54:ARG:HB2	1.80	0.45
1:C:517:LEU:HD21	1:C:547:LEU:HA	1.98	0.45
1:C:252:MET:SD	1:C:252:MET:N	2.80	0.45
4:G:173:ILE:HG12	4:G:208:LEU:H	1.81	0.45
1:C:448:TYR:O	1:C:466:ARG:NH1	2.49	0.45
1:C:242:THR:HG23	1:C:346:ARG:HB2	2.00	0.44
1:C:737:LEU:HA	1:C:805:CYS:HB2	1.99	0.44
3:K:51:ARG:HB3	3:K:54:ARG:HB3	1.99	0.44
1:C:558:MET:HE2	1:C:563:TYR:HB3	1.99	0.44
2:D:207:CYS:CB	2:D:212:CYS:SG	3.06	0.44
4:G:84:VAL:HG22	4:G:177:SER:HA	1.99	0.44
1:C:157:SER:O	1:C:165:SER:OG	2.35	0.44
1:C:305:ARG:HG2	1:C:321:GLN:HE22	1.83	0.44
4:G:328:SER:OG	4:G:329:ALA:N	2.49	0.44
1:C:653:LEU:HD21	1:C:721:ARG:HG3	1.99	0.44
4:G:81:ILE:HG22	4:G:124:GLY:HA2	2.00	0.44
4:G:266:THR:OG1	4:G:267:TYR:N	2.52	0.43
1:C:254:PRO:HD2	1:C:257:LEU:HB2	2.00	0.43
4:G:59:VAL:HB	4:G:141:PRO:HA	2.01	0.43
1:C:729:LYS:O	1:C:770:GLY:N	2.51	0.43
3:K:96:LEU:HG	3:K:153:THR:HG23	2.00	0.43
1:C:425:TYR:HB3	1:C:439:ALA:HB3	1.99	0.43
4:G:250:ASP:OD1	4:G:250:ASP:N	2.52	0.43
2:D:140:GLY:HA2	2:D:183:SER:H	1.84	0.43
2:D:133:ILE:HD11	2:D:211:ARG:HG2	2.00	0.43
3:K:69:VAL:O	3:K:71:ARG:NH1	2.52	0.42
1:C:210:ARG:HH12	1:C:229:ASN:HA	1.84	0.42
2:D:106:ALA:HB3	3:K:172:THR:HA	2.01	0.42
2:D:144:GLU:HA	2:D:178:GLU:HG2	2.00	0.42
1:C:82:THR:OG1	1:C:127:GLU:OE2	2.38	0.42
1:C:111:ASP:OD1	1:C:111:ASP:N	2.53	0.42
4:G:333:MET:HE3	4:G:333:MET:HB3	1.89	0.42
1:C:34:LEU:HB2	1:C:50:ILE:HG13	2.01	0.42
1:C:426:SER:OG	1:C:427:LYS:N	2.53	0.42
4:G:253:ALA:H	4:G:299:TRP:HB2	1.84	0.42
1:C:203:ASN:OD1	1:C:203:ASN:N	2.53	0.42
1:C:203:ASN:HD21	4:G:53:ARG:HH22	1.67	0.41
2:D:82:ARG:HB3	2:D:176:ARG:HH12	1.85	0.41
1:C:212:TYR:HE1	1:C:225:THR:HG23	1.84	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:131:ALA:HA	1:C:688:ARG:HE	1.85	0.41
2:D:206:ILE:HD13	2:D:215:LYS:H	1.85	0.41
4:G:267:TYR:OH	4:G:316:GLU:OE2	2.38	0.41
1:C:164:ASP:OD1	1:C:164:ASP:N	2.52	0.41
1:C:215:ARG:HH11	1:C:217:ILE:HG12	1.84	0.41
1:C:788:GLN:O	1:C:806:THR:OG1	2.37	0.41
1:C:174:VAL:HG12	1:C:175:GLY:N	2.34	0.41
1:C:240:SER:OG	1:C:346:ARG:O	2.37	0.41
2:D:82:ARG:HH11	2:D:175:PRO:HD2	1.85	0.41
1:C:471:TYR:OH	1:C:492:ARG:NH2	2.54	0.41
1:C:183:LEU:HB2	1:C:213:LEU:HD12	2.02	0.41
3:K:87:THR:HB	3:K:174:GLU:HG2	2.03	0.41
4:G:83:TRP:N	4:G:179:MET:CB	2.83	0.41
1:C:190:SER:OG	1:C:191:GLN:N	2.53	0.41
1:C:572:THR:OG1	1:C:573:PHE:N	2.50	0.41
1:C:34:LEU:HD11	1:C:112:THR:HA	2.03	0.40
1:C:37:ILE:HG12	1:C:42:SER:HB2	2.04	0.40
3:K:85:THR:HB	3:K:176:THR:HG23	2.02	0.40
1:C:246:LEU:HD13	1:C:246:LEU:HA	1.91	0.40
2:D:189:PRO:HD2	2:D:205:PHE:HB2	2.02	0.40
1:C:566:MET:HA	1:C:585:GLY:HA2	2.03	0.40
1:C:632:GLY:N	1:C:643:HIS:O	2.50	0.40
4:G:26:PHE:H	4:G:61:TRP:HB3	1.85	0.40
4:G:80:TYR:CE1	4:G:181:ARG:HG2	2.56	0.40
1:C:121:MET:HE2	1:C:121:MET:HB2	1.95	0.40
1:C:363:SER:HA	1:C:373:TYR:HA	2.02	0.40
4:G:196:ASN:OD1	4:G:196:ASN:N	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	804/809 (99%)	759 (94%)	45 (6%)	0	100	100
2	D	213/218 (98%)	201 (94%)	12 (6%)	0	100	100
3	K	155/178 (87%)	145 (94%)	10 (6%)	0	100	100
4	G	314/336 (94%)	293 (93%)	20 (6%)	1 (0%)	36	72
All	All	1486/1541 (96%)	1398 (94%)	87 (6%)	1 (0%)	49	83

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	G	206	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	653/664 (98%)	653 (100%)	0	100	100
2	D	190/194 (98%)	190 (100%)	0	100	100
3	K	128/141 (91%)	128 (100%)	0	100	100
4	G	255/285 (90%)	255 (100%)	0	100	100
All	All	1226/1284 (96%)	1226 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	161	GLN
1	C	191	GLN
1	C	229	ASN
1	C	279	GLN
1	C	321	GLN
1	C	383	ASN
1	C	456	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	509	ASN
1	C	518	GLN
1	C	536	ASN
1	C	595	GLN
1	C	604	HIS
1	C	669	GLN
1	C	689	ASN
1	C	780	ASN
1	C	786	GLN
1	C	808	GLN
2	D	42	GLN
2	D	89	ASN
2	D	101	ASN
2	D	135	ASN
4	G	23	ASN
4	G	36	GLN
4	G	39	ASN
4	G	93	GLN
4	G	182	HIS
4	G	205	ASN
4	G	213	ASN
4	G	237	ASN
4	G	243	GLN
4	G	306	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-23340. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 100



Y Index: 100



Z Index: 100

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 88



Y Index: 93




Z Index: 89

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.038. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 72 nm³; this corresponds to an approximate mass of 65 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.139 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-23340 and PDB model 7LHH. Per-residue inclusion information can be found in [section 3](#) on [page 4](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.038 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.038).

9.4 Atom inclusion [i](#)



At the recommended contour level, 62% of all backbone atoms, 42% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.038) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.4200	0.1710
C	0.3710	0.1580
D	0.5040	0.1840
G	0.5570	0.1950
K	0.2750	0.1640

