



wwPDB EM Validation Summary Report ⓘ

Mar 5, 2026 – 04:28 PM UTC

PDB ID : 7LJ9 / pdb_00007lj9
EMDB ID : EMD-23389
Title : Structure of human ATP citrate lyase in complex with acetyl-CoA and oxaloacetate
Authors : Wei, X.; Marmorstein, R.
Deposited on : 2021-01-28
Resolution : 3.00 Å(reported)
Based on initial model : 3MWD

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14081 (2.50 - 3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1101	 19% 7% 75%
1	B	1101	 19% 6% 75%
1	C	1101	 19% 6% 75%
1	D	1101	 74% 18% • 7%

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 14516 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-citrate synthase.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	279	Total	C	N	O	S	0	0
			2160	1387	369	387	17		
1	B	279	Total	C	N	O	S	0	0
			2160	1387	369	387	17		
1	C	279	Total	C	N	O	S	0	0
			2160	1387	369	387	17		
1	D	1028	Total	C	N	O	S	2	0
			7940	5084	1347	1465	44		

- Molecule 2 is OXALOACETATE ION (CCD ID: OAA) (formula: $C_4H_3O_5$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
2	A	1	Total	C	O	0
			9	4	5	
2	B	1	Total	C	O	0
			9	4	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
2	C	1	Total	C	O	0
			9	4	5	
2	D	1	Total	C	O	0
			9	4	5	
2	D	1	Total	C	O	0
			9	4	5	

- Molecule 3 is ACETYL COENZYME *A (CCD ID: ACO) (formula: C₂₃H₃₈N₇O₁₇P₃S) (la-
beled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						AltConf
3	D	1	Total	C	N	O	P	S	0
			51	23	7	17	3	1	

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ATP-citrate synthase



GLU	ALA	GLY	VAL	PHE	VAL	PRO	ARG	SER	SER	PHE	ASP	GLY	LEU	GLY	GLU	ILE	ILE	GLN	SER	VAL	TYR	GLU	ASP	LEU	VAL	ALA	ASN	GLY	VAL	ILE	VAL	PRO	ALA	GLN	GLU	VAL	THR	V821	D824	Y825	S826	W827	A828	I834	F840	M841	T842	S843	I844	C845	D846	E847	R848	G849
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

Q850	E851	M857	P858	E861	M867	G871	V872	L873	G874	L875	F878	Q879	K880	R881	S886	C887	Q888	E881	M892	M895	V896	D889	H900	G901	P902	N909	T910	I911	C913	A914	R915	K918	L924	T925	S926	G932	D933	M945	P956	M963	N981
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

V987	L990	K991	D992	Y993	Y994	R995	L1008	E1009	V1010	E1011	L1023	L1028	I1029	F1033	V1034	D1035	M1036	N1039	F1043	T1044	R1045	E1046	E1047	E1050	M1067	I1070	R1078	L1079	K1080	R1085	Y1093	V1094	L1095	M1099	SER	MET
------	------	------	------	------	------	------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-----	-----

● Molecule 1: ATP-citrate synthase

Chain B: 19% 6% 75%

MET	SER	ALA	LYS	ARG	ILE	SER	GLY	GLN	THR	GLY	LYS	GLY	THR	LYS	GLY	THR	ILE	CYS	THR	THR	LYS	THR	ALA	ARG	VAL	PRO	ASP	THR	ASP	TRP	ALA	ARG	LEU	LYS	LEU	GLN	ASP	LEU	SER	PRO	GLN	SER	THR	ASP
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

GLN	LEU	ILE	LYS	ARG	ARG	GLY	LYS	VAL	VAL	GLY	VAL	THR	LYS	ASP	GLY	THR	ILE	GLN	LYS	PRO	ASN	ARG	PHE	GLY	THR	VAL	GLY	LYS	THR	PHE	ILE	GLY	LYS	ASN	PHE	ASN	VAL	THR	GLN	HIS	GLN	SER	GLN	THR	TYR
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

VAL	CYS	ILE	TYR	ALA	ILE	SER	GLY	ARG	GLY	THR	VAL	GLY	THR	VAL	GLY	THR	GLY	VAL	ASP	VAL	GLY	VAL	LEU	VAL	VAL	VAL	ASP	VAL	GLY	GLY	ILE	LYS	ASP	GLY	THR	VAL	VAL	HIS	LYS	PRO	ALA	GLY	VAL	ILE
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

LEU	ALA	PHE	GLY	ILE	SER	LEU	GLY	THR	GLY	THR	GLY	THR	THR	GLY	THR	THR	TYR	LEU	GLY	GLY	ILE	PRO	LEU	VAL	VAL	VAL	ASP	LEU	ALA	THR	LYS	VAL	VAL	LYS	THR	VAL	VAL	LYS	TRP	GLY	THR	GLY	PRO	PRO	ILE
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

PRO	PHE	GLY	ARG	GLY	ALA	GLY	TYR	PRO	PRO	GLY	GLY	GLY	GLY	GLY	GLY	GLY	ALA	ASP	ALA	GLY	GLY	ALA	LEU	LEU	VAL	VAL	GLY	GLY	THR	MET	VAL	VAL	ALA	LYS	VAL	VAL	ILE	LYS	CYS	THR	VAL	GLY	ASN	GLY
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

LEU	ALA	ASN	TYR	GLY	GLY	GLY	TYR	SER	PRO	ALA	PRO	SER	GLY	GLN	GLN	THR	TYR	ASP	ALA	THR	LYS	LYS	LEU	LEU	LEU	MET	THR	THR	GLY	ILE	ILE	GLY	GLY	THR	PHE	ASN	ALA	GLY	ILE	ALA	THR	PHE	LYS	VAL	GLY	ILE	VAL	ARG	ALA
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

ILE	ARG	ASP	TYR	GLN	GLY	PRO	LEU	PRO	PRO	GLY	GLY	VAL	ARG	ARG	GLY	GLY	LYS	THR	GLY	GLY	VAL	VAL	GLY	GLY	GLY	GLY	GLY	THR	THR	GLY	ILE	ILE	PRO	GLY	ALA	THR	GLY	THR	ALA	ALA	ILE	GLY	THR	GLY	GLY	GLY	GLY
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

HIS	ARG	PRO	ILE	PRO	GLY	ASN	GLN	PRO	PRO	PRO	THR	ALA	ALA	HIS	VAL	THR	LEU	LEU	ASN	LEU	LEU	THR	THR	SER	THR	GLY	THR	SER	THR	GLY	GLY	ALA	PRO	LYS	PRO	LYS	THR	THR	ALA	ALA	MET	ILE	THR	ALA	SER	VAL	PRO
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

SER	PRO	ARG	SER	GLY	LEU	GLN	GLY	LYS	LYS	LEU	PHE	LYS	THR	THR	THR	THR	THR	LYS	ALA	ILE	VAL	VAL	THR	THR	ARG	THR	GLY	GLY	THR	VAL	CYS	SER	THR	VAL	VAL	TYR	PRO	THR	LYS	THR	THR	PHE	THR	THR	GLY	LYS
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----


PHE	TYR	TRP	GLY	HIS	THR	LYS	GLY	ILE	GLY	VAL	PHE	LYS	GLY	LYS	ASN	THR	THR	ASP	ALA	MET	ARG	VAL	VAL	THR	THR	ARG	THR	PHE	THR	THR	VAL	VAL	ALA	ALA	THR	GLY	GLN	ILE	ARG	THR	THR	ILE	THR	THR	ILE	ILE	GLY
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

ILE	PRO	GLY	ALA	THR	LEU	THR	ARG	LYS	LYS	VAL	THR	VAL	VAL	THR	ASP	THR	THR	THR	THR	ILE	ILE	ILE	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	VAL
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----


SER	ARG	SER	GLY	GLY	MET	SER	ASN	GLY	GLY	ASN	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

GLY	THR	GLY	GLY	TYR	LYS	ILE	CYS	ARG	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

GLU	ALA	GLY	PHE	VAL	PRO	ARG	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----



• Molecule 1: ATP-citrate synthase



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	205702	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.564	Depositor
Minimum map value	-1.300	Depositor
Average map value	-0.005	Depositor
Map value standard deviation	0.129	Depositor
Recommended contour level	0.2	Depositor
Map size ($\text{\AA}$)	191.4, 191.4, 191.4	wwPDB
Map dimensions	220, 220, 220	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.86999995, 0.86999995, 0.86999995	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OAA, ACO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.64	0/2206	0.82	3/2976 (0.1%)
1	B	0.72	3/2206 (0.1%)	0.78	2/2976 (0.1%)
1	C	0.68	2/2206 (0.1%)	0.76	2/2976 (0.1%)
1	D	0.51	3/8117 (0.0%)	0.71	18/10989 (0.2%)
All	All	0.59	8/14735 (0.1%)	0.75	25/19917 (0.1%)

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	36	PRO	N-CD	-10.21	1.33	1.47
1	D	34	VAL	C-O	8.88	1.34	1.24
1	B	1011	GLU	CA-C	-7.40	1.42	1.52
1	B	1010	VAL	CA-C	-5.76	1.45	1.52
1	D	195	LEU	C-O	-5.31	1.17	1.23

The worst 5 of 25 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	832	GLY	N-CA-C	10.91	129.41	113.48
1	A	1011	GLU	CA-CB-CG	9.52	133.13	114.10
1	B	1047	GLU	N-CA-C	-8.74	92.19	110.80
1	A	1011	GLU	CB-CG-CD	8.28	126.68	112.60
1	D	35	THR	CA-C-N	6.83	128.37	119.84

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2160	0	2173	97	0
1	B	2160	0	2173	88	0
1	C	2160	0	2172	103	0
1	D	7940	0	7980	216	0
2	A	9	0	2	0	0
2	B	9	0	2	0	0
2	C	9	0	2	1	0
2	D	18	0	4	1	0
3	D	51	0	34	1	0
All	All	14516	0	14542	436	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

The worst 5 of 436 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:873:LEU:HD12	1:C:1067:MET:CE	1.23	1.60
1:A:873:LEU:CD1	1:C:1067:MET:CE	1.82	1.53
1:A:873:LEU:CD1	1:C:1067:MET:HE3	1.39	1.50
1:D:73:GLY:CA	1:D:84:TRP:HZ3	1.39	1.34
1:D:64:LYS:NZ	1:D:65:ARG:HD3	1.49	1.26

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	277/1101 (25%)	256 (92%)	21 (8%)	0	100	100
1	B	277/1101 (25%)	253 (91%)	23 (8%)	1 (0%)	30	65
1	C	277/1101 (25%)	254 (92%)	23 (8%)	0	100	100
1	D	1024/1101 (93%)	965 (94%)	54 (5%)	5 (0%)	24	60
All	All	1855/4404 (42%)	1728 (93%)	121 (6%)	6 (0%)	37	70

5 of 6 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	34	VAL
1	D	36	PRO
1	D	37	ASP
1	B	1010	VAL
1	D	762	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	228/909 (25%)	228 (100%)	0	100	100
1	B	228/909 (25%)	228 (100%)	0	100	100
1	C	228/909 (25%)	228 (100%)	0	100	100
1	D	842/909 (93%)	840 (100%)	2 (0%)	87	92
All	All	1526/3636 (42%)	1524 (100%)	2 (0%)	87	93

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	226[A]	ASP
1	D	226[B]	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 20 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	371	HIS
1	D	888	GLN
1	D	1058	ASN
1	D	909	ASN
1	B	1058	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	ACO	D	1201	-	51,53,53	1.54	8 (15%)	73,79,79	1.94	18 (24%)
2	OAA	A	1201	-	8,8,8	2.44	2 (25%)	8,10,10	1.33	1 (12%)
2	OAA	D	1202	-	8,8,8	2.41	3 (37%)	8,10,10	0.94	0
2	OAA	D	1203	-	8,8,8	1.39	1 (12%)	8,10,10	1.35	1 (12%)
2	OAA	C	1201	-	8,8,8	2.07	3 (37%)	8,10,10	1.71	2 (25%)
2	OAA	B	1201	-	8,8,8	1.37	1 (12%)	8,10,10	1.43	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ACO	D	1201	-	-	21/51/67/67	0/3/3/3
2	OAA	A	1201	-	-	3/8/8/8	-
2	OAA	D	1202	-	-	3/8/8/8	-
2	OAA	D	1203	-	-	6/8/8/8	-
2	OAA	C	1201	-	-	5/8/8/8	-
2	OAA	B	1201	-	-	7/8/8/8	-

The worst 5 of 18 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1201	OAA	C3-C4	-5.92	1.44	1.53
2	D	1202	OAA	C3-C4	-5.74	1.44	1.53
3	D	1201	ACO	C5A-N7A	-4.90	1.30	1.39
2	C	1201	OAA	C3-C4	-4.74	1.46	1.53
3	D	1201	ACO	C8A-N9A	-3.46	1.31	1.37

The worst 5 of 23 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	1201	ACO	C5A-C4A-N3A	-7.22	116.77	126.72
3	D	1201	ACO	N3A-C4A-N9A	5.98	137.34	127.17
3	D	1201	ACO	O4B-C1B-C2B	-5.42	95.02	106.62
3	D	1201	ACO	C2A-N3A-C4A	3.75	120.99	111.83
3	D	1201	ACO	N3A-C2A-N1A	-3.10	123.89	128.58

There are no chirality outliers.

5 of 45 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	1201	OAA	O3-C3-C4-O4
2	B	1201	OAA	O3-C3-C4-O5
2	B	1201	OAA	C2-C3-C4-O4
2	B	1201	OAA	C2-C3-C4-O5
2	C	1201	OAA	C2-C3-C4-O5


There are no ring outliers.


3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	1201	ACO	1	0
2	D	1202	OAA	1	0
2	C	1201	OAA	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-23389. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 110



Y Index: 110




Z Index: 110


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 101



Y Index: 105




Z Index: 134


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.2. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 188 nm^3 ; this corresponds to an approximate mass of 170 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.333 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-23389 and PDB model 7LJ9. Per-residue inclusion information can be found in section 3 on page 5.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.2 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.2).

9.4 Atom inclusion ⓘ



At the recommended contour level, 96% of all backbone atoms, 94% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.2) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9420	0.5080
A	0.9540	0.5380
B	0.9540	0.5370
C	0.9530	0.5350
D	0.9320	0.4850

