



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 11:37 AM UTC

PDB ID : 3LKB / pdb_00003lkb
Title : Crystal structure of a branched chain amino acid ABC transporter from *Thermus thermophilus* with bound valine
Authors : Agarwal, R.; Burley, S.K.; Swaminathan, S.; New York SGX Research Center for Structural Genomics (NYSGXRC)
Deposited on : 2010-01-27
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	392	% 65% 25% 7% . .
1	B	392	% 68% 25% . . .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	VAL	A	393	-	-	X	-
2	VAL	B	393	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6089 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Probable branched-chain amino acid ABC transporter, amino acid binding protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	382	Total	C	N	O	S	0	0	0
			2968	1893	521	547	7			
1	B	382	Total	C	N	O	S	0	0	0
			2968	1893	521	547	7			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP Q5SL42
A	2	SER	-	expression tag	UNP Q5SL42
A	293	ALA	VAL	engineered mutation	UNP Q5SL42
A	295	ALA	SER	engineered mutation	UNP Q5SL42
A	385	GLU	-	expression tag	UNP Q5SL42
A	386	GLY	-	expression tag	UNP Q5SL42
A	387	HIS	-	expression tag	UNP Q5SL42
A	388	HIS	-	expression tag	UNP Q5SL42
A	389	HIS	-	expression tag	UNP Q5SL42
A	390	HIS	-	expression tag	UNP Q5SL42
A	391	HIS	-	expression tag	UNP Q5SL42
A	392	HIS	-	expression tag	UNP Q5SL42
B	1	MET	-	expression tag	UNP Q5SL42
B	2	SER	-	expression tag	UNP Q5SL42
B	293	ALA	VAL	engineered mutation	UNP Q5SL42
B	295	ALA	SER	engineered mutation	UNP Q5SL42
B	385	GLU	-	expression tag	UNP Q5SL42
B	386	GLY	-	expression tag	UNP Q5SL42
B	387	HIS	-	expression tag	UNP Q5SL42
B	388	HIS	-	expression tag	UNP Q5SL42
B	389	HIS	-	expression tag	UNP Q5SL42
B	390	HIS	-	expression tag	UNP Q5SL42
B	391	HIS	-	expression tag	UNP Q5SL42
B	392	HIS	-	expression tag	UNP Q5SL42

- Molecule 2 is VALINE (CCD ID: VAL) (formula: $C_5H_{11}NO_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			7	5	1	1		
2	B	1	Total	C	N	O	0	0
			7	5	1	1		

- Molecule 3 is ISOPROPYL ALCOHOL (CCD ID: IPA) (formula: C_3H_8O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	3	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			4	3	1		

- Molecule 4 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Na	0	0
			1	1		
4	B	1	Total	Na	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	61	Total	O	0	0
			61	61		
5	B	68	Total	O	0	0
			68	68		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Probable branched-chain amino acid ABC transporter, amino acid binding protein



- Molecule 1: Probable branched-chain amino acid ABC transporter, amino acid binding protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	76.71Å 83.18Å 122.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.74 – 2.40 47.74 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.8 (47.74-2.40) 99.8 (47.74-2.40)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.35 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.5.0072	Depositor
R, R_{free}	0.174 , 0.236 0.179 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	20.0	Xtriage
Anisotropy	0.253	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 35.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6089	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.15% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: IPA, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.20	14/3035 (0.5%)	1.19	11/4118 (0.3%)
1	B	1.24	12/3035 (0.4%)	1.17	16/4118 (0.4%)
All	All	1.22	26/6070 (0.4%)	1.18	27/8236 (0.3%)

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	44	VAL	CA-CB	9.18	1.63	1.53
1	B	367	VAL	CA-CB	7.66	1.60	1.54
1	B	149	VAL	C-O	-7.63	1.15	1.24
1	B	164	ARG	C-O	-7.49	1.15	1.24
1	B	78	VAL	C-O	-7.36	1.16	1.23
1	A	253	THR	C-O	-6.75	1.15	1.23
1	A	83	ALA	C-O	-6.66	1.15	1.23
1	B	150	VAL	C-O	-6.57	1.17	1.24
1	A	156	GLY	C-O	-6.37	1.16	1.23
1	A	157	ARG	C-O	-6.30	1.15	1.24
1	B	372	PRO	C-O	-6.29	1.16	1.23
1	A	158	ALA	C-O	-6.06	1.18	1.24
1	A	179	GLU	C-O	-5.88	1.16	1.24
1	B	79	PHE	C-O	-5.88	1.17	1.24
1	A	181	GLY	C-O	-5.85	1.18	1.23
1	B	68	GLU	C-O	-5.84	1.17	1.24
1	B	130	VAL	C-O	-5.54	1.17	1.24
1	A	85	GLY	C-O	-5.45	1.17	1.23
1	A	84	THR	C-O	-5.43	1.17	1.24
1	A	254	SER	C-O	-5.39	1.17	1.24
1	B	69	GLU	C-O	-5.38	1.17	1.24
1	A	158	ALA	CA-CB	-5.31	1.49	1.54
1	B	192	LYS	C-O	-5.19	1.18	1.24
1	A	71	VAL	CA-CB	5.17	1.61	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	302	ARG	C-O	-5.12	1.18	1.24
1	A	131	VAL	C-O	-5.12	1.18	1.24

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	325	GLY	CA-C-N	7.67	127.38	119.56
1	B	325	GLY	C-N-CA	7.67	127.38	119.56
1	A	98	ARG	CA-C-N	-7.04	115.70	123.02
1	A	98	ARG	C-N-CA	-7.04	115.70	123.02
1	B	369	VAL	N-CA-C	-6.86	106.44	113.10
1	B	369	VAL	CB-CA-C	6.83	118.44	110.93
1	A	99	ILE	N-CA-C	6.65	115.21	107.77
1	B	158	ALA	CA-C-N	-6.59	113.36	121.00
1	B	158	ALA	C-N-CA	-6.59	113.36	121.00
1	B	44	VAL	CB-CA-C	6.37	118.50	111.18
1	B	84	THR	N-CA-CB	6.15	118.93	110.01
1	B	253	THR	CB-CA-C	-6.05	97.35	111.09
1	B	369	VAL	N-CA-CB	-5.87	104.74	112.36
1	B	76	ILE	N-CA-C	5.85	115.39	108.96
1	A	172	LEU	CA-C-N	-5.62	115.08	123.00
1	A	172	LEU	C-N-CA	-5.62	115.08	123.00
1	A	231	HIS	N-CA-C	5.55	117.79	111.02
1	B	153	SER	CA-C-N	5.42	125.49	119.32
1	B	153	SER	C-N-CA	5.42	125.49	119.32
1	A	112	ASP	CA-C-N	5.33	123.50	119.66
1	A	112	ASP	C-N-CA	5.33	123.50	119.66
1	A	72	ASP	N-CA-C	5.30	117.14	111.36
1	B	185	LEU	N-CA-C	5.20	116.95	111.28
1	B	99	ILE	N-CA-C	5.16	113.61	107.73
1	A	160	VAL	N-CA-C	5.10	115.72	110.36
1	A	366	PHE	N-CA-C	5.04	116.99	109.59
1	B	130	VAL	N-CA-C	5.01	115.73	110.62

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2968	0	2956	117	0
1	B	2968	0	2956	96	0
2	A	7	0	8	11	0
2	B	7	0	8	20	0
3	A	4	0	8	3	0
3	B	4	0	8	3	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	61	0	0	4	0
5	B	68	0	0	0	0
All	All	6089	0	5944	212	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (212) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:84:THR:CG2	2:B:393:VAL:HG21	1.45	1.43
1:A:257:MET:CE	1:A:359:LEU:HD22	1.69	1.20
1:B:84:THR:HG23	2:B:393:VAL:HG21	1.16	1.11
1:B:126:TYR:OH	2:B:393:VAL:HG23	1.50	1.10
1:B:231:HIS:HD2	1:B:253:THR:CG2	1.63	1.10
1:A:377:LEU:HA	1:A:380:LYS:HD3	1.14	1.07
1:B:84:THR:HG22	2:B:393:VAL:HG21	1.27	1.07
1:B:84:THR:H	2:B:393:VAL:HG11	1.17	1.07
1:A:44:VAL:HG23	1:A:47:VAL:HB	1.41	0.98
1:A:262:THR:HG22	1:A:264:GLY:H	1.28	0.98
1:A:257:MET:HE3	1:A:359:LEU:HD22	1.01	0.98
1:B:204:HIS:HE1	1:B:227:HIS:HD2	1.11	0.96
1:B:84:THR:CG2	2:B:393:VAL:CG2	2.42	0.96
1:A:330:LYS:HD2	5:A:434:HOH:O	1.68	0.94
1:A:142:LYS:H	1:A:142:LYS:HE2	1.33	0.93
1:B:231:HIS:HD2	1:B:253:THR:HG23	1.29	0.93
1:A:84:THR:OG1	2:A:393:VAL:HG21	1.66	0.93
1:A:262:THR:HG21	1:A:332:GLY:O	1.70	0.90
1:B:84:THR:HG23	2:B:393:VAL:CG2	2.00	0.90
1:A:139:ARG:HB2	1:A:139:ARG:HH11	1.35	0.90
1:B:312:THR:HG23	1:B:315:THR:H	1.35	0.90

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:262:THR:HG21	1:B:332:GLY:O	1.73	0.88
1:A:257:MET:HE3	1:A:359:LEU:CD2	1.97	0.88
1:B:231:HIS:CD2	1:B:253:THR:CG2	2.56	0.87
1:B:139:ARG:HG2	1:B:139:ARG:HH11	1.39	0.86
1:B:84:THR:H	2:B:393:VAL:CG1	1.87	0.86
1:A:97:LEU:CD1	1:A:99:ILE:HG23	2.06	0.86
1:A:272:GLY:HA3	1:A:282:ILE:HD12	1.57	0.85
1:A:233:THR:O	1:A:238:LEU:HD12	1.77	0.85
1:B:231:HIS:CD2	1:B:253:THR:HG23	2.12	0.85
1:A:83:ALA:HA	2:A:393:VAL:HG13	1.57	0.85
1:A:136:TYR:O	1:A:139:ARG:HG3	1.77	0.83
1:A:262:THR:HG22	1:A:264:GLY:N	1.93	0.82
1:A:377:LEU:CA	1:A:380:LYS:HD3	2.06	0.82
1:A:44:VAL:CG2	1:A:47:VAL:HB	2.09	0.81
1:B:84:THR:HG22	2:B:393:VAL:CG2	2.10	0.81
1:B:83:ALA:HA	2:B:393:VAL:HG13	1.62	0.80
1:A:19:PRO:O	1:A:20:THR:HB	1.79	0.80
1:B:44:VAL:HG22	1:B:47:VAL:CG2	2.12	0.80
1:A:161:GLU:O	1:A:165:LYS:HD2	1.83	0.79
1:A:204:HIS:HE1	1:A:227:HIS:HD2	1.30	0.78
1:A:116:ASN:H	1:A:116:ASN:HD22	1.32	0.78
1:B:139:ARG:HH11	1:B:139:ARG:CG	1.97	0.78
1:B:116:ASN:HD22	1:B:116:ASN:H	1.32	0.78
1:A:142:LYS:HE2	1:A:142:LYS:N	1.98	0.77
1:B:155:PHE:CD1	2:B:393:VAL:HB	2.20	0.77
1:A:377:LEU:HA	1:A:380:LYS:CD	2.05	0.77
1:A:257:MET:CE	1:A:359:LEU:CD2	2.57	0.76
1:B:44:VAL:HG22	1:B:47:VAL:HG22	1.68	0.73
1:B:22:ASP:H	3:B:4571:IPA:H12	1.53	0.73
1:A:126:TYR:OH	2:A:393:VAL:HG23	1.88	0.73
1:B:305:GLN:HG2	1:B:311:ILE:HD11	1.69	0.72
1:B:204:HIS:CE1	1:B:227:HIS:HD2	2.02	0.72
1:A:79:PHE:HB2	1:A:99:ILE:HD11	1.70	0.71
1:B:124:THR:HG21	1:B:356:LEU:HD23	1.73	0.71
1:B:188:THR:HG23	1:B:189:ALA:N	2.06	0.71
1:A:165:LYS:HG3	1:A:381:VAL:HB	1.74	0.70
1:A:251:TRP:CZ3	1:A:257:MET:HE1	2.27	0.70
1:A:262:THR:CG2	1:A:264:GLY:H	2.04	0.70
1:B:155:PHE:CG	2:B:393:VAL:HB	2.27	0.69
1:B:204:HIS:HE1	1:B:227:HIS:CD2	2.02	0.69
1:A:155:PHE:CG	2:A:393:VAL:HB	2.26	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:136:TYR:O	1:A:139:ARG:CG	2.41	0.69
1:B:238:LEU:C	1:B:238:LEU:HD23	2.18	0.69
1:A:139:ARG:HH11	1:A:139:ARG:CB	2.03	0.68
1:A:178:GLN:HG3	1:A:190:LEU:CD1	2.23	0.68
1:A:20:THR:CG2	1:A:82:TYR:OH	2.42	0.67
1:A:97:LEU:HD13	1:A:99:ILE:HG23	1.76	0.67
1:B:262:THR:CG2	1:B:332:GLY:O	2.43	0.67
1:B:124:THR:HG22	1:B:129:GLN:HE21	1.59	0.66
1:B:58:TYR:OH	2:B:393:VAL:HG12	1.94	0.66
1:A:97:LEU:HD12	1:A:99:ILE:HG23	1.76	0.66
1:A:305:GLN:CG	1:A:311:ILE:HD11	2.26	0.65
1:A:20:THR:H	3:A:4571:IPA:H11	1.61	0.65
1:A:84:THR:H	2:A:393:VAL:HG11	1.62	0.65
1:B:22:ASP:H	3:B:4571:IPA:C1	2.08	0.64
1:B:105:SER:HA	2:B:393:VAL:HG22	1.80	0.64
1:A:272:GLY:HA3	1:A:282:ILE:CD1	2.28	0.64
1:A:58:TYR:OH	2:A:393:VAL:HG12	1.98	0.63
1:A:257:MET:HE2	1:A:359:LEU:HD22	1.77	0.63
1:A:178:GLN:HG3	1:A:190:LEU:HD11	1.81	0.62
1:B:139:ARG:HG2	1:B:139:ARG:NH1	2.08	0.62
1:B:36:LYS:HZ3	1:B:51:CYS:HB2	1.65	0.62
1:B:36:LYS:HZ3	1:B:51:CYS:CB	2.13	0.61
1:A:182:SER:HB3	3:A:4571:IPA:H13	1.81	0.61
1:A:153:SER:HB2	1:A:154:PRO:HD2	1.84	0.60
1:A:305:GLN:HG3	1:A:311:ILE:HD11	1.83	0.60
1:A:155:PHE:CD1	2:A:393:VAL:HB	2.36	0.60
1:A:165:LYS:CG	1:A:381:VAL:HB	2.31	0.60
1:B:84:THR:HG22	1:B:105:SER:OG	2.00	0.60
1:A:231:HIS:HD2	1:A:253:THR:OG1	1.85	0.60
1:B:116:ASN:HD22	1:B:116:ASN:N	2.00	0.59
1:A:301:ILE:HD12	1:A:316:VAL:HG22	1.84	0.59
1:B:262:THR:HG22	1:B:264:GLY:H	1.68	0.58
1:A:41:ARG:HB2	1:A:43:LEU:HD13	1.85	0.58
1:A:204:HIS:HE1	1:A:227:HIS:CD2	2.18	0.58
1:B:44:VAL:HG22	1:B:47:VAL:HG21	1.85	0.57
1:A:78:VAL:HG22	1:A:316:VAL:HG11	1.86	0.57
1:A:44:VAL:HG23	1:A:44:VAL:O	2.05	0.57
1:A:139:ARG:HG3	1:A:140:GLU:N	2.20	0.57
1:B:188:THR:CG2	1:B:189:ALA:N	2.67	0.56
1:A:277:ARG:HB2	1:A:282:ILE:HD11	1.88	0.56
1:A:112:ASP:OD2	1:A:382:HIS:HE1	1.89	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:178:GLN:HG3	1:B:190:LEU:CD1	2.35	0.56
1:A:84:THR:H	2:A:393:VAL:CG1	2.19	0.55
1:B:84:THR:N	2:B:393:VAL:CG1	2.65	0.55
1:A:99:ILE:HG13	1:A:99:ILE:O	2.06	0.55
1:B:175:VAL:CG2	1:B:175:VAL:O	2.53	0.55
1:B:237:ASP:O	1:B:241:LEU:HD23	2.06	0.55
1:B:238:LEU:HD23	1:B:238:LEU:O	2.07	0.54
1:A:305:GLN:HG2	1:A:311:ILE:HD11	1.89	0.54
1:B:127:SER:O	1:B:131:VAL:HG23	2.07	0.54
1:B:84:THR:HG23	2:B:393:VAL:HG11	1.90	0.54
1:A:301:ILE:HD12	1:A:316:VAL:CG2	2.38	0.53
1:B:312:THR:CG2	1:B:315:THR:H	2.15	0.53
1:B:262:THR:HG22	1:B:264:GLY:N	2.24	0.53
1:B:83:ALA:HA	2:B:393:VAL:CG1	2.36	0.52
1:A:309:LYS:HG3	1:A:309:LYS:O	2.10	0.52
1:B:356:LEU:C	1:B:356:LEU:HD12	2.34	0.52
1:A:277:ARG:HB2	1:A:282:ILE:CD1	2.40	0.51
1:A:262:THR:CG2	1:A:332:GLY:O	2.52	0.51
1:A:139:ARG:HG3	1:A:140:GLU:H	1.76	0.51
1:A:301:ILE:HD13	1:A:301:ILE:N	2.26	0.51
1:A:20:THR:HG22	1:A:82:TYR:OH	2.12	0.50
1:A:67:PHE:O	1:A:71:VAL:HG12	2.11	0.50
1:A:155:PHE:HB2	2:A:393:VAL:HB	1.93	0.50
1:A:142:LYS:H	1:A:142:LYS:CE	2.15	0.50
1:B:84:THR:HG23	2:B:393:VAL:CB	2.41	0.50
1:B:119:ILE:O	1:B:350:HIS:HD2	1.95	0.50
1:B:175:VAL:O	1:B:175:VAL:HG22	2.12	0.49
1:A:257:MET:HE2	1:A:359:LEU:CD2	2.37	0.49
1:A:44:VAL:HG12	1:A:302:ARG:HB2	1.93	0.49
1:A:93:LEU:O	1:A:97:LEU:HG	2.12	0.49
1:A:107:HIS:HD2	5:A:408:HOH:O	1.95	0.49
1:A:158:ALA:HB3	1:A:159:PRO:HD3	1.94	0.48
1:A:108:ILE:CD1	1:A:111:ILE:HD11	2.44	0.48
1:A:116:ASN:HD22	1:A:116:ASN:N	2.06	0.48
1:A:149:VAL:HG12	5:A:414:HOH:O	2.14	0.48
1:A:150:VAL:O	1:A:179:GLU:HA	2.15	0.47
1:A:38:ALA:HA	1:A:43:LEU:HD22	1.97	0.47
1:B:188:THR:CG2	1:B:189:ALA:H	2.28	0.47
1:A:37:TRP:CE2	1:A:41:ARG:HG3	2.49	0.47
1:B:36:LYS:NZ	1:B:51:CYS:CB	2.77	0.47
1:B:231:HIS:HD2	1:B:253:THR:HG22	1.69	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:237:ASP:O	1:B:241:LEU:CD2	2.64	0.46
1:B:305:GLN:CG	1:B:311:ILE:HD11	2.43	0.46
1:A:192:LYS:HE2	1:A:221:LEU:HD22	1.98	0.46
1:A:193:ARG:HA	1:A:193:ARG:HE	1.79	0.46
1:B:178:GLN:HG3	1:B:190:LEU:HD11	1.98	0.46
1:A:27:TYR:CZ	1:A:104:ALA:HB2	2.51	0.46
1:A:57:GLN:OE1	1:B:278:PRO:HD3	2.16	0.45
1:A:136:TYR:HA	1:A:139:ARG:HG2	1.97	0.45
1:B:105:SER:HA	2:B:393:VAL:CG2	2.45	0.45
1:B:280:ASN:HD22	1:B:280:ASN:H	1.64	0.45
1:A:20:THR:CG2	1:A:20:THR:O	2.65	0.45
1:A:228:LEU:HD12	1:A:228:LEU:N	2.31	0.45
1:B:238:LEU:C	1:B:238:LEU:CD2	2.88	0.45
1:B:12:TRP:HA	1:B:80:LEU:O	2.17	0.45
1:B:150:VAL:O	1:B:179:GLU:HA	2.17	0.45
1:A:151:HIS:O	1:A:156:GLY:HA3	2.16	0.45
1:A:204:HIS:HD2	5:A:414:HOH:O	2.00	0.45
1:A:10:LEU:HD12	1:A:10:LEU:HA	1.70	0.44
1:B:323:MET:O	1:B:344:ASP:HA	2.18	0.44
1:B:346:THR:C	1:B:348:SER:H	2.25	0.44
1:A:204:HIS:CE1	1:A:227:HIS:HD2	2.22	0.44
1:A:139:ARG:CB	1:A:139:ARG:NH1	2.76	0.44
1:B:100:PRO:HA	1:B:118:TYR:O	2.18	0.44
1:B:278:PRO:HB2	1:B:280:ASN:ND2	2.33	0.44
1:B:299:GLU:OE1	1:B:302:ARG:NH1	2.51	0.44
1:B:25:ALA:HB3	1:B:26:PRO:HD3	2.00	0.43
1:B:312:THR:CG2	1:B:315:THR:HG23	2.48	0.43
1:B:342:GLU:HG2	1:B:343:ILE:HG12	2.00	0.43
1:B:107:HIS:CD2	1:B:158:ALA:HB1	2.53	0.43
1:A:155:PHE:CB	2:A:393:VAL:HB	2.48	0.43
1:A:303:ARG:HH11	1:A:303:ARG:HD3	1.62	0.43
1:B:231:HIS:HE1	1:B:286:ASN:OD1	2.01	0.43
1:A:35:CYS:SG	1:A:49:PHE:HB3	2.59	0.43
1:B:32:GLU:O	1:B:36:LYS:HE2	2.19	0.43
1:A:356:LEU:HD12	1:A:356:LEU:C	2.44	0.43
1:B:41:ARG:C	1:B:42:LYS:HG2	2.44	0.43
1:B:105:SER:CA	2:B:393:VAL:HG22	2.47	0.43
1:A:228:LEU:HA	1:A:250:LEU:O	2.19	0.42
1:B:338:LYS:HG3	1:B:339:GLN:HE21	1.83	0.42
1:B:150:VAL:HG12	1:B:205:GLN:HB3	2.01	0.42
1:A:148:LEU:HB2	1:A:177:VAL:HB	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:107:HIS:CE1	1:B:109:GLU:HB3	2.54	0.42
1:A:11:PHE:HE1	1:A:54:ARG:HG3	1.85	0.42
1:A:338:LYS:HE3	1:A:338:LYS:HB2	1.52	0.42
1:B:143:GLY:HA2	1:B:171:GLY:O	2.19	0.42
1:B:178:GLN:HG3	1:B:190:LEU:HD12	2.02	0.42
1:B:36:LYS:NZ	1:B:51:CYS:HB3	2.35	0.42
1:A:112:ASP:OD2	1:A:382:HIS:CE1	2.72	0.41
1:A:20:THR:H	3:A:4571:IPA:C1	2.32	0.41
1:A:301:ILE:N	1:A:301:ILE:CD1	2.83	0.41
1:A:86:ALA:O	1:A:90:LEU:HG	2.20	0.41
1:A:305:GLN:HG2	1:A:311:ILE:CD1	2.51	0.41
1:A:25:ALA:HB3	1:A:26:PRO:CD	2.51	0.41
1:B:22:ASP:N	3:B:4571:IPA:H12	2.30	0.41
1:B:269:LYS:HD3	1:B:282:ILE:HG22	2.03	0.41
1:A:116:ASN:H	1:A:116:ASN:ND2	2.10	0.41
1:B:12:TRP:CH2	1:B:14:GLY:HA3	2.56	0.41
1:A:107:HIS:CE1	1:A:109:GLU:HB3	2.56	0.41
1:B:36:LYS:HA	1:B:36:LYS:HD3	1.78	0.41
1:A:44:VAL:CG2	1:A:44:VAL:O	2.69	0.41
1:B:139:ARG:CG	1:B:139:ARG:NH1	2.67	0.41
1:A:58:TYR:OH	2:A:393:VAL:CG1	2.67	0.41
1:A:323:MET:O	1:A:344:ASP:HA	2.21	0.40
1:B:175:VAL:HG21	1:B:197:ALA:HB1	2.02	0.40
1:B:153:SER:HB2	1:B:154:PRO:HD2	2.03	0.40
1:A:111:ILE:HG12	1:A:121:LEU:HD22	2.03	0.40
1:A:19:PRO:O	1:A:20:THR:CB	2.58	0.40
1:A:44:VAL:HA	1:A:45:PRO:HD3	1.88	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	380/392 (97%)	373 (98%)	7 (2%)	0	100	100
1	B	380/392 (97%)	368 (97%)	12 (3%)	0	100	100
All	All	760/784 (97%)	741 (98%)	19 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	306/315 (97%)	267 (87%)	39 (13%)	4	6
1	B	306/315 (97%)	264 (86%)	42 (14%)	3	5
All	All	612/630 (97%)	531 (87%)	81 (13%)	4	5

All (81) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	THR
1	A	40	GLU
1	A	42	LYS
1	A	43	LEU
1	A	48	VAL
1	A	54	ARG
1	A	71	VAL
1	A	99	ILE
1	A	111	ILE
1	A	116	ASN
1	A	121	LEU
1	A	139	ARG
1	A	142	LYS
1	A	145	LYS
1	A	146	VAL
1	A	150	VAL
1	A	165	LYS
1	A	175	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	177	VAL
1	A	185	LEU
1	A	192	LYS
1	A	193	ARG
1	A	195	GLU
1	A	200	GLU
1	A	220	ARG
1	A	228	LEU
1	A	237	ASP
1	A	244	ASP
1	A	268	GLN
1	A	269	LYS
1	A	301	ILE
1	A	305	GLN
1	A	306	GLU
1	A	312	THR
1	A	330	LYS
1	A	347	LYS
1	A	362	LYS
1	A	371	GLU
1	A	380	LYS
1	B	35	CYS
1	B	36	LYS
1	B	40	GLU
1	B	42	LYS
1	B	44	VAL
1	B	47	VAL
1	B	54	ARG
1	B	72	ASP
1	B	75	LYS
1	B	84	THR
1	B	98	ARG
1	B	116	ASN
1	B	121	LEU
1	B	123	THR
1	B	124	THR
1	B	139	ARG
1	B	146	VAL
1	B	165	LYS
1	B	168	ARG
1	B	177	VAL
1	B	180	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	190	LEU
1	B	193	ARG
1	B	200	GLU
1	B	220	ARG
1	B	224	LYS
1	B	226	ARG
1	B	238	LEU
1	B	241	LEU
1	B	244	ASP
1	B	253	THR
1	B	273	ARG
1	B	280	ASN
1	B	283	GLU
1	B	305	GLN
1	B	306	GLU
1	B	330	LYS
1	B	339	GLN
1	B	362	LYS
1	B	369	VAL
1	B	371	GLU
1	B	380	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	5	GLN
1	A	60	ASN
1	A	107	HIS
1	A	116	ASN
1	A	204	HIS
1	A	227	HIS
1	A	231	HIS
1	A	259	HIS
1	A	268	GLN
1	A	280	ASN
1	A	350	HIS
1	A	382	HIS
1	B	5	GLN
1	B	6	GLN
1	B	7	GLN
1	B	50	ASN
1	B	87	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	107	HIS
1	B	116	ASN
1	B	204	HIS
1	B	227	HIS
1	B	231	HIS
1	B	259	HIS
1	B	280	ASN
1	B	339	GLN
1	B	350	HIS
1	B	382	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	IPA	B	4571	-	3,3,3	0.55	0	3,3,3	0.43	0
3	IPA	A	4571	-	3,3,3	0.61	0	3,3,3	0.17	0
2	VAL	A	393	-	4,6,7	2.16	2 (50%)	6,7,9	2.88	2 (33%)
2	VAL	B	393	-	4,6,7	1.87	1 (25%)	6,7,9	1.33	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	VAL	A	393	-	-	0/5/6/8	-
2	VAL	B	393	-	-	1/5/6/8	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	393	VAL	CG2-CB	-3.53	1.40	1.52
2	B	393	VAL	CG2-CB	-3.19	1.41	1.52
2	A	393	VAL	CG1-CB	-2.03	1.45	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	393	VAL	CB-CA-C	-5.76	105.02	112.87
2	A	393	VAL	O-C-CA	-3.98	114.53	124.77
2	B	393	VAL	O-C-CA	-2.86	117.42	124.77

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	393	VAL	C-CA-CB-CG2

There are no ring outliers.

4 monomers are involved in 37 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	4571	IPA	3	0
3	A	4571	IPA	3	0
2	A	393	VAL	11	0
2	B	393	VAL	20	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	382/392 (97%)	-0.44	3 (0%) 82 80	5, 14, 29, 40	0
1	B	382/392 (97%)	-0.38	2 (0%) 87 85	3, 15, 30, 45	0
All	All	764/784 (97%)	-0.41	5 (0%) 84 81	3, 15, 30, 45	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	371	GLU	2.3
1	A	339	GLN	2.3
1	B	339	GLN	2.2
1	A	142	LYS	2.2
1	A	306	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	VAL	B	393	7/8	0.80	0.15	4,7,11,15	0
2	VAL	A	393	7/8	0.82	0.15	11,15,18,21	0
3	IPA	A	4571	4/4	0.88	0.18	28,30,30,32	0
3	IPA	B	4571	4/4	0.88	0.15	18,26,26,29	0
4	NA	B	394	1/1	0.95	0.06	22,22,22,22	0
4	NA	A	394	1/1	0.99	0.04	8,8,8,8	0

6.5 Other polymers [i](#)

There are no such residues in this entry.