



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 01:04 AM UTC

PDB ID : 5LK5 / pdb_00005lk5
Title : Crystal structure of the globular domain of human calreticulin mutant D71K
Authors : Gaboriaud, C.; Cioci, G.
Deposited on : 2016-07-21
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	265	% 83% 12% ..
1	B	265	3% 78% 15% • 5%
1	C	265	2% 81% 14% ..
1	D	265	3% 86% 10% ..
1	E	265	3% 80% 13% • 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	265	3% 85% 11%
1	G	265	4% 81% 14%
1	H	265	5% 78% 15%
1	I	265	3% 82% 12% 6%
1	J	265	2% 79% 15%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 21334 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Calreticulin,Calreticulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	256	Total	C	N	O	S	0	0	0
			2051	1305	330	410	6			
1	B	251	Total	C	N	O	S	0	0	0
			2021	1288	325	402	6			
1	C	255	Total	C	N	O	S	0	1	0
			2044	1301	329	408	6			
1	D	256	Total	C	N	O	S	0	0	0
			2050	1304	330	410	6			
1	E	249	Total	C	N	O	S	0	0	0
			2014	1283	327	398	6			
1	F	255	Total	C	N	O	S	0	0	0
			2038	1297	328	407	6			
1	G	255	Total	C	N	O	S	0	0	0
			2047	1302	332	407	6			
1	H	254	Total	C	N	O	S	0	1	0
			2045	1299	332	408	6			
1	I	250	Total	C	N	O	S	0	0	0
			2008	1280	323	399	6			
1	J	255	Total	C	N	O	S	0	0	0
			2044	1300	331	407	6			

There are 130 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	10	ASN	-	expression tag	UNP P27797
A	11	LYS	-	expression tag	UNP P27797
A	12	GLY	-	expression tag	UNP P27797
A	13	SER	-	expression tag	UNP P27797
A	14	ILE	-	expression tag	UNP P27797
A	15	GLU	-	expression tag	UNP P27797
A	16	GLY	-	expression tag	UNP P27797
A	17	ARG	-	expression tag	UNP P27797
A	71	LYS	ASP	engineered mutation	UNP P27797

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	205	GLY	-	linker	UNP P27797
A	206	SER	-	linker	UNP P27797
A	207	GLY	-	linker	UNP P27797
A	302	ASP	-	linker	UNP P27797
B	10	ASN	-	expression tag	UNP P27797
B	11	LYS	-	expression tag	UNP P27797
B	12	GLY	-	expression tag	UNP P27797
B	13	SER	-	expression tag	UNP P27797
B	14	ILE	-	expression tag	UNP P27797
B	15	GLU	-	expression tag	UNP P27797
B	16	GLY	-	expression tag	UNP P27797
B	17	ARG	-	expression tag	UNP P27797
B	71	LYS	ASP	engineered mutation	UNP P27797
B	299	GLY	-	linker	UNP P27797
B	300	SER	-	linker	UNP P27797
B	301	GLY	-	linker	UNP P27797
B	302	ASP	-	linker	UNP P27797
C	10	ASN	-	expression tag	UNP P27797
C	11	LYS	-	expression tag	UNP P27797
C	12	GLY	-	expression tag	UNP P27797
C	13	SER	-	expression tag	UNP P27797
C	14	ILE	-	expression tag	UNP P27797
C	15	GLU	-	expression tag	UNP P27797
C	16	GLY	-	expression tag	UNP P27797
C	17	ARG	-	expression tag	UNP P27797
C	71	LYS	ASP	engineered mutation	UNP P27797
C	205	GLY	-	linker	UNP P27797
C	206	SER	-	linker	UNP P27797
C	207	GLY	-	linker	UNP P27797
C	302	ASP	-	linker	UNP P27797
D	10	ASN	-	expression tag	UNP P27797
D	11	LYS	-	expression tag	UNP P27797
D	12	GLY	-	expression tag	UNP P27797
D	13	SER	-	expression tag	UNP P27797
D	14	ILE	-	expression tag	UNP P27797
D	15	GLU	-	expression tag	UNP P27797
D	16	GLY	-	expression tag	UNP P27797
D	17	ARG	-	expression tag	UNP P27797
D	71	LYS	ASP	engineered mutation	UNP P27797
D	205	GLY	-	linker	UNP P27797
D	206	SER	-	linker	UNP P27797
D	207	GLY	-	linker	UNP P27797

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	302	ASP	-	linker	UNP P27797
E	10	ASN	-	expression tag	UNP P27797
E	11	LYS	-	expression tag	UNP P27797
E	12	GLY	-	expression tag	UNP P27797
E	13	SER	-	expression tag	UNP P27797
E	14	ILE	-	expression tag	UNP P27797
E	15	GLU	-	expression tag	UNP P27797
E	16	GLY	-	expression tag	UNP P27797
E	17	ARG	-	expression tag	UNP P27797
E	71	LYS	ASP	engineered mutation	UNP P27797
E	299	GLY	-	linker	UNP P27797
E	300	SER	-	linker	UNP P27797
E	301	GLY	-	linker	UNP P27797
E	302	ASP	-	linker	UNP P27797
F	10	ASN	-	expression tag	UNP P27797
F	11	LYS	-	expression tag	UNP P27797
F	12	GLY	-	expression tag	UNP P27797
F	13	SER	-	expression tag	UNP P27797
F	14	ILE	-	expression tag	UNP P27797
F	15	GLU	-	expression tag	UNP P27797
F	16	GLY	-	expression tag	UNP P27797
F	17	ARG	-	expression tag	UNP P27797
F	71	LYS	ASP	engineered mutation	UNP P27797
F	205	GLY	-	linker	UNP P27797
F	206	SER	-	linker	UNP P27797
F	207	GLY	-	linker	UNP P27797
F	302	ASP	-	linker	UNP P27797
G	10	ASN	-	expression tag	UNP P27797
G	11	LYS	-	expression tag	UNP P27797
G	12	GLY	-	expression tag	UNP P27797
G	13	SER	-	expression tag	UNP P27797
G	14	ILE	-	expression tag	UNP P27797
G	15	GLU	-	expression tag	UNP P27797
G	16	GLY	-	expression tag	UNP P27797
G	17	ARG	-	expression tag	UNP P27797
G	71	LYS	ASP	engineered mutation	UNP P27797
G	205	GLY	-	linker	UNP P27797
G	206	SER	-	linker	UNP P27797
G	207	GLY	-	linker	UNP P27797
G	302	ASP	-	linker	UNP P27797
H	10	ASN	-	expression tag	UNP P27797
H	11	LYS	-	expression tag	UNP P27797

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	12	GLY	-	expression tag	UNP P27797
H	13	SER	-	expression tag	UNP P27797
H	14	ILE	-	expression tag	UNP P27797
H	15	GLU	-	expression tag	UNP P27797
H	16	GLY	-	expression tag	UNP P27797
H	17	ARG	-	expression tag	UNP P27797
H	71	LYS	ASP	engineered mutation	UNP P27797
H	205	GLY	-	linker	UNP P27797
H	206	SER	-	linker	UNP P27797
H	207	GLY	-	linker	UNP P27797
H	302	ASP	-	linker	UNP P27797
I	10	ASN	-	expression tag	UNP P27797
I	11	LYS	-	expression tag	UNP P27797
I	12	GLY	-	expression tag	UNP P27797
I	13	SER	-	expression tag	UNP P27797
I	14	ILE	-	expression tag	UNP P27797
I	15	GLU	-	expression tag	UNP P27797
I	16	GLY	-	expression tag	UNP P27797
I	17	ARG	-	expression tag	UNP P27797
I	71	LYS	ASP	engineered mutation	UNP P27797
I	299	GLY	-	linker	UNP P27797
I	300	SER	-	linker	UNP P27797
I	301	GLY	-	linker	UNP P27797
I	302	ASP	-	linker	UNP P27797
J	10	ASN	-	expression tag	UNP P27797
J	11	LYS	-	expression tag	UNP P27797
J	12	GLY	-	expression tag	UNP P27797
J	13	SER	-	expression tag	UNP P27797
J	14	ILE	-	expression tag	UNP P27797
J	15	GLU	-	expression tag	UNP P27797
J	16	GLY	-	expression tag	UNP P27797
J	17	ARG	-	expression tag	UNP P27797
J	71	LYS	ASP	engineered mutation	UNP P27797
J	205	GLY	-	linker	UNP P27797
J	206	SER	-	linker	UNP P27797
J	207	GLY	-	linker	UNP P27797
J	302	ASP	-	linker	UNP P27797

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Ca 1 1	0	0
2	B	1	Total Ca 1 1	0	0
2	C	1	Total Ca 1 1	0	0
2	D	1	Total Ca 1 1	0	0
2	E	1	Total Ca 1 1	0	0
2	F	1	Total Ca 1 1	0	0
2	G	1	Total Ca 1 1	0	0
2	H	1	Total Ca 1 1	0	0
2	I	1	Total Ca 1 1	0	0
2	J	1	Total Ca 1 1	0	0

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	E	1	Total Cl 1 1	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	112	Total O 112 112	0	0
4	B	83	Total O 83 83	0	0
4	C	103	Total O 103 103	0	0
4	D	112	Total O 112 112	0	0
4	E	110	Total O 110 110	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	F	90	Total 90	O 90	0	0
4	G	98	Total 98	O 98	0	0
4	H	77	Total 77	O 77	0	0
4	I	90	Total 90	O 90	0	0
4	J	86	Total 86	O 86	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Calreticulin,Calreticulin




- Molecule 1: Calreticulin,Calreticulin




- Molecule 1: Calreticulin,Calreticulin





- Molecule 1: Calreticulin,Calreticulin









• Molecule 1: Calreticulin,Calreticulin





• Molecule 1: Calreticulin,Calreticulin




• Molecule 1: Calreticulin,Calreticulin




• Molecule 1: Calreticulin,Calreticulin



● Molecule 1: Calreticulin,Calreticulin



● Molecule 1: Calreticulin,Calreticulin



4 Data and refinement statistics

Property	Value	Source
Space group	P 42	Depositor
Cell constants a, b, c, α , β , γ	196.98Å 196.98Å 67.81Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.77 – 2.30 47.77 – 2.30	Depositor EDS
% Data completeness (in resolution range)	97.1 (47.77-2.30) 97.1 (47.77-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.61 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.210 , 0.247 (Not available) , 0.241	Depositor DCC
R_{free} test set	5630 reflections (4.85%)	wwPDB-VP
Wilson B-factor (Å ²)	20.9	Xtriage
Anisotropy	0.174	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 34.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.54$, $\langle L^2 \rangle = 0.38$	Xtriage
Estimated twinning fraction	0.000 for h,-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	21334	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 71.61 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.5480e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.02	2/2102 (0.1%)	1.12	8/2839 (0.3%)
1	B	1.04	0/2070	1.00	5/2793 (0.2%)
1	C	1.06	3/2098 (0.1%)	1.22	6/2833 (0.2%)
1	D	1.04	1/2101 (0.0%)	1.14	8/2838 (0.3%)
1	E	1.02	0/2063	0.99	5/2780 (0.2%)
1	F	1.03	2/2089 (0.1%)	1.05	4/2822 (0.1%)
1	G	1.14	1/2098 (0.0%)	1.14	8/2832 (0.3%)
1	H	1.03	2/2096 (0.1%)	1.14	5/2829 (0.2%)
1	I	1.01	1/2057 (0.0%)	0.98	3/2776 (0.1%)
1	J	1.22	1/2095 (0.0%)	1.14	6/2829 (0.2%)
All	All	1.06	13/20869 (0.1%)	1.10	58/28171 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	C	0	1
1	D	0	2
1	F	0	2
1	G	0	1
1	H	0	1
All	All	0	9

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	J	207	GLY	C-N	33.26	1.66	1.33
1	G	207	GLY	C-N	20.53	1.53	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	207	GLY	C-N	12.40	1.59	1.33
1	C	207	GLY	C-N	10.45	1.55	1.33
1	H	207	GLY	C-N	9.21	1.47	1.33
1	C	346	THR	CA-C	6.51	1.56	1.52
1	C	86	ASN	CA-C	5.63	1.60	1.52
1	F	328	ASP	CB-CG	5.61	1.66	1.52
1	A	328	ASP	CB-CG	5.47	1.65	1.52
1	H	328	ASP	CB-CG	5.40	1.65	1.52
1	D	328	ASP	CB-CG	5.29	1.65	1.52
1	A	80	SER	CA-C	-5.25	1.45	1.53
1	I	62	LYS	C-O	-5.07	1.18	1.24

All (58) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	207	GLY	O-C-N	-33.31	79.40	122.70
1	H	207	GLY	O-C-N	-25.07	90.11	122.70
1	D	207	GLY	O-C-N	-22.02	99.98	123.10
1	J	207	GLY	O-C-N	-21.09	89.25	123.00
1	A	207	GLY	O-C-N	-20.40	101.68	123.10
1	G	207	GLY	O-C-N	-17.67	94.72	123.00
1	G	207	GLY	CA-C-N	15.54	143.88	122.74
1	G	207	GLY	C-N-CA	15.54	143.88	122.74
1	F	207	GLY	O-C-N	-15.51	102.54	122.70
1	J	207	GLY	CA-C-N	14.29	142.18	122.74
1	J	207	GLY	C-N-CA	14.29	142.18	122.74
1	D	207	GLY	CA-C-N	13.06	153.66	121.80
1	D	207	GLY	C-N-CA	13.06	153.66	121.80
1	A	207	GLY	CA-C-N	11.69	150.33	121.80
1	A	207	GLY	C-N-CA	11.69	150.33	121.80
1	C	207	GLY	CA-C-N	9.54	145.09	121.80
1	C	207	GLY	C-N-CA	9.54	145.09	121.80
1	H	130	ILE	CA-CB-CG1	8.85	125.44	110.40
1	G	165	ASP	N-CA-CB	-8.25	100.08	110.98
1	H	53	SER	N-CA-CB	-7.90	98.69	110.61
1	F	207	GLY	CA-C-N	7.62	140.39	121.80
1	F	207	GLY	C-N-CA	7.62	140.39	121.80
1	A	207	GLY	N-CA-C	-7.45	101.10	111.76
1	G	80	SER	CB-CA-C	-7.45	96.80	109.83
1	D	191	VAL	CB-CA-C	7.17	117.68	110.65
1	A	80	SER	CB-CA-C	-6.98	97.62	109.83
1	D	207	GLY	N-CA-C	-6.82	102.01	111.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	80	SER	CB-CA-C	-6.82	97.90	109.83
1	H	100	GLU	CB-CA-C	-6.58	99.49	110.68
1	C	110	VAL	N-CA-CB	-6.35	100.75	112.43
1	C	193	SER	N-CA-CB	-6.13	100.66	111.39
1	I	351	LYS	N-CA-C	6.05	118.40	111.02
1	D	302	ASP	N-CA-C	-6.02	96.50	109.81
1	E	38	ILE	CB-CG1-CD1	6.00	126.39	113.80
1	A	100	GLU	CB-CA-C	-5.87	98.74	110.42
1	C	207	GLY	N-CA-C	-5.83	99.36	113.18
1	A	302	ASP	N-CA-C	-5.71	97.19	109.81
1	G	100	GLU	CB-CA-C	-5.63	99.22	110.42
1	E	355	LYS	CG-CD-CE	5.62	124.23	111.30
1	D	367	LEU	N-CA-CB	-5.56	101.05	110.50
1	E	143	LYS	CA-CB-CG	5.44	124.98	114.10
1	B	151	LYS	CD-CE-NZ	5.44	129.31	111.90
1	B	100	GLU	CB-CA-C	-5.43	99.61	110.42
1	G	43	LYS	CG-CD-CE	-5.43	98.82	111.30
1	J	302	ASP	N-CA-C	-5.43	96.69	108.74
1	J	120	THR	N-CA-CB	-5.39	100.95	110.39
1	A	310	ASN	N-CA-C	5.29	117.13	108.55
1	G	78	SER	CB-CA-C	-5.24	99.17	110.45
1	J	360	LYS	CG-CD-CE	5.22	123.31	111.30
1	F	207	GLY	N-CA-C	-5.19	100.89	113.18
1	B	310	ASN	N-CA-C	5.15	116.90	108.55
1	E	140	GLY	N-CA-C	5.15	120.28	113.37
1	E	61	GLU	CG-CD-OE2	5.11	130.16	118.40
1	B	78	SER	CB-CA-C	-5.10	98.85	110.07
1	I	43	LYS	CB-CG-CD	5.06	122.94	111.30
1	I	140	GLY	N-CA-C	5.06	120.15	113.37
1	D	191	VAL	N-CA-CB	-5.05	105.30	112.12
1	H	364	GLU	CB-CA-C	5.05	119.17	110.79

There are no chirality outliers.

All (9) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	207	GLY	Peptide,Mainchain
1	C	207	GLY	Mainchain
1	D	207	GLY	Peptide,Mainchain
1	F	207	GLY	Peptide,Mainchain
1	G	207	GLY	Mainchain
1	H	207	GLY	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2051	0	1917	22	0
1	B	2021	0	1893	26	0
1	C	2044	0	1915	23	0
1	D	2050	0	1915	11	0
1	E	2014	0	1899	19	0
1	F	2038	0	1901	13	0
1	G	2047	0	1921	25	0
1	H	2045	0	1914	25	0
1	I	2008	0	1877	12	0
1	J	2044	0	1912	30	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	H	1	0	0	0	0
2	I	1	0	0	0	0
2	J	1	0	0	0	0
3	E	1	0	0	0	0
4	A	112	0	0	2	1
4	B	83	0	0	3	0
4	C	103	0	0	8	0
4	D	112	0	0	3	1
4	E	110	0	0	4	1
4	F	90	0	0	1	1
4	G	98	0	0	4	0
4	H	77	0	0	3	0
4	I	90	0	0	3	0
4	J	86	0	0	7	0
All	All	21334	0	19064	200	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (200) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:113:PHE:HB2	1:C:313:VAL:HG13	1.38	1.05
1:C:197:GLU:OE2	4:C:601:HOH:O	1.77	1.01
1:F:142:LYS:HE2	1:F:165:ASP:OD2	1.74	0.88
1:D:142:LYS:HE2	1:D:165:ASP:OD2	1.73	0.86
1:J:142:LYS:HE2	1:J:165:ASP:OD2	1.74	0.86
1:C:113:PHE:HB2	1:C:313:VAL:CG1	2.11	0.81
1:H:61:GLU:HB2	4:H:605:HOH:O	1.80	0.78
1:E:366:ARG:C	4:E:537:HOH:O	2.28	0.77
1:H:98:LYS:HE3	1:H:100:GLU:HG3	1.68	0.76
1:E:42:HIS:NE2	4:E:501:HOH:O	2.19	0.75
1:F:166:ASP:OD1	1:F:170:HIS:HE1	1.70	0.73
1:G:98:LYS:HE3	1:G:100:GLU:HG3	1.70	0.72
1:C:64:LYS:HE3	4:I:683:HOH:O	1.89	0.71
1:C:139:PRO:HD2	4:C:682:HOH:O	1.89	0.71
1:I:35:SER:HB3	4:I:656:HOH:O	1.92	0.70
1:B:98:LYS:HE2	1:B:100:GLU:HG3	1.72	0.69
1:J:19:PRO:HD2	4:J:626:HOH:O	1.93	0.69
1:A:98:LYS:HE2	1:A:100:GLU:HG3	1.75	0.68
1:C:363:GLU:HA	4:C:699:HOH:O	1.94	0.67
1:C:185:LYS:HE2	4:C:619:HOH:O	1.94	0.66
4:B:638:HOH:O	1:F:87:LYS:HE3	1.96	0.65
1:E:137:CYS:O	1:E:141:THR:OG1	2.16	0.63
1:E:43:LYS:HE2	1:E:46:PHE:CE1	2.33	0.62
1:B:128:TYR:CZ	1:B:131:MET:HE3	2.36	0.60
4:F:607:HOH:O	1:J:87:LYS:HE3	2.01	0.60
1:H:53:SER:HB2	1:H:64:LYS:HG2	1.84	0.59
1:H:78:SER:HB3	1:H:122:MET:HE1	1.84	0.59
1:G:185:LYS:HE2	4:G:544:HOH:O	2.03	0.59
1:J:350:THR:HG21	4:J:667:HOH:O	2.03	0.58
1:J:78:SER:HB3	1:J:122:MET:HE1	1.84	0.58
1:J:117:LEU:HD21	1:J:122:MET:CE	2.34	0.58
1:B:117:LEU:HD21	1:B:122:MET:CE	2.35	0.57
1:J:346:THR:O	1:J:350:THR:HG22	2.04	0.57
1:C:87:LYS:HE3	1:C:309:ASP:OD1	2.05	0.56
1:G:117:LEU:HD21	1:G:122:MET:CE	2.35	0.56
1:H:347:TRP:CZ2	1:H:351:LYS:HD2	2.40	0.56
1:A:117:LEU:HD21	1:A:122:MET:CE	2.36	0.56
1:I:42:HIS:NE2	4:I:603:HOH:O	2.32	0.56
1:A:78:SER:HB3	1:A:122:MET:HE1	1.88	0.56
1:J:207:GLY:HA2	4:J:620:HOH:O	2.06	0.56
1:G:78:SER:OG	1:G:122:MET:CE	2.53	0.56
1:H:117:LEU:HD21	1:H:122:MET:CE	2.36	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:195:SER:HB3	1:G:197:GLU:OE2	2.06	0.55
1:H:98:LYS:HE3	1:H:100:GLU:CG	2.37	0.55
1:G:98:LYS:HE3	1:G:100:GLU:CG	2.38	0.54
1:B:117:LEU:HD21	1:B:122:MET:HE3	1.90	0.54
1:C:173:THR:HB	1:C:185:LYS:HB2	1.90	0.54
1:J:117:LEU:HD21	1:J:122:MET:HE3	1.90	0.54
1:J:102:ASN:HA	4:J:660:HOH:O	2.08	0.54
1:B:78:SER:OG	1:B:122:MET:CE	2.55	0.53
1:J:160:ASP:OD1	4:J:601:HOH:O	2.19	0.53
1:A:117:LEU:HD21	1:A:122:MET:HE3	1.90	0.53
1:G:173:THR:HB	1:G:185:LYS:HB2	1.91	0.53
1:D:173:THR:HB	1:D:185:LYS:HB2	1.91	0.53
1:E:43:LYS:CE	1:E:46:PHE:CE1	2.92	0.53
1:E:102:ASN:HB3	1:G:139:PRO:HB2	1.89	0.53
1:H:302:ASP:O	1:H:305:ILE:HG12	2.09	0.53
1:F:173:THR:HB	1:F:185:LYS:HB2	1.90	0.53
1:F:61:GLU:OE1	1:F:64:LYS:NZ	2.36	0.53
1:I:173:THR:HB	1:I:185:LYS:HB2	1.91	0.53
1:H:117:LEU:HD21	1:H:122:MET:HE3	1.91	0.52
1:D:197:GLU:OE2	4:D:601:HOH:O	2.19	0.52
1:J:173:THR:HB	1:J:185:LYS:HB2	1.90	0.52
1:B:142:LYS:NZ	1:B:165:ASP:OD2	2.38	0.52
1:H:142:LYS:NZ	1:H:165:ASP:OD2	2.40	0.52
1:G:117:LEU:HD21	1:G:122:MET:HE3	1.92	0.52
1:E:173:THR:HB	1:E:185:LYS:HB2	1.92	0.52
1:B:61:GLU:OE1	1:B:64:LYS:NZ	2.36	0.52
1:D:310:ASN:ND2	4:D:605:HOH:O	2.43	0.52
1:C:117:LEU:O	4:C:602:HOH:O	2.19	0.52
1:A:302:ASP:O	1:A:305:ILE:HG12	2.09	0.52
1:J:19:PRO:CD	4:J:626:HOH:O	2.56	0.52
1:C:200:TRP:HB2	1:C:202:PHE:CE2	2.45	0.52
1:G:200:TRP:HB2	1:G:202:PHE:CE2	2.45	0.51
1:B:173:THR:HB	1:B:185:LYS:HB2	1.92	0.51
1:E:202:PHE:O	1:E:203:LEU:C	2.52	0.51
1:H:162:ARG:NE	4:H:612:HOH:O	2.43	0.51
1:B:55:LYS:HE2	1:F:309:ASP:OD2	2.11	0.51
1:A:173:THR:HB	1:A:185:LYS:HB2	1.93	0.51
1:E:167:GLU:OE2	1:E:358:LYS:HE2	2.11	0.51
1:G:78:SER:OG	1:G:122:MET:HE1	2.10	0.51
1:I:159:LYS:HD2	1:I:192:GLU:CD	2.36	0.51
1:E:197:GLU:OE2	4:E:502:HOH:O	2.19	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:78:SER:HB2	1:B:119:GLN:HE21	1.76	0.51
1:B:167:GLU:OE2	1:B:358:LYS:HE2	2.11	0.51
1:F:167:GLU:OE2	1:F:358:LYS:HE2	2.10	0.51
1:F:200:TRP:HB2	1:F:202:PHE:CE2	2.46	0.50
1:I:167:GLU:OE2	1:I:358:LYS:HE2	2.11	0.50
1:J:167:GLU:OE2	1:J:358:LYS:HE2	2.12	0.50
1:H:173:THR:HB	1:H:185:LYS:HB2	1.93	0.50
1:J:159:LYS:HD2	1:J:192:GLU:CD	2.36	0.50
1:I:314:LEU:HD21	1:I:330:PHE:CD2	2.47	0.50
1:C:143:LYS:HE2	1:C:145:HIS:CE1	2.46	0.50
1:C:167:GLU:OE2	1:C:358:LYS:HE2	2.12	0.50
1:J:200:TRP:HB2	1:J:202:PHE:CE2	2.47	0.50
1:D:61:GLU:OE1	1:D:64:LYS:NZ	2.39	0.50
1:D:167:GLU:OE2	1:D:358:LYS:HE2	2.12	0.50
1:G:179:ASP:CG	4:G:529:HOH:O	2.55	0.50
1:H:167:GLU:OE2	1:H:358:LYS:HE2	2.12	0.50
1:A:167:GLU:OE2	1:A:358:LYS:HE2	2.11	0.49
1:C:110:VAL:HG22	1:C:314:LEU:HD21	1.94	0.49
1:C:61:GLU:OE1	1:C:64:LYS:HE2	2.13	0.49
1:A:18:GLU:N	1:A:19:PRO:HD2	2.27	0.49
1:G:125:ASP:HB3	4:G:593:HOH:O	2.13	0.49
1:G:159:LYS:HD2	1:G:192:GLU:CD	2.38	0.49
1:A:98:LYS:HE2	1:A:100:GLU:CG	2.43	0.48
1:A:143:LYS:NZ	4:A:603:HOH:O	2.33	0.48
1:G:167:GLU:OE2	1:G:358:LYS:HE2	2.13	0.48
1:B:18:GLU:N	1:B:19:PRO:HD2	2.28	0.48
1:B:78:SER:OG	1:B:122:MET:HE1	2.14	0.48
1:C:159:LYS:HD2	1:C:192:GLU:CD	2.39	0.48
1:A:200:TRP:HB2	1:A:202:PHE:CE2	2.49	0.47
1:B:200:TRP:HB2	1:B:202:PHE:CE2	2.49	0.47
1:A:364:GLU:CD	4:A:602:HOH:O	2.57	0.47
1:G:83:PRO:HA	1:G:311:PHE:O	2.14	0.47
1:B:150:TYR:O	4:B:601:HOH:O	2.20	0.47
1:B:180:ASN:HB3	1:B:197:GLU:OE2	2.15	0.47
1:G:142:LYS:HG3	1:G:162:ARG:NH2	2.29	0.47
1:C:83:PRO:HA	1:C:311:PHE:O	2.13	0.47
1:H:200:TRP:HB2	1:H:202:PHE:CE2	2.48	0.47
1:B:39:GLU:HB3	4:B:645:HOH:O	2.14	0.46
1:G:357:MET:HE2	4:G:528:HOH:O	2.15	0.46
1:H:78:SER:CB	1:H:122:MET:HE1	2.45	0.46
1:E:200:TRP:HB2	1:E:202:PHE:CE2	2.51	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:83:PRO:HA	1:J:311:PHE:O	2.15	0.46
1:G:197:GLU:H	1:G:197:GLU:CD	2.23	0.46
1:B:98:LYS:HE2	1:B:100:GLU:CG	2.41	0.46
1:E:83:PRO:HA	1:E:311:PHE:O	2.15	0.46
1:A:360:LYS:O	1:A:364:GLU:HG2	2.16	0.46
1:B:360:LYS:O	1:B:364:GLU:HG2	2.16	0.45
1:A:180:ASN:HB3	1:A:197:GLU:OE2	2.17	0.45
1:I:83:PRO:HA	1:I:311:PHE:O	2.15	0.45
1:J:360:LYS:O	1:J:364:GLU:HG2	2.15	0.45
1:J:207:GLY:CA	4:J:620:HOH:O	2.64	0.45
1:F:360:LYS:O	1:F:364:GLU:HG2	2.17	0.45
1:B:83:PRO:HA	1:B:311:PHE:O	2.16	0.45
1:D:200:TRP:HB2	1:D:202:PHE:CE2	2.52	0.45
1:E:93:VAL:CG2	1:E:112:LEU:HD11	2.47	0.45
1:I:27:PHE:CZ	1:I:66:LEU:HG	2.52	0.45
1:G:61:GLU:OE1	1:G:64:LYS:NZ	2.36	0.45
1:H:83:PRO:HA	1:H:311:PHE:O	2.16	0.45
1:J:93:VAL:CG2	1:J:112:LEU:HD11	2.47	0.45
1:J:117:LEU:CD2	1:J:122:MET:HE2	2.47	0.45
1:D:67:GLN:HA	1:D:325:THR:O	2.17	0.44
1:D:83:PRO:HA	1:D:311:PHE:O	2.17	0.44
1:J:39:GLU:OE2	1:J:48:LYS:HE3	2.17	0.44
1:F:83:PRO:HA	1:F:311:PHE:O	2.17	0.44
1:H:69:SER:O	1:I:88:GLY:HA2	2.18	0.44
1:J:78:SER:CB	1:J:122:MET:HE1	2.47	0.44
1:J:117:LEU:HD21	1:J:122:MET:HE2	1.99	0.44
1:I:200:TRP:HB2	1:I:202:PHE:CE2	2.53	0.44
1:I:93:VAL:CG2	1:I:112:LEU:HD11	2.48	0.43
1:D:62:LYS:HE2	4:D:706:HOH:O	2.18	0.43
1:H:35:SER:HB2	4:H:669:HOH:O	2.18	0.43
1:B:27:PHE:CZ	1:B:66:LEU:HG	2.54	0.43
1:A:302:ASP:HB3	1:A:305:ILE:HD11	2.00	0.43
1:E:27:PHE:CZ	1:E:66:LEU:HG	2.54	0.43
1:H:93:VAL:CG2	1:H:112:LEU:HD11	2.49	0.43
1:A:78:SER:CB	1:A:122:MET:HE1	2.48	0.42
1:G:27:PHE:CZ	1:G:66:LEU:HG	2.54	0.42
1:A:197:GLU:H	1:A:197:GLU:CD	2.27	0.42
1:A:303:PRO:CB	1:C:50:VAL:HG11	2.48	0.42
1:F:67:GLN:HA	1:F:325:THR:O	2.19	0.42
1:A:83:PRO:HA	1:A:311:PHE:O	2.18	0.42
1:H:130:ILE:HD12	1:H:148:PHE:CE1	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:358:LYS:HE3	1:J:362:ASP:OD1	2.18	0.42
1:H:316:LEU:N	1:H:316:LEU:CD1	2.82	0.42
1:A:61:GLU:OE1	1:A:64:LYS:NZ	2.38	0.42
1:B:67:GLN:HA	1:B:325:THR:O	2.20	0.42
1:B:102:ASN:HB3	1:H:139:PRO:HB2	2.00	0.42
1:E:128:TYR:N	4:E:505:HOH:O	2.39	0.42
1:D:93:VAL:CG2	1:D:112:LEU:HD11	2.49	0.42
1:F:27:PHE:CZ	1:F:66:LEU:HG	2.55	0.42
1:C:67:GLN:HA	1:C:325:THR:O	2.20	0.42
1:G:117:LEU:HD21	1:G:122:MET:HE2	2.01	0.42
1:G:117:LEU:CD2	1:G:122:MET:HE2	2.50	0.42
1:B:55:LYS:CE	1:F:309:ASP:OD2	2.68	0.42
1:C:87:LYS:CE	1:C:309:ASP:OD1	2.67	0.41
1:G:67:GLN:HA	1:G:325:THR:O	2.20	0.41
1:I:67:GLN:HA	1:I:325:THR:O	2.20	0.41
1:J:67:GLN:HA	1:J:325:THR:O	2.20	0.41
1:B:117:LEU:CD2	1:B:122:MET:HE2	2.50	0.41
1:E:143:LYS:HE2	1:E:145:HIS:CE1	2.55	0.41
1:H:67:GLN:HA	1:H:325:THR:O	2.20	0.41
1:H:117:LEU:CD2	1:H:122:MET:HE2	2.51	0.41
1:J:27:PHE:CZ	1:J:66:LEU:HG	2.56	0.41
1:J:93:VAL:HG22	1:J:112:LEU:HD11	2.02	0.41
1:J:61:GLU:OE1	1:J:64:LYS:NZ	2.37	0.41
1:J:117:LEU:CD2	1:J:122:MET:CE	2.98	0.41
1:A:159:LYS:HD2	1:A:192:GLU:CD	2.46	0.41
1:C:84:PHE:HB3	4:C:604:HOH:O	2.21	0.41
1:H:27:PHE:CZ	1:H:66:LEU:HG	2.56	0.41
1:E:78:SER:HB2	1:E:313:VAL:CG1	2.51	0.41
1:A:67:GLN:HA	1:A:325:THR:O	2.21	0.41
1:E:93:VAL:HG22	1:E:112:LEU:HD11	2.03	0.41
1:C:185:LYS:CE	4:C:619:HOH:O	2.62	0.40
1:E:67:GLN:HA	1:E:325:THR:O	2.21	0.40
1:G:113:PHE:CE2	1:G:122:MET:HE2	2.55	0.40
1:B:117:LEU:HD21	1:B:122:MET:HE2	2.02	0.40
1:C:310:ASN:HA	4:C:606:HOH:O	2.20	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:659:HOH:O	4:F:684:HOH:O[4_555]	1.97	0.23

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:709:HOH:O	4:E:601:HOH:O[3_564]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	254/265 (96%)	245 (96%)	8 (3%)	1 (0%)	30	38
1	B	247/265 (93%)	237 (96%)	9 (4%)	1 (0%)	30	38
1	C	254/265 (96%)	245 (96%)	7 (3%)	2 (1%)	16	20
1	D	254/265 (96%)	244 (96%)	9 (4%)	1 (0%)	30	38
1	E	245/265 (92%)	236 (96%)	8 (3%)	1 (0%)	30	38
1	F	253/265 (96%)	242 (96%)	10 (4%)	1 (0%)	30	38
1	G	253/265 (96%)	246 (97%)	6 (2%)	1 (0%)	30	38
1	H	253/265 (96%)	244 (96%)	8 (3%)	1 (0%)	30	38
1	I	246/265 (93%)	238 (97%)	7 (3%)	1 (0%)	30	38
1	J	253/265 (96%)	244 (96%)	8 (3%)	1 (0%)	30	38
All	All	2512/2650 (95%)	2421 (96%)	80 (3%)	11 (0%)	30	38

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	302	ASP
1	B	321	VAL
1	D	321	VAL
1	E	321	VAL
1	F	321	VAL
1	G	321	VAL
1	H	321	VAL
1	J	321	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	321	VAL
1	I	321	VAL
1	A	321	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	222/231 (96%)	216 (97%)	6 (3%)	39	58
1	B	219/231 (95%)	213 (97%)	6 (3%)	39	58
1	C	222/231 (96%)	214 (96%)	8 (4%)	31	47
1	D	222/231 (96%)	216 (97%)	6 (3%)	39	58
1	E	219/231 (95%)	211 (96%)	8 (4%)	30	45
1	F	220/231 (95%)	214 (97%)	6 (3%)	39	58
1	G	222/231 (96%)	214 (96%)	8 (4%)	31	47
1	H	222/231 (96%)	212 (96%)	10 (4%)	24	37
1	I	217/231 (94%)	208 (96%)	9 (4%)	27	41
1	J	221/231 (96%)	212 (96%)	9 (4%)	27	41
All	All	2206/2310 (96%)	2130 (97%)	76 (3%)	32	49

All (76) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	143	LYS
1	A	162	ARG
1	A	206	SER
1	A	305	ILE
1	A	310	ASN
1	A	332	ILE
1	B	48	LYS
1	B	143	LYS
1	B	153	LYS
1	B	305	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	310	ASN
1	B	332	ILE
1	C	50	VAL
1	C	110	VAL
1	C	136	ILE
1	C	142	LYS
1	C	143	LYS
1	C	175	ILE
1	C	206	SER
1	C	332	ILE
1	D	87	LYS
1	D	143	LYS
1	D	191	VAL
1	D	197	GLU
1	D	206	SER
1	D	332	ILE
1	E	35	SER
1	E	50	VAL
1	E	71	LYS
1	E	141	THR
1	E	142	LYS
1	E	143	LYS
1	E	203	LEU
1	E	332	ILE
1	F	143	LYS
1	F	162	ARG
1	F	206	SER
1	F	310	ASN
1	F	332	ILE
1	F	363	GLU
1	G	48	LYS
1	G	55	LYS
1	G	143	LYS
1	G	162	ARG
1	G	197	GLU
1	G	206	SER
1	G	332	ILE
1	G	364	GLU
1	H	35	SER
1	H	50	VAL
1	H	80	SER
1	H	143	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	175	ILE
1	H	206	SER
1	H	305	ILE
1	H	316	LEU
1	H	332	ILE
1	H	360	LYS
1	I	43	LYS
1	I	50	VAL
1	I	87	LYS
1	I	136	ILE
1	I	142	LYS
1	I	162	ARG
1	I	175	ILE
1	I	332	ILE
1	I	365	GLN
1	J	35	SER
1	J	50	VAL
1	J	55	LYS
1	J	120	THR
1	J	143	LYS
1	J	175	ILE
1	J	206	SER
1	J	332	ILE
1	J	350	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	190	GLN
1	A	365	GLN
1	B	67	GLN
1	B	119	GLN
1	B	365	GLN
1	C	26	GLN
1	C	67	GLN
1	C	102	ASN
1	D	67	GLN
1	D	149	ASN
1	D	329	ASN
1	E	67	GLN
1	E	190	GLN
1	F	67	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	170	HIS
1	F	329	ASN
1	H	115	ASN
1	H	329	ASN
1	I	67	GLN
1	I	119	GLN
1	J	67	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 11 ligands modelled in this entry, 11 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	J	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	J	207:GLY	C	302:ASP	N	1.66

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	256/265 (96%)	0.15	3 (1%) 76 77	10, 21, 39, 55	0
1	B	251/265 (94%)	0.26	8 (3%) 50 52	10, 22, 39, 57	0
1	C	255/265 (96%)	0.40	6 (2%) 59 62	11, 23, 40, 56	1 (0%)
1	D	256/265 (96%)	0.12	8 (3%) 51 53	9, 20, 37, 53	0
1	E	249/265 (93%)	0.28	8 (3%) 50 52	11, 21, 37, 53	0
1	F	255/265 (96%)	0.19	9 (3%) 47 49	9, 20, 42, 52	0
1	G	255/265 (96%)	0.36	10 (3%) 43 45	11, 22, 40, 58	0
1	H	254/265 (95%)	0.69	14 (5%) 30 32	8, 28, 42, 63	1 (0%)
1	I	250/265 (94%)	0.48	8 (3%) 50 52	13, 23, 41, 61	0
1	J	255/265 (96%)	0.26	4 (1%) 70 72	11, 22, 39, 56	0
All	All	2536/2650 (95%)	0.32	78 (3%) 51 53	8, 22, 40, 63	2 (0%)

All (78) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	I	203	LEU	5.7
1	J	139	PRO	4.7
1	E	139	PRO	3.8
1	E	203	LEU	3.7
1	B	203	LEU	3.6
1	H	310	ASN	3.6
1	H	364	GLU	3.6
1	F	139	PRO	3.5
1	H	138	GLY	3.5
1	G	139	PRO	3.3
1	H	139	PRO	3.3
1	B	139	PRO	3.2
1	G	206	SER	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	139	PRO	3.0
1	F	363	GLU	2.9
1	F	19	PRO	2.9
1	H	19	PRO	2.9
1	D	364	GLU	2.9
1	D	139	PRO	2.8
1	C	309	ASP	2.7
1	D	31	ASP	2.7
1	F	158	ASN	2.7
1	E	31	ASP	2.7
1	C	364	GLU	2.7
1	F	205	GLY	2.7
1	I	317	ASP	2.6
1	D	39	GLU	2.6
1	F	303	PRO	2.6
1	G	140	GLY	2.6
1	B	158	ASN	2.5
1	H	309	ASP	2.5
1	E	141	THR	2.5
1	F	317	ASP	2.5
1	G	43	LYS	2.5
1	F	364	GLU	2.5
1	G	366	ARG	2.4
1	E	201	ASP	2.4
1	D	310	ASN	2.4
1	I	303	PRO	2.4
1	B	303	PRO	2.3
1	C	139	PRO	2.3
1	I	139	PRO	2.3
1	A	207	GLY	2.3
1	G	39	GLU	2.3
1	F	138	GLY	2.3
1	H	341	GLU	2.3
1	G	309	ASP	2.3
1	C	205	GLY	2.3
1	I	367	LEU	2.2
1	H	31	ASP	2.2
1	B	44	SER	2.2
1	H	366	ARG	2.2
1	E	138	GLY	2.2
1	D	203	LEU	2.2
1	G	207	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	140	GLY	2.2
1	D	18	GLU	2.2
1	B	317	ASP	2.1
1	H	158	ASN	2.1
1	H	317	ASP	2.1
1	C	39	GLU	2.1
1	E	317	ASP	2.1
1	H	137	CYS	2.1
1	J	137	CYS	2.1
1	B	35	SER	2.1
1	B	18	GLU	2.1
1	J	309	ASP	2.1
1	I	356	GLN	2.1
1	E	303	PRO	2.1
1	J	303	PRO	2.1
1	D	317	ASP	2.1
1	G	310	ASN	2.1
1	I	365	GLN	2.0
1	G	158	ASN	2.0
1	A	140	GLY	2.0
1	H	197	GLU	2.0
1	C	310	ASN	2.0
1	I	366	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
-----	------	-------	-----	-------	------	-----	-----------------------------	-------

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CA	H	500	1/1	0.88	0.08	26,26,26,26	0
2	CA	G	401	1/1	0.90	0.05	14,14,14,14	0
2	CA	D	500	1/1	0.91	0.05	14,14,14,14	0
2	CA	E	401	1/1	0.91	0.06	18,18,18,18	0
2	CA	I	500	1/1	0.92	0.07	20,20,20,20	0
2	CA	C	500	1/1	0.93	0.04	14,14,14,14	0
2	CA	A	500	1/1	0.93	0.05	15,15,15,15	0
2	CA	B	500	1/1	0.93	0.04	18,18,18,18	0
2	CA	J	500	1/1	0.93	0.04	18,18,18,18	0
2	CA	F	500	1/1	0.96	0.04	14,14,14,14	0
3	CL	E	402	1/1	0.97	0.15	31,31,31,31	0

6.5 Other polymers [i](#)

There are no such residues in this entry.