



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 09:14 PM UTC

PDB ID : 6LKH / pdb_00006lkh
Title : Two-component system protein mediate signal transduction
Authors : Wang, M.; Tao, Y.
Deposited on : 2019-12-19
Resolution : 2.53 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1091 (2.54-2.54)
Clashscore	190562	1120 (2.54-2.54)
Ramachandran outliers	187476	1106 (2.54-2.54)
Sidechain outliers	187428	1106 (2.54-2.54)
RSRZ outliers	180081	1091 (2.54-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	294	6% 83% 13% ..
1	B	294	7% 84% 11% ..
2	C	171	9% 81% 15% ...
2	D	171	6% 85% 12% ..

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 15214 atoms, of which 7518 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ABC transporter, solute-binding protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	294	Total	C	H	N	O	S	0	0	0
			4744	1505	2371	413	448	7			
1	B	294	Total	C	H	N	O	S	0	0	0
			4748	1506	2372	413	450	7			

- Molecule 2 is a protein called Sensor protein kinase HptS.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	D	170	Total	C	H	N	O	S	0	0	0
			2811	907	1377	253	270	4			
2	C	170	Total	C	H	N	O	S	0	0	0
			2810	907	1376	253	270	4			

- Molecule 3 is 6-O-phosphono-alpha-D-glucopyranose (CCD ID: G6P) (formula: C₆H₁₃O₉P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	H	O	P	0	0
			27	6	11	9	1		
3	B	1	Total	C	H	O	P	0	0
			27	6	11	9	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	15	Total	O	0	0
			15	15		
4	B	9	Total	O	0	0
			9	9		
4	D	15	Total	O	0	0
			15	15		
4	C	8	Total	O	0	0
			8	8		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ABC transporter, solute-binding protein




- Molecule 1: ABC transporter, solute-binding protein




- Molecule 2: Sensor protein kinase HptS



- Molecule 2: Sensor protein kinase HptS





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	193.67Å 64.12Å 106.83Å 90.00° 95.81° 90.00°	Depositor
Resolution (Å)	48.66 – 2.53 48.66 – 2.53	Depositor EDS
% Data completeness (in resolution range)	97.8 (48.66-2.53) 97.8 (48.66-2.53)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.32 (at 2.54Å)	Xtriage
Refinement program	PHENIX 1.11.1 _2575	Depositor
R, R_{free}	0.216 , 0.259 0.227 , 0.267	Depositor DCC
R_{free} test set	2000 reflections (4.57%)	wwPDB-VP
Wilson B-factor (Å ²)	53.8	Xtriage
Anisotropy	0.254	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 52.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	15214	wwPDB-VP
Average B, all atoms (Å ²)	75.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 15.62% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: G6P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.92	24/2425 (1.0%)	0.67	5/3284 (0.2%)
1	B	0.95	24/2428 (1.0%)	0.73	10/3288 (0.3%)
2	C	0.95	13/1468 (0.9%)	0.53	1/1984 (0.1%)
2	D	1.07	15/1468 (1.0%)	0.56	2/1984 (0.1%)
All	All	0.97	76/7789 (1.0%)	0.65	18/10540 (0.2%)

All (76) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	131	SER	C-O	-8.62	1.14	1.23
2	D	69	THR	C-O	-8.54	1.14	1.24
1	B	271	GLN	C-O	-8.28	1.14	1.24
1	B	214	LEU	C-O	-8.11	1.14	1.24
2	C	128	TYR	C-O	-8.11	1.14	1.24
1	A	274	LEU	N-CA	-7.79	1.36	1.46
2	C	207	HIS	CD2-NE2	-7.64	1.29	1.37
1	A	314	HIS	CG-ND1	-7.57	1.29	1.38
2	C	207	HIS	CG-ND1	-7.57	1.29	1.38
2	D	127	MET	C-O	-7.55	1.14	1.23
1	B	215	SER	C-O	-7.51	1.17	1.24
2	D	128	TYR	C-O	-7.49	1.14	1.24
2	D	132	THR	C-O	-7.49	1.15	1.23
1	B	219	ASP	C-O	-7.44	1.14	1.24
1	A	314	HIS	CA-C	-7.17	1.43	1.52
1	B	216	TYR	C-O	-7.08	1.15	1.23
1	B	173	ARG	C-O	-6.95	1.16	1.24
1	A	288	SER	C-O	-6.80	1.14	1.23
1	B	269	SER	C-O	-6.79	1.15	1.24
1	A	276	ALA	C-O	-6.73	1.15	1.24
1	B	297	ASN	C-O	-6.73	1.14	1.23
1	A	276	ALA	CA-C	-6.68	1.44	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	221	ARG	C-O	-6.67	1.16	1.24
1	B	301	ILE	C-O	-6.60	1.16	1.24
1	B	268	ARG	C-O	-6.53	1.16	1.24
2	D	134	GLN	C-O	-6.49	1.16	1.24
1	B	298	LEU	C-O	-6.42	1.16	1.24
1	A	274	LEU	C-O	-6.39	1.16	1.24
2	C	196	MET	C-O	-6.35	1.16	1.23
2	D	134	GLN	CA-C	-6.33	1.45	1.52
2	C	195	PHE	C-O	-6.30	1.15	1.23
2	D	71	HIS	CG-ND1	-6.30	1.31	1.38
1	A	142	ILE	C-O	-6.26	1.17	1.24
2	D	67	PHE	C-O	-6.18	1.16	1.24
1	A	290	GLN	C-O	-6.17	1.17	1.24
2	D	129	LEU	C-O	-6.09	1.16	1.24
2	C	67	PHE	C-O	-6.08	1.16	1.24
1	A	296	GLU	C-O	-6.06	1.16	1.23
1	A	314	HIS	CD2-NE2	-6.06	1.31	1.37
1	A	140	ILE	C-O	-6.03	1.17	1.24
2	D	181	ARG	C-O	-6.00	1.16	1.24
2	D	71	HIS	N-CA	-5.97	1.38	1.46
2	C	207	HIS	C-O	-5.97	1.16	1.23
1	A	316	LYS	C-O	-5.91	1.17	1.24
1	B	274	LEU	C-O	-5.88	1.17	1.24
1	B	214	LEU	CA-C	-5.84	1.45	1.52
2	C	195	PHE	CA-C	-5.78	1.45	1.52
2	C	100	GLN	C-O	-5.68	1.18	1.24
1	B	300	ASN	C-O	-5.67	1.16	1.24
2	D	127	MET	CA-C	-5.62	1.46	1.52
1	B	309	LEU	C-O	-5.61	1.17	1.24
1	A	289	GLU	C-O	-5.56	1.16	1.23
1	A	315	HIS	CA-C	-5.55	1.45	1.52
1	B	215	SER	CA-C	-5.55	1.46	1.53
1	B	272	GLN	C-O	-5.51	1.17	1.24
1	A	142	ILE	CA-C	-5.50	1.45	1.52
2	C	187	LYS	C-O	-5.47	1.17	1.23
1	A	278	PHE	C-O	-5.47	1.17	1.24
1	A	312	ILE	C-O	-5.44	1.17	1.24
1	A	315	HIS	CG-ND1	-5.44	1.32	1.38
1	B	224	LYS	C-O	-5.43	1.17	1.24
1	B	312	ILE	C-O	-5.42	1.17	1.24
1	B	268	ARG	CA-C	-5.39	1.45	1.52
1	A	320	MET	C-O	-5.38	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	299	LYS	C-O	-5.36	1.17	1.24
2	C	68	ILE	C-O	-5.35	1.17	1.24
1	B	219	ASP	N-CA	-5.35	1.38	1.45
1	B	272	GLN	N-CA	-5.34	1.39	1.46
1	A	310	PRO	C-O	-5.21	1.17	1.24
1	A	221	ARG	C-N	-5.15	1.27	1.33
2	C	189	ARG	C-O	-5.15	1.18	1.24
2	D	128	TYR	CA-C	-5.13	1.46	1.52
2	D	68	ILE	C-O	-5.12	1.17	1.24
1	A	296	GLU	CA-C	-5.09	1.46	1.52
2	C	188	TYR	CA-C	-5.06	1.46	1.52
1	B	275	VAL	C-O	-5.03	1.18	1.24

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	217	GLU	N-CA-C	-15.09	90.61	110.53
1	A	294	SER	CB-CA-C	-12.30	85.93	110.42
1	B	294	SER	CB-CA-C	-11.14	89.07	110.35
1	A	295	ILE	N-CA-C	-10.37	93.59	108.11
1	A	293	GLN	CB-CA-C	-10.05	94.69	110.78
1	B	217	GLU	CB-CA-C	9.64	129.45	109.68
1	B	295	ILE	N-CA-C	-8.82	95.01	107.80
1	A	293	GLN	N-CA-C	8.61	122.93	108.20
1	B	220	ALA	N-CA-C	-8.11	102.98	113.12
1	B	219	ASP	N-CA-C	-7.27	104.01	114.12
1	A	313	PRO	N-CA-C	5.99	120.63	111.34
2	C	213	LYS	O-C-N	-5.91	115.71	123.16
2	D	131	SER	N-CA-C	5.75	116.14	108.38
1	B	218	GLN	CB-CA-C	-5.43	99.60	110.42
2	D	181	ARG	CB-CA-C	-5.32	100.46	110.67
1	B	292	ASP	N-CA-C	5.23	121.95	110.80
1	B	218	GLN	N-CA-C	5.12	121.70	110.80
1	B	321	ILE	CB-CA-C	-5.03	104.98	111.88

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2373	2371	2371	51	7
1	B	2376	2372	2373	28	7
2	C	1434	1376	1385	26	0
2	D	1434	1377	1385	16	0
3	A	16	11	11	4	0
3	B	16	11	11	0	0
4	A	15	0	0	2	0
4	B	9	0	0	0	0
4	C	8	0	0	0	0
4	D	15	0	0	0	0
All	All	7696	7518	7536	119	7

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:76:PHE:CE2	1:A:252:ALA:CA	2.28	1.17
2:C:68:ILE:HD11	2:C:133:HIS:CD2	1.81	1.14
1:A:76:PHE:CE2	1:A:252:ALA:HA	1.82	1.13
1:A:313:PRO:HG2	1:A:316:LYS:HD2	1.31	1.07
1:A:76:PHE:CZ	1:A:252:ALA:HA	1.89	1.07
1:B:313:PRO:HD2	1:B:316:LYS:HD2	1.37	1.05
2:C:68:ILE:CD1	2:C:133:HIS:CD2	2.42	1.02
1:A:76:PHE:CE2	1:A:252:ALA:HB2	1.94	1.01
1:B:218:GLN:O	1:B:218:GLN:NE2	1.93	1.01
1:A:76:PHE:CE2	1:A:252:ALA:CB	2.45	0.98
1:A:76:PHE:CZ	1:A:251:ASN:C	2.46	0.94
2:C:188:TYR:HE2	2:C:193:PHE:CD1	1.87	0.91
1:A:76:PHE:CZ	1:A:252:ALA:CA	2.54	0.87
3:A:401:G6P:O1P	4:A:501:HOH:O	1.94	0.86
1:A:313:PRO:HG2	1:A:316:LYS:CD	2.05	0.86
1:A:293:GLN:O	1:A:294:SER:OG	1.95	0.85
2:C:188:TYR:CE2	2:C:193:PHE:CD1	2.65	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:313:PRO:CG	1:A:316:LYS:HD2	2.07	0.82
1:A:76:PHE:HE2	1:A:252:ALA:CB	1.89	0.81
1:A:45:ILE:HG22	1:A:273:ARG:NH1	1.95	0.81
1:A:76:PHE:CZ	1:A:252:ALA:N	2.49	0.80
1:A:257:LYS:HD3	1:A:260:LYS:HD2	1.62	0.80
1:B:221:ARG:CZ	1:B:279:ASP:OD2	2.30	0.79
1:B:218:GLN:O	1:B:218:GLN:CD	2.24	0.79
1:B:217:GLU:O	1:B:218:GLN:HB3	1.84	0.78
1:A:76:PHE:CD2	1:A:252:ALA:HB2	2.19	0.77
2:D:213:LYS:O	2:D:214:ASP:HB2	1.85	0.76
1:A:167:THR:OG1	3:A:401:G6P:O4	1.94	0.72
2:C:68:ILE:CD1	2:C:133:HIS:NE2	2.53	0.71
1:A:76:PHE:CE2	1:A:252:ALA:N	2.58	0.71
2:C:188:TYR:HE2	2:C:193:PHE:CE1	2.07	0.71
1:A:221:ARG:HG3	1:A:295:ILE:HD11	1.72	0.70
1:A:76:PHE:CE1	1:A:251:ASN:C	2.69	0.70
2:C:190:PRO:HA	2:C:193:PHE:HB2	1.77	0.67
1:A:50:GLU:OE2	1:A:56:LYS:NZ	2.28	0.66
1:B:293:GLN:O	1:B:294:SER:CB	2.44	0.65
1:A:297:ASN:ND2	1:B:285:LYS:O	2.29	0.65
1:A:76:PHE:HE2	1:A:252:ALA:HA	1.51	0.64
1:B:178:MET:SD	1:B:237:GLU:HG2	2.38	0.64
2:C:68:ILE:CD1	2:C:133:HIS:CG	2.82	0.62
1:A:76:PHE:CZ	1:A:251:ASN:O	2.53	0.61
1:A:293:GLN:O	1:A:294:SER:CB	2.49	0.60
2:C:188:TYR:CE2	2:C:193:PHE:CE1	2.86	0.60
1:A:270:VAL:O	1:A:273:ARG:HB3	2.02	0.60
1:B:296:GLU:OE1	1:B:300:ASN:ND2	2.29	0.58
1:A:143:ARG:O	1:A:236:ILE:HG12	2.04	0.58
2:C:61:GLU:OE2	2:C:65:GLN:NE2	2.36	0.58
1:B:293:GLN:O	1:B:294:SER:HB3	2.05	0.57
2:D:68:ILE:CD1	2:D:133:HIS:CG	2.86	0.57
2:C:68:ILE:HD13	2:C:133:HIS:CG	2.39	0.57
2:C:68:ILE:HD12	2:C:133:HIS:NE2	2.20	0.57
2:C:97:ILE:O	2:C:100:GLN:OE1	2.23	0.56
1:B:179:HIS:HB2	1:B:181:ARG:HG3	1.87	0.56
1:A:312:ILE:HD11	1:A:316:LYS:HB3	1.87	0.56
1:A:76:PHE:HZ	1:A:252:ALA:HA	1.65	0.56
1:A:45:ILE:HG22	1:A:273:ARG:HH12	1.68	0.55
1:B:217:GLU:O	1:B:218:GLN:CB	2.55	0.54
2:D:68:ILE:HD13	2:D:133:HIS:CG	2.42	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:178:MET:HG2	1:B:237:GLU:HB3	1.89	0.53
2:D:52:GLU:OE1	2:D:153:ARG:NH1	2.42	0.53
2:C:64:ILE:HD12	2:C:130:PHE:HE2	1.73	0.53
1:A:45:ILE:HG22	1:A:273:ARG:HH11	1.74	0.53
1:A:224:LYS:HE2	1:A:294:SER:CB	2.39	0.52
2:D:71:HIS:HB3	2:D:75:PHE:CZ	2.44	0.52
1:A:221:ARG:CG	1:A:295:ILE:HD11	2.37	0.52
2:C:137:PHE:O	2:C:139:ASN:N	2.41	0.52
1:A:179:HIS:HB2	1:A:181:ARG:HG3	1.93	0.51
1:B:188:PHE:CZ	1:B:214:LEU:HD11	2.46	0.51
2:C:214:ASP:OD1	2:C:214:ASP:N	2.42	0.51
2:D:137:PHE:O	2:D:139:ASN:N	2.41	0.51
1:A:218:GLN:HB3	4:A:506:HOH:O	2.10	0.51
1:B:313:PRO:CD	1:B:316:LYS:HD2	2.26	0.51
1:B:221:ARG:HH11	1:B:225:ASN:HD21	1.59	0.51
1:B:202:ILE:HG23	1:B:223:TRP:NE1	2.26	0.51
1:B:295:ILE:HD12	1:B:295:ILE:O	2.12	0.51
1:A:273:ARG:O	1:A:274:LEU:C	2.52	0.50
1:A:270:VAL:O	1:A:273:ARG:CB	2.60	0.48
1:A:221:ARG:HD2	1:A:295:ILE:HD11	1.95	0.48
2:C:68:ILE:CD1	2:C:133:HIS:CE1	2.96	0.48
1:B:221:ARG:NH1	1:B:279:ASP:OD2	2.45	0.48
1:A:176:TYR:O	1:A:180:HIS:HA	2.13	0.48
1:A:221:ARG:NH2	1:A:279:ASP:CB	2.77	0.48
1:A:242:ASN:ND2	3:A:401:G6P:O3	2.47	0.48
1:A:312:ILE:HD11	1:A:316:LYS:C	2.39	0.48
1:A:221:ARG:CD	1:A:295:ILE:HD11	2.45	0.47
2:D:73:ASN:H	2:D:73:ASN:HD22	1.62	0.47
1:A:76:PHE:HE2	1:A:252:ALA:CA	1.97	0.47
1:B:50:GLU:OE1	2:D:187:LYS:NZ	2.48	0.46
2:D:68:ILE:HD11	2:D:133:HIS:ND1	2.30	0.46
2:C:191:GLN:C	2:C:193:PHE:N	2.73	0.46
1:A:72:HIS:ND1	1:A:97:ASP:OD2	2.47	0.45
1:B:221:ARG:NH1	1:B:225:ASN:HD21	2.14	0.45
2:D:68:ILE:CD1	2:D:133:HIS:ND1	2.79	0.45
2:D:68:ILE:HD13	2:D:133:HIS:CD2	2.52	0.45
2:C:191:GLN:C	2:C:193:PHE:H	2.23	0.45
2:D:68:ILE:CD1	2:D:133:HIS:CE1	3.01	0.44
2:C:188:TYR:O	2:C:188:TYR:CD1	2.70	0.44
1:A:36:PRO:HB2	3:A:401:G6P:O6	2.18	0.44
2:C:181:ARG:NH2	2:C:214:ASP:HB3	2.32	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:218:GLN:O	1:B:218:GLN:CG	2.65	0.43
2:D:69:THR:O	2:D:70:GLN:C	2.59	0.43
2:C:80:LEU:O	2:C:113:GLN:NE2	2.48	0.43
1:A:273:ARG:C	1:A:275:VAL:N	2.74	0.43
1:B:221:ARG:HD3	1:B:225:ASN:HD21	1.84	0.43
1:B:144:GLY:HA3	1:B:237:GLU:OE1	2.19	0.43
1:A:286:ASP:HA	1:B:297:ASN:HD21	1.84	0.42
1:A:292:ASP:CG	1:A:295:ILE:HB	2.44	0.42
1:B:292:ASP:O	1:B:295:ILE:HG13	2.19	0.42
2:C:124:THR:HA	2:C:127:MET:HE2	2.01	0.42
2:C:54:GLN:HB2	2:C:200:VAL:HG11	2.01	0.42
1:B:311:ASP:OD1	1:B:311:ASP:O	2.38	0.42
1:A:315:HIS:CE1	1:A:316:LYS:HG3	2.55	0.42
2:D:73:ASN:HD22	2:D:73:ASN:N	2.18	0.41
2:D:73:ASN:N	2:D:73:ASN:ND2	2.69	0.41
2:C:190:PRO:HA	2:C:193:PHE:CB	2.47	0.41
1:A:313:PRO:CG	1:A:316:LYS:CD	2.84	0.41
2:C:100:GLN:HB2	2:C:101:PRO:HD2	2.03	0.41
2:D:193:PHE:HB3	2:D:195:PHE:CE2	2.56	0.40
1:B:309:LEU:O	1:B:310:PRO:C	2.61	0.40

All (7) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:320:MET:CE	1:B:312:ILE:CD1[4_455]	1.63	0.57
1:A:320:MET:HE2	1:B:312:ILE:HD12[4_455]	1.05	0.55
1:A:320:MET:HE2	1:B:312:ILE:CD1[4_455]	1.17	0.43
1:A:176:TYR:HH	1:B:176:TYR:HH[4_455]	1.22	0.38
1:A:176:TYR:OH	1:B:176:TYR:OH[4_455]	1.87	0.33
1:A:320:MET:HE1	1:B:312:ILE:CD1[4_455]	1.56	0.04
1:A:176:TYR:OH	1:B:176:TYR:HH[4_455]	1.57	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	292/294 (99%)	279 (96%)	13 (4%)	0	100	100
1	B	292/294 (99%)	280 (96%)	12 (4%)	0	100	100
2	C	168/171 (98%)	161 (96%)	7 (4%)	0	100	100
2	D	168/171 (98%)	163 (97%)	5 (3%)	0	100	100
All	All	920/930 (99%)	883 (96%)	37 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	270/271 (100%)	266 (98%)	4 (2%)	57	74
1	B	271/271 (100%)	265 (98%)	6 (2%)	45	64
2	C	161/162 (99%)	156 (97%)	5 (3%)	35	53
2	D	161/162 (99%)	160 (99%)	1 (1%)	78	87
All	All	863/866 (100%)	847 (98%)	16 (2%)	50	69

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	221	ARG
1	A	309	LEU
1	A	310	PRO
1	A	312	ILE
1	B	221	ARG
1	B	272	GLN
1	B	293	GLN
1	B	295	ILE
1	B	297	ASN
1	B	309	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	73	ASN
2	C	100	GLN
2	C	188	TYR
2	C	189	ARG
2	C	196	MET
2	C	214	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	HIS
1	A	186	HIS
1	A	189	GLN
1	A	191	HIS
1	A	194	GLN
1	A	315	HIS
1	B	94	HIS
1	B	109	GLN
1	B	170	GLN
1	B	186	HIS
1	B	189	GLN
1	B	194	GLN
1	B	218	GLN
1	B	225	ASN
1	B	315	HIS
2	D	73	ASN
2	C	207	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	G6P	A	401	-	16,16,16	1.50	3 (18%)	23,24,24	1.11	1 (4%)
3	G6P	B	401	-	16,16,16	1.45	3 (18%)	23,24,24	1.12	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	G6P	A	401	-	-	6/6/26/26	0/1/1/1
3	G6P	B	401	-	-	2/6/26/26	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	401	G6P	P-O6	2.92	1.69	1.60
3	B	401	G6P	O3-C3	2.89	1.50	1.43
3	A	401	G6P	O3-C3	2.83	1.50	1.43
3	B	401	G6P	P-O6	2.29	1.67	1.60
3	A	401	G6P	C4-C3	-2.21	1.46	1.52
3	B	401	G6P	P-O1P	-2.04	1.47	1.54

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	401	G6P	O5-C1-C2	3.37	116.22	110.30
3	B	401	G6P	O1P-P-O6	2.83	114.05	106.67

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	401	G6P	C4-C5-C6-O6
3	A	401	G6P	O5-C5-C6-O6
3	A	401	G6P	C6-O6-P-O1P
3	A	401	G6P	C6-O6-P-O2P
3	B	401	G6P	C4-C5-C6-O6
3	B	401	G6P	O5-C5-C6-O6
3	A	401	G6P	C6-O6-P-O3P
3	A	401	G6P	C5-C6-O6-P


There are no ring outliers.


1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	401	G6P	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand G6P A 401





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	294/294 (100%)	0.60	18 (6%) 27 26	38, 68, 107, 163	0
1	B	294/294 (100%)	0.63	21 (7%) 22 21	39, 67, 110, 146	0
2	C	170/171 (99%)	0.73	16 (9%) 14 13	35, 74, 128, 175	0
2	D	170/171 (99%)	0.74	11 (6%) 25 24	38, 70, 128, 186	0
All	All	928/930 (99%)	0.66	66 (7%) 22 21	35, 69, 119, 186	0

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	188	TYR	4.7
1	B	312	ILE	4.5
2	C	83	HIS	4.5
2	D	100	GLN	4.4
2	D	83	HIS	3.9
1	B	51	LYS	3.7
1	B	295	ILE	3.6
1	A	294	SER	3.5
2	C	214	ASP	3.4
1	A	201	VAL	3.3
2	C	125	LYS	3.3
1	B	310	PRO	3.2
2	D	73	ASN	3.1
1	A	273	ARG	3.1
1	A	196	SER	3.0
1	A	311	ASP	3.0
1	A	76	PHE	3.0
1	B	45	ILE	2.9
1	B	199	SER	2.9
1	B	294	SER	2.9
2	D	203	ASN	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	192	GLN	2.8
1	B	149	LEU	2.8
1	B	218	GLN	2.7
2	C	130	PHE	2.7
2	C	193	PHE	2.7
2	C	196	MET	2.7
2	C	100	GLN	2.7
1	A	51	LYS	2.7
1	B	76	PHE	2.7
1	B	236	ILE	2.6
1	B	102	GLN	2.6
1	B	141	LYS	2.6
1	A	315	HIS	2.5
1	B	307	SER	2.5
1	A	292	ASP	2.5
1	B	223	TRP	2.5
2	C	45	THR	2.5
1	B	279	ASP	2.5
1	B	306	LYS	2.5
2	C	75	PHE	2.4
2	C	72	ASN	2.4
1	A	304	ILE	2.3
1	B	260	LYS	2.3
1	A	45	ILE	2.3
2	D	65	GLN	2.3
1	A	102	GLN	2.2
1	A	75	ASP	2.2
1	B	129	VAL	2.2
1	A	29	ASN	2.2
1	B	308	LYS	2.2
2	D	125	LYS	2.2
2	D	193	PHE	2.2
1	A	101	TYR	2.2
2	C	59	HIS	2.2
2	C	74	SER	2.2
2	C	149	ALA	2.2
1	A	146	GLN	2.2
2	D	180	ASP	2.1
2	C	194	GLY	2.1
1	A	297	ASN	2.1
2	C	189	ARG	2.1
1	B	74	GLU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	169	ASP	2.1
1	A	317	PHE	2.0
2	D	77	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	G6P	B	401	16/16	0.73	0.34	45,70,229,387	0
3	G6P	A	401	16/16	0.92	0.15	34,73,99,109	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around G6P B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around G6P A 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.