



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 03:35 AM UTC

PDB ID : 6LLA / pdb_00006lla
Title : Crystal structure of *Providencia alcalifaciens* 3-dehydroquinate synthase (DHQS) in complex with Mg²⁺ and NAD
Authors : Neetu, N.; Katiki, M.; Kumar, P.
Deposited on : 2019-12-22
Resolution : 1.88 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1220 (1.88-1.88)
Clashscore	190562	1234 (1.88-1.88)
Ramachandran outliers	187476	1222 (1.88-1.88)
Sidechain outliers	187428	1222 (1.88-1.88)
RSRZ outliers	180081	1220 (1.88-1.88)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	375	4% 83% 11% ..
1	B	375	3% 82% 11% ...
1	C	375	9% 78% 15% 6%
1	D	375	6% 84% 10% 6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	EDO	B	411	-	-	X	-
5	PEG	A	415	-	-	X	-
5	PEG	B	413	-	-	X	-

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 12432 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-dehydroquinase synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	362	Total	C	N	O	S	0	3	0
			2786	1769	470	528	19			
1	B	363	Total	C	N	O	S	0	3	0
			2787	1769	470	529	19			
1	C	354	Total	C	N	O	S	0	0	0
			2697	1717	453	510	17			
1	D	353	Total	C	N	O	S	0	1	0
			2701	1719	454	511	17			

There are 52 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-12	HIS	-	expression tag	UNP X6Q997
A	-11	HIS	-	expression tag	UNP X6Q997
A	-10	HIS	-	expression tag	UNP X6Q997
A	-9	HIS	-	expression tag	UNP X6Q997
A	-8	HIS	-	expression tag	UNP X6Q997
A	-7	HIS	-	expression tag	UNP X6Q997
A	-6	GLU	-	expression tag	UNP X6Q997
A	-5	ASN	-	expression tag	UNP X6Q997
A	-4	LEU	-	expression tag	UNP X6Q997
A	-3	TYR	-	expression tag	UNP X6Q997
A	-2	PHE	-	expression tag	UNP X6Q997
A	-1	GLN	-	expression tag	UNP X6Q997
A	0	GLY	-	expression tag	UNP X6Q997
B	-12	HIS	-	expression tag	UNP X6Q997
B	-11	HIS	-	expression tag	UNP X6Q997
B	-10	HIS	-	expression tag	UNP X6Q997
B	-9	HIS	-	expression tag	UNP X6Q997
B	-8	HIS	-	expression tag	UNP X6Q997
B	-7	HIS	-	expression tag	UNP X6Q997
B	-6	GLU	-	expression tag	UNP X6Q997
B	-5	ASN	-	expression tag	UNP X6Q997

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-4	LEU	-	expression tag	UNP X6Q997
B	-3	TYR	-	expression tag	UNP X6Q997
B	-2	PHE	-	expression tag	UNP X6Q997
B	-1	GLN	-	expression tag	UNP X6Q997
B	0	GLY	-	expression tag	UNP X6Q997
C	-12	HIS	-	expression tag	UNP X6Q997
C	-11	HIS	-	expression tag	UNP X6Q997
C	-10	HIS	-	expression tag	UNP X6Q997
C	-9	HIS	-	expression tag	UNP X6Q997
C	-8	HIS	-	expression tag	UNP X6Q997
C	-7	HIS	-	expression tag	UNP X6Q997
C	-6	GLU	-	expression tag	UNP X6Q997
C	-5	ASN	-	expression tag	UNP X6Q997
C	-4	LEU	-	expression tag	UNP X6Q997
C	-3	TYR	-	expression tag	UNP X6Q997
C	-2	PHE	-	expression tag	UNP X6Q997
C	-1	GLN	-	expression tag	UNP X6Q997
C	0	GLY	-	expression tag	UNP X6Q997
D	-12	HIS	-	expression tag	UNP X6Q997
D	-11	HIS	-	expression tag	UNP X6Q997
D	-10	HIS	-	expression tag	UNP X6Q997
D	-9	HIS	-	expression tag	UNP X6Q997
D	-8	HIS	-	expression tag	UNP X6Q997
D	-7	HIS	-	expression tag	UNP X6Q997
D	-6	GLU	-	expression tag	UNP X6Q997
D	-5	ASN	-	expression tag	UNP X6Q997
D	-4	LEU	-	expression tag	UNP X6Q997
D	-3	TYR	-	expression tag	UNP X6Q997
D	-2	PHE	-	expression tag	UNP X6Q997
D	-1	GLN	-	expression tag	UNP X6Q997
D	0	GLY	-	expression tag	UNP X6Q997

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0

- Molecule 5 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			7	4	3		
5	A	1	Total	C	O	0	0
			7	4	3		
5	A	1	Total	C	O	0	0
			7	4	3		
5	A	1	Total	C	O	0	0
			7	4	3		
5	A	1	Total	C	O	0	0
			7	4	3		
5	B	1	Total	C	O	0	0
			7	4	3		
5	B	1	Total	C	O	0	0
			7	4	3		
5	C	1	Total	C	O	0	0
			7	4	3		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	342	Total	O	0	0
			342	342		
6	B	341	Total	O	0	0
			341	341		
6	C	178	Total	O	0	0
			178	178		

Continued on next page...



Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	D	233	Total 233	O 233	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: 3-dehydroquinase synthase





- Molecule 1: 3-dehydroquinase synthase



- Molecule 1: 3-dehydroquinase synthase



- Molecule 1: 3-dehydroquinase synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	89.39Å 59.92Å 143.80Å 90.00° 93.95° 90.00°	Depositor
Resolution (Å)	143.46 – 1.88 143.46 – 1.88	Depositor EDS
% Data completeness (in resolution range)	98.9 (143.46-1.88) 98.9 (143.46-1.88)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.98 (at 1.88Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.173 , 0.238 0.181 , 0.242	Depositor DCC
R_{free} test set	6015 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	28.9	Xtriage
Anisotropy	0.435	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 69.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12432	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, MG, PEG, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.36	7/2837 (0.2%)	1.02	2/3851 (0.1%)
1	B	1.40	15/2838 (0.5%)	1.09	10/3851 (0.3%)
1	C	1.03	0/2747	0.99	8/3731 (0.2%)
1	D	1.04	1/2751 (0.0%)	0.98	4/3737 (0.1%)
All	All	1.22	23/11173 (0.2%)	1.02	24/15170 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	271	ALA	CA-CB	7.44	1.65	1.53
1	A	271	ALA	CA-CB	6.91	1.64	1.53
1	B	163	VAL	C-O	-6.75	1.16	1.24
1	B	111	THR	CB-CG2	-6.75	1.30	1.52
1	A	212	ASN	N-CA	6.16	1.53	1.46
1	B	341	HIS	CB-CG	5.92	1.58	1.50
1	B	321	MET	SD-CE	-5.82	1.65	1.79
1	B	212	ASN	N-CA	5.69	1.53	1.46
1	B	238	SER	CA-C	5.69	1.60	1.52
1	A	186	ILE	CA-C	5.63	1.59	1.52
1	A	126	GLN	CA-C	-5.59	1.45	1.52
1	B	238	SER	N-CA	5.49	1.53	1.46
1	A	253	ALA	CA-C	-5.49	1.45	1.52
1	B	291	THR	N-CA	-5.46	1.39	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	154	ILE	CA-C	5.40	1.59	1.52
1	A	233	ASP	CA-C	-5.40	1.45	1.53
1	B	27	ALA	N-CA	5.32	1.52	1.46
1	A	341	HIS	CA-C	5.18	1.58	1.52
1	B	26	ASP	N-CA	-5.16	1.40	1.46
1	B	70	PRO	N-CA	-5.11	1.41	1.47
1	B	221	ARG	CD-NE	-5.11	1.39	1.46
1	B	339	ILE	CA-CB	-5.07	1.48	1.53
1	D	104	GLY	C-O	5.07	1.28	1.23

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	310	LYS	CA-CB-CG	11.43	136.95	114.10
1	C	310	LYS	N-CA-CB	-10.98	92.50	110.40
1	C	310	LYS	CB-CG-CD	-10.42	87.33	111.30
1	D	26	ASP	N-CA-C	-9.79	95.91	109.71
1	B	26	ASP	N-CA-C	-9.44	97.56	110.68
1	D	10	GLU	CA-CB-CG	-8.46	97.19	114.10
1	D	314	ASP	CB-CA-C	-7.96	94.58	110.42
1	C	310	LYS	CG-CD-CE	7.38	128.27	111.30
1	C	309	ALA	CA-C-N	7.02	133.43	121.14
1	C	309	ALA	C-N-CA	7.02	133.43	121.14
1	B	95	ARG	CA-CB-CG	6.60	127.30	114.10
1	A	341	HIS	CA-CB-CG	6.54	120.34	113.80
1	B	235	LYS	N-CA-C	-6.46	103.14	111.02
1	A	234	GLU	N-CA-C	-5.99	104.96	112.93
1	B	26	ASP	N-CA-CB	-5.86	103.07	110.45
1	D	10	GLU	N-CA-C	5.77	123.09	110.80
1	C	275	MET	CB-CG-SD	5.57	129.40	112.70
1	B	238	SER	N-CA-C	5.35	122.20	110.80
1	B	111	THR	OG1-CB-CG2	5.30	119.91	109.30
1	B	221	ARG	CG-CD-NE	-5.22	100.52	112.00
1	C	310	LYS	CD-CE-NZ	-5.18	95.34	111.90
1	B	111	THR	N-CA-CB	5.12	117.74	110.16
1	B	233	ASP	CA-C-N	5.01	131.12	121.54
1	B	233	ASP	C-N-CA	5.01	131.12	121.54

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	234	GLU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2786	0	2816	51	0
1	B	2787	0	2815	43	0
1	C	2697	0	2728	52	0
1	D	2701	0	2730	28	0
2	A	44	0	26	0	0
2	B	44	0	26	0	0
2	C	44	0	26	0	0
2	D	44	0	26	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	44	0	66	4	0
4	B	40	0	60	5	0
4	C	16	0	24	5	0
4	D	24	0	36	5	0
5	A	42	0	60	12	0
5	B	14	0	20	6	0
5	C	7	0	10	2	0
6	A	342	0	0	10	0
6	B	341	0	0	12	1
6	C	178	0	0	4	0
6	D	233	0	0	3	1
All	All	12432	0	11469	164	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (164) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:89:LEU:HD21	1:C:153:MET:HE2	1.22	1.09
1:A:322:ARG:NH2	6:A:501:HOH:O	1.87	1.05
1:B:89:LEU:HD21	1:D:153:MET:HE2	1.45	0.98
1:A:89:LEU:HD21	1:C:153:MET:CE	1.93	0.98
1:A:153:MET:HE2	1:C:89:LEU:HD21	1.52	0.92
1:B:313:PRO:HB2	5:B:413:PEG:H42	1.54	0.88
1:A:120:ARG:HH12	4:C:406:EDO:H22	1.39	0.88
1:D:94[A]:ASN:ND2	6:D:501:HOH:O	2.06	0.87
1:C:147:HIS:HD2	1:C:149:LEU:H	1.22	0.86
1:B:24:GLN:HE21	1:B:25:GLN:HE21	1.21	0.86
1:A:147:HIS:HD2	1:A:149:LEU:H	1.24	0.86
1:B:233:ASP:OD2	1:B:240:LEU:N	2.09	0.84
1:A:89:LEU:CD2	1:C:153:MET:HE2	2.07	0.83
1:C:345:ARG:NH1	1:C:346:SER:O	2.11	0.82
1:A:56:VAL:O	1:A:59:VAL:HG12	1.80	0.82
1:C:159:GLN:NE2	6:C:502:HOH:O	2.17	0.78
1:C:274:VAL:CG1	1:C:295:ILE:HD11	2.13	0.77
5:C:407:PEG:O4	6:C:501:HOH:O	2.04	0.74
1:B:56:VAL:O	1:B:59:VAL:HG12	1.91	0.71
1:A:341:HIS:HE1	6:B:676:HOH:O	1.73	0.70
1:C:274:VAL:HG11	1:C:295:ILE:HD11	1.71	0.70
1:A:285:GLN:OE1	1:A:345:ARG:NH1	2.26	0.68
1:A:341:HIS:CD2	5:A:419:PEG:O4	2.47	0.67
1:D:76:LYS:NZ	1:D:152:ASN:HD21	1.93	0.67
1:C:147:HIS:CD2	1:C:149:LEU:H	2.10	0.67
1:A:26:ASP:HA	4:A:406:EDO:H21	1.78	0.66
1:B:257:GLU:OE1	5:B:414:PEG:O4	2.14	0.66
1:A:234:GLU:O	6:A:503:HOH:O	2.14	0.66
1:A:1:MET:HE3	1:A:16:ASN:HB3	1.78	0.65
1:A:119:GLN:NE2	1:C:153:MET:HE1	2.11	0.65
1:A:24:GLN:NE2	4:A:413:EDO:H11	2.13	0.64
1:B:107:ILE:O	1:B:111:THR:HG23	1.98	0.64
5:A:418:PEG:O4	6:A:502:HOH:O	2.09	0.63
1:C:296:ALA:O	1:C:300:ARG:HG2	1.98	0.63
1:B:313:PRO:CB	5:B:413:PEG:H42	2.28	0.63
1:A:25:GLN:NE2	1:A:26:ASP:OD1	2.33	0.62
1:C:275:MET:HE3	1:C:357:ILE:HG12	1.82	0.62
1:B:241:ARG:NH2	4:B:411:EDO:O1	2.26	0.61
1:A:153:MET:HE1	1:C:119:GLN:NE2	2.16	0.61
1:A:147:HIS:CD2	1:A:149:LEU:H	2.11	0.60
1:C:274:VAL:HG13	1:C:295:ILE:HD11	1.81	0.60
1:A:300:ARG:HD2	6:A:557:HOH:O	2.02	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:175:LYS:HE2	6:B:559:HOH:O	2.00	0.60
1:B:241:ARG:HH21	4:B:411:EDO:HO1	1.49	0.59
1:D:142:LYS:HD2	4:D:403:EDO:H11	1.83	0.59
1:B:233:ASP:OD2	1:B:239:GLY:N	2.35	0.58
1:D:76:LYS:HZ1	1:D:152:ASN:HD21	1.50	0.57
1:A:229:VAL:HG23	1:A:240:LEU:HD22	1.85	0.57
1:A:341:HIS:HD2	5:A:419:PEG:O4	1.85	0.57
1:A:50:LEU:HD22	1:A:68:ILE:HD11	1.85	0.57
1:D:246:LEU:O	1:D:248:HIS:HD2	1.86	0.57
1:B:24:GLN:HB3	1:B:25:GLN:HG2	1.86	0.56
1:B:56:VAL:HG11	6:B:506:HOH:O	2.03	0.56
1:C:337:THR:CG2	1:C:343:GLU:HG2	2.35	0.56
1:B:313:PRO:HB2	5:B:413:PEG:C4	2.33	0.55
1:C:55:THR:O	1:C:59:VAL:HG13	2.07	0.55
1:C:310:LYS:NZ	6:C:506:HOH:O	2.40	0.54
1:D:55:THR:O	1:D:59:VAL:HG13	2.07	0.54
1:B:314:ASP:HB2	5:B:413:PEG:H22	1.89	0.54
1:C:9:ASP:HB2	1:C:234:GLU:OE2	2.08	0.54
1:B:312:GLN:NE2	6:B:504:HOH:O	2.33	0.54
1:C:233:ASP:OD1	1:C:236:GLU:HA	2.07	0.54
1:C:158:TYR:CD1	4:C:404:EDO:H22	2.44	0.52
1:B:50:LEU:HD22	1:B:68:ILE:HD11	1.89	0.52
1:C:278:LYS:O	1:C:282:LEU:HD13	2.08	0.52
1:B:56:VAL:CG1	6:B:506:HOH:O	2.57	0.52
1:B:119:GLN:OE1	1:D:153:MET:HE1	2.09	0.51
1:D:337:THR:OG1	1:D:341:HIS:CG	2.64	0.51
1:C:299:LYS:HE3	1:C:305:VAL:CG2	2.40	0.51
1:C:299:LYS:HE3	1:C:305:VAL:HG21	1.93	0.51
1:C:38:MET:HB3	1:C:99:LEU:HD23	1.93	0.50
1:D:345:ARG:HD2	1:D:347:ASP:OD2	2.11	0.50
1:A:14:PRO:HG3	5:A:414:PEG:H32	1.92	0.50
1:C:192:LEU:HD11	1:C:229:VAL:HG11	1.94	0.50
1:A:28:PHE:H	4:A:406:EDO:H11	1.75	0.50
1:B:192:LEU:HD11	1:B:229:VAL:HG11	1.94	0.50
1:A:1:MET:HB3	5:A:418:PEG:H22	1.94	0.50
1:D:175:LYS:O	1:D:175:LYS:HD2	2.12	0.49
1:A:24:GLN:HE22	4:A:413:EDO:H11	1.77	0.49
1:B:323:ASP:OD1	1:B:328:GLY:HA3	2.13	0.49
1:A:240:LEU:HD23	1:A:243:LEU:HD12	1.95	0.48
1:C:345:ARG:HH12	1:C:347:ASP:C	2.20	0.48
1:C:337:THR:HG23	1:C:343:GLU:HG2	1.94	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:142:LYS:NZ	4:C:406:EDO:H21	2.29	0.48
1:A:237:THR:O	1:A:239:GLY:N	2.45	0.48
1:A:338:THR:OG1	1:A:341:HIS:HB2	2.12	0.48
1:D:70:PRO:HB2	1:D:75:TYR:CE2	2.49	0.47
1:A:241:ARG:HE	5:A:415:PEG:H41	1.79	0.47
1:C:11:ARG:HE	4:C:404:EDO:H11	1.79	0.47
1:B:213:GLN:HG3	6:B:645:HOH:O	2.15	0.47
1:C:275:MET:HE1	1:C:316:TYR:CE2	2.50	0.47
1:A:238:SER:O	6:A:504:HOH:O	2.20	0.47
1:B:63:LYS:HG2	6:B:608:HOH:O	2.14	0.47
1:D:23:GLN:HE21	1:D:52:LYS:NZ	2.12	0.47
1:A:241:ARG:HE	5:A:415:PEG:H32	1.79	0.47
1:B:341:HIS:HD2	6:B:733:HOH:O	1.97	0.47
1:C:274:VAL:HG11	1:C:295:ILE:CD1	2.41	0.47
1:D:296:ALA:O	1:D:300:ARG:HG3	2.15	0.47
5:A:416:PEG:H21	1:C:152:ASN:O	2.15	0.47
1:B:226:LYS:HZ3	4:B:411:EDO:H12	1.80	0.47
1:C:24:GLN:CD	1:C:25:GLN:O	2.58	0.46
1:B:1:MET:HE3	1:B:16:ASN:HB3	1.96	0.46
1:C:236:GLU:HG2	1:C:241:ARG:HD3	1.97	0.46
1:A:325:LYS:HE3	6:A:521:HOH:O	2.16	0.46
1:C:7:THR:H	4:C:405:EDO:HO1	1.62	0.46
1:B:322:ARG:HH11	1:B:330:LYS:HE2	1.80	0.46
1:B:226:LYS:NZ	4:B:411:EDO:H12	2.31	0.45
5:A:417:PEG:H21	6:C:648:HOH:O	2.16	0.45
1:C:70:PRO:HB2	1:C:75:TYR:CE2	2.50	0.45
1:A:56:VAL:CG1	6:A:510:HOH:O	2.64	0.45
1:B:314:ASP:OD2	5:B:413:PEG:O4	2.34	0.45
1:C:241:ARG:HH21	5:C:407:PEG:H12	1.81	0.45
1:D:233:ASP:OD1	1:D:238:SER:HB3	2.16	0.45
1:A:171:LYS:NZ	6:A:513:HOH:O	2.43	0.45
1:B:119:GLN:HG2	1:D:153:MET:CE	2.46	0.45
1:A:331:LEU:HD13	1:A:353:VAL:HG21	1.99	0.45
1:B:241:ARG:NH1	4:B:407:EDO:O1	2.35	0.45
1:C:10:GLU:HA	1:C:10:GLU:OE1	2.17	0.45
1:C:274:VAL:CG1	1:C:295:ILE:CD1	2.92	0.45
1:C:313:PRO:HB3	1:C:354:THR:HG23	1.99	0.44
1:A:56:VAL:HG11	6:A:510:HOH:O	2.17	0.44
1:B:25:GLN:O	6:B:501:HOH:O	2.20	0.44
1:A:153:MET:HE1	1:C:119:GLN:HE21	1.83	0.44
1:A:283:ILE:HD13	1:A:345:ARG:NH2	2.33	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:283:ILE:HD12	1:B:345:ARG:CZ	2.48	0.44
1:B:119:GLN:CG	1:D:153:MET:HE1	2.48	0.43
1:B:159:GLN:NE2	6:B:508:HOH:O	2.49	0.43
1:A:147:HIS:CG	1:A:148:PRO:HD2	2.53	0.43
1:A:110:LEU:C	1:A:110:LEU:HD23	2.43	0.43
1:D:56:VAL:O	1:D:59:VAL:HG22	2.18	0.43
1:A:241:ARG:HE	5:A:415:PEG:C3	2.32	0.43
1:C:24:GLN:OE1	1:C:25:GLN:O	2.37	0.43
1:C:7:THR:HG22	1:C:12:SER:HB2	2.00	0.43
1:A:147:HIS:HE1	1:C:86:THR:OG1	2.02	0.42
1:B:46:ALA:HB2	1:B:68:ILE:HD12	2.01	0.42
1:C:250:PHE:CD1	1:C:275:MET:HE2	2.54	0.42
1:D:139:VAL:HB	1:D:226:LYS:HD3	2.01	0.42
1:D:341:HIS:ND1	6:D:504:HOH:O	2.36	0.42
1:A:229:VAL:CG2	1:A:240:LEU:HD22	2.50	0.42
1:B:95:ARG:HG3	6:B:628:HOH:O	2.20	0.42
1:A:241:ARG:HH21	5:A:415:PEG:H41	1.85	0.42
1:B:341:HIS:CD2	6:B:733:HOH:O	2.72	0.42
1:D:68:ILE:HD13	4:D:407:EDO:H21	2.00	0.42
1:D:341:HIS:CD2	4:D:404:EDO:O1	2.73	0.42
1:A:283:ILE:HD13	1:A:283:ILE:HG21	1.82	0.42
1:B:139:VAL:HB	1:B:226:LYS:HD3	2.01	0.41
1:D:290:GLN:HB3	1:D:339:ILE:HD11	2.02	0.41
1:A:132:LEU:CD2	1:A:184:GLU:HG3	2.50	0.41
1:D:10:GLU:HA	6:D:546:HOH:O	2.19	0.41
1:C:6:VAL:O	1:C:12:SER:HA	2.19	0.41
1:C:56:VAL:O	1:C:59:VAL:HG22	2.20	0.41
1:C:139:VAL:HB	1:C:226:LYS:HD3	2.03	0.41
1:A:161:ALA:HA	6:A:736:HOH:O	2.20	0.41
1:B:233:ASP:O	1:B:237:THR:HA	2.20	0.41
1:D:244:LEU:HD12	4:D:403:EDO:H22	2.02	0.41
1:A:283:ILE:HG21	1:A:345:ARG:HH22	1.85	0.41
1:B:119:GLN:CD	1:D:153:MET:HE1	2.46	0.41
1:C:233:ASP:OD2	1:C:240:LEU:HB3	2.20	0.41
1:D:341:HIS:HD2	4:D:404:EDO:O1	2.03	0.40
1:B:233:ASP:HB3	1:B:241:ARG:HG3	2.02	0.40
1:C:42:ASN:OD1	1:C:42:ASN:C	2.64	0.40
1:A:241:ARG:O	5:A:415:PEG:H11	2.22	0.40
1:C:278:LYS:HD3	1:C:291:THR:HG21	2.03	0.40
1:D:147:HIS:CG	1:D:148:PRO:HD2	2.57	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-

metry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:B:593:HOH:O	6:D:659:HOH:O[2_545]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	363/375 (97%)	350 (96%)	9 (2%)	4 (1%)	11	3
1	B	364/375 (97%)	355 (98%)	8 (2%)	1 (0%)	36	26
1	C	350/375 (93%)	343 (98%)	6 (2%)	1 (0%)	36	26
1	D	350/375 (93%)	339 (97%)	9 (3%)	2 (1%)	21	10
All	All	1427/1500 (95%)	1387 (97%)	32 (2%)	8 (1%)	21	10

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	25	GLN
1	A	238	SER
1	C	237	THR
1	A	236	GLU
1	B	25	GLN
1	D	25	GLN
1	D	10	GLU
1	A	239	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	300/309 (97%)	296 (99%)	4 (1%)	61	50
1	B	300/309 (97%)	290 (97%)	10 (3%)	33	16
1	C	290/309 (94%)	286 (99%)	4 (1%)	59	48
1	D	291/309 (94%)	288 (99%)	3 (1%)	68	60
All	All	1181/1236 (96%)	1160 (98%)	21 (2%)	51	38

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	235	LYS
1	A	236	GLU
1	A	240	LEU
1	A	324	LYS
1	B	21	LEU
1	B	24	GLN
1	B	25	GLN
1	B	111	THR
1	B	175	LYS
1	B	234	GLU
1	B	235	LYS
1	B	238	SER
1	B	321	MET
1	B	344	MET
1	C	240	LEU
1	C	285	GLN
1	C	310	LYS
1	C	339	ILE
1	D	24	GLN
1	D	237	THR
1	D	339	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	GLN
1	A	147	HIS
1	A	341	HIS
1	B	24	GLN
1	B	25	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	119	GLN
1	B	341	HIS
1	C	16	ASN
1	C	82	ASN
1	C	147	HIS
1	C	213	GLN
1	C	252	HIS
1	C	285	GLN
1	D	23	GLN
1	D	152	ASN
1	D	248	HIS
1	D	341	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 48 ligands modelled in this entry, 4 are monoatomic - leaving 44 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	B	404	-	3,3,3	0.83	0	2,2,2	0.33	0
4	EDO	A	410	-	3,3,3	0.37	0	2,2,2	0.49	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	A	406	-	3,3,3	0.44	0	2,2,2	0.79	0
4	EDO	B	408	-	3,3,3	0.47	0	2,2,2	0.22	0
4	EDO	A	413	-	3,3,3	0.54	0	2,2,2	0.11	0
4	EDO	D	405	-	3,3,3	0.25	0	2,2,2	0.70	0
4	EDO	B	405	-	3,3,3	0.56	0	2,2,2	0.57	0
4	EDO	A	405	-	3,3,3	0.81	0	2,2,2	0.16	0
2	NAD	D	401	-	46,48,48	1.54	7 (15%)	64,73,73	1.53	10 (15%)
2	NAD	C	401	-	46,48,48	1.75	12 (26%)	64,73,73	1.46	11 (17%)
2	NAD	A	401	-	46,48,48	1.64	10 (21%)	64,73,73	1.83	15 (23%)
5	PEG	A	416	-	6,6,6	0.47	0	5,5,5	0.59	0
4	EDO	C	406	-	3,3,3	0.46	0	2,2,2	1.02	0
4	EDO	A	403	-	3,3,3	0.52	0	2,2,2	0.45	0
4	EDO	A	404	-	3,3,3	0.45	0	2,2,2	0.37	0
4	EDO	A	407	-	3,3,3	0.60	0	2,2,2	0.77	0
5	PEG	B	413	-	6,6,6	0.53	0	5,5,5	1.31	1 (20%)
4	EDO	C	403	-	3,3,3	0.57	0	2,2,2	0.30	0
4	EDO	D	407	-	3,3,3	0.46	0	2,2,2	0.57	0
4	EDO	B	403	-	3,3,3	0.57	0	2,2,2	0.43	0
5	PEG	A	419	-	6,6,6	0.87	0	5,5,5	0.70	0
5	PEG	A	417	-	6,6,6	0.52	0	5,5,5	0.70	0
4	EDO	D	406	-	3,3,3	0.37	0	2,2,2	0.34	0
4	EDO	B	410	-	3,3,3	0.47	0	2,2,2	0.81	0
4	EDO	C	405	-	3,3,3	0.22	0	2,2,2	0.80	0
5	PEG	A	418	-	6,6,6	0.56	0	5,5,5	0.62	0
2	NAD	B	401	-	46,48,48	1.54	7 (15%)	64,73,73	1.84	8 (12%)
5	PEG	A	415	-	6,6,6	0.72	0	5,5,5	0.76	0
4	EDO	B	406	-	3,3,3	0.58	0	2,2,2	0.69	0
4	EDO	B	411	-	3,3,3	0.92	0	2,2,2	0.71	0
5	PEG	B	414	-	6,6,6	0.68	0	5,5,5	0.51	0
5	PEG	C	407	-	6,6,6	0.56	0	5,5,5	0.47	0
4	EDO	A	409	-	3,3,3	0.26	0	2,2,2	0.31	0
4	EDO	B	412	-	3,3,3	0.35	0	2,2,2	0.50	0
4	EDO	D	404	-	3,3,3	0.37	0	2,2,2	0.95	0
4	EDO	D	403	-	3,3,3	0.41	0	2,2,2	0.12	0
4	EDO	A	408	-	3,3,3	0.56	0	2,2,2	0.29	0
4	EDO	A	411	-	3,3,3	0.60	0	2,2,2	0.31	0
5	PEG	A	414	-	6,6,6	0.75	0	5,5,5	0.88	0
4	EDO	B	409	-	3,3,3	0.60	0	2,2,2	0.19	0
4	EDO	D	408	-	3,3,3	0.63	0	2,2,2	0.16	0
4	EDO	B	407	-	3,3,3	0.39	0	2,2,2	0.96	0
4	EDO	A	412	-	3,3,3	0.41	0	2,2,2	0.29	0
4	EDO	C	404	-	3,3,3	0.65	0	2,2,2	0.88	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	B	404	-	-	0/1/1/1	-
4	EDO	A	410	-	-	0/1/1/1	-
4	EDO	A	406	-	-	1/1/1/1	-
4	EDO	B	408	-	-	1/1/1/1	-
4	EDO	A	413	-	-	1/1/1/1	-
4	EDO	D	405	-	-	1/1/1/1	-
4	EDO	B	405	-	-	1/1/1/1	-
4	EDO	A	405	-	-	0/1/1/1	-
2	NAD	D	401	-	-	2/30/62/62	0/5/5/5
2	NAD	C	401	-	-	3/30/62/62	0/5/5/5
2	NAD	A	401	-	-	2/30/62/62	0/5/5/5
5	PEG	A	416	-	-	1/4/4/4	-
4	EDO	C	406	-	-	1/1/1/1	-
4	EDO	A	403	-	-	1/1/1/1	-
4	EDO	A	404	-	-	1/1/1/1	-
4	EDO	A	407	-	-	1/1/1/1	-
5	PEG	B	413	-	-	1/4/4/4	-
4	EDO	C	403	-	-	0/1/1/1	-
4	EDO	D	407	-	-	1/1/1/1	-
4	EDO	B	403	-	-	1/1/1/1	-
5	PEG	A	419	-	-	4/4/4/4	-
5	PEG	A	417	-	-	3/4/4/4	-
4	EDO	D	406	-	-	1/1/1/1	-
4	EDO	B	410	-	-	0/1/1/1	-
4	EDO	C	405	-	-	0/1/1/1	-
5	PEG	A	418	-	-	1/4/4/4	-
2	NAD	B	401	-	-	4/30/62/62	0/5/5/5
5	PEG	A	415	-	-	2/4/4/4	-
4	EDO	B	406	-	-	1/1/1/1	-
4	EDO	B	411	-	-	1/1/1/1	-
5	PEG	B	414	-	-	2/4/4/4	-
5	PEG	C	407	-	-	3/4/4/4	-
4	EDO	A	409	-	-	1/1/1/1	-
4	EDO	B	412	-	-	1/1/1/1	-
4	EDO	D	404	-	-	0/1/1/1	-
4	EDO	D	403	-	-	0/1/1/1	-
4	EDO	A	408	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	411	-	-	1/1/1/1	-
5	PEG	A	414	-	-	2/4/4/4	-
4	EDO	B	409	-	-	0/1/1/1	-
4	EDO	D	408	-	-	0/1/1/1	-
4	EDO	B	407	-	-	0/1/1/1	-
4	EDO	A	412	-	-	1/1/1/1	-
4	EDO	C	404	-	-	1/1/1/1	-

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	NAD	PN-O3	4.94	1.64	1.59
2	C	401	NAD	C5A-C4A	4.54	1.47	1.39
2	B	401	NAD	PN-O3	4.44	1.64	1.59
2	B	401	NAD	PA-O3	-4.40	1.54	1.59
2	C	401	NAD	C5A-N7A	-4.36	1.31	1.39
2	A	401	NAD	C4A-N9A	-4.12	1.29	1.37
2	C	401	NAD	C4A-N9A	-3.83	1.29	1.37
2	D	401	NAD	C4A-N9A	-3.53	1.30	1.37
2	A	401	NAD	O4B-C1B	3.50	1.50	1.42
2	D	401	NAD	C5A-C4A	3.46	1.45	1.39
2	C	401	NAD	PA-O3	3.35	1.63	1.59
2	D	401	NAD	PN-O3	3.20	1.63	1.59
2	A	401	NAD	C5A-C4A	3.00	1.44	1.39
2	A	401	NAD	C2A-N3A	2.90	1.39	1.33
2	C	401	NAD	O4D-C1D	2.87	1.44	1.40
2	D	401	NAD	C5A-N7A	-2.86	1.33	1.39
2	C	401	NAD	C2N-N1N	-2.64	1.32	1.35
2	A	401	NAD	O3B-C3B	2.61	1.49	1.43
2	C	401	NAD	C5N-C4N	-2.55	1.34	1.38
2	B	401	NAD	C2N-N1N	2.54	1.37	1.35
2	B	401	NAD	C4A-N9A	-2.41	1.32	1.37
2	C	401	NAD	C8A-N7A	2.41	1.36	1.31
2	C	401	NAD	PN-O3	2.38	1.62	1.59
2	C	401	NAD	O4B-C1B	2.37	1.47	1.42
2	D	401	NAD	O4B-C1B	2.35	1.47	1.42
2	A	401	NAD	C7N-N7N	-2.34	1.28	1.33
2	A	401	NAD	C2N-N1N	2.15	1.37	1.35
2	C	401	NAD	C3N-C7N	2.13	1.53	1.50
2	B	401	NAD	C5A-C4A	2.12	1.42	1.39
2	D	401	NAD	PN-O1N	-2.10	1.43	1.50
2	A	401	NAD	C5A-C6A	2.08	1.46	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	401	NAD	C2B-C1B	-2.08	1.46	1.53
2	B	401	NAD	O4D-C4D	-2.07	1.40	1.45
2	A	401	NAD	C3N-C7N	2.07	1.53	1.50
2	D	401	NAD	C8A-N9A	-2.04	1.34	1.37
2	B	401	NAD	C5A-N7A	-2.02	1.35	1.39

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	NAD	N3A-C2A-N1A	-6.26	119.10	128.58
2	A	401	NAD	C4D-O4D-C1D	-5.63	104.77	109.92
2	C	401	NAD	C4D-O4D-C1D	-5.05	105.30	109.92
2	B	401	NAD	C5A-C4A-N3A	-4.94	119.91	126.72
2	B	401	NAD	N3A-C4A-N9A	4.93	135.55	127.17
2	D	401	NAD	C5A-C4A-N3A	-4.85	120.04	126.72
2	B	401	NAD	C2A-N3A-C4A	4.70	123.30	111.83
2	A	401	NAD	N3A-C2A-N1A	-4.65	121.54	128.58
2	B	401	NAD	O7N-C7N-N7N	-4.40	116.26	122.62
2	C	401	NAD	C5A-C4A-N3A	-4.40	120.66	126.72
2	A	401	NAD	N3A-C4A-N9A	4.08	134.10	127.17
2	D	401	NAD	N3A-C4A-N9A	3.97	133.92	127.17
2	B	401	NAD	O7N-C7N-C3N	3.93	124.41	119.60
2	B	401	NAD	C6N-N1N-C2N	-3.80	118.64	121.88
2	C	401	NAD	N3A-C4A-N9A	3.67	133.41	127.17
2	A	401	NAD	C4A-N9A-C8A	3.62	109.54	105.74
2	A	401	NAD	O4B-C1B-N9A	-3.59	101.20	108.09
2	A	401	NAD	C5A-C4A-N3A	-3.53	121.86	126.72
2	D	401	NAD	O7N-C7N-N7N	-3.34	117.79	122.62
2	A	401	NAD	C2A-N3A-C4A	3.20	119.64	111.83
2	D	401	NAD	C3N-C7N-N7N	3.17	121.65	117.74
2	B	401	NAD	C4A-N9A-C8A	3.14	109.04	105.74
2	A	401	NAD	C3N-C7N-N7N	2.99	121.43	117.74
2	D	401	NAD	C4A-N9A-C8A	2.97	108.86	105.74
2	A	401	NAD	C6N-N1N-C2N	-2.97	119.35	121.88
2	A	401	NAD	O4B-C1B-C2B	-2.88	100.44	106.62
2	C	401	NAD	O2N-PN-O3	2.81	114.86	107.27
2	D	401	NAD	O4B-C1B-N9A	-2.77	102.76	108.09
2	A	401	NAD	O3-PN-O1N	-2.74	102.46	110.70
5	B	413	PEG	O2-C2-C1	2.69	121.98	110.11
2	C	401	NAD	C5N-C4N-C3N	-2.68	117.73	120.36
2	D	401	NAD	C4A-C5A-N7A	-2.66	107.55	110.58
2	A	401	NAD	O4D-C4D-C3D	2.60	110.31	105.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401	NAD	C2A-N3A-C4A	2.51	117.97	111.83
2	C	401	NAD	C4A-N9A-C8A	2.51	108.38	105.74
2	C	401	NAD	O3-PN-O1N	-2.48	103.24	110.70
2	A	401	NAD	O3-PA-O1A	-2.29	103.81	110.70
2	C	401	NAD	O4B-C1B-N9A	-2.28	103.71	108.09
2	A	401	NAD	O2B-C2B-C3B	2.26	119.07	111.82
2	C	401	NAD	N9A-C8A-N7A	-2.11	110.95	113.94
2	D	401	NAD	O3-PN-O1N	-2.07	104.47	110.70
2	C	401	NAD	O2A-PA-O1A	2.07	122.08	112.44
2	C	401	NAD	C2A-N3A-C4A	2.05	116.85	111.83
2	D	401	NAD	O2A-PA-O3	-2.02	101.82	107.27
2	A	401	NAD	O7N-C7N-N7N	-2.02	119.70	122.62

There are no chirality outliers.

All (50) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	NAD	O4D-C1D-N1N-C6N
2	B	401	NAD	O4D-C1D-N1N-C6N
2	C	401	NAD	O4D-C1D-N1N-C6N
2	D	401	NAD	O4D-C1D-N1N-C6N
5	B	413	PEG	C1-C2-O2-C3
5	A	418	PEG	C4-C3-O2-C2
5	A	415	PEG	O2-C3-C4-O4
5	A	419	PEG	O1-C1-C2-O2
5	C	407	PEG	O1-C1-C2-O2
5	A	417	PEG	O2-C3-C4-O4
4	A	407	EDO	O1-C1-C2-O2
4	B	411	EDO	O1-C1-C2-O2
4	C	406	EDO	O1-C1-C2-O2
4	D	405	EDO	O1-C1-C2-O2
5	B	414	PEG	O2-C3-C4-O4
4	A	411	EDO	O1-C1-C2-O2
4	B	408	EDO	O1-C1-C2-O2
4	B	412	EDO	O1-C1-C2-O2
5	B	414	PEG	C1-C2-O2-C3
5	A	419	PEG	C4-C3-O2-C2
5	A	415	PEG	C4-C3-O2-C2
5	C	407	PEG	C4-C3-O2-C2
4	A	406	EDO	O1-C1-C2-O2
4	D	406	EDO	O1-C1-C2-O2
5	A	419	PEG	C1-C2-O2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	419	PEG	O2-C3-C4-O4
5	A	414	PEG	C1-C2-O2-C3
5	A	417	PEG	C4-C3-O2-C2
2	B	401	NAD	C3B-C4B-C5B-O5B
5	A	417	PEG	C1-C2-O2-C3
4	A	408	EDO	O1-C1-C2-O2
4	A	409	EDO	O1-C1-C2-O2
2	C	401	NAD	C2D-C1D-N1N-C2N
5	A	414	PEG	C4-C3-O2-C2
4	B	406	EDO	O1-C1-C2-O2
4	D	407	EDO	O1-C1-C2-O2
2	A	401	NAD	O4D-C1D-N1N-C2N
2	B	401	NAD	O4D-C1D-N1N-C2N
2	C	401	NAD	O4D-C1D-N1N-C2N
2	D	401	NAD	O4D-C1D-N1N-C2N
5	A	416	PEG	O2-C3-C4-O4
4	A	403	EDO	O1-C1-C2-O2
4	A	404	EDO	O1-C1-C2-O2
4	B	403	EDO	O1-C1-C2-O2
4	B	405	EDO	O1-C1-C2-O2
5	C	407	PEG	C1-C2-O2-C3
4	A	412	EDO	O1-C1-C2-O2
4	A	413	EDO	O1-C1-C2-O2
4	C	404	EDO	O1-C1-C2-O2
2	B	401	NAD	O4B-C4B-C5B-O5B

There are no ring outliers.

19 monomers are involved in 39 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	406	EDO	2	0
4	A	413	EDO	2	0
5	A	416	PEG	1	0
4	C	406	EDO	2	0
5	B	413	PEG	5	0
4	D	407	EDO	1	0
5	A	419	PEG	2	0
5	A	417	PEG	1	0
4	C	405	EDO	1	0
5	A	418	PEG	2	0
5	A	415	PEG	5	0
4	B	411	EDO	4	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	414	PEG	1	0
5	C	407	PEG	2	0
4	D	404	EDO	2	0
4	D	403	EDO	2	0
5	A	414	PEG	1	0
4	B	407	EDO	1	0
4	C	404	EDO	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	362/375 (96%)	0.14	14 (3%)	43 47	12, 28, 51, 114	3 (0%)
1	B	363/375 (96%)	0.11	13 (3%)	46 50	13, 27, 52, 106	3 (0%)
1	C	354/375 (94%)	0.81	33 (9%)	14 16	21, 51, 101, 130	0
1	D	353/375 (94%)	0.53	21 (5%)	28 30	22, 43, 80, 110	1 (0%)
All	All	1432/1500 (95%)	0.39	81 (5%)	29 31	12, 35, 87, 130	7 (0%)

All (81) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	9[A]	ASP	5.8
1	A	283	ILE	5.3
1	D	362	PRO	5.2
1	C	0	GLY	4.9
1	A	260	TYR	4.5
1	B	0	GLY	4.5
1	B	20	SER	4.4
1	B	341	HIS	4.4
1	B	284	GLY	4.4
1	A	341	HIS	4.3
1	C	309	ALA	4.3
1	C	361	ILE	4.1
1	A	239	GLY	4.1
1	C	271	ALA	3.9
1	C	283	ILE	3.9
1	D	59	VAL	3.7
1	C	239	GLY	3.3
1	B	237	THR	3.3
1	C	279	THR	3.3
1	B	59	VAL	3.2
1	C	59	VAL	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	341	HIS	3.1
1	D	235	LYS	3.1
1	C	350	ALA	3.1
1	A	361	ILE	3.0
1	C	282	LEU	3.0
1	C	357	ILE	3.0
1	D	353	VAL	2.9
1	D	60	SER	2.9
1	C	341	HIS	2.9
1	D	8	LEU	2.9
1	A	59	VAL	2.9
1	B	283	ILE	2.9
1	A	20	SER	2.8
1	D	361	ILE	2.8
1	C	8	LEU	2.7
1	C	330	LYS	2.7
1	A	237	THR	2.7
1	D	239	GLY	2.7
1	C	331	LEU	2.7
1	C	353	VAL	2.7
1	A	329	GLY	2.6
1	A	24	GLN	2.6
1	C	317	LEU	2.6
1	D	349	ASP	2.6
1	C	362	PRO	2.5
1	C	286	PHE	2.5
1	D	9	ASP	2.5
1	A	235	LYS	2.5
1	C	277	ALA	2.5
1	B	236	GLU	2.4
1	B	1	MET	2.4
1	D	271	ALA	2.4
1	C	234	GLU	2.4
1	D	331	LEU	2.4
1	C	250	PHE	2.3
1	C	1	MET	2.3
1	C	310	LYS	2.3
1	A	238	SER	2.3
1	C	20	SER	2.3
1	D	20	SER	2.3
1	C	347	ASP	2.3
1	D	33	ALA	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	284	GLY	2.2
1	B	347[A]	ASP	2.2
1	D	234	GLU	2.1
1	C	319	HIS	2.1
1	A	347[A]	ASP	2.1
1	D	360	CYS	2.1
1	C	253	ALA	2.1
1	B	260	TYR	2.1
1	D	11	ARG	2.1
1	C	284	GLY	2.1
1	C	295	ILE	2.0
1	C	274	VAL	2.0
1	C	305	VAL	2.0
1	D	348	VAL	2.0
1	D	282	LEU	2.0
1	B	234	GLU	2.0
1	D	1	MET	2.0
1	C	287	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	EDO	C	403	4/4	0.64	0.20	65,72,81,84	0
4	EDO	A	406	4/4	0.79	0.18	50,52,60,63	0
4	EDO	D	406	4/4	0.80	0.13	67,68,68,70	0
5	PEG	A	416	7/7	0.80	0.18	58,64,75,79	0
5	PEG	B	414	7/7	0.80	0.17	49,63,71,72	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	D	405	4/4	0.83	0.15	51,57,59,73	0
4	EDO	A	407	4/4	0.83	0.16	45,47,49,52	0
4	EDO	D	407	4/4	0.84	0.14	57,64,67,67	0
4	EDO	A	413	4/4	0.85	0.12	58,64,76,77	0
5	PEG	A	414	7/7	0.85	0.14	49,51,85,87	0
4	EDO	B	406	4/4	0.85	0.11	51,53,57,57	0
4	EDO	B	410	4/4	0.85	0.18	54,58,70,93	0
4	EDO	B	411	4/4	0.86	0.20	36,38,57,68	0
5	PEG	A	415	7/7	0.86	0.16	33,49,64,66	0
4	EDO	A	412	4/4	0.86	0.10	72,75,78,80	0
4	EDO	C	406	4/4	0.86	0.12	44,52,56,58	0
4	EDO	A	405	4/4	0.87	0.15	54,59,60,61	0
5	PEG	C	407	7/7	0.88	0.14	43,60,73,88	0
4	EDO	A	408	4/4	0.89	0.16	39,48,55,59	0
4	EDO	B	409	4/4	0.89	0.16	66,69,77,78	0
5	PEG	A	417	7/7	0.89	0.13	60,63,66,74	0
5	PEG	A	419	7/7	0.89	0.14	36,55,67,77	0
4	EDO	B	405	4/4	0.89	0.15	42,43,51,51	0
4	EDO	D	403	4/4	0.89	0.14	40,45,46,50	0
4	EDO	B	404	4/4	0.90	0.12	40,45,50,50	0
4	EDO	A	411	4/4	0.90	0.12	49,55,65,66	0
5	PEG	A	418	7/7	0.90	0.09	39,51,56,57	0
4	EDO	D	404	4/4	0.91	0.12	43,43,52,54	0
4	EDO	A	410	4/4	0.91	0.10	57,57,60,63	0
4	EDO	B	407	4/4	0.92	0.14	44,47,64,69	0
4	EDO	B	408	4/4	0.92	0.09	40,47,52,65	0
4	EDO	A	409	4/4	0.92	0.11	36,43,52,59	0
4	EDO	A	403	4/4	0.92	0.13	29,32,41,45	0
4	EDO	B	412	4/4	0.93	0.10	38,38,47,54	0
4	EDO	A	404	4/4	0.93	0.11	33,44,48,49	0
4	EDO	C	405	4/4	0.93	0.11	58,62,69,71	0
4	EDO	D	408	4/4	0.93	0.11	49,53,57,60	0
5	PEG	B	413	7/7	0.94	0.09	28,39,43,50	0
4	EDO	B	403	4/4	0.94	0.10	44,59,63,68	0
4	EDO	C	404	4/4	0.94	0.10	44,50,57,62	0
2	NAD	B	401	44/44	0.97	0.06	18,25,29,33	0
3	MG	B	402	1/1	0.97	0.03	21,21,21,21	0
2	NAD	A	401	44/44	0.97	0.06	17,26,33,37	0
2	NAD	D	401	44/44	0.98	0.05	25,28,33,39	0
3	MG	A	402	1/1	0.98	0.02	20,20,20,20	0
2	NAD	C	401	44/44	0.98	0.06	25,32,40,44	0
3	MG	C	402	1/1	0.98	0.04	41,41,41,41	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MG	D	402	1/1	0.99	0.02	28,28,28,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around MG B 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD D 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG A 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around NAD C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG C 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around MG D 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.