



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 12:40 PM UTC

PDB ID : 6LLG / pdb_00006llg
Title : Crystal Structure of Fagopyrum esculentum M UGT708C1
Authors : Wang, X.; Liu, M.
Deposited on : 2019-12-23
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	457	5% 79% 12% • • 5%
1	B	457	4% 81% 12% • 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	501	-	X	-	-
2	SO4	A	502	-	X	-	-
2	SO4	B	501	-	X	X	-
2	SO4	B	502	-	X	-	-
2	SO4	B	503	-	X	-	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 7106 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UDP-glycosyltransferase 708C1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	436	Total	C	N	O	S	0	0	0
			3372	2164	570	624	14			
1	B	434	Total	C	N	O	S	0	0	0
			3373	2166	571	622	14			

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is BENZAMIDINE (CCD ID: BEN) (formula: C₇H₈N₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	N	0	0
			9	7	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	160	Total	O	0	0
			160	160		
4	B	167	Total	O	0	0
			167	167		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: UDP-glycosyltransferase 708C1



• Molecule 1: UDP-glycosyltransferase 708C1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	98.75Å 144.25Å 69.89Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	33.96 – 2.10 33.96 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.2 (33.96-2.10) 99.4 (33.96-2.10)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.30 (at 2.10Å)	Xtriage
Refinement program	PHENIX 1.11.1 _2575	Depositor
R, R_{free}	0.174 , 0.211 0.194 , 0.196	Depositor DCC
R_{free} test set	2968 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	35.4	Xtriage
Anisotropy	0.641	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 47.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7106	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, BEN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.70	10/3464 (0.3%)	0.82	20/4717 (0.4%)
1	B	1.02	14/3466 (0.4%)	0.71	6/4717 (0.1%)
All	All	0.88	24/6930 (0.3%)	0.77	26/9434 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	234	GLY	C-N	-39.02	0.81	1.33
1	B	340	TRP	C-O	-6.53	1.16	1.23
1	A	247	GLY	C-O	-6.46	1.15	1.24
1	B	230	ALA	C-O	-6.17	1.17	1.24
1	B	247	GLY	C-O	-5.89	1.16	1.24
1	A	164	HIS	CA-C	-5.88	1.44	1.52
1	B	454	SER	C-O	-5.84	1.16	1.24
1	A	165	LEU	CA-C	-5.76	1.45	1.53
1	B	164	HIS	C-O	-5.62	1.16	1.24
1	B	358	HIS	C-O	-5.61	1.16	1.24
1	B	339	LYS	C-O	-5.54	1.17	1.24
1	A	30	MET	C-O	-5.49	1.17	1.24
1	A	281	THR	C-O	-5.37	1.17	1.23
1	A	172	SER	CA-C	-5.35	1.46	1.52
1	A	19	GLN	C-N	5.34	1.40	1.33
1	B	246	ILE	C-O	-5.34	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	71	SER	C-O	-5.34	1.17	1.24
1	B	231	LEU	C-O	-5.22	1.18	1.24
1	B	229	SER	C-O	-5.21	1.18	1.24
1	B	233	SER	C-O	-5.21	1.16	1.25
1	A	32	HIS	C-O	-5.20	1.17	1.24
1	A	248	PRO	N-CD	5.18	1.55	1.47
1	A	47	PRO	N-CD	5.17	1.55	1.47
1	B	248	PRO	N-CD	5.14	1.55	1.47

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	234	GLY	CA-C-N	-11.04	107.77	123.00
1	B	234	GLY	C-N-CA	-11.04	107.77	123.00
1	A	297	ARG	CB-CG-CD	-8.83	90.99	111.30
1	A	165	LEU	N-CA-C	-8.59	97.05	110.36
1	A	247	GLY	C-N-CD	8.22	138.68	120.60
1	B	247	GLY	C-N-CD	7.86	137.90	120.60
1	A	46	ALA	C-N-CD	7.80	137.77	120.60
1	A	384	ARG	CB-CG-CD	-7.49	94.07	111.30
1	A	297	ARG	CD-NE-CZ	7.42	134.79	124.40
1	A	279	ASN	CA-C-N	7.01	130.37	120.28
1	A	279	ASN	C-N-CA	7.01	130.37	120.28
1	B	167	LYS	N-CA-C	-6.80	100.15	110.70
1	A	297	ARG	CA-CB-CG	6.71	127.51	114.10
1	A	257	GLN	N-CA-C	-6.37	102.08	110.43
1	A	170	SER	N-CA-C	-6.35	105.25	112.87
1	A	162	VAL	O-C-N	-6.27	113.95	121.10
1	A	19	GLN	CA-C-N	-5.87	113.92	119.85
1	A	19	GLN	C-N-CA	-5.87	113.92	119.85
1	A	162	VAL	CA-C-N	-5.84	112.86	119.28
1	A	162	VAL	C-N-CA	-5.84	112.86	119.28
1	A	297	ARG	NE-CZ-NH2	-5.70	114.07	119.20
1	A	168	SER	N-CA-C	5.69	116.96	108.31
1	B	20	PRO	CA-N-CD	-5.56	104.22	112.00
1	A	253	GLU	N-CA-C	-5.30	101.14	109.25
1	B	339	LYS	N-CA-C	5.20	117.02	111.36
1	A	20	PRO	CA-N-CD	-5.05	104.92	112.00

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	166	ALA	Peptide
1	A	167	LYS	Peptide
1	A	168	SER	Peptide
1	A	313	LYS	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3372	0	3328	91	1
1	B	3373	0	3343	54	1
2	A	10	0	0	1	0
2	B	15	0	0	2	0
3	B	9	0	8	0	0
4	A	160	0	0	3	0
4	B	167	0	0	4	0
All	All	7106	0	6679	145	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:234:GLY:C	1:B:236:THR:CA	1.84	1.47
1:B:234:GLY:CA	1:B:236:THR:N	1.92	1.32
1:A:255:ASN:CB	1:A:256:LYS:HZ3	1.54	1.18
1:A:255:ASN:HB3	1:A:256:LYS:HZ3	1.09	1.15
1:A:185:ASP:C	1:A:384:ARG:HH21	1.55	1.13
1:A:280:ARG:HD2	1:A:280:ARG:H	1.08	1.11
1:A:185:ASP:HB2	1:A:384:ARG:HH22	1.16	1.09
1:B:234:GLY:O	1:B:236:THR:N	1.84	1.08
1:B:165:LEU:O	1:B:168:SER:HB2	1.55	1.06
1:A:185:ASP:CB	1:A:384:ARG:NH2	2.23	1.01
1:A:185:ASP:CB	1:A:384:ARG:HH22	1.74	1.01
1:A:257:GLN:H	1:A:257:GLN:HE21	1.12	0.98
1:A:255:ASN:HB3	1:A:256:LYS:NZ	1.79	0.98

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:234:GLY:O	1:B:236:THR:CA	2.09	0.96
1:A:349:HIS:HD2	1:A:351:ALA:H	1.03	0.95
1:A:248:PRO:HB3	1:A:365:MET:HE3	1.45	0.95
1:A:255:ASN:CB	1:A:256:LYS:NZ	2.31	0.93
1:B:234:GLY:C	1:B:236:THR:N	0.81	0.91
1:A:185:ASP:C	1:A:384:ARG:NH2	2.28	0.90
1:B:234:GLY:O	1:B:236:THR:HA	1.75	0.86
1:A:280:ARG:HD2	1:A:280:ARG:N	1.91	0.84
1:A:255:ASN:HB2	1:A:256:LYS:HZ3	1.41	0.84
1:A:166:ALA:CA	1:A:168:SER:H	1.90	0.84
1:A:257:GLN:H	1:A:257:GLN:NE2	1.76	0.83
1:A:186:ASN:OD1	1:A:384:ARG:CZ	2.26	0.83
1:A:47:PRO:HG2	1:A:449:MET:HE1	1.61	0.82
1:B:358:HIS:HE1	2:B:501:SO4:O1	1.62	0.82
1:A:166:ALA:N	1:A:168:SER:H	1.78	0.82
1:A:278:GLY:HA3	1:A:280:ARG:HD3	1.61	0.82
1:A:349:HIS:CD2	1:A:351:ALA:H	1.94	0.82
1:A:166:ALA:H	1:A:168:SER:H	1.29	0.81
1:B:165:LEU:O	1:B:168:SER:CB	2.33	0.77
1:A:185:ASP:HB3	1:A:384:ARG:NH2	1.99	0.77
1:A:185:ASP:HB2	1:A:384:ARG:NH2	1.89	0.76
1:A:186:ASN:OD1	1:A:384:ARG:NH2	2.20	0.75
1:B:165:LEU:O	1:B:168:SER:N	2.20	0.73
1:A:186:ASN:N	1:A:384:ARG:HH21	1.87	0.71
1:B:234:GLY:N	1:B:236:THR:N	2.37	0.71
1:A:255:ASN:HB3	1:A:256:LYS:HG3	1.71	0.71
1:A:137:ASN:HD21	1:A:145:ASN:HD22	1.39	0.70
1:A:325:GLU:HA	1:A:325:GLU:OE1	1.91	0.70
1:B:157:THR:HG22	1:B:231:LEU:HD21	1.73	0.69
1:A:255:ASN:HB2	1:A:256:LYS:NZ	2.03	0.69
1:A:47:PRO:CG	1:A:449:MET:HE1	2.22	0.69
1:A:186:ASN:OD1	1:A:384:ARG:NE	2.27	0.68
1:A:279:ASN:N	1:A:280:ARG:HD2	2.10	0.67
1:A:166:ALA:HA	1:A:168:SER:H	1.58	0.67
1:A:166:ALA:H	1:A:168:SER:N	1.91	0.67
1:B:248:PRO:HB3	1:B:365:MET:HE3	1.78	0.66
1:A:279:ASN:HB2	1:A:280:ARG:NH1	2.11	0.66
1:B:358:HIS:CD2	4:B:620:HOH:O	2.49	0.65
1:B:253:GLU:H	1:B:253:GLU:CD	2.04	0.65
1:A:279:ASN:H	1:A:280:ARG:NH1	1.95	0.64
1:B:153:ALA:O	1:B:157:THR:HG23	1.97	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:179:LEU:HG	1:B:180:GLU:H	1.62	0.64
1:A:169:SER:C	1:A:171:SER:H	2.04	0.64
1:B:154:ARG:HH11	1:B:179:LEU:HD23	1.63	0.63
1:B:176:ILE:N	4:B:601:HOH:O	2.33	0.62
1:A:169:SER:C	1:A:171:SER:N	2.59	0.60
1:A:267:GLN:HE21	1:A:301:ARG:HD3	1.65	0.60
1:A:257:GLN:HE21	1:A:257:GLN:N	1.92	0.60
1:A:280:ARG:H	1:A:280:ARG:CD	1.91	0.60
1:B:453:GLY:O	1:B:457:ARG:HG3	2.03	0.59
1:A:279:ASN:N	1:A:280:ARG:HH11	1.99	0.59
1:A:320:ARG:NH1	1:A:325:GLU:OE2	2.35	0.59
1:A:297:ARG:NH1	1:A:407:GLN:OE1	2.35	0.59
1:B:41:SER:CB	1:B:252:LEU:HD21	2.33	0.59
1:A:316:LYS:HG3	1:A:328:TYR:OH	2.04	0.58
1:B:358:HIS:CE1	2:B:501:SO4:O1	2.52	0.57
1:A:248:PRO:HB3	1:A:365:MET:CE	2.27	0.56
1:B:375:LEU:HB2	1:B:417:ILE:HG13	1.88	0.56
1:B:47:PRO:HG2	1:B:449:MET:HE1	1.87	0.55
1:B:340:TRP:C	1:B:340:TRP:CD1	2.85	0.54
1:A:162:VAL:O	1:A:163:PRO:C	2.48	0.54
1:A:157:THR:HG21	1:A:179:LEU:HD11	1.88	0.54
1:B:30:MET:HE2	1:B:68:HIS:CD2	2.44	0.53
1:A:278:GLY:CA	1:A:280:ARG:HD3	2.36	0.53
1:B:356:LEU:HD22	1:B:410:ILE:HD11	1.92	0.52
1:A:358:HIS:H	1:A:358:HIS:CD2	2.28	0.52
1:B:179:LEU:HG	1:B:180:GLU:N	2.24	0.52
1:A:185:ASP:CA	1:A:384:ARG:NH2	2.72	0.51
1:A:279:ASN:CA	1:A:280:ARG:HH11	2.24	0.51
1:A:279:ASN:H	1:A:280:ARG:HH11	1.56	0.51
1:B:358:HIS:HD2	4:B:620:HOH:O	1.91	0.51
1:A:231:LEU:HD23	1:A:236:THR:HG21	1.92	0.51
1:B:358:HIS:CD2	1:B:358:HIS:H	2.29	0.51
1:A:137:ASN:ND2	1:A:145:ASN:HD22	2.06	0.50
1:A:384:ARG:HD2	1:A:398:TRP:HZ2	1.76	0.50
1:B:162:VAL:HA	1:B:165:LEU:HD12	1.93	0.50
1:B:377:TRP:CH2	1:B:410:ILE:HG12	2.46	0.50
1:A:248:PRO:CB	1:A:365:MET:HE3	2.29	0.50
1:A:267:GLN:NE2	1:A:301:ARG:HD3	2.27	0.50
1:B:19:GLN:OE1	1:B:49:ASN:O	2.30	0.50
1:B:339:LYS:HD3	1:B:340:TRP:CZ3	2.47	0.49
1:A:166:ALA:HB1	1:A:194:PRO:HG3	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:312:ASP:HB3	1:A:339:LYS:NZ	2.28	0.48
1:A:169:SER:O	1:A:171:SER:N	2.47	0.48
1:A:279:ASN:CB	1:A:280:ARG:NH1	2.76	0.48
1:A:279:ASN:HB2	1:A:280:ARG:HH12	1.79	0.48
1:A:157:THR:HG21	1:A:179:LEU:CD1	2.44	0.47
1:A:384:ARG:HD2	1:A:398:TRP:CZ2	2.50	0.47
1:A:425:LYS:HB3	1:A:425:LYS:HE2	1.62	0.47
1:B:368:ALA:O	1:B:431:GLY:HA2	2.14	0.46
1:A:170:SER:HA	1:A:192:PHE:CD1	2.50	0.46
1:B:320:ARG:NH1	1:B:325:GLU:OE1	2.47	0.45
1:B:418:MET:HE3	1:B:418:MET:HB3	1.82	0.45
1:A:166:ALA:CA	1:A:168:SER:N	2.70	0.45
1:B:30:MET:CE	1:B:68:HIS:CD2	2.99	0.45
1:A:265:ASP:OD1	1:A:349:HIS:HE1	2.00	0.45
1:A:267:GLN:NE2	1:A:301:ARG:HH11	2.15	0.45
1:B:425:LYS:HA	1:B:425:LYS:HD3	1.77	0.45
1:B:356:LEU:CD2	1:B:410:ILE:HD11	2.47	0.45
1:A:165:LEU:O	1:A:166:ALA:HB3	2.16	0.45
1:B:175:GLU:HG2	1:B:181:PRO:HG3	1.98	0.45
1:A:313:LYS:CB	1:A:339:LYS:HD2	2.47	0.44
1:B:19:GLN:HB3	1:B:49:ASN:O	2.17	0.44
1:A:297:ARG:HG3	4:A:645:HOH:O	2.18	0.44
1:B:234:GLY:C	1:B:236:THR:C	2.76	0.44
1:A:190:PRO:HB3	1:A:196:HIS:CG	2.53	0.43
1:B:154:ARG:NH1	1:B:179:LEU:HD23	2.31	0.43
1:B:397:VAL:HG22	1:B:417:ILE:HD11	2.01	0.43
1:B:179:LEU:HD12	1:B:179:LEU:HA	1.77	0.43
1:A:30:MET:HA	1:A:30:MET:HE2	2.01	0.43
1:B:252:LEU:HD23	1:B:252:LEU:HA	1.76	0.43
1:A:418:MET:HE3	1:A:418:MET:HB3	1.93	0.43
1:A:449:MET:HE2	1:A:449:MET:HB2	1.77	0.43
1:A:279:ASN:CB	1:A:280:ARG:HH11	2.32	0.42
1:B:47:PRO:HG2	1:B:449:MET:CE	2.50	0.42
1:B:190:PRO:HB3	1:B:196:HIS:CG	2.54	0.42
1:A:32:HIS:HD2	1:A:150:THR:OG1	2.03	0.42
1:A:173:PRO:HG3	4:A:694:HOH:O	2.20	0.42
1:B:449:MET:HE2	1:B:449:MET:HB2	1.89	0.42
1:A:33:LEU:HD12	1:A:65:GLU:HG2	2.03	0.41
1:A:120:SER:HA	1:A:121:PRO:C	2.45	0.41
1:A:166:ALA:HA	1:A:168:SER:N	2.29	0.41
1:A:376:ALA:HB3	1:A:398:TRP:HA	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:358:HIS:CD2	4:A:635:HOH:O	2.74	0.41
1:B:166:ALA:C	1:B:168:SER:N	2.78	0.41
1:A:279:ASN:N	1:A:280:ARG:CD	2.82	0.41
1:B:92:LYS:HB3	1:B:92:LYS:HE2	1.83	0.41
1:B:253:GLU:CD	1:B:253:GLU:N	2.72	0.40
1:B:440:VAL:HG12	4:B:623:HOH:O	2.20	0.40
1:A:325:GLU:OE1	1:A:325:GLU:CA	2.60	0.40
1:A:381:GLY:N	2:A:501:SO4:O1	2.55	0.40
1:A:57:VAL:HG11	1:A:105:ILE:HG12	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:92:LYS:NZ	1:B:457:ARG:CD[4_455]	2.13	0.07

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	432/457 (94%)	422 (98%)	8 (2%)	2 (0%)	24	22
1	B	430/457 (94%)	424 (99%)	5 (1%)	1 (0%)	43	44
All	All	862/914 (94%)	846 (98%)	13 (2%)	3 (0%)	36	36

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	166	ALA
1	B	405	GLY
1	A	405	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	375/400 (94%)	366 (98%)	9 (2%)	43	49
1	B	377/400 (94%)	371 (98%)	6 (2%)	55	64
All	All	752/800 (94%)	737 (98%)	15 (2%)	48	56

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	GLN
1	A	47	PRO
1	A	170	SER
1	A	172	SER
1	A	256	LYS
1	A	257	GLN
1	A	280	ARG
1	A	456	LYS
1	A	457	ARG
1	B	237	LEU
1	B	238	SER
1	B	251	GLU
1	B	253	GLU
1	B	439	ASP
1	B	456	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	HIS
1	A	115	HIS
1	A	137	ASN
1	A	218	ASN
1	A	255	ASN
1	A	257	GLN
1	A	267	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	349	HIS
1	A	380	HIS
1	B	19	GLN
1	B	32	HIS
1	B	68	HIS
1	B	80	HIS
1	B	115	HIS
1	B	142	HIS
1	B	343	GLN
1	B	358	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	B	503	-	4,4,4	2.44	3 (75%)	6,6,6	3.59	3 (50%)
3	BEN	B	504	-	9,9,9	1.63	2 (22%)	7,11,11	1.79	1 (14%)
2	SO4	A	501	-	4,4,4	2.81	3 (75%)	6,6,6	3.56	3 (50%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	A	502	-	4,4,4	2.81	3 (75%)	6,6,6	3.60	3 (50%)
2	SO4	B	501	-	4,4,4	2.79	3 (75%)	6,6,6	3.19	3 (50%)
2	SO4	B	502	-	4,4,4	2.80	3 (75%)	6,6,6	3.43	3 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BEN	B	504	-	-	0/4/4/4	0/1/1/1

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	SO4	O2-S	3.70	1.66	1.44
2	B	502	SO4	O1-S	3.69	1.66	1.44
2	B	503	SO4	O2-S	3.68	1.66	1.44
2	A	502	SO4	O1-S	3.67	1.66	1.44
2	B	501	SO4	O1-S	3.67	1.66	1.44
2	A	502	SO4	O2-S	3.63	1.66	1.44
2	B	501	SO4	O2-S	3.60	1.66	1.44
2	A	501	SO4	O1-S	3.59	1.66	1.44
2	B	502	SO4	O2-S	3.58	1.66	1.44
3	B	504	BEN	C2-C1	2.44	1.43	1.39
3	B	504	BEN	C-N1	2.32	1.37	1.27
2	B	503	SO4	O3-S	2.25	1.66	1.48
2	B	503	SO4	O4-S	2.25	1.66	1.48
2	A	502	SO4	O3-S	2.22	1.66	1.48
2	A	501	SO4	O3-S	2.22	1.66	1.48
2	B	502	SO4	O3-S	2.20	1.66	1.48
2	B	501	SO4	O3-S	2.16	1.65	1.48

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	502	SO4	O4-S-O1	5.28	137.15	109.56
2	A	501	SO4	O3-S-O1	-5.25	82.11	109.56
2	B	503	SO4	O4-S-O1	5.22	136.83	109.56
2	B	503	SO4	O3-S-O1	-5.17	82.52	109.56
2	B	502	SO4	O4-S-O1	5.10	136.20	109.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	502	SO4	O3-S-O1	-5.04	83.19	109.56
2	A	501	SO4	O4-S-O1	5.04	135.89	109.56
2	B	502	SO4	O3-S-O1	-5.01	83.35	109.56
2	A	502	SO4	O4-S-O3	-4.91	81.47	108.54
2	B	501	SO4	O4-S-O1	4.87	135.02	109.56
2	B	503	SO4	O4-S-O3	-4.81	81.99	108.54
2	A	501	SO4	O4-S-O3	-4.76	82.28	108.54
3	B	504	BEN	C1-C-N2	-4.68	110.91	118.01
2	B	501	SO4	O4-S-O3	-4.61	83.13	108.54
2	B	502	SO4	O4-S-O3	-4.39	84.32	108.54
2	B	501	SO4	O3-S-O1	-3.90	89.15	109.56

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	SO4	1	0
2	B	501	SO4	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	436/457 (95%)	0.22	25 (5%) 29 31	24, 42, 77, 109	0
1	B	434/457 (94%)	0.22	19 (4%) 39 41	24, 42, 85, 121	0
All	All	870/914 (95%)	0.22	44 (5%) 33 35	24, 42, 83, 121	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	166	ALA	9.3
1	A	166	ALA	7.7
1	B	457	ARG	7.3
1	A	457	ARG	7.0
1	A	168	SER	6.9
1	A	18	ASP	6.6
1	B	18	ASP	6.2
1	B	236	THR	6.0
1	A	256	LYS	5.6
1	B	233	SER	4.9
1	B	234	GLY	4.5
1	A	340	TRP	3.8
1	A	252	LEU	3.4
1	B	179	LEU	3.3
1	A	61	ILE	3.2
1	B	237	LEU	3.1
1	A	171	SER	3.1
1	B	379	GLN	2.9
1	A	280	ARG	2.8
1	B	19	GLN	2.8
1	B	314	ASP	2.7
1	A	169	SER	2.7
1	B	168	SER	2.6
1	A	164	HIS	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	419	GLY	2.5
1	B	340	TRP	2.5
1	A	68	HIS	2.4
1	B	419	GLY	2.4
1	B	380	HIS	2.4
1	A	167	LYS	2.4
1	B	307	LYS	2.4
1	A	255	ASN	2.3
1	A	384	ARG	2.3
1	A	315	ASP	2.3
1	A	165	LEU	2.3
1	A	316	LYS	2.3
1	A	278	GLY	2.3
1	B	256	LYS	2.2
1	B	254	HIS	2.2
1	A	172	SER	2.2
1	B	313	LYS	2.1
1	A	70	SER	2.1
1	A	325	GLU	2.0
1	A	281	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	A	502	5/5	0.68	0.12	111,111,114,115	0
2	SO4	A	501	5/5	0.71	0.14	108,110,114,116	0
2	SO4	B	503	5/5	0.73	0.13	92,100,104,106	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SO4	B	502	5/5	0.80	0.14	81,92,98,99	0
2	SO4	B	501	5/5	0.96	0.09	49,52,54,54	0
3	BEN	B	504	9/9	0.97	0.06	32,35,44,47	0

6.5 Other polymers [i](#)

There are no such residues in this entry.