



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 23, 2026 – 06:01 AM EDT

PDB ID : 7LNE / pdb_00007lne
Title : ANA modification at 3' end of RNA primer complex with guanosine dinucleotide ligand G(5')ppp(5')G
Authors : Fang, Z.; Giurgiu, C.; Szostak, J.W.
Deposited on : 2021-02-07
Resolution : 1.53 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1003 (1.54-1.54)
Clashscore	190562	1025 (1.54-1.54)
RSRZ outliers	180081	1002 (1.54-1.54)
RNA backbone	3983	1008 (2.10-0.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	14	 57% 7% 36%
1	B	14	 57% 7% 36%

2 Entry composition [i](#)


There are 8 unique types of molecules in this entry. The entry contains 811 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called RNA (5'-R*(LCC)P*(LCC)P*(LCC)P*(LCG)P*AP*CP*UP*UP*AP*AP*GP*UP*CP*(GAO))-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	9	Total	C	N	O	P	0	0	0
			189	85	32	63	9			
1	B	9	Total	C	N	O	P	0	0	0
			189	85	32	63	9			

- Molecule 2 is [(1R,3R,4R,7S)-7-HYDROXY-3-(5-METHYLCYTOSIN-1-YL)-2,5-DIOXABICYCLO[2.2.1]HEPT-1-YL]METHYL DIHYDROGEN PHOSPHATE (CCD ID: LCC) (formula: C₁₁H₁₆N₃O₈P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			22	11	3	7	1		
2	A	1	Total	C	N	O	P	0	0
			22	11	3	7	1		
2	B	1	Total	C	N	O	P	0	0
			22	11	3	7	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			22	11	3	7	1		

- Molecule 3 is [(1R,3R,4R,7S)-7-HYDROXY-3-(GUANIN-9-YL)-2,5-DIOXABICYCLO [2.2.1]HEPT-1-YL]METHYL DIHYDROGEN PHOSPHATE (CCD ID: LCG) (formula: C₁₁H₁₄N₅O₈P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			24	11	5	7	1		
3	B	1	Total	C	N	O	P	0	0
			24	11	5	7	1		

- Molecule 4 is GUANINE ARABINOSE-5'-PHOSPHATE (CCD ID: GAO) (formula: C₁₀H₁₄N₅O₈P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
4	B	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- Molecule 5 is DIGUANOSINE-5'-TRIPHOSPHATE (CCD ID: GP3) (formula: C₂₀H₂₇N₁₀O₁₈P₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			51	20	10	18	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	N	O	P	0	0
			51	20	10	18	3		

- Molecule 6 is 4-AMINO-1-[(1S,3R,4R,7S)-7-HYDROXY-1-(HYDROXYMETHYL)-2,5-DIOXABICYCLO[2.2.1]HEPT-3-YL]-5-METHYLPYRIMIDIN-2(1H)-ONE (CCD ID: LKC) (formula: C₁₁H₁₅N₃O₅).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O		0	0
			19	11	3	5			
6	B	1	Total	C	N	O		0	0
			19	11	3	5			

- Molecule 7 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	64	Total	O	0	0
			64	64		
8	B	37	Total	O	0	0
			37	37		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: RNA (5'-R*(LCC)P*(LCC)P*(LCC)P*(LCG)P*AP*CP*UP*UP*AP*AP*GP*UP*CP*(GAO))-3')

Chain A: 



- Molecule 1: RNA (5'-R*(LCC)P*(LCC)P*(LCC)P*(LCG)P*AP*CP*UP*UP*AP*AP*GP*UP*CP*(GAO))-3')

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 3 2 1	Depositor
Cell constants a, b, c, α , β , γ	43.41Å 43.41Å 86.55Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	37.62 – 1.53 37.62 – 1.53	Depositor EDS
% Data completeness (in resolution range)	98.2 (37.62-1.53) 98.2 (37.62-1.53)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.41 (at 1.53Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.191 , 0.225 0.195 , 0.233	Depositor DCC
R_{free} test set	756 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å ²)	11.4	Xtriage
Anisotropy	0.306	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.51 , 55.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.037 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	811	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 13.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, LCC, LKC, GAO, GP3, LCG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.95	1/210 (0.5%)	1.01	0/324
1	B	0.97	1/210 (0.5%)	1.12	0/324
All	All	0.96	2/420 (0.5%)	1.06	0/648

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	11	G	P-O5'	5.50	1.68	1.59
1	A	8	U	O3'-P	-5.26	1.53	1.61

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	189	0	96	0	0
1	B	189	0	96	0	0
2	A	44	0	26	0	0
2	B	44	0	26	0	0
3	A	24	0	11	0	0
3	B	24	0	11	0	0
4	A	23	0	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	23	0	12	1	0
5	A	51	0	24	0	0
5	B	51	0	24	3	0
6	A	19	0	14	0	0
6	B	19	0	14	1	0
7	A	5	0	0	0	0
7	B	5	0	0	0	0
8	A	64	0	0	0	0
8	B	37	0	0	1	1
All	All	811	0	366	4	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (4) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:B:101:LKC:H41	5:B:106:GP3:H21A	0.95	0.91
4:B:105:GAO:OP2	8:B:201:HOH:O	2.16	0.59
5:B:106:GP3:O3A	5:B:106:GP3:H51B	2.12	0.50
5:B:106:GP3:O2A	5:B:106:GP3:O3D	2.32	0.47

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:B:205:HOH:O	8:B:207:HOH:O[3_765]	2.10	0.10

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

There are no protein molecules in this entry.

5.3.2 Protein sidechains [i](#)

There are no protein molecules in this entry.

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	8/14 (57%)	0	0
1	B	8/14 (57%)	1 (12%)	0
All	All	16/28 (57%)	1 (6%)	0

All (1) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	B	11	G

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	SO4	A	107	-	4,4,4	0.35	0	6,6,6	0.09	0
4	GAO	A	103	1	22,25,26	1.24	3 (13%)	32,37,40	1.28	5 (15%)
5	GP3	A	104	-	56,56,56	1.53	11 (19%)	83,88,88	1.41	12 (14%)
3	LCG	B	104	2,1	24,27,28	1.86	6 (25%)	35,42,45	1.44	5 (14%)
7	SO4	B	107	-	4,4,4	0.13	0	6,6,6	0.27	0
2	LCC	A	101	2,3	21,24,25	2.52	7 (33%)	29,37,40	1.94	6 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	LKC	A	105	2	21,21,21	1.52	4 (19%)	31,33,33	1.49	5 (16%)
5	GP3	B	106	-	56,56,56	2.12	15 (26%)	83,88,88	2.49	29 (34%)
2	LCC	B	102	2,6	21,24,25	2.21	8 (38%)	29,37,40	1.71	5 (17%)
4	GAO	B	105	1	22,25,26	1.38	3 (13%)	32,37,40	1.32	5 (15%)
3	LCG	A	102	2,1	24,27,28	2.43	6 (25%)	35,42,45	1.46	5 (14%)
2	LCC	A	106	2,6	21,24,25	2.22	5 (23%)	29,37,40	1.09	2 (6%)
6	LKC	B	101	2	21,21,21	3.16	10 (47%)	31,33,33	3.07	12 (38%)
2	LCC	B	103	2,3	21,24,25	1.57	5 (23%)	29,37,40	1.47	4 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GAO	A	103	1	-	0/7/25/26	0/3/3/3
5	GP3	A	104	-	-	3/32/64/64	0/6/6/6
3	LCG	B	104	2,1	-	0/8/35/36	0/5/4/4
2	LCC	A	101	2,3	-	0/8/35/36	0/4/3/3
6	LKC	A	105	2	-	0/7/32/32	0/4/3/3
5	GP3	B	106	-	-	10/32/64/64	0/6/6/6
2	LCC	B	102	2,6	-	0/8/35/36	0/4/3/3
4	GAO	B	105	1	-	0/7/25/26	0/3/3/3
3	LCG	A	102	2,1	-	0/8/35/36	0/5/4/4
2	LCC	A	106	2,6	-	0/8/35/36	0/4/3/3
6	LKC	B	101	2	-	0/7/32/32	0/4/3/3
2	LCC	B	103	2,3	-	0/8/35/36	0/4/3/3

All (83) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	101	LCC	O2'-C6'	7.03	1.55	1.43
2	A	106	LCC	O2'-C6'	6.79	1.55	1.43
5	B	106	GP3	PB-O3A	6.73	1.66	1.59
6	B	101	LKC	C5-C4	-6.39	1.39	1.44
6	B	101	LKC	C4'-C3'	-6.33	1.46	1.53
5	B	106	GP3	PG-O3B	5.95	1.65	1.59
6	B	101	LKC	O2'-C6'	5.80	1.53	1.43
2	A	101	LCC	C5-C4	-5.79	1.39	1.44
3	A	102	LCG	C4'-C3'	-5.64	1.47	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	102	LCC	O2'-C6'	5.35	1.52	1.43
3	A	102	LCG	O4'-C1'	4.97	1.50	1.42
3	A	102	LCG	O2'-C6'	4.94	1.52	1.43
5	B	106	GP3	O4E-C1E	4.67	1.52	1.42
6	B	101	LKC	C5A-C5	-4.54	1.39	1.50
2	A	106	LCC	C5-C4	-4.45	1.40	1.44
6	B	101	LKC	C6-C5	4.31	1.41	1.34
2	B	102	LCC	C5-C4	-4.30	1.40	1.44
3	A	102	LCG	O3'-C3'	4.29	1.51	1.42
3	B	104	LCG	O2'-C6'	4.17	1.50	1.43
5	B	106	GP3	PB-O3B	4.15	1.64	1.59
3	A	102	LCG	O4'-C4'	-4.02	1.39	1.45
5	A	104	GP3	PA-O3A	3.80	1.63	1.59
2	B	102	LCC	C5M-C5	-3.71	1.41	1.50
5	B	106	GP3	O4D-C1D	3.69	1.50	1.42
2	A	101	LCC	C5M-C5	-3.66	1.41	1.50
3	B	104	LCG	O4'-C1'	3.62	1.48	1.42
5	B	106	GP3	C1D-N9A	3.54	1.57	1.47
6	B	101	LKC	C2'-C3'	-3.53	1.45	1.53
5	A	104	GP3	PG-O3B	3.49	1.63	1.59
6	B	101	LKC	O3'-C3'	3.42	1.49	1.42
5	B	106	GP3	C5A-N7A	-3.33	1.32	1.39
6	A	105	LKC	C5A-C5	-3.27	1.42	1.50
4	B	105	GAO	O6-C6	3.22	1.29	1.23
2	A	106	LCC	C6-C5	3.18	1.39	1.34
2	B	103	LCC	C6-N1	3.13	1.43	1.38
2	B	103	LCC	C5M-C5	-3.09	1.43	1.50
3	B	104	LCG	C2'-C3'	-3.07	1.46	1.53
2	B	102	LCC	O3'-C3'	3.06	1.48	1.42
5	A	104	GP3	O6B-C6B	3.04	1.29	1.23
3	B	104	LCG	C4'-C3'	-3.02	1.50	1.53
2	A	101	LCC	O2'-C2'	2.96	1.50	1.43
6	A	105	LKC	C4'-C3'	-2.90	1.50	1.53
5	B	106	GP3	C5B-C6B	-2.88	1.34	1.44
2	B	102	LCC	C2-N1	-2.87	1.34	1.40
5	A	104	GP3	PB-O3B	-2.85	1.56	1.59
5	A	104	GP3	PA-O2A	-2.79	1.42	1.55
5	B	106	GP3	C4B-N9B	-2.75	1.31	1.38
2	A	106	LCC	C4-N3	2.72	1.38	1.34
2	B	103	LCC	C2'-C3'	-2.71	1.47	1.53
6	B	101	LKC	C2-N3	-2.71	1.31	1.36
2	A	106	LCC	C5M-C5	-2.69	1.44	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	101	LCC	O4'-C1'	2.69	1.46	1.42
5	A	104	GP3	C1E-N9B	2.67	1.55	1.47
5	B	106	GP3	O4D-C4D	2.62	1.50	1.45
6	B	101	LKC	O4'-C4'	-2.57	1.42	1.45
3	A	102	LCG	C5'-C4'	2.57	1.55	1.51
2	B	103	LCC	O2'-C6'	2.53	1.48	1.43
5	A	104	GP3	C2D-C1D	-2.49	1.45	1.53
5	A	104	GP3	O3E-C3E	2.46	1.49	1.43
2	B	102	LCC	C6-C5	2.44	1.38	1.34
2	B	102	LCC	C6-N1	2.41	1.42	1.38
4	A	103	GAO	C5-C6	-2.40	1.35	1.44
5	B	106	GP3	C2D-C1D	2.36	1.60	1.53
6	A	105	LKC	O2'-C6'	2.34	1.47	1.43
4	A	103	GAO	O6-C6	2.33	1.28	1.23
6	B	101	LKC	C6-N1	2.31	1.41	1.38
4	A	103	GAO	C4-N9	-2.30	1.32	1.38
5	B	106	GP3	PG-O5E	2.30	1.68	1.59
5	A	104	GP3	C8B-N9B	-2.30	1.32	1.37
2	A	101	LCC	C2-N1	-2.30	1.35	1.40
5	B	106	GP3	C5B-N7B	-2.29	1.34	1.39
4	B	105	GAO	C2'-C3'	-2.28	1.47	1.53
5	A	104	GP3	C5A-C6A	-2.28	1.36	1.44
4	B	105	GAO	C8-N9	-2.27	1.32	1.37
3	B	104	LCG	C5-N7	-2.27	1.34	1.39
5	B	106	GP3	C5A-C6A	-2.27	1.36	1.44
2	B	103	LCC	C6'-C4'	-2.21	1.48	1.53
2	B	102	LCC	O4'-C4'	2.21	1.49	1.45
3	B	104	LCG	C5'-C4'	2.17	1.55	1.51
6	A	105	LKC	O4'-C1'	2.15	1.46	1.42
5	B	106	GP3	O2D-C2D	2.09	1.48	1.43
5	A	104	GP3	C3E-C4E	-2.04	1.47	1.53
2	A	101	LCC	C4'-C3'	-2.01	1.51	1.53

All (95) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	106	GP3	O4D-C1D-N9A	11.48	134.38	108.36
6	B	101	LKC	C5-C6-N1	-9.11	113.42	123.31
6	B	101	LKC	O2-C2-N3	-7.82	110.00	122.33
5	B	106	GP3	O4D-C4D-C3D	-5.90	93.44	105.15
2	A	101	LCC	C5-C6-N1	-5.76	117.06	123.31
5	B	106	GP3	O4D-C1D-C2D	-5.41	95.03	106.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	106	GP3	C5A-C4A-N3A	-5.09	120.29	128.39
6	B	101	LKC	O4'-C1'-N1	5.08	115.50	108.82
2	A	101	LCC	C5M-C5-C6	-4.68	116.52	122.85
5	B	106	GP3	C4D-O4D-C1D	-4.66	99.18	109.47
6	B	101	LKC	O5'-C5'-C4'	-4.65	102.62	111.83
5	B	106	GP3	C2A-N3A-C4A	4.52	120.08	112.30
5	B	106	GP3	C2A-N1A-C6A	-4.40	117.14	125.11
2	B	102	LCC	C5-C6-N1	-4.25	118.70	123.31
3	A	102	LCG	O2'-C6'-C4'	-4.23	95.69	103.81
3	B	104	LCG	O4'-C1'-N9	-4.17	103.33	108.82
2	A	101	LCC	C5-C4-N4	-4.11	115.60	121.39
5	A	104	GP3	C2A-N3A-C4A	4.10	119.35	112.30
5	B	106	GP3	C4B-C5B-N7B	-4.03	104.29	110.67
5	B	106	GP3	N9B-C8B-N7B	-3.91	106.15	113.40
6	B	101	LKC	C5-C4-N4	-3.85	115.97	121.39
5	A	104	GP3	N1A-C2A-N3A	-3.83	116.31	123.32
2	B	103	LCC	C5-C4-N4	-3.83	116.00	121.39
5	B	106	GP3	C8B-N7B-C5B	3.82	111.07	104.26
5	B	106	GP3	O4D-C4D-C5D	3.81	121.55	109.33
6	B	101	LKC	O4'-C4'-C5'	3.72	115.45	108.86
2	B	102	LCC	O2'-C6'-C4'	-3.59	96.93	103.81
6	B	101	LKC	O2'-C6'-C4'	-3.56	96.98	103.81
6	A	105	LKC	O5'-C5'-C4'	-3.53	104.84	111.83
5	B	106	GP3	C2D-C3D-C4D	-3.42	96.00	102.61
6	B	101	LKC	N1-C2-N3	3.32	124.57	118.80
6	B	101	LKC	O2-C2-N1	3.32	125.41	118.90
6	A	105	LKC	C6-N1-C2	-3.18	116.72	120.95
5	B	106	GP3	O4E-C1E-N9B	-3.17	101.18	108.36
2	B	103	LCC	C5-C6-N1	-3.13	119.92	123.31
6	B	101	LKC	C4-N3-C2	-3.12	116.47	120.81
4	B	105	GAO	C4-C5-N7	-3.12	105.72	110.67
5	B	106	GP3	C3D-C2D-C1D	3.08	107.28	101.46
2	B	103	LCC	C5-C4-N3	3.03	124.86	121.75
5	A	104	GP3	C4B-C5B-N7B	-2.95	106.00	110.67
5	A	104	GP3	C8B-N7B-C5B	2.83	109.31	104.26
3	A	102	LCG	N1-C2-N3	-2.81	118.17	123.32
6	B	101	LKC	C5A-C5-C4	-2.81	115.89	120.51
4	B	105	GAO	C5-C4-N3	-2.81	123.92	128.39
2	B	102	LCC	O4'-C4'-C6'	2.80	111.89	105.97
5	B	106	GP3	C4A-C5A-N7A	-2.75	106.31	110.67
2	B	102	LCC	C5M-C5-C6	-2.75	119.13	122.85
5	B	106	GP3	C8A-N7A-C5A	2.71	109.09	104.26

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	104	GP3	C6B-C5B-N7B	2.66	135.13	130.29
3	B	104	LCG	N9-C8-N7	-2.62	108.54	113.40
2	A	106	LCC	O2'-C6'-C4'	-2.59	98.83	103.81
3	B	104	LCG	O2'-C6'-C4'	-2.58	98.85	103.81
2	B	103	LCC	C4'-O4'-C1'	-2.57	103.05	107.77
3	A	102	LCG	C4'-O4'-C1'	-2.57	103.06	107.77
5	A	104	GP3	O3A-PA-O1A	-2.55	103.02	110.70
5	A	104	GP3	N2A-C2A-N3A	2.55	124.66	119.67
4	A	103	GAO	C4-C5-N7	-2.53	106.66	110.67
4	A	103	GAO	C5-C4-N3	-2.52	124.38	128.39
2	B	102	LCC	O2-C2-N3	-2.51	118.37	122.33
6	A	105	LKC	N1-C2-N3	2.46	123.08	118.80
6	A	105	LKC	O4'-C4'-C3'	-2.46	98.89	102.32
5	B	106	GP3	C5B-C4B-N3B	-2.45	124.49	128.39
6	B	101	LKC	C5'-C4'-C3'	-2.43	110.33	116.80
3	A	102	LCG	O4'-C4'-C3'	2.41	105.69	102.32
5	B	106	GP3	N2A-C2A-N1A	2.39	121.81	116.76
2	A	106	LCC	C2'-C1'-N1	-2.37	109.75	114.24
5	B	106	GP3	C5B-C4B-N9B	2.34	109.85	105.66
4	B	105	GAO	C8-N7-C5	2.33	108.41	104.26
5	B	106	GP3	N9A-C8A-N7A	-2.33	109.08	113.40
2	A	101	LCC	C5M-C5-C4	2.27	124.23	120.51
5	A	104	GP3	C1E-N9B-C4B	-2.26	119.81	126.49
3	B	104	LCG	C8-N7-C5	2.25	108.27	104.26
4	A	103	GAO	C2'-C1'-N9	-2.25	106.98	113.25
3	A	102	LCG	O4'-C1'-N9	-2.25	105.86	108.82
5	B	106	GP3	C5A-C4A-N9A	2.22	109.63	105.66
5	B	106	GP3	C2E-C3E-C4E	2.22	106.90	102.61
5	B	106	GP3	C2D-C1D-N9A	-2.20	107.14	113.25
6	A	105	LKC	O2'-C6'-C4'	-2.16	99.67	103.81
5	A	104	GP3	N9B-C8B-N7B	-2.12	109.47	113.40
5	A	104	GP3	O2A-PA-O1A	2.11	122.28	112.44
4	B	105	GAO	C6-C5-C4	2.11	122.01	118.83
3	B	104	LCG	C5-C4-N3	-2.10	125.04	128.39
4	A	103	GAO	O4'-C1'-N9	2.09	113.09	108.36
5	B	106	GP3	C5A-C6A-N1A	2.08	118.56	113.25
5	B	106	GP3	C6A-C5A-C4A	2.08	121.96	118.83
5	A	104	GP3	C5A-C4A-N9A	2.08	109.38	105.66
5	B	106	GP3	O3E-C3E-C4E	-2.08	105.11	111.08
2	A	101	LCC	O4'-C1'-N1	-2.08	106.09	108.82
5	B	106	GP3	N9A-C4A-N3A	2.07	130.09	125.95
5	A	104	GP3	C5A-C4A-N3A	-2.06	125.11	128.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	105	GAO	O4'-C4'-C3'	2.05	109.22	105.15
5	B	106	GP3	C6B-C5B-N7B	2.05	134.01	130.29
4	A	103	GAO	C5-C4-N9	2.04	109.31	105.66
5	B	106	GP3	O4E-C4E-C5E	-2.02	102.86	109.33
2	A	101	LCC	C6'-O2'-C2'	-2.00	104.11	107.72

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	104	GP3	C5D-O5D-PA-O2A
5	B	106	GP3	C5E-O5E-PG-O2G
5	B	106	GP3	O4E-C4E-C5E-O5E
5	B	106	GP3	C3E-C4E-C5E-O5E
5	B	106	GP3	PB-O3B-PG-O5E
5	A	104	GP3	C5D-O5D-PA-O3A
5	B	106	GP3	C5D-O5D-PA-O1A
5	B	106	GP3	C5E-O5E-PG-O3B
5	B	106	GP3	C5E-O5E-PG-O1G
5	A	104	GP3	PB-O3A-PA-O2A
5	B	106	GP3	C4D-C5D-O5D-PA
5	B	106	GP3	PA-O3A-PB-O2B
5	B	106	GP3	O4D-C1D-N9A-C8A



There are no ring outliers.


3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	106	GP3	3	0
4	B	105	GAO	1	0
6	B	101	LKC	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand LCC A 101




Ligand LKC A 105





Ligand GP3 B 106




Ligand LCC B 102







Ligand LCC A 106



Ligand LKC B 101





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	9/14 (64%)	-0.17	0 100 100	12, 12, 14, 14	0
1	B	9/14 (64%)	-0.03	0 100 100	11, 14, 14, 15	0
All	All	18/28 (64%)	-0.10	0 100 100	11, 14, 14, 15	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	GP3	B	106	51/51	0.72	0.22	16,39,78,84	0
6	LKC	B	101	19/19	0.76	0.18	25,29,35,35	0
7	SO4	B	107	5/5	0.77	0.16	34,37,44,47	0
7	SO4	A	107	5/5	0.86	0.13	32,38,42,47	0
2	LCC	B	102	22/23	0.92	0.12	19,21,25,31	0
4	GAO	B	105	23/24	0.95	0.08	10,14,21,27	0
2	LCC	A	101	22/23	0.96	0.07	12,13,20,24	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	LKC	A	105	19/19	0.97	0.06	11,12,14,17	0
3	LCG	A	102	24/25	0.97	0.06	10,13,15,15	0
5	GP3	A	104	51/51	0.97	0.06	8,10,14,15	0
3	LCG	B	104	24/25	0.97	0.06	9,10,12,13	0
2	LCC	B	103	22/23	0.98	0.05	9,10,12,16	0
4	GAO	A	103	23/24	0.98	0.05	9,10,13,15	0
2	LCC	A	106	22/23	0.98	0.05	8,11,12,16	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around GP3 B 106:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LKC B 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LCC B 102:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around GAO B 105:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LCC A 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LKC A 105:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LCG A 102:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GP3 A 104:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LCG B 104:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LCC B 103:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around GAO A 103:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.