



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:45 PM UTC

PDB ID : 1LOH / pdb_00001loh
Title : Streptococcus pneumoniae Hyaluronate Lyase in Complex with Hexasaccharide Hyaluronan Substrate
Authors : Jedrzejewski, M.J.; Mello, L.V.; De Groot, B.L.; Li, S.
Deposited on : 2002-05-06
Resolution : 2.00 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	721	
2	B	6	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	B	5	-	-	X	-
2	BDP	B	6	X	-	X	-

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 6379 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hyaluronate Lyase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	721	Total	C	N	O	S	0	0	0
			5785	3638	968	1157	22			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	408	PHE	TYR	engineered mutation	GB 437705
A	731	VAL	GLY	SEE REMARK 999	GB 437705

- Molecule 2 is an oligosaccharide called beta-D-glucopyranuronic acid-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-beta-D-glucopyranuronic acid-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-beta-D-glucopyranuronic acid-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	6	Total	C	N	O	0	0	0
			79	42	3	34			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	515	Total	O	0	0
			515	515		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Hyaluronate Lyase



• Molecule 2: beta-D-glucopyranuronic acid-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-beta-D-glucopyranuronic acid-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-beta-D-glucopyranuronic acid-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B:

17% 83%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	83.70Å 103.57Å 101.27Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 20.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-2.00) 99.7 (20.00-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.48 (at 2.00Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.224 , 0.324 0.212 , 0.231	Depositor DCC
R_{free} test set	568 reflections (0.95%)	wwPDB-VP
Wilson B-factor (Å ²)	22.8	Xtriage
Anisotropy	0.627	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 66.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.015 for -h,l,k	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6379	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.96% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, BDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/5904	0.89	16/7972 (0.2%)

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	518	LYS	N-CA-C	8.06	121.68	112.57
1	A	172	ASP	N-CA-C	7.64	118.04	108.19
1	A	657	PHE	N-CA-C	6.92	121.13	110.20
1	A	800	ASN	N-CA-C	6.91	120.94	111.54
1	A	854	LEU	N-CA-C	6.20	121.90	113.97
1	A	633	GLY	N-CA-C	6.16	119.10	112.33
1	A	171	LYS	N-CA-C	5.71	115.64	108.45
1	A	708	LYS	N-CA-C	-5.47	99.61	108.52
1	A	446	PHE	N-CA-C	5.45	118.27	111.24
1	A	736	SER	N-CA-C	-5.37	105.59	111.82
1	A	870	ILE	N-CA-C	5.26	115.48	108.11
1	A	179	ASP	N-CA-C	-5.26	105.63	111.36
1	A	720	GLU	N-CA-C	-5.25	105.55	111.28
1	A	517	LEU	N-CA-C	-5.23	97.18	107.69
1	A	836	GLY	N-CA-C	-5.16	102.81	110.71
1	A	623	THR	N-CA-C	-5.01	102.65	110.42

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5785	0	5595	159	0
2	B	79	0	51	16	0
3	A	515	0	0	18	0
All	All	6379	0	5646	160	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (160) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:613:ASN:H	1:A:698:GLN:HE22	1.12	0.94
1:A:222:ARG:HD2	1:A:222:ARG:H	1.38	0.87
1:A:581:LYS:HB3	1:A:768:GLU:HB2	1.59	0.84
1:A:224:TYR:HD1	1:A:230:SER:HB3	1.43	0.82
1:A:300:ARG:HH22	2:B:5:NAG:H2	1.47	0.80
1:A:224:TYR:CE1	1:A:227:GLU:HG2	2.18	0.79
1:A:275:TRP:CZ3	1:A:276:MET:HE2	2.21	0.75
1:A:290:ASN:HD22	1:A:291:TRP:N	1.85	0.74
1:A:540:ARG:HG2	3:A:1219:HOH:O	1.87	0.73
1:A:584:LYS:NZ	1:A:768:GLU:HG2	2.04	0.73
1:A:468:ASN:HD22	1:A:468:ASN:H	1.36	0.72
1:A:171:LYS:HG3	1:A:175:THR:HG21	1.70	0.72
1:A:217:SER:HB3	1:A:222:ARG:HG2	1.73	0.70
1:A:820:ASN:HD22	1:A:825:GLN:HG2	1.54	0.69
1:A:224:TYR:CD1	1:A:230:SER:HB3	2.26	0.69
1:A:275:TRP:HZ3	1:A:276:MET:HE2	1.58	0.69
1:A:243:ARG:NH1	2:B:4:BDP:O6A	2.24	0.68
1:A:672:MET:HG3	3:A:1368:HOH:O	1.92	0.68
1:A:354:GLY:HA3	1:A:377:ILE:HD11	1.77	0.67
1:A:557:ASN:HD22	1:A:557:ASN:C	2.01	0.67
1:A:243:ARG:NH2	2:B:5:NAG:H83	2.10	0.67
1:A:190:TYR:CE2	1:A:521:LYS:HG2	2.30	0.66
1:A:299:PRO:HB3	1:A:325:ILE:HG12	1.77	0.66
1:A:650:ASN:HD21	1:A:832:GLN:HE22	1.43	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:300:ARG:NH2	2:B:5:NAG:H2	2.10	0.66
1:A:557:ASN:ND2	1:A:560:LYS:H	1.95	0.65
1:A:585:ARG:HG3	1:A:766:ILE:HG22	1.79	0.64
1:A:720:GLU:HG2	1:A:757:ALA:CB	2.30	0.61
1:A:468:ASN:HD22	1:A:468:ASN:N	1.96	0.61
1:A:677:ILE:HG23	3:A:1368:HOH:O	2.01	0.61
1:A:329:VAL:HG12	1:A:357:LYS:HD2	1.81	0.61
1:A:246:GLU:CD	2:B:6:BDP:O3	2.45	0.60
1:A:581:LYS:HE3	3:A:1124:HOH:O	2.00	0.60
1:A:705:ASN:HB3	3:A:1256:HOH:O	2.01	0.60
1:A:171:LYS:CG	1:A:175:THR:HG21	2.32	0.60
1:A:344:LYS:HE2	3:A:1051:HOH:O	2.02	0.59
1:A:468:ASN:HB3	3:A:1144:HOH:O	2.02	0.59
1:A:801:VAL:HG11	1:A:809:MET:HE1	1.85	0.59
1:A:290:ASN:HD22	1:A:291:TRP:H	1.50	0.58
1:A:669:SER:OG	1:A:825:GLN:NE2	2.36	0.58
1:A:222:ARG:HD2	1:A:222:ARG:N	2.14	0.58
1:A:584:LYS:HZ2	1:A:768:GLU:HG2	1.69	0.57
1:A:224:TYR:HE1	1:A:227:GLU:HG2	1.68	0.56
1:A:646:LEU:HD21	1:A:862:ARG:HB2	1.88	0.56
1:A:720:GLU:HG3	3:A:1263:HOH:O	2.04	0.56
1:A:435:MET:HB3	1:A:438:MET:HE2	1.87	0.55
1:A:640:PHE:CD1	1:A:875:PRO:HG2	2.41	0.55
1:A:480:ARG:HH21	2:B:5:NAG:H61	1.71	0.55
1:A:845:SER:HB2	1:A:853:VAL:HG23	1.87	0.55
1:A:213:LEU:HD11	1:A:265:VAL:HG22	1.87	0.55
1:A:224:TYR:N	1:A:224:TYR:CD2	2.72	0.55
1:A:754:MET:HG2	1:A:782:ILE:HG12	1.88	0.55
1:A:335:PHE:CE2	1:A:353:MET:HE2	2.42	0.55
1:A:580:ASN:O	1:A:581:LYS:HB2	2.07	0.55
1:A:220:ALA:O	1:A:221:ASP:C	2.48	0.55
1:A:494:LYS:O	1:A:498:GLN:HG3	2.07	0.55
1:A:286:SER:O	1:A:288:VAL:HG23	2.06	0.54
1:A:282:ASN:ND2	1:A:285:LYS:HG2	2.23	0.54
1:A:623:THR:HA	1:A:691:THR:O	2.08	0.54
1:A:642:GLY:HA2	3:A:1033:HOH:O	2.07	0.54
1:A:720:GLU:HG2	1:A:757:ALA:HB2	1.91	0.53
1:A:433:ASP:O	1:A:436:GLN:HB2	2.08	0.53
1:A:581:LYS:HD2	3:A:1125:HOH:O	2.09	0.52
1:A:186:ALA:HB3	3:A:1088:HOH:O	2.10	0.52
1:A:275:TRP:CE3	1:A:276:MET:HE2	2.44	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:235:SER:HB2	1:A:293:ASP:HB2	1.91	0.52
1:A:331:ASP:OD2	1:A:334:HIS:ND1	2.41	0.52
1:A:395:SER:HB3	1:A:550:MET:HB3	1.92	0.52
1:A:224:TYR:HD1	1:A:230:SER:CB	2.21	0.51
1:A:292:TRP:CD1	1:A:296:ILE:HD12	2.45	0.51
1:A:315:ASP:N	3:A:1073:HOH:O	2.43	0.51
1:A:185:ILE:O	2:B:6:BDP:O4	2.30	0.50
1:A:282:ASN:HD21	1:A:285:LYS:HG2	1.75	0.50
1:A:504:ILE:HG23	3:A:1221:HOH:O	2.12	0.49
1:A:754:MET:HA	1:A:781:THR:O	2.12	0.49
1:A:235:SER:O	1:A:238:LEU:HB2	2.12	0.49
1:A:468:ASN:H	1:A:468:ASN:ND2	2.07	0.49
1:A:664:LEU:HA	1:A:685:GLN:O	2.12	0.49
1:A:621:THR:C	1:A:622:GLU:HG2	2.37	0.49
1:A:414:ASP:OD2	2:B:5:NAG:H61	2.13	0.49
1:A:499:SER:O	1:A:503:THR:HG22	2.13	0.48
1:A:239:THR:HG22	1:A:298:THR:OG1	2.12	0.48
1:A:258:ARG:NH2	3:A:1573:HOH:O	2.47	0.48
1:A:404:TYR:CD1	1:A:407:ALA:HB3	2.48	0.48
1:A:413:ILE:HG23	1:A:414:ASP:N	2.28	0.48
1:A:557:ASN:HD21	1:A:559:GLU:HB3	1.78	0.48
1:A:344:LYS:HE3	3:A:1058:HOH:O	2.13	0.48
1:A:476:VAL:O	1:A:480:ARG:HG2	2.14	0.48
1:A:848:SER:O	1:A:850:GLN:HG2	2.14	0.47
1:A:711:VAL:CG2	1:A:754:MET:HE1	2.44	0.47
1:A:855:LYS:HE2	1:A:855:LYS:HB3	1.67	0.47
1:A:568:LEU:HD23	1:A:592:GLY:HA2	1.96	0.47
1:A:420:LEU:HD13	1:A:435:MET:HE3	1.96	0.47
1:A:456:MET:HG2	1:A:597:TYR:CE2	2.50	0.47
1:A:263:GLU:HG3	1:A:264:THR:N	2.29	0.47
1:A:623:THR:HB	1:A:690:ASP:HB2	1.97	0.47
1:A:711:VAL:O	1:A:712:ASN:HB2	2.13	0.46
1:A:261:GLN:HG2	1:A:312:TYR:OH	2.15	0.46
1:A:805:THR:HG22	1:A:809:MET:CE	2.45	0.46
1:A:701:LEU:HD12	1:A:778:GLU:HG2	1.98	0.46
1:A:584:LYS:HZ1	1:A:768:GLU:HG2	1.78	0.46
1:A:462:ARG:HD3	1:A:577:GLU:OE1	2.15	0.46
1:A:171:LYS:HD3	1:A:171:LYS:HA	1.60	0.45
1:A:568:LEU:CD2	1:A:592:GLY:HA2	2.46	0.45
1:A:202:ASN:O	1:A:206:GLU:HG2	2.17	0.45
1:A:663:THR:HB	1:A:688:SER:HB3	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:681:GLY:O	1:A:792:SER:HB2	2.16	0.45
1:A:196:ASP:HB2	3:A:1510:HOH:O	2.16	0.45
1:A:447:ALA:HB3	1:A:448:PRO:HD3	1.99	0.45
1:A:238:LEU:HD21	1:A:280:VAL:HG12	1.99	0.45
1:A:246:GLU:OE1	2:B:6:BDP:O3	2.35	0.45
1:A:336:ARG:HH12	2:B:1:NAG:H2	1.82	0.45
1:A:424:GLN:OE1	1:A:424:GLN:HA	2.17	0.45
1:A:841:ASP:OD1	1:A:841:ASP:C	2.60	0.44
1:A:568:LEU:HA	1:A:590:SER:O	2.16	0.44
1:A:246:GLU:OE2	2:B:6:BDP:O2	2.31	0.44
1:A:664:LEU:HD23	1:A:665:THR:N	2.33	0.44
1:A:764:LYS:HD2	1:A:772:ASP:HB3	2.00	0.44
1:A:177:ARG:NE	1:A:177:ARG:HA	2.33	0.44
1:A:408:PHE:CZ	2:B:3:NAG:H82	2.53	0.44
1:A:570:SER:HA	1:A:636:LEU:HB3	2.00	0.43
1:A:191:TYR:OH	1:A:199:ALA:HA	2.19	0.43
1:A:355:ARG:NH1	2:B:5:NAG:O6	2.41	0.43
1:A:182:ASN:CG	1:A:308:LEU:HD23	2.43	0.43
1:A:670:TRP:HB3	3:A:1368:HOH:O	2.17	0.43
1:A:664:LEU:HD23	1:A:664:LEU:C	2.43	0.43
1:A:805:THR:HG22	1:A:809:MET:HE2	2.01	0.43
1:A:263:GLU:HG3	1:A:264:THR:H	1.84	0.43
1:A:354:GLY:O	1:A:358:VAL:HB	2.18	0.43
1:A:357:LYS:HB3	1:A:357:LYS:HE3	1.84	0.43
1:A:408:PHE:CE1	2:B:3:NAG:H82	2.53	0.43
1:A:212:SER:OG	1:A:244:LYS:HE3	2.19	0.43
1:A:293:ASP:O	1:A:298:THR:HB	2.18	0.43
1:A:420:LEU:HB2	1:A:421:PRO:HD3	2.01	0.43
1:A:316:GLU:OE2	1:A:316:GLU:N	2.52	0.43
1:A:543:TYR:HA	1:A:648:ASP:HB3	2.01	0.43
1:A:291:TRP:CG	1:A:292:TRP:N	2.87	0.42
1:A:486:ALA:HB2	1:A:497:LEU:HB3	2.00	0.42
1:A:404:TYR:CE1	1:A:407:ALA:HB3	2.54	0.42
1:A:185:ILE:HB	2:B:6:BDP:O6A	2.19	0.42
1:A:840:TYR:O	1:A:856:ARG:HD2	2.19	0.42
1:A:290:ASN:HD22	1:A:290:ASN:C	2.26	0.42
1:A:610:PRO:HG3	1:A:763:TRP:CE2	2.55	0.42
1:A:262:ASP:OD1	1:A:262:ASP:C	2.62	0.42
1:A:295:GLU:C	1:A:299:PRO:HG2	2.44	0.42
1:A:560:LYS:HE2	3:A:1177:HOH:O	2.20	0.41
2:B:5:NAG:O4	2:B:6:BDP:O5	2.29	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:202:ASN:ND2	1:A:251:GLN:HE22	2.19	0.41
1:A:279:HIS:N	1:A:279:HIS:CD2	2.88	0.41
1:A:255:PRO:HA	1:A:260:TYR:CG	2.56	0.41
1:A:225:LEU:HG	1:A:276:MET:HE3	2.02	0.41
1:A:468:ASN:N	1:A:468:ASN:ND2	2.67	0.41
1:A:717:SER:O	1:A:723:LYS:HE3	2.21	0.41
1:A:811:LYS:O	1:A:814:GLU:HB2	2.21	0.41
1:A:780:LEU:C	1:A:780:LEU:HD12	2.45	0.41
1:A:225:LEU:HD23	1:A:225:LEU:HA	1.89	0.40
1:A:254:ASN:C	1:A:254:ASN:HD22	2.30	0.40
1:A:317:GLU:O	1:A:321:TYR:CD2	2.74	0.40
1:A:720:GLU:HG2	1:A:757:ALA:HB1	2.01	0.40
1:A:718:LEU:HD12	1:A:780:LEU:HD22	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	719/721 (100%)	676 (94%)	39 (5%)	4 (1%)	21 17

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	219	GLN
1	A	221	ASP
1	A	231	ASN
1	A	220	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	638/640 (100%)	571 (90%)	67 (10%)	6 4

All (67) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	171	LYS
1	A	196	ASP
1	A	204	GLU
1	A	218	SER
1	A	219	GLN
1	A	222	ARG
1	A	223	ILE
1	A	224	TYR
1	A	227	GLU
1	A	228	LYS
1	A	238	LEU
1	A	239	THR
1	A	252	VAL
1	A	258	ARG
1	A	263	GLU
1	A	278	LYS
1	A	282	ASN
1	A	319	LYS
1	A	327	LYS
1	A	337	LYS
1	A	341	ASN
1	A	368	GLN
1	A	377	ILE
1	A	382	LYS
1	A	383	LEU
1	A	392	GLN
1	A	404	TYR
1	A	413	ILE
1	A	419	LEU
1	A	427	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	432	LYS
1	A	433	ASP
1	A	436	GLN
1	A	468	ASN
1	A	492	GLU
1	A	521	LYS
1	A	540	ARG
1	A	557	ASN
1	A	560	LYS
1	A	568	LEU
1	A	577	GLU
1	A	581	LYS
1	A	585	ARG
1	A	674	LYS
1	A	689	THR
1	A	691	THR
1	A	700	LYS
1	A	708	LYS
1	A	717	SER
1	A	720	GLU
1	A	721	GLN
1	A	723	LYS
1	A	739	LYS
1	A	749	LYS
1	A	750	SER
1	A	780	LEU
1	A	811	LYS
1	A	812	GLU
1	A	813	LEU
1	A	831	LYS
1	A	850	GLN
1	A	853	VAL
1	A	854	LEU
1	A	869	LYS
1	A	886	VAL
1	A	888	LYS
1	A	889	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	202	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	219	GLN
1	A	237	ASN
1	A	254	ASN
1	A	261	GLN
1	A	279	HIS
1	A	282	ASN
1	A	290	ASN
1	A	341	ASN
1	A	349	ASN
1	A	428	ASN
1	A	468	ASN
1	A	557	ASN
1	A	580	ASN
1	A	683	ASN
1	A	698	GLN
1	A	759	GLN
1	A	820	ASN
1	A	825	GLN
1	A	832	GLN
1	A	849	ASN
1	A	852	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	B	1	2	15,15,15	2.38	8 (53%)	21,21,21	1.05	1 (4%)
2	BDP	B	2	2	12,12,13	3.70	7 (58%)	14,17,19	1.73	5 (35%)
2	NAG	B	3	2	14,14,15	2.65	8 (57%)	17,19,21	1.04	3 (17%)
2	BDP	B	4	2	12,12,13	3.50	7 (58%)	14,17,19	3.07	7 (50%)
2	NAG	B	5	2	14,14,15	2.78	9 (64%)	17,19,21	1.29	4 (23%)
2	BDP	B	6	2	12,12,13	5.53	5 (41%)	14,17,19	4.20	6 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	2	-	3/6/26/26	0/1/1/1
2	BDP	B	2	2	-	2/4/21/24	0/1/1/1
2	NAG	B	3	2	-	0/6/23/26	0/1/1/1
2	BDP	B	4	2	-	0/4/21/24	0/1/1/1
2	NAG	B	5	2	-	3/6/23/26	0/1/1/1
2	BDP	B	6	2	1/1/5/6	2/4/21/24	0/1/1/1

All (44) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	6	BDP	O4-C4	-14.00	1.08	1.43
2	B	6	BDP	C4-C5	-10.90	1.35	1.53
2	B	4	BDP	C5-C6	-8.65	1.35	1.53
2	B	2	BDP	C5-C6	-8.04	1.36	1.53
2	B	2	BDP	C4-C5	6.35	1.63	1.53
2	B	5	NAG	C2-N2	5.70	1.55	1.46
2	B	3	NAG	O5-C1	5.29	1.52	1.43
2	B	2	BDP	O5-C5	5.24	1.53	1.43
2	B	6	BDP	C5-C6	-4.53	1.43	1.53
2	B	1	NAG	C2-N2	4.51	1.52	1.45
2	B	4	BDP	C2-C3	4.49	1.59	1.52
2	B	3	NAG	C1-C2	4.36	1.58	1.52
2	B	6	BDP	O5-C5	4.14	1.51	1.43
2	B	1	NAG	O5-C1	4.11	1.52	1.42
2	B	4	BDP	C4-C5	4.08	1.59	1.53
2	B	5	NAG	O5-C1	4.05	1.50	1.43
2	B	4	BDP	O5-C5	3.65	1.50	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	3	NAG	C2-N2	3.52	1.52	1.46
2	B	1	NAG	C1-C2	3.25	1.56	1.52
2	B	5	NAG	O5-C5	3.24	1.49	1.43
2	B	5	NAG	C7-N2	3.20	1.44	1.34
2	B	5	NAG	C1-C2	3.18	1.56	1.52
2	B	3	NAG	O3-C3	3.15	1.50	1.43
2	B	5	NAG	C4-C5	3.09	1.59	1.53
2	B	3	NAG	O5-C5	2.89	1.49	1.43
2	B	1	NAG	C4-C5	2.89	1.59	1.53
2	B	2	BDP	C2-C3	2.83	1.56	1.52
2	B	3	NAG	C4-C5	2.81	1.59	1.53
2	B	4	BDP	C4-C3	2.64	1.59	1.52
2	B	5	NAG	C4-C3	2.62	1.59	1.52
2	B	4	BDP	O4-C4	2.48	1.49	1.43
2	B	1	NAG	O5-C5	2.42	1.50	1.44
2	B	2	BDP	C1-C2	2.36	1.57	1.52
2	B	4	BDP	C1-C2	2.29	1.57	1.52
2	B	1	NAG	C7-N2	2.26	1.41	1.34
2	B	3	NAG	C7-N2	2.24	1.41	1.34
2	B	3	NAG	C4-C3	2.22	1.58	1.52
2	B	1	NAG	C3-C2	2.17	1.57	1.53
2	B	1	NAG	C4-C3	2.16	1.57	1.52
2	B	2	BDP	C4-C3	2.15	1.57	1.52
2	B	5	NAG	O3-C3	2.14	1.48	1.43
2	B	5	NAG	O4-C4	2.13	1.48	1.43
2	B	2	BDP	O4-C4	2.13	1.48	1.43
2	B	6	BDP	O6A-C6	2.06	1.28	1.22

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	6	BDP	C2-C3-C4	11.68	131.41	110.86
2	B	6	BDP	O4-C4-C3	7.28	127.53	110.38
2	B	4	BDP	O4-C4-C5	-6.98	93.83	109.76
2	B	4	BDP	O4-C4-C3	5.96	124.42	110.38
2	B	6	BDP	C1-C2-C3	-4.35	103.31	109.64
2	B	6	BDP	O4-C4-C5	3.99	118.87	109.76
2	B	4	BDP	C1-C2-C3	-3.23	104.94	109.64
2	B	2	BDP	C3-C4-C5	3.21	114.82	109.30
2	B	4	BDP	C3-C4-C5	3.20	114.80	109.30
2	B	4	BDP	C2-C3-C4	-2.94	105.68	110.86
2	B	4	BDP	O6B-C6-O6A	2.91	130.69	124.08

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	6	BDP	O6B-C6-O6A	2.80	130.44	124.08
2	B	2	BDP	O4-C4-C5	-2.74	103.50	109.76
2	B	2	BDP	C1-C2-C3	-2.74	105.66	109.64
2	B	5	NAG	O7-C7-N2	2.55	126.49	121.98
2	B	2	BDP	O6B-C6-O6A	2.53	129.81	124.08
2	B	3	NAG	C8-C7-N2	-2.23	112.42	116.12
2	B	5	NAG	C2-N2-C7	2.23	125.88	122.90
2	B	4	BDP	O5-C5-C6	2.22	114.53	106.59
2	B	1	NAG	C8-C7-N2	-2.21	112.45	116.12
2	B	5	NAG	C8-C7-N2	-2.20	112.47	116.12
2	B	6	BDP	O5-C1-C2	-2.17	105.62	110.79
2	B	5	NAG	C4-C3-C2	-2.10	107.94	111.02
2	B	2	BDP	O5-C5-C6	2.05	113.92	106.59
2	B	3	NAG	C2-N2-C7	-2.04	120.17	122.90
2	B	3	NAG	O7-C7-N2	2.03	125.56	121.98

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	B	6	BDP	C4

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	2	BDP	C4-C5-C6-O6A
2	B	2	BDP	C4-C5-C6-O6B
2	B	5	NAG	C1-C2-N2-C7
2	B	5	NAG	C4-C5-C6-O6
2	B	5	NAG	O5-C5-C6-O6
2	B	1	NAG	C4-C5-C6-O6
2	B	1	NAG	O5-C5-C6-O6
2	B	1	NAG	C1-C2-N2-C7
2	B	6	BDP	O5-C5-C6-O6A
2	B	6	BDP	O5-C5-C6-O6B

There are no ring outliers.

5 monomers are involved in 16 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	3	NAG	2	0
2	B	6	BDP	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1	NAG	1	0
2	B	5	NAG	7	0
2	B	4	BDP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	721/721 (100%)	-0.14	13 (1%) 67 67	10, 23, 44, 65	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	170	VAL	5.6
1	A	232	TYR	4.1
1	A	219	GLN	3.4
1	A	171	LYS	2.9
1	A	224	TYR	2.9
1	A	221	ASP	2.8
1	A	218	SER	2.3
1	A	223	ILE	2.1
1	A	238	LEU	2.1
1	A	705	ASN	2.1
1	A	890	LEU	2.0
1	A	220	ALA	2.0
1	A	278	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	BDP	B	4	12/13	0.51	0.20	13,17,26,29	0
2	NAG	B	5	14/15	0.58	0.18	12,19,23,28	0
2	BDP	B	6	12/13	0.62	0.19	8,19,25,27	0
2	NAG	B	1	15/15	0.73	0.13	13,19,25,28	0
2	NAG	B	3	14/15	0.79	0.15	10,18,26,28	0
2	BDP	B	2	12/13	0.81	0.11	15,20,25,27	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.