



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:44 AM UTC

PDB ID : 7LOU / pdb_00007lou
Title : Crystal structure of Clostridium difficile Toxin B (TcdB) glucosyltransferase in complex with UDP and isofagomine
Authors : Harijan, R.K.; Paparella, A.S.; Aboulache, B.L.; Bonanno, J.B.; Almo, S.C.; Schramm, V.L.
Deposited on : 2021-02-10
Resolution : 1.82 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1112 (1.82-1.82)
Clashscore	190562	1148 (1.82-1.82)
Ramachandran outliers	187476	1140 (1.82-1.82)
Sidechain outliers	187428	1140 (1.82-1.82)
RSRZ outliers	180081	1112 (1.82-1.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	552	
1	B	552	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9489 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glucosyltransferase TcdB.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	545	Total	C	N	O	S	0	1	0
			4455	2827	724	888	16			
1	B	540	Total	C	N	O	S	0	0	0
			4399	2787	711	885	16			

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	expression tag	UNP P18177
A	1	GLY	-	expression tag	UNP P18177
A	544	LEU	-	expression tag	UNP P18177
A	545	GLU	-	expression tag	UNP P18177
A	546	HIS	-	expression tag	UNP P18177
A	547	HIS	-	expression tag	UNP P18177
A	548	HIS	-	expression tag	UNP P18177
A	549	HIS	-	expression tag	UNP P18177
A	550	HIS	-	expression tag	UNP P18177
A	551	HIS	-	expression tag	UNP P18177
B	0	MET	-	expression tag	UNP P18177
B	1	GLY	-	expression tag	UNP P18177
B	544	LEU	-	expression tag	UNP P18177
B	545	GLU	-	expression tag	UNP P18177
B	546	HIS	-	expression tag	UNP P18177
B	547	HIS	-	expression tag	UNP P18177
B	548	HIS	-	expression tag	UNP P18177
B	549	HIS	-	expression tag	UNP P18177
B	550	HIS	-	expression tag	UNP P18177
B	551	HIS	-	expression tag	UNP P18177

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is URIDINE-5'-DIPHOSPHATE (CCD ID: UDP) (formula: $C_9H_{14}N_2O_{12}P_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
3	B	1	Total	C	N	O	P	0	0
			25	9	2	12	2		

- Molecule 4 is 5-HYDROXYMETHYL-3,4-DIHYDROXYPIPERIDINE (CCD ID: IFM) (formula: $C_6H_{13}NO_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			10	6	1	3		
4	B	1	Total	C	N	O	0	0
			10	6	1	3		

- Molecule 5 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mn	0	0
			1	1		
5	B	1	Total	Mn	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	222	Total	O	0	0
			222	222		
6	B	265	Total	O	0	0
			265	265		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Glucosyltransferase TcdB



• Molecule 1: Glucosyltransferase TcdB



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	51.09Å 121.34Å 206.42Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	104.61 – 1.82 104.61 – 1.82	Depositor EDS
% Data completeness (in resolution range)	99.8 (104.61-1.82) 99.7 (104.61-1.82)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.58 (at 1.82Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.215 , 0.252 0.226 , 0.259	Depositor DCC
R_{free} test set	5826 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	35.9	Xtriage
Anisotropy	0.097	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 34.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9489	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.03% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: IFM, EDO, UDP, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.00	0/4540	1.38	4/6128 (0.1%)
1	B	1.00	0/4479	1.36	0/6050
All	All	1.00	0/9019	1.37	4/12178 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	541	GLY	CA-C-N	6.41	128.87	120.28
1	A	541	GLY	C-N-CA	6.41	128.87	120.28
1	A	270	ASP	CA-CB-CG	5.12	117.72	112.60
1	A	197	ASN	CA-CB-CG	5.08	117.68	112.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	212	ASN	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4455	0	4332	28	0
1	B	4399	0	4248	27	0
2	A	36	0	54	0	0
2	B	40	0	60	3	0
3	A	25	0	11	0	0
3	B	25	0	11	0	0
4	A	10	0	13	0	0
4	B	10	0	13	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	222	0	0	4	0
6	B	265	0	0	3	0
All	All	9489	0	8742	55	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (55) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:447:MET:O	1:A:448:MET:HB3	1.82	0.79
6:A:903:HOH:O	1:B:337:MET:HG2	1.82	0.79
1:B:262:ARG:NH2	2:B:602:EDO:H22	2.01	0.75
1:B:311:PHE:O	1:B:315:THR:HG23	1.87	0.74
1:A:311:PHE:O	1:A:315:THR:HG23	1.89	0.73
1:B:95:GLU:OE2	6:B:701:HOH:O	2.10	0.68
1:A:182:LYS:HD3	1:A:214:TYR:OH	1.95	0.66
1:B:262:ARG:HH22	2:B:602:EDO:H22	1.59	0.64
1:A:262:ARG:NH2	6:A:701:HOH:O	2.32	0.61
1:A:516:MET:HG3	6:A:908:HOH:O	2.01	0.61
1:B:167:ASP:OD1	1:B:169:ASN:HB2	2.04	0.57
1:B:230:ASN:HB2	6:B:917:HOH:O	2.05	0.56
1:B:536:ARG:O	1:B:540:GLU:HG2	2.05	0.56
1:A:190:TYR:CD1	1:A:205:ILE:HD13	2.42	0.54
1:A:212:ASN:HB3	1:A:213:GLU:HG3	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:425:ASN:O	1:A:429:ASN:OD1	2.27	0.52
1:B:238:ASN:HA	2:B:608:EDO:H12	1.92	0.51
1:A:157:PHE:CZ	1:A:174:LYS:HG2	2.46	0.50
1:A:190:TYR:HA	1:A:205:ILE:HD11	1.93	0.49
1:A:130:PHE:HA	1:A:238:ASN:O	2.13	0.49
1:B:440:ASN:HB3	6:B:921:HOH:O	2.12	0.48
1:B:130:PHE:HA	1:B:238:ASN:O	2.13	0.48
1:A:311:PHE:CE1	1:A:315:THR:HG21	2.49	0.47
1:A:91:LEU:HB3	1:A:367:GLU:HB2	1.97	0.47
1:B:91:LEU:HB3	1:B:367:GLU:HB2	1.98	0.46
1:B:446:PHE:CD2	1:B:489:MET:CE	2.99	0.45
1:A:194:ARG:O	1:A:195:GLU:CB	2.64	0.45
1:A:443:ASN:OD1	1:A:443:ASN:C	2.59	0.45
1:A:446:PHE:CD2	1:A:489:MET:CE	3.00	0.45
1:A:415:ASN:N	1:A:416:PRO:CD	2.80	0.45
1:B:59:TYR:C	1:B:59:TYR:CD1	2.95	0.44
1:B:443:ASN:OD1	1:B:443:ASN:C	2.61	0.44
1:B:374:LYS:HA	1:B:501:PHE:O	2.18	0.44
1:A:105:GLY:HA2	1:A:136:PHE:O	2.18	0.43
1:A:59:TYR:CD1	1:A:59:TYR:C	2.96	0.43
1:B:112:ILE:CD1	1:B:231:LYS:HE2	2.49	0.43
1:B:415:ASN:N	1:B:416:PRO:CD	2.82	0.43
1:A:159:GLU:HG2	6:A:821:HOH:O	2.19	0.43
1:A:339:ASP:OD1	1:A:339:ASP:C	2.62	0.43
1:B:446:PHE:CD2	1:B:489:MET:HE1	2.54	0.42
1:A:232:ILE:HD12	1:A:232:ILE:HA	1.89	0.42
1:B:105:GLY:HA2	1:B:136:PHE:O	2.19	0.42
1:A:374:LYS:HA	1:A:501:PHE:O	2.20	0.42
1:A:145:VAL:HG13	1:A:182:LYS:HD2	2.02	0.41
1:B:70:LYS:HA	1:B:70:LYS:HD3	1.75	0.41
1:B:229:LEU:C	1:B:229:LEU:HD13	2.45	0.41
1:B:495:GLU:OE1	1:B:499:ARG:NH2	2.53	0.41
1:A:229:LEU:HD13	1:A:229:LEU:C	2.46	0.41
1:A:222:ASN:O	1:A:226:GLU:OE2	2.38	0.41
1:B:15:VAL:HG22	1:B:68:ARG:NH1	2.36	0.41
1:A:294:GLN:HA	1:A:295:PRO:HD3	1.97	0.40
1:A:311:PHE:CD1	1:A:311:PHE:C	2.99	0.40
1:B:232:ILE:HD12	1:B:232:ILE:HA	1.90	0.40
1:B:339:ASP:OD1	1:B:339:ASP:C	2.63	0.40
1:B:129:VAL:CG1	1:B:232:ILE:HD11	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	544/552 (99%)	529 (97%)	12 (2%)	3 (1%)	21	11
1	B	538/552 (98%)	531 (99%)	7 (1%)	0	100	100
All	All	1082/1104 (98%)	1060 (98%)	19 (2%)	3 (0%)	36	26

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	195	GLU
1	A	421	ASP
1	A	198	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	497/505 (98%)	481 (97%)	16 (3%)	34	16
1	B	489/505 (97%)	474 (97%)	15 (3%)	35	17
All	All	986/1010 (98%)	955 (97%)	31 (3%)	35	17

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	SER
1	A	174	LYS
1	A	182	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	184	LYS
1	A	187	ILE
1	A	193	GLN
1	A	205	ILE
1	A	210	LEU
1	A	250	GLU
1	A	305	SER
1	A	307	VAL
1	A	340	GLU
1	A	367	GLU
1	A	459	PHE
1	A	505	LYS
1	A	533	GLU
1	B	2	SER
1	B	18	ARG
1	B	32	GLU
1	B	196	GLU
1	B	215	SER
1	B	262	ARG
1	B	305	SER
1	B	306	SER
1	B	307	VAL
1	B	340	GLU
1	B	367	GLU
1	B	459	PHE
1	B	505	LYS
1	B	533	GLU
1	B	540	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	89	ASN
1	A	185	ASN
1	A	193	GLN
1	A	197	ASN
1	A	425	ASN
1	A	429	ASN
1	A	467	ASN
1	A	546	HIS
1	B	20	GLN
1	B	36	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	89	ASN
1	B	160	ASN
1	B	422	ASN
1	B	467	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 25 ligands modelled in this entry, 2 are monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EDO	B	605	-	3,3,3	0.03	0	2,2,2	0.12	0
2	EDO	A	607	-	3,3,3	0.18	0	2,2,2	0.17	0
2	EDO	A	608	-	3,3,3	0.07	0	2,2,2	0.13	0
2	EDO	A	601	-	3,3,3	0.27	0	2,2,2	0.32	0
2	EDO	A	605	-	3,3,3	0.18	0	2,2,2	0.25	0
4	IFM	B	612	-	10,10,10	0.46	0	9,13,13	0.62	0
2	EDO	B	608	-	3,3,3	0.15	0	2,2,2	0.30	0
2	EDO	A	604	-	3,3,3	0.11	0	2,2,2	0.28	0
3	UDP	A	610	5	25,26,26	1.08	2 (8%)	38,40,40	1.77	8 (21%)
2	EDO	B	607	-	3,3,3	0.31	0	2,2,2	0.37	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	EDO	B	609	-	3,3,3	0.16	0	2,2,2	0.09	0
2	EDO	B	603	-	3,3,3	0.14	0	2,2,2	0.22	0
3	UDP	B	611	5	25,26,26	1.02	1 (4%)	38,40,40	1.48	7 (18%)
2	EDO	A	609	-	3,3,3	0.16	0	2,2,2	0.39	0
2	EDO	B	610	-	3,3,3	0.10	0	2,2,2	0.12	0
2	EDO	B	606	-	3,3,3	0.16	0	2,2,2	0.13	0
2	EDO	B	604	-	3,3,3	0.10	0	2,2,2	0.29	0
4	IFM	A	611	-	10,10,10	0.27	0	9,13,13	0.63	0
2	EDO	A	606	-	3,3,3	0.10	0	2,2,2	0.16	0
2	EDO	B	602	-	3,3,3	0.66	0	2,2,2	0.83	0
2	EDO	A	602	-	3,3,3	0.07	0	2,2,2	0.12	0
2	EDO	B	601	-	3,3,3	0.07	0	2,2,2	0.10	0
2	EDO	A	603	-	3,3,3	0.12	0	2,2,2	0.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	B	605	-	-	1/1/1/1	-
2	EDO	A	607	-	-	1/1/1/1	-
2	EDO	A	608	-	-	0/1/1/1	-
2	EDO	A	601	-	-	0/1/1/1	-
2	EDO	A	605	-	-	1/1/1/1	-
4	IFM	B	612	-	-	0/2/16/16	0/1/1/1
2	EDO	B	608	-	-	1/1/1/1	-
2	EDO	A	604	-	-	1/1/1/1	-
3	UDP	A	610	5	-	1/16/32/32	0/2/2/2
2	EDO	B	607	-	-	1/1/1/1	-
2	EDO	B	609	-	-	1/1/1/1	-
2	EDO	B	603	-	-	0/1/1/1	-
3	UDP	B	611	5	-	0/16/32/32	0/2/2/2
2	EDO	A	609	-	-	0/1/1/1	-
2	EDO	B	610	-	-	0/1/1/1	-
2	EDO	B	606	-	-	0/1/1/1	-
2	EDO	B	604	-	-	1/1/1/1	-
4	IFM	A	611	-	-	0/2/16/16	0/1/1/1
2	EDO	A	606	-	-	1/1/1/1	-
2	EDO	B	602	-	-	0/1/1/1	-
2	EDO	A	602	-	-	0/1/1/1	-
2	EDO	B	601	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	A	603	-	-	1/1/1/1	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	610	UDP	C4-N3	-2.53	1.34	1.38
3	A	610	UDP	C6-C5	2.06	1.39	1.35
3	B	611	UDP	O2-C2	2.05	1.26	1.23

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	610	UDP	C4-N3-C2	-5.37	119.94	126.61
3	A	610	UDP	N3-C2-N1	5.23	121.70	114.89
3	A	610	UDP	O2-C2-N1	-3.60	118.12	122.80
3	B	611	UDP	N3-C2-N1	3.58	119.55	114.89
3	A	610	UDP	C5-C4-N3	3.35	119.50	114.80
3	B	611	UDP	C5-C4-N3	3.27	119.38	114.80
3	B	611	UDP	C4-N3-C2	-3.19	122.65	126.61
3	B	611	UDP	O3'-C3'-C4'	3.09	119.96	111.08
3	A	610	UDP	O4-C4-C5	-2.48	120.88	125.16
3	A	610	UDP	O2B-PB-O1B	2.44	120.33	110.83
3	A	610	UDP	C6-N1-C2	-2.25	118.26	121.00
3	B	611	UDP	C3'-C2'-C1'	2.21	105.65	101.46
3	A	610	UDP	O3'-C3'-C4'	2.17	117.33	111.08
3	B	611	UDP	O2B-PB-O1B	2.03	118.75	110.83
3	B	611	UDP	O4-C4-C5	-2.03	121.66	125.16

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	610	UDP	C5'-O5'-PA-O1A
2	A	606	EDO	O1-C1-C2-O2
2	B	604	EDO	O1-C1-C2-O2
2	A	607	EDO	O1-C1-C2-O2
2	B	608	EDO	O1-C1-C2-O2
2	B	609	EDO	O1-C1-C2-O2
2	A	605	EDO	O1-C1-C2-O2
2	A	603	EDO	O1-C1-C2-O2
2	A	604	EDO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	607	EDO	O1-C1-C2-O2
2	B	605	EDO	O1-C1-C2-O2
2	B	601	EDO	O1-C1-C2-O2


There are no ring outliers.

2 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	608	EDO	1	0
2	B	602	EDO	2	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand IFM B 612



Ligand UDP A 610





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	545/552 (98%)	0.86	75 (13%) 6 7	23, 45, 78, 94	1 (0%)
1	B	540/552 (97%)	0.53	49 (9%) 15 16	29, 41, 69, 109	0
All	All	1085/1104 (98%)	0.70	124 (11%) 10 11	23, 43, 74, 109	1 (0%)

All (124) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	205	ILE	8.5
1	A	198	PRO	6.3
1	A	206	VAL	6.2
1	B	539	PHE	5.2
1	A	187	ILE	5.1
1	A	210	LEU	5.1
1	A	218	ILE	4.7
1	A	200	LEU	4.7
1	A	201	ILE	4.6
1	A	180	TYR	4.6
1	B	24	TYR	4.6
1	A	263	TRP	4.5
1	B	17	PHE	4.2
1	A	225	ILE	4.1
1	B	28	LEU	4.1
1	A	192	ALA	4.0
1	B	15	VAL	3.9
1	A	135	ALA	3.9
1	A	202	ILE	3.9
1	A	431	PHE	3.9
1	A	435	ILE	3.8
1	A	190	TYR	3.6
1	A	224	TYR	3.5
1	A	208	THR	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	494	ILE	3.5
1	B	541	GLY	3.4
1	B	161	LEU	3.4
1	A	448	MET	3.3
1	A	223	THR	3.3
1	A	226	GLU	3.3
1	B	63	TYR	3.3
1	B	71	ALA	3.2
1	B	494	ILE	3.2
1	A	191	LYS	3.2
1	B	60	ILE	3.1
1	A	199	GLU	3.1
1	A	432	ILE	3.1
1	A	209	TYR	3.0
1	A	439	ALA	3.0
1	A	419	SER	3.0
1	B	27	ILE	3.0
1	A	414	LEU	3.0
1	B	72	LEU	3.0
1	B	538	TYR	3.0
1	A	196	GLU	3.0
1	A	221	LEU	2.9
1	B	31	LEU	2.9
1	A	137	LEU	2.9
1	B	78	TYR	2.9
1	A	424	PHE	2.8
1	A	459	PHE	2.8
1	B	26	ALA	2.8
1	B	9	LEU	2.8
1	A	416	PRO	2.8
1	B	13	ALA	2.8
1	A	418	ILE	2.8
1	A	426	THR	2.8
1	B	65	LYS	2.8
1	A	430	THR	2.8
1	A	193	GLN	2.7
1	A	104	GLY	2.7
1	B	448	MET	2.7
1	A	417	ALA	2.6
1	B	67	GLY	2.6
1	B	59	TYR	2.6
1	A	186	PHE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	157	PHE	2.6
1	A	15	VAL	2.6
1	A	422	ASN	2.6
1	B	62	THR	2.6
1	A	207	LYS	2.6
1	B	70	LYS	2.6
1	B	4	VAL	2.6
1	A	227	GLU	2.5
1	A	141	LEU	2.5
1	A	229	LEU	2.5
1	A	133	SER	2.5
1	A	434	SER	2.5
1	B	429	ASN	2.5
1	A	427	THR	2.5
1	A	454	LEU	2.5
1	A	232	ILE	2.5
1	B	25	VAL	2.5
1	A	436	MET	2.4
1	A	203	ASP	2.4
1	A	178	ILE	2.4
1	B	18	ARG	2.4
1	A	185	ASN	2.4
1	B	20	GLN	2.4
1	A	211	SER	2.4
1	B	2	SER	2.4
1	B	441	ALA	2.3
1	A	546	HIS	2.3
1	B	64	LYS	2.3
1	B	68	ARG	2.3
1	B	58	ILE	2.3
1	B	12	MET	2.3
1	A	188	ASN	2.3
1	B	55	LEU	2.3
1	A	195	GLU	2.2
1	A	213	GLU	2.2
1	B	83	VAL	2.2
1	B	3	LEU	2.2
1	A	413	SER	2.2
1	B	19	THR	2.2
1	B	51	ASP	2.2
1	A	182	LYS	2.2
1	A	262	ARG	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	222	ASN	2.1
1	B	166	PHE	2.1
1	B	491	ILE	2.1
1	A	260	VAL	2.1
1	A	444	GLY	2.1
1	B	80	VAL	2.1
1	A	197	ASN	2.1
1	B	459	PHE	2.1
1	A	354	SER	2.1
1	B	6	ARG	2.1
1	A	495	GLU	2.1
1	A	108	ASN	2.1
1	B	73	LYS	2.0
1	A	134	ASN	2.0
1	A	415	ASN	2.0
1	B	5	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	EDO	B	607	4/4	0.72	0.21	57,62,64,68	0
2	EDO	A	608	4/4	0.74	0.18	64,69,70,71	0
2	EDO	A	604	4/4	0.77	0.16	60,64,67,69	0
2	EDO	A	605	4/4	0.77	0.17	55,57,58,60	0
2	EDO	B	602	4/4	0.78	0.21	44,48,52,54	0
2	EDO	A	607	4/4	0.80	0.14	54,62,65,70	0
2	EDO	A	606	4/4	0.81	0.15	61,62,62,65	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	EDO	B	608	4/4	0.83	0.17	62,68,69,70	0
2	EDO	B	609	4/4	0.83	0.17	59,59,60,63	0
2	EDO	B	610	4/4	0.84	0.13	60,61,66,68	0
2	EDO	A	609	4/4	0.86	0.16	66,66,68,69	0
2	EDO	B	604	4/4	0.87	0.14	65,66,67,68	0
2	EDO	B	603	4/4	0.90	0.13	55,56,57,60	0
2	EDO	B	601	4/4	0.93	0.11	59,59,60,60	0
2	EDO	B	605	4/4	0.93	0.12	60,62,63,64	0
2	EDO	A	602	4/4	0.94	0.09	51,51,52,54	0
2	EDO	B	606	4/4	0.94	0.11	53,54,55,57	0
2	EDO	A	603	4/4	0.94	0.11	61,61,61,63	0
2	EDO	A	601	4/4	0.95	0.13	35,45,47,50	0
3	UDP	A	610	25/25	0.97	0.06	30,34,41,43	0
4	IFM	A	611	10/10	0.97	0.05	31,33,36,39	0
4	IFM	B	612	10/10	0.97	0.05	30,31,33,33	0
3	UDP	B	611	25/25	0.98	0.04	28,31,34,35	0
5	MN	A	612	1/1	1.00	0.02	31,31,31,31	0
5	MN	B	613	1/1	1.00	0.02	34,34,34,34	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around UDP A 610:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around IFM A 611:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around IFM B 612:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UDP B 611:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MN A 612:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around MN B 613:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.