



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:10 PM UTC

PDB ID : 1LQS / pdb_00001lqs
Title : CRYSTAL STRUCTURE OF HUMAN CYTOMEGALOVIRUS IL-10
BOUND TO SOLUBLE HUMAN IL-10R1
Authors : Jones, B.C.; Logsdon, N.J.; Josephson, K.; Cook, J.; Barry, P.A.; Walter, M.R.
Deposited on : 2002-05-13
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	R	214	
1	S	214	
2	L	157	
2	M	157	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5699 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called INTERLEUKIN-10 RECEPTOR ALPHA CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	R	207	Total	C	N	O	S	0	0	0
			1657	1055	285	311	6			
1	S	206	Total	C	N	O	S	0	0	0
			1652	1052	284	310	6			


There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	29	GLN	ASN	engineered mutation	UNP Q13651
R	53	GLN	ASN	engineered mutation	UNP Q13651
R	89	GLN	ASN	engineered mutation	UNP Q13651
R	133	GLN	ASN	engineered mutation	UNP Q13651
R	156	GLN	ASN	engineered mutation	UNP Q13651
R	168	GLN	ASN	engineered mutation	UNP Q13651
S	29	GLN	ASN	engineered mutation	UNP Q13651
S	53	GLN	ASN	engineered mutation	UNP Q13651
S	89	GLN	ASN	engineered mutation	UNP Q13651
S	133	GLN	ASN	engineered mutation	UNP Q13651
S	156	GLN	ASN	engineered mutation	UNP Q13651
S	168	GLN	ASN	engineered mutation	UNP Q13651

- Molecule 2 is a protein called INTERLEUKIN-10-LIKE PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	142	Total	C	N	O	S	0	0	0
			1157	723	209	217	8			
2	M	142	Total	C	N	O	S	0	0	0
			1157	723	209	217	8			

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	L	1	Total	C	N	O	0	0
			14	8	1	5		
3	M	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	R	16	Total	O	0	0
			16	16		
4	S	10	Total	O	0	0
			10	10		
4	L	13	Total	O	0	0
			13	13		
4	M	9	Total	O	0	0
			9	9		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: INTERLEUKIN-10 RECEPTOR ALPHA CHAIN




• Molecule 1: INTERLEUKIN-10 RECEPTOR ALPHA CHAIN



• Molecule 2: INTERLEUKIN-10-LIKE PROTEIN



● Molecule 2: INTERLEUKIN-10-LIKE PROTEIN



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	114.29Å 104.68Å 91.89Å 90.00° 106.49° 90.00°	Depositor
Resolution (Å)	50.00 – 2.70 50.00 – 2.70	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-2.70) 91.1 (50.00-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.71 (at 2.69Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.244 , 0.294 0.241 , 0.290	Depositor DCC
R_{free} test set	1345 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	54.0	Xtriage
Anisotropy	0.242	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 38.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	5699	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.46% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	R	0.47	0/1703	0.89	5/2315 (0.2%)
1	S	0.46	0/1698	0.92	3/2308 (0.1%)
2	L	0.50	0/1181	1.05	8/1593 (0.5%)
2	M	0.48	0/1181	0.93	4/1593 (0.3%)
All	All	0.48	0/5763	0.94	20/7809 (0.3%)

There are no bond length outliers.

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	43	ASP	N-CA-C	-13.54	92.27	110.55
2	M	76	VAL	N-CA-C	8.61	118.51	110.42
1	S	141	SER	N-CA-C	6.62	120.46	112.38
1	R	15	ALA	N-CA-C	6.23	119.69	109.72
2	L	20	ALA	N-CA-C	5.72	117.19	111.07
2	M	75	ILE	N-CA-C	5.61	116.38	111.56
2	L	60	TRP	N-CA-C	5.55	119.04	112.72
2	L	47	TRP	N-CA-C	-5.52	104.18	111.96
1	R	141	SER	N-CA-C	5.49	119.08	112.38
2	M	108	CYS	CA-C-N	5.41	124.86	119.24
2	M	108	CYS	C-N-CA	5.41	124.86	119.24
1	S	89	GLN	N-CA-C	-5.39	103.78	110.41
2	L	108	CYS	CA-C-N	5.25	124.70	119.24
2	L	108	CYS	C-N-CA	5.25	124.70	119.24
1	R	118	ILE	N-CA-C	-5.21	99.67	107.37
2	L	74	GLU	N-CA-C	5.14	119.68	113.41
1	R	89	GLN	N-CA-C	-5.09	103.68	110.55
1	R	76	ARG	N-CA-C	-5.05	101.52	109.50
1	S	118	ILE	N-CA-C	-5.02	99.93	107.37
2	L	51	THR	N-CA-C	-5.01	108.19	114.56

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	R	1657	0	1596	56	0
1	S	1652	0	1594	54	0
2	L	1157	0	1140	60	0
2	M	1157	0	1140	70	0
3	L	14	0	13	2	0
3	M	14	0	13	2	0
4	L	13	0	0	0	0
4	M	9	0	0	2	0
4	R	16	0	0	4	0
4	S	10	0	0	0	0
All	All	5699	0	5496	217	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (217) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:R:3:THR:HG23	1:R:87:HIS:H	1.33	0.93
2:L:134:ASN:HD21	3:L:201:NAG:C1	1.85	0.89
1:S:3:THR:HG23	1:S:87:HIS:H	1.37	0.89
2:L:23:LEU:HD13	2:M:151:GLU:HG3	1.56	0.88
2:M:134:ASN:HD21	3:M:202:NAG:H2	1.39	0.87
2:M:8:THR:HG21	2:M:13:ARG:HH21	1.39	0.85
1:S:156:GLN:HG3	1:S:157:PHE:H	1.42	0.84
2:L:62:CYS:HB3	2:M:157:ARG:NH2	1.95	0.81
1:R:156:GLN:HG3	1:R:157:PHE:H	1.44	0.81
2:L:11:GLN:H	2:L:11:GLN:NE2	1.79	0.80
2:L:137:ARG:HD2	2:M:41:GLU:OE2	1.84	0.78
2:L:62:CYS:HB3	2:M:157:ARG:HH21	1.48	0.77
1:R:174:SER:HA	4:R:218:HOH:O	1.86	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:S:70:TYR:HB3	1:S:139:ILE:HD12	1.67	0.75
1:S:78:ARG:HB3	1:S:92:VAL:HG12	1.70	0.73
1:R:123:GLN:NE2	1:R:126:ARG:HH12	1.85	0.73
2:L:102:TYR:CZ	2:L:106:ARG:HD2	2.25	0.72
1:R:38:VAL:HG22	1:R:79:VAL:HG22	1.72	0.72
1:S:38:VAL:HG22	1:S:79:VAL:HG22	1.71	0.71
2:M:33:VAL:HG21	2:M:87:LEU:HD13	1.72	0.71
1:S:69:LEU:HD11	1:S:98:SER:HA	1.73	0.70
1:S:124:LEU:HD13	1:S:136:TYR:CD2	2.26	0.70
2:M:33:VAL:CG2	2:M:87:LEU:HD13	2.22	0.70
1:S:143:PHE:HB3	1:S:189:ALA:HB3	1.74	0.70
2:L:33:VAL:HG21	2:L:87:LEU:HD13	1.74	0.69
1:R:3:THR:HG23	1:R:87:HIS:N	2.07	0.69
2:L:60:TRP:CG	2:M:117:ASP:HB3	2.29	0.68
2:L:73:LEU:HD13	2:L:99:GLU:OE1	1.93	0.68
2:M:126:GLN:HB3	2:M:130:ARG:HH21	1.57	0.67
1:R:14:GLU:HB2	1:R:23:HIS:HD2	1.59	0.67
1:R:69:LEU:HD11	1:R:98:SER:HA	1.76	0.66
2:L:11:GLN:H	2:L:11:GLN:HE21	1.42	0.66
1:S:14:GLU:HB2	1:S:23:HIS:CD2	2.30	0.66
2:M:11:GLN:CD	2:M:11:GLN:H	2.03	0.66
1:R:14:GLU:HB2	1:R:23:HIS:CD2	2.31	0.66
2:M:9:LYS:HG2	2:M:10:PRO:HD2	1.78	0.65
1:S:14:GLU:HB2	1:S:23:HIS:HD2	1.60	0.65
1:S:123:GLN:NE2	1:S:126:ARG:HH12	1.94	0.65
2:L:88:LYS:HZ3	2:L:88:LYS:HB3	1.60	0.65
2:M:32:ARG:HG2	2:M:32:ARG:HH21	1.62	0.65
1:R:180:PHE:HE1	1:R:205:LEU:HD11	1.61	0.65
2:M:35:PRO:HG2	4:M:209:HOH:O	1.94	0.64
1:R:104:LEU:HD12	1:R:187:SER:HA	1.79	0.64
1:S:180:PHE:HE1	1:S:205:LEU:HD11	1.62	0.64
1:S:151:ARG:HD3	1:S:200:GLU:OE2	1.97	0.64
2:L:47:TRP:HB3	2:M:142:GLU:OE1	1.98	0.63
1:R:191:ARG:O	2:L:24:GLN:HG3	1.98	0.63
2:L:88:LYS:HB3	2:L:88:LYS:NZ	2.14	0.62
1:S:3:THR:HG23	1:S:87:HIS:N	2.11	0.62
1:R:151:ARG:HD3	1:R:200:GLU:OE2	1.99	0.61
1:S:124:LEU:HD13	1:S:136:TYR:HD2	1.61	0.61
1:R:153:VAL:C	1:R:155:GLY:H	2.07	0.61
1:S:70:TYR:CB	1:S:139:ILE:HD12	2.31	0.61
1:S:153:VAL:C	1:S:155:GLY:H	2.09	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:R:18:PHE:HB2	1:R:127:PRO:HG3	1.83	0.61
1:S:41:LEU:HD23	1:S:41:LEU:C	2.27	0.60
1:R:159:PHE:HE2	4:R:215:HOH:O	1.84	0.59
2:L:116:GLY:HA3	2:M:60:TRP:CE2	2.38	0.59
1:S:3:THR:HG23	1:S:86:ARG:HA	1.83	0.59
2:M:134:ASN:HD21	3:M:202:NAG:C2	2.14	0.58
1:R:162:LYS:HD2	4:R:222:HOH:O	2.03	0.58
1:S:3:THR:CG2	1:S:87:HIS:H	2.13	0.58
2:M:56:VAL:O	2:M:56:VAL:CG1	2.52	0.58
2:L:23:LEU:CD1	2:M:151:GLU:HG3	2.33	0.58
1:R:3:THR:HG23	1:R:86:ARG:HA	1.86	0.58
2:L:33:VAL:HG22	2:L:33:VAL:O	2.03	0.57
2:M:41:GLU:HG2	2:M:42:ASP:N	2.18	0.57
1:S:156:GLN:CG	1:S:157:PHE:H	2.16	0.57
2:L:81:ASP:OD2	2:L:92:HIS:NE2	2.36	0.57
2:L:154:LEU:HD21	2:M:105:MET:HE3	1.87	0.57
1:R:41:LEU:C	1:R:41:LEU:HD23	2.30	0.56
1:R:113:ILE:HD11	1:R:205:LEU:HD23	1.87	0.56
2:L:10:PRO:C	2:L:12:CYS:H	2.14	0.56
1:S:172:LEU:H	1:S:172:LEU:HD23	1.70	0.56
1:S:3:THR:HG22	1:S:3:THR:O	2.06	0.56
2:L:33:VAL:HG23	2:L:87:LEU:HD22	1.87	0.55
1:R:3:THR:O	1:R:3:THR:HG22	2.05	0.55
1:S:104:LEU:HD12	1:S:187:SER:HA	1.89	0.55
2:L:33:VAL:CG2	2:L:87:LEU:HD13	2.37	0.55
1:R:3:THR:CG2	1:R:87:HIS:H	2.10	0.55
2:L:83:VAL:HG13	2:L:84:TYR:CD1	2.42	0.55
1:S:173:THR:HG22	1:S:173:THR:O	2.06	0.54
1:S:82:VAL:HG12	1:S:87:HIS:HB3	1.88	0.54
2:M:77:PHE:HB3	2:M:95:ARG:HD3	1.88	0.54
2:M:84:TYR:HB3	2:M:87:LEU:HD12	1.89	0.54
1:R:78:ARG:HB3	1:R:92:VAL:HG12	1.90	0.54
2:M:107:GLN:CA	2:M:107:GLN:HE21	2.20	0.53
2:M:83:VAL:HG13	2:M:84:TYR:CD1	2.43	0.53
2:M:9:LYS:HG2	2:M:10:PRO:CD	2.37	0.52
2:L:37:LEU:HD13	2:M:140:LEU:HB3	1.92	0.52
2:L:157:ARG:HG3	2:L:157:ARG:HH11	1.74	0.52
2:M:118:LYS:HD2	2:M:118:LYS:O	2.09	0.52
1:S:78:ARG:CB	1:S:92:VAL:HG12	2.39	0.52
1:S:180:PHE:CE1	1:S:205:LEU:HD11	2.45	0.52
2:L:153:TYR:HB2	2:M:56:VAL:HG11	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:13:ARG:HH21	2:L:17:GLU:HG2	1.75	0.52
1:S:173:THR:O	1:S:175:GLY:N	2.43	0.51
2:L:134:ASN:ND2	3:L:201:NAG:C1	2.65	0.51
1:R:143:PHE:HB3	1:R:189:ALA:HB3	1.92	0.51
1:R:98:SER:HB2	4:R:220:HOH:O	2.10	0.51
1:R:113:ILE:HG13	1:R:203:ILE:HD13	1.93	0.51
2:M:123:ARG:NH1	4:M:207:HOH:O	2.42	0.51
2:M:8:THR:HG23	2:M:8:THR:O	2.11	0.51
1:R:82:VAL:HG12	1:R:87:HIS:HB3	1.93	0.50
1:R:180:PHE:CE1	1:R:205:LEU:HD11	2.43	0.50
2:L:49:ASP:C	2:M:149:ARG:HH21	2.19	0.50
2:M:108:CYS:SG	2:M:111:LEU:HG	2.51	0.50
2:L:116:GLY:HA3	2:M:60:TRP:NE1	2.26	0.50
1:R:113:ILE:CD1	1:R:205:LEU:HD23	2.42	0.50
1:S:113:ILE:HD11	1:S:205:LEU:HD23	1.94	0.50
2:M:33:VAL:HG23	2:M:87:LEU:HD22	1.93	0.50
2:M:34:LYS:N	2:M:35:PRO:HD2	2.27	0.50
2:M:32:ARG:HG2	2:M:32:ARG:NH2	2.26	0.50
1:R:113:ILE:HG13	1:R:203:ILE:CD1	2.41	0.50
2:L:154:LEU:CD2	2:M:105:MET:HE3	2.41	0.50
2:M:41:GLU:HG2	2:M:43:ASP:H	1.77	0.49
2:M:56:VAL:O	2:M:56:VAL:HG12	2.11	0.49
1:R:127:PRO:HG2	1:R:130:ALA:HB2	1.93	0.49
1:R:173:THR:O	1:R:175:GLY:N	2.45	0.49
1:S:42:ARG:NH1	1:S:68:ASP:OD2	2.45	0.49
2:M:9:LYS:HE2	2:M:11:GLN:OE1	2.12	0.49
1:S:113:ILE:HG13	1:S:203:ILE:CD1	2.43	0.49
1:R:153:VAL:C	1:R:155:GLY:N	2.71	0.49
2:L:81:ASP:OD2	2:L:88:LYS:HE2	2.13	0.49
1:R:113:ILE:CD1	1:R:205:LEU:HA	2.43	0.48
1:R:124:LEU:HD13	1:R:136:TYR:CD2	2.48	0.48
1:R:27:ILE:HG13	1:R:27:ILE:O	2.12	0.48
2:L:10:PRO:HG2	2:L:11:GLN:NE2	2.29	0.48
1:R:96:ARG:HG3	1:R:96:ARG:HH11	1.78	0.48
2:M:107:GLN:HE21	2:M:107:GLN:N	2.11	0.48
1:R:147:GLU:HB2	1:R:185:LYS:HB3	1.96	0.48
2:L:52:VAL:HG13	2:L:56:VAL:N	2.28	0.48
2:M:40:ARG:HG2	2:M:40:ARG:HH11	1.78	0.47
1:R:181:CYS:HA	1:R:201:GLU:O	2.15	0.47
2:L:56:VAL:O	2:L:56:VAL:CG1	2.62	0.47
1:S:185:LYS:HE2	1:S:195:GLY:O	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:56:VAL:O	2:L:56:VAL:HG13	2.14	0.47
1:S:113:ILE:CD1	1:S:205:LEU:HD23	2.45	0.46
2:L:25:ASP:O	2:L:28:VAL:HG22	2.15	0.46
1:R:168:GLN:HE21	1:R:168:GLN:HB2	1.60	0.46
1:S:27:ILE:HG13	1:S:27:ILE:O	2.15	0.46
2:M:129:GLU:OE1	2:M:129:GLU:HA	2.15	0.46
2:L:151:GLU:HB2	2:M:23:LEU:HD13	1.97	0.46
2:L:125:SER:O	2:L:129:GLU:HB2	2.14	0.46
2:L:17:GLU:CD	2:L:17:GLU:H	2.23	0.46
2:M:10:PRO:C	2:M:12:CYS:H	2.24	0.46
1:S:5:LEU:O	1:S:88:SER:HB3	2.15	0.46
1:S:147:GLU:HB2	1:S:185:LYS:HB3	1.98	0.46
1:S:153:VAL:HG21	1:S:179:GLU:OE2	2.16	0.46
1:R:131:PRO:HG2	1:R:134:ASP:HB2	1.98	0.45
1:R:18:PHE:HB2	1:R:127:PRO:CG	2.45	0.45
1:S:20:HIS:HE1	1:S:70:TYR:OH	2.00	0.45
2:M:10:PRO:C	2:M:12:CYS:N	2.74	0.45
2:L:33:VAL:CG2	2:L:87:LEU:HD22	2.46	0.45
2:L:51:THR:O	2:L:56:VAL:N	2.50	0.45
1:R:173:THR:O	1:R:173:THR:HG22	2.15	0.45
2:L:62:CYS:HA	2:M:153:TYR:OH	2.17	0.45
1:S:15:ALA:HB2	1:S:20:HIS:HA	1.99	0.45
1:S:151:ARG:HH11	1:S:200:GLU:CD	2.24	0.45
2:M:85:PRO:O	2:M:88:LYS:HG3	2.17	0.44
2:M:83:VAL:HG13	2:M:84:TYR:HD1	1.82	0.44
1:R:18:PHE:CE2	1:R:131:PRO:HD2	2.53	0.44
1:R:153:VAL:HB	1:R:154:PRO:CD	2.48	0.44
1:S:113:ILE:HG13	1:S:203:ILE:HD13	1.98	0.44
1:S:18:PHE:CD1	1:S:130:ALA:HB2	2.53	0.44
1:S:127:PRO:HG2	1:S:130:ALA:HB2	1.99	0.43
1:S:181:CYS:HA	1:S:201:GLU:O	2.18	0.43
1:R:28:PRO:O	1:R:29:GLN:HB2	2.17	0.43
1:S:28:PRO:O	1:S:29:GLN:HB2	2.18	0.43
2:M:77:PHE:CG	2:M:95:ARG:HB2	2.53	0.43
1:R:42:ARG:NH1	1:R:68:ASP:OD2	2.51	0.43
1:R:153:VAL:HG21	1:R:179:GLU:OE2	2.18	0.43
2:M:13:ARG:HA	2:M:16:PRO:HD3	1.92	0.43
1:S:153:VAL:C	1:S:155:GLY:N	2.73	0.43
2:L:8:THR:HG23	2:L:9:LYS:N	2.33	0.43
2:M:26:LEU:HG	2:M:97:THR:HG21	2.00	0.43
2:M:36:THR:HG21	2:M:87:LEU:HD11	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:144:ASP:N	2:M:144:ASP:OD1	2.52	0.43
1:S:12:TRP:O	1:S:22:LEU:HD12	2.19	0.43
2:L:30:PHE:CE2	2:M:144:ASP:HB3	2.53	0.43
2:L:25:ASP:HA	2:L:28:VAL:HG22	1.99	0.43
1:S:145:GLU:OE1	1:S:163:LYS:HE3	2.19	0.42
2:L:65:MET:HE3	2:L:65:MET:HA	2.01	0.42
2:L:9:LYS:O	2:L:12:CYS:HB2	2.18	0.42
2:M:77:PHE:HB2	2:M:78:PRO:HD3	2.01	0.42
1:R:123:GLN:NE2	1:R:126:ARG:NH1	2.59	0.42
1:R:172:LEU:HD23	1:R:172:LEU:H	1.83	0.42
2:L:10:PRO:C	2:L:12:CYS:N	2.77	0.42
2:M:33:VAL:O	2:M:33:VAL:HG22	2.18	0.42
2:L:11:GLN:HE21	2:L:11:GLN:N	2.15	0.42
1:R:191:ARG:NH1	1:R:191:ARG:HG2	2.34	0.42
1:S:131:PRO:HG2	1:S:134:ASP:HB2	2.01	0.42
2:L:52:VAL:CG1	2:L:56:VAL:N	2.82	0.42
1:R:2:GLY:O	1:R:3:THR:HB	2.19	0.42
2:L:108:CYS:SG	2:L:111:LEU:HG	2.60	0.42
2:M:91:LEU:HD23	2:M:94:MET:CE	2.50	0.42
2:L:144:ASP:HB3	2:M:30:PHE:CE2	2.54	0.42
2:L:40:ARG:O	2:L:41:GLU:C	2.62	0.42
2:M:10:PRO:O	2:M:12:CYS:N	2.52	0.41
1:R:64:ALA:O	1:R:67:LEU:CD2	2.68	0.41
1:S:143:PHE:HE2	2:L:151:GLU:OE2	2.02	0.41
2:M:33:VAL:CG2	2:M:87:LEU:HD22	2.50	0.41
2:M:41:GLU:HG2	2:M:42:ASP:H	1.82	0.41
2:M:122:SER:O	2:M:126:GLN:HG3	2.20	0.41
2:L:30:PHE:CE1	2:M:143:LEU:HB2	2.55	0.41
2:L:124:LEU:HD11	2:M:52:VAL:CG2	2.50	0.41
2:M:11:GLN:CD	2:M:11:GLN:N	2.76	0.41
2:L:60:TRP:HZ2	2:M:62:CYS:SG	2.43	0.41
1:R:181:CYS:HB3	1:R:200:GLU:CG	2.51	0.41
1:R:78:ARG:CB	1:R:92:VAL:HG12	2.51	0.41
1:S:64:ALA:O	1:S:67:LEU:CD2	2.69	0.41
2:L:73:LEU:HD13	2:L:99:GLU:CD	2.46	0.41
2:M:136:THR:O	2:M:140:LEU:CD2	2.69	0.40
1:S:181:CYS:HB3	1:S:200:GLU:CG	2.51	0.40
1:R:22:LEU:O	1:R:59:SER:HA	2.21	0.40
1:S:153:VAL:HB	1:S:154:PRO:CD	2.52	0.40
2:M:90:GLU:OE2	2:M:90:GLU:N	2.49	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	R	205/214 (96%)	182 (89%)	17 (8%)	6 (3%)	3	9
1	S	204/214 (95%)	180 (88%)	18 (9%)	6 (3%)	3	9
2	L	140/157 (89%)	129 (92%)	8 (6%)	3 (2%)	5	15
2	M	140/157 (89%)	134 (96%)	3 (2%)	3 (2%)	5	15
All	All	689/742 (93%)	625 (91%)	46 (7%)	18 (3%)	4	11

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	R	174	SER
1	S	174	SER
2	L	42	ASP
1	R	46	GLU
1	R	132	ALA
1	R	189	ALA
1	R	207	ARG
1	S	46	GLU
2	L	52	VAL
1	S	132	ALA
1	S	189	ALA
1	S	205	LEU
2	M	41	GLU
1	R	156	GLN
1	S	156	GLN
2	M	11	GLN
2	L	11	GLN
2	M	52	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	R	185/194 (95%)	180 (97%)	5 (3%)	39	69
1	S	185/194 (95%)	181 (98%)	4 (2%)	45	74
2	L	130/143 (91%)	120 (92%)	10 (8%)	12	30
2	M	130/143 (91%)	122 (94%)	8 (6%)	16	39
All	All	630/674 (94%)	603 (96%)	27 (4%)	26	54

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	R	46	GLU
1	R	92	VAL
1	R	96	ARG
1	R	147	GLU
1	R	168	GLN
1	S	46	GLU
1	S	147	GLU
1	S	168	GLN
1	S	182	VAL
2	L	11	GLN
2	L	18	ASP
2	L	22	ARG
2	L	43	ASP
2	L	56	VAL
2	L	87	LEU
2	L	88	LYS
2	L	129	GLU
2	L	141	SER
2	L	157	ARG
2	M	21	THR
2	M	32	ARG
2	M	56	VAL
2	M	104	ASP
2	M	107	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	M	137	ARG
2	M	138	LYS
2	M	157	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	R	20	HIS
1	R	29	GLN
1	R	30	GLN
1	R	49	ASN
1	R	114	HIS
1	R	123	GLN
1	R	133	GLN
1	S	20	HIS
1	S	23	HIS
1	S	30	GLN
1	S	114	HIS
1	S	115	ASN
1	S	123	GLN
1	S	133	GLN
2	L	11	GLN
2	L	107	GLN
2	L	126	GLN
2	L	134	ASN
2	M	24	GLN
2	M	107	GLN
2	M	126	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	L	201	-	14,14,15	2.02	6 (42%)	17,19,21	1.08	1 (5%)
3	NAG	M	202	-	14,14,15	2.16	6 (42%)	17,19,21	1.06	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	L	201	-	-	2/6/23/26	0/1/1/1
3	NAG	M	202	-	-	0/6/23/26	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	M	202	NAG	C1-C2	4.48	1.58	1.52
3	L	201	NAG	C1-C2	3.63	1.57	1.52
3	M	202	NAG	C4-C5	3.36	1.60	1.53
3	L	201	NAG	C4-C5	3.30	1.60	1.53
3	L	201	NAG	O5-C5	3.21	1.49	1.43
3	M	202	NAG	O5-C5	3.11	1.49	1.43
3	M	202	NAG	O7-C7	-3.08	1.16	1.23
3	L	201	NAG	O7-C7	-3.04	1.16	1.23
3	M	202	NAG	C8-C7	-2.19	1.46	1.50
3	L	201	NAG	C8-C7	-2.07	1.46	1.50
3	M	202	NAG	C3-C2	2.06	1.56	1.52
3	L	201	NAG	C3-C2	2.03	1.56	1.52

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	M	202	NAG	C4-C3-C2	-3.11	106.45	111.02
3	L	201	NAG	C4-C3-C2	-2.40	107.50	111.02

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	L	201	NAG	O5-C5-C6-O6
3	L	201	NAG	C4-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	L	201	NAG	2	0
3	M	202	NAG	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	R	207/214 (96%)	0.79	25 (12%) 8 7	30, 48, 80, 104	0
1	S	206/214 (96%)	0.93	42 (20%) 3 2	25, 54, 87, 111	0
2	L	142/157 (90%)	0.14	4 (2%) 55 51	31, 45, 64, 71	0
2	M	142/157 (90%)	0.25	3 (2%) 63 61	32, 50, 68, 79	0
All	All	697/742 (93%)	0.59	74 (10%) 11 9	25, 49, 83, 111	0

All (74) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	S	154	PRO	7.7
1	S	155	GLY	7.6
1	R	2	GLY	6.1
1	R	157	PHE	5.7
1	R	3	THR	5.5
1	R	156	GLN	4.7
1	R	154	PRO	4.3
1	S	157	PHE	4.2
1	S	156	GLN	4.1
1	S	133	GLN	4.0
1	S	180	PHE	3.8
1	S	153	VAL	3.8
1	S	207	ARG	3.8
1	S	81	ALA	3.8
1	S	53	GLN	3.6
1	R	32	GLU	3.5
1	S	3	THR	3.4
1	R	152	LYS	3.4
1	R	153	VAL	3.3
1	S	5	LEU	3.3
1	S	77	ALA	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	S	78	ARG	3.2
1	S	88	SER	3.2
1	R	155	GLY	3.1
1	S	52	SER	3.1
1	S	177	VAL	3.1
1	R	53	GLN	3.1
1	S	173	THR	3.1
1	R	87	HIS	3.0
1	S	132	ALA	2.9
1	R	34	THR	2.9
1	S	9	PRO	2.9
2	L	82	HIS	2.8
1	S	28	PRO	2.8
1	S	158	THR	2.8
1	S	2	GLY	2.8
1	R	33	SER	2.7
1	S	25	THR	2.7
2	M	157	ARG	2.7
2	L	60	TRP	2.7
1	S	83	ASP	2.7
1	R	112	GLU	2.6
1	R	180	PHE	2.6
1	S	161	HIS	2.6
1	S	6	PRO	2.6
1	R	160	THR	2.5
1	S	27	ILE	2.5
1	R	84	GLY	2.5
1	S	84	GLY	2.5
1	R	82	VAL	2.5
1	S	206	THR	2.5
1	R	173	THR	2.5
1	S	46	GLU	2.5
2	L	8	THR	2.5
1	S	178	GLY	2.5
1	S	45	ILE	2.4
1	S	26	PRO	2.4
1	S	87	HIS	2.4
2	M	118	LYS	2.4
1	S	82	VAL	2.4
2	L	41	GLU	2.3
2	M	12	CYS	2.3
1	S	160	THR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	R	133	GLN	2.2
1	S	30	GLN	2.2
1	S	31	SER	2.2
1	R	161	HIS	2.1
1	R	204	SER	2.1
1	R	158	THR	2.1
1	R	54	CYS	2.1
1	S	54	CYS	2.1
1	R	205	LEU	2.0
1	S	86	ARG	2.0
1	S	11	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	M	202	14/15	0.59	0.14	74,86,90,91	0
3	NAG	L	201	14/15	0.74	0.14	58,69,74,78	0

6.5 Other polymers [i](#)

There are no such residues in this entry.