



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 11:30 PM UTC

PDB ID : 5LSG / pdb_00005lsg
Title : PPARgamma complex with the betulinic acid
Authors : Pochetti, G.; Montanari, R.; Capelli, D.; Loiodice, F.; Laghezza, A.; Calleri, E.; Paiardini, A.
Deposited on : 2016-08-26
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	304	
1	B	304	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4293 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peroxisome proliferator-activated receptor gamma.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	256	Total	C	N	O	S	15	0	0
			2047	1321	334	382	10			
1	B	260	Total	C	N	O	S	0	0	0
			2072	1339	338	385	10			

There are 42 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	174	MET	-	initiating methionine	UNP P37231
A	175	GLY	-	expression tag	UNP P37231
A	176	SER	-	expression tag	UNP P37231
A	177	SER	-	expression tag	UNP P37231
A	178	HIS	-	expression tag	UNP P37231
A	179	HIS	-	expression tag	UNP P37231
A	180	HIS	-	expression tag	UNP P37231
A	181	HIS	-	expression tag	UNP P37231
A	182	HIS	-	expression tag	UNP P37231
A	183	HIS	-	expression tag	UNP P37231
A	184	SER	-	expression tag	UNP P37231
A	185	SER	-	expression tag	UNP P37231
A	186	GLY	-	expression tag	UNP P37231
A	187	LEU	-	expression tag	UNP P37231
A	188	VAL	-	expression tag	UNP P37231
A	189	PRO	-	expression tag	UNP P37231
A	190	ARG	-	expression tag	UNP P37231
A	191	GLY	-	expression tag	UNP P37231
A	192	SER	-	expression tag	UNP P37231
A	193	HIS	-	expression tag	UNP P37231
A	194	MET	-	expression tag	UNP P37231
B	174	MET	-	initiating methionine	UNP P37231
B	175	GLY	-	expression tag	UNP P37231
B	176	SER	-	expression tag	UNP P37231
B	177	SER	-	expression tag	UNP P37231

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	178	HIS	-	expression tag	UNP P37231
B	179	HIS	-	expression tag	UNP P37231
B	180	HIS	-	expression tag	UNP P37231
B	181	HIS	-	expression tag	UNP P37231
B	182	HIS	-	expression tag	UNP P37231
B	183	HIS	-	expression tag	UNP P37231
B	184	SER	-	expression tag	UNP P37231
B	185	SER	-	expression tag	UNP P37231
B	186	GLY	-	expression tag	UNP P37231
B	187	LEU	-	expression tag	UNP P37231
B	188	VAL	-	expression tag	UNP P37231
B	189	PRO	-	expression tag	UNP P37231
B	190	ARG	-	expression tag	UNP P37231
B	191	GLY	-	expression tag	UNP P37231
B	192	SER	-	expression tag	UNP P37231
B	193	HIS	-	expression tag	UNP P37231
B	194	MET	-	expression tag	UNP P37231

- Molecule 2 is Betulinic Acid (CCD ID: QZQ) (formula: $C_{30}H_{46}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			33	30	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	87	Total 87	O 87	0	0
3	B	54	Total 54	O 54	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Peroxisome proliferator-activated receptor gamma



- Molecule 1: Peroxisome proliferator-activated receptor gamma



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	92.86Å 60.85Å 118.03Å 90.00° 102.48° 90.00°	Depositor
Resolution (Å)	45.68 – 2.00 45.68 – 2.00	Depositor EDS
% Data completeness (in resolution range)	98.5 (45.68-2.00) 98.5 (45.68-2.00)	Depositor EDS
R_{merge}	0.03	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.57 (at 2.00Å)	Xtriage
Refinement program	PHENIX 1.8.4_1496	Depositor
R, R_{free}	0.227 , 0.264 0.230 , 0.265	Depositor DCC
R_{free} test set	2153 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	42.8	Xtriage
Anisotropy	0.507	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 47.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4293	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: QZQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.53	0/2080	0.88	5/2801 (0.2%)
1	B	0.60	2/2107 (0.1%)	0.93	8/2841 (0.3%)
All	All	0.57	2/4187 (0.0%)	0.90	13/5642 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	354	LYS	C-N	10.86	1.49	1.33
1	B	359	PRO	N-CD	5.48	1.55	1.47

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	358	LYS	C-N-CD	8.00	138.19	120.60
1	A	358	LYS	CA-C-N	-7.89	111.69	120.45
1	A	358	LYS	C-N-CA	-7.89	111.69	120.45
1	B	394	SER	CA-C-N	-6.10	116.25	123.08
1	B	394	SER	C-N-CA	-6.10	116.25	123.08
1	B	358	LYS	N-CA-C	-6.00	102.02	110.29
1	B	243	ASP	N-CA-C	-5.81	106.03	113.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	396	ASP	N-CA-C	-5.68	106.24	112.72
1	B	360	PHE	N-CA-C	5.52	116.97	111.07
1	B	356	LEU	N-CA-C	-5.39	103.28	110.55
1	B	239	GLY	N-CA-C	-5.25	100.75	113.18
1	A	357	ARG	CA-C-N	5.24	126.30	120.06
1	A	357	ARG	C-N-CA	5.24	126.30	120.06

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	357	ARG	Peptide
1	B	343	GLU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2047	0	2111	47	0
1	B	2072	0	2121	35	0
2	A	33	0	0	4	0
3	A	87	0	0	7	0
3	B	54	0	0	6	0
All	All	4293	0	4232	83	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (83) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:243:ASP:OD2	3:A:601:HOH:O	1.80	0.99
1:A:240:LYS:HG2	1:A:241:THR:HG23	1.48	0.95
1:B:224:LYS:NZ	3:B:501:HOH:O	2.05	0.80
1:A:325:ILE:HG23	1:A:388:ILE:HD12	1.66	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:349:THR:HG22	1:A:352:PHE:H	1.49	0.77
1:A:298:GLU:OE2	3:A:602:HOH:O	2.04	0.74
1:A:238:THR:O	1:A:240:LYS:N	2.20	0.73
1:B:325:ILE:HD12	1:B:388:ILE:HG23	1.69	0.72
1:B:342:SER:OG	1:B:343:GLU:HG2	1.90	0.70
1:A:207:GLU:OE1	3:A:603:HOH:O	2.10	0.69
1:B:313:ASP:OD2	3:B:502:HOH:O	2.10	0.68
1:A:357:ARG:HD3	1:A:358:LYS:H	1.59	0.68
1:B:240:LYS:O	1:B:242:THR:N	2.27	0.67
1:A:411:ASP:OD1	3:A:604:HOH:O	2.12	0.67
1:B:334:MET:HE1	1:B:368:PHE:HA	1.77	0.66
1:B:471:GLU:OE2	3:B:503:HOH:O	2.13	0.65
1:A:357:ARG:HD3	1:A:358:LYS:N	2.14	0.62
1:B:360:PHE:C	1:B:362:ASP:H	2.08	0.61
1:A:358:LYS:N	1:A:358:LYS:HD3	2.15	0.61
1:A:232:LYS:NZ	3:A:606:HOH:O	2.29	0.61
1:B:407:GLU:OE1	3:B:504:HOH:O	2.16	0.61
1:B:334:MET:HE3	1:B:368:PHE:CD1	2.38	0.58
1:B:334:MET:CE	1:B:368:PHE:HA	2.33	0.58
1:B:327:TYR:CZ	1:B:367:LYS:HE3	2.39	0.57
1:A:357:ARG:HH21	1:A:358:LYS:HE2	1.69	0.57
1:A:341:ILE:HG22	2:A:501:QZQ:C05	2.34	0.57
1:B:276:GLU:HA	1:B:280:ARG:HH21	1.70	0.57
1:A:430:GLN:HG3	1:A:433:ALA:HB3	1.87	0.56
1:A:404:LYS:NZ	1:A:408:ASP:OD2	2.34	0.55
1:B:430:GLN:HG3	1:B:433:ALA:HB3	1.87	0.55
1:A:360:PHE:HZ	1:A:463:MET:HE1	1.71	0.55
1:B:342:SER:O	1:B:344:GLY:N	2.39	0.53
1:B:380:ASP:OD1	1:B:382:SER:OG	2.22	0.53
1:A:437:GLN:O	1:A:440:THR:HG22	2.09	0.52
1:B:461:THR:O	1:B:463:MET:N	2.39	0.52
1:A:319:LYS:NZ	1:A:474:LYS:HG2	2.24	0.52
1:A:319:LYS:HZ3	1:A:474:LYS:HG2	1.75	0.52
1:A:370:PHE:HB2	1:A:445:ILE:HD11	1.92	0.52
1:B:343:GLU:CB	1:B:345:GLN:H	2.22	0.51
1:A:288:ARG:NH1	1:A:291:GLU:HG2	2.26	0.51
1:B:258:GLY:O	1:B:262:ILE:N	2.41	0.51
1:A:240:LYS:HG2	1:A:241:THR:CG2	2.32	0.51
1:A:396:ASP:OD2	3:A:605:HOH:O	2.19	0.50
1:B:276:GLU:N	3:B:508:HOH:O	2.45	0.50
1:B:359:PRO:HB2	1:B:452:LEU:CD1	2.42	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:327:TYR:CE1	1:B:367:LYS:HE3	2.48	0.49
1:A:290:VAL:O	1:A:294:GLN:HG3	2.12	0.49
1:B:343:GLU:HB3	1:B:345:GLN:H	1.78	0.48
1:A:286:GLN:HG2	2:A:501:QZQ:C37	2.43	0.48
1:B:443:ARG:O	1:B:447:THR:HG23	2.14	0.48
1:A:360:PHE:CZ	1:A:463:MET:HE1	2.48	0.48
1:B:360:PHE:C	1:B:362:ASP:N	2.71	0.48
1:A:325:ILE:HD11	1:A:392:ILE:CG1	2.45	0.47
1:A:350:ARG:NH2	1:A:365:GLU:OE2	2.38	0.47
1:A:357:ARG:NH2	1:A:358:LYS:HE2	2.29	0.47
1:A:244:LYS:N	3:A:609:HOH:O	2.33	0.46
1:B:402:ASN:O	1:B:405:PRO:HD2	2.16	0.46
1:A:433:ALA:O	1:A:437:GLN:HG3	2.16	0.46
1:A:358:LYS:H	1:A:358:LYS:HD3	1.79	0.46
1:B:247:PHE:N	1:B:345:GLN:O	2.47	0.45
1:A:323:HIS:HD2	2:A:501:QZQ:O16	2.00	0.44
1:A:207:GLU:HG3	1:A:209:ALA:H	1.84	0.43
1:A:325:ILE:HD11	1:A:392:ILE:HG13	2.00	0.43
2:A:501:QZQ:O1	2:A:501:QZQ:C20	2.66	0.43
1:B:343:GLU:HG3	1:B:345:GLN:HB2	2.00	0.43
1:A:212:ARG:HA	1:A:212:ARG:HD2	1.85	0.43
1:B:226:PHE:O	3:B:505:HOH:O	2.21	0.43
1:B:343:GLU:CB	1:B:345:GLN:HB2	2.49	0.42
1:A:226:PHE:HA	1:A:227:PRO:HD3	1.92	0.42
1:B:230:LYS:NZ	1:B:379:LEU:O	2.40	0.42
1:A:290:VAL:HG21	1:A:466:HIS:CD2	2.55	0.42
1:A:363:PHE:CZ	1:A:452:LEU:HG	2.54	0.42
1:B:359:PRO:O	1:B:362:ASP:HB2	2.20	0.42
1:A:252:MET:O	1:A:255:LEU:HB3	2.20	0.41
1:B:290:VAL:HG21	1:B:473:TYR:CD1	2.55	0.41
1:B:363:PHE:HB3	1:B:452:LEU:HD21	2.01	0.41
1:A:357:ARG:CD	1:A:358:LYS:H	2.31	0.41
1:B:456:ILE:C	1:B:458:LYS:H	2.27	0.41
1:A:370:PHE:CB	1:A:445:ILE:HD11	2.51	0.41
1:A:226:PHE:CG	1:A:329:MET:HE1	2.56	0.40
1:A:323:HIS:CE1	1:A:472:ILE:HG21	2.57	0.40
1:A:452:LEU:O	1:A:456:ILE:HD13	2.21	0.40
1:A:214:LEU:HD23	1:A:416:ALA:HB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	252/304 (83%)	244 (97%)	7 (3%)	1 (0%)	30	27
1	B	256/304 (84%)	240 (94%)	6 (2%)	10 (4%)	2	1
All	All	508/608 (84%)	484 (95%)	13 (3%)	11 (2%)	5	2

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	237	LEU
1	B	241	THR
1	B	242	THR
1	B	343	GLU
1	B	357	ARG
1	A	239	GLY
1	B	277	VAL
1	B	261	LYS
1	B	263	LYS
1	B	264	PHE
1	B	227	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	229/273 (84%)	218 (95%)	11 (5%)	23	21
1	B	230/273 (84%)	213 (93%)	17 (7%)	13	9

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	459/546 (84%)	431 (94%)	28 (6%)	17	14

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	216	LYS
1	A	245	SER
1	A	256	MET
1	A	262	ILE
1	A	283	GLN
1	A	322	VAL
1	A	336	LYS
1	A	349	THR
1	A	372	VAL
1	A	453	LEU
1	A	461	THR
1	B	242	THR
1	B	254	SER
1	B	268	THR
1	B	276	GLU
1	B	280	ARG
1	B	311	LEU
1	B	341	ILE
1	B	357	ARG
1	B	358	LYS
1	B	373	LYS
1	B	445	ILE
1	B	452	LEU
1	B	456	ILE
1	B	457	LYS
1	B	459	THR
1	B	461	THR
1	B	470	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	444	GLN
1	B	266	HIS
1	B	449	HIS
1	B	451	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	466	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	QZQ	A	501	-	37,37,37	2.51	6 (16%)	60,64,64	3.34	24 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	QZQ	A	501	-	-	2/10/99/99	0/5/5/5

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	QZQ	C26-C25	13.35	1.51	1.32
2	A	501	QZQ	C12-C11	-3.55	1.45	1.52
2	A	501	QZQ	C12-C21	-2.74	1.51	1.54
2	A	501	QZQ	C15-C20	-2.37	1.49	1.53
2	A	501	QZQ	O1-C11	-2.11	1.22	1.30
2	A	501	QZQ	C22-C19	2.09	1.62	1.59

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	QZQ	C01-C21-C20	11.04	131.62	120.11
2	A	501	QZQ	C21-C12-C11	10.82	126.79	113.98
2	A	501	QZQ	C12-C21-C20	-7.94	102.38	112.30
2	A	501	QZQ	C3-C19-C22	6.25	116.18	110.78
2	A	501	QZQ	C24-C26-C25	-6.16	114.66	122.85
2	A	501	QZQ	C28-C27-C22	6.01	123.22	112.85
2	A	501	QZQ	C27-C28-C18	5.69	122.03	111.05
2	A	501	QZQ	C12-C21-C01	4.62	111.56	105.15
2	A	501	QZQ	C15-C13-C14	-3.94	103.51	112.39
2	A	501	QZQ	C02-C07-C01	-3.93	99.35	105.98
2	A	501	QZQ	C07-C01-C21	-3.84	98.94	103.33
2	A	501	QZQ	C34-C19-C3	-3.73	101.70	107.83
2	A	501	QZQ	C19-C20-C21	3.68	116.25	111.50
2	A	501	QZQ	C06-C23-C05	-3.43	103.02	107.70
2	A	501	QZQ	C23-C18-C17	3.20	121.38	115.13
2	A	501	QZQ	C05-C23-C18	-3.20	101.94	111.59
2	A	501	QZQ	C2-C12-C21	-2.98	102.20	109.41
2	A	501	QZQ	C19-C22-C14	2.76	111.75	108.24
2	A	501	QZQ	C15-C20-C21	2.59	117.81	113.49
2	A	501	QZQ	C15-C20-C19	2.54	113.60	110.99
2	A	501	QZQ	C13-C15-C20	2.48	115.75	111.89
2	A	501	QZQ	C02-C12-C21	-2.44	98.69	101.12
2	A	501	QZQ	C02-C12-C11	-2.29	102.47	107.72
2	A	501	QZQ	C21-C01-C04	-2.06	113.14	116.92

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	501	QZQ	C07-C01-C04-C37
2	A	501	QZQ	C07-C01-C04-C36

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	QZQ	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	256/304 (84%)	0.99	36 (14%) 6 5	33, 50, 76, 99	3 (1%)
1	B	260/304 (85%)	1.31	53 (20%) 3 2	35, 55, 97, 120	0
All	All	516/608 (84%)	1.15	89 (17%) 4 3	33, 53, 90, 120	3 (0%)

All (89) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	241	THR	6.8
1	B	363	PHE	6.7
1	A	239	GLY	6.5
1	A	243	ASP	6.3
1	B	238	THR	6.3
1	B	241	THR	6.1
1	B	462	ASP	5.3
1	B	465	LEU	5.2
1	B	466	HIS	5.0
1	B	343	GLU	4.5
1	A	256	MET	4.1
1	B	239	GLY	4.0
1	B	342	SER	4.0
1	B	463	MET	3.9
1	A	359	PRO	3.9
1	B	267	ILE	3.8
1	B	242	THR	3.8
1	B	459	THR	3.7
1	B	455	VAL	3.6
1	B	240	LYS	3.6
1	B	345	GLN	3.6
1	A	262	ILE	3.6
1	A	258	GLY	3.6
1	B	341	ILE	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	257	MET	3.4
1	B	429	SER	3.3
1	A	361	GLY	3.3
1	A	285	CYS	3.3
1	B	260	ASP	3.2
1	A	411	ASP	3.1
1	A	401	LEU	3.0
1	B	237	LEU	2.9
1	A	240	LYS	2.9
1	A	363	PHE	2.9
1	B	209	ALA	2.9
1	A	456	ILE	2.8
1	B	279	ILE	2.8
1	B	353	LEU	2.8
1	B	469	LEU	2.8
1	B	243	ASP	2.7
1	A	461	THR	2.7
1	A	467	PRO	2.7
1	A	252	MET	2.7
1	A	259	GLU	2.7
1	A	290	VAL	2.7
1	A	336	LYS	2.7
1	A	469	LEU	2.7
1	A	472	ILE	2.7
1	A	263	LYS	2.7
1	B	346	GLY	2.7
1	B	212	ARG	2.6
1	B	408	ASP	2.6
1	B	445	ILE	2.6
1	B	264	PHE	2.6
1	A	429	SER	2.6
1	B	352	PHE	2.5
1	B	412	ASN	2.5
1	B	277	VAL	2.5
1	B	266	HIS	2.5
1	B	373	LYS	2.5
1	A	253	ASN	2.5
1	B	247	PHE	2.4
1	B	395	GLY	2.4
1	A	394	SER	2.4
1	A	440	THR	2.4
1	A	471	GLU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	452	LEU	2.3
1	B	473	TYR	2.3
1	B	216	LYS	2.3
1	B	426	PRO	2.3
1	B	461	THR	2.3
1	B	281	ILE	2.2
1	A	280	ARG	2.2
1	B	268	THR	2.2
1	B	359	PRO	2.2
1	B	210	ASP	2.2
1	B	344	GLY	2.2
1	B	213	ALA	2.2
1	A	468	LEU	2.2
1	A	426	PRO	2.1
1	A	357	ARG	2.1
1	B	357	ARG	2.1
1	B	355	SER	2.1
1	A	242	THR	2.1
1	A	286	GLN	2.1
1	B	254	SER	2.1
1	A	291	GLU	2.1
1	B	285	CYS	2.0
1	B	364	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
-----	------	-------	-----	-------	------	-----	-----------------------------	-------

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	QZQ	A	501	33/33	0.68	0.28	59,64,68,69	33

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.