



wwPDB EM Validation Summary Report ⓘ

Jun 23, 2026 – 10:39 AM JST

PDB ID : 6LSR / pdb_00006lsr
EMDB ID : EMD-0963
Title : Cryo-EM structure of a pre-60S ribosomal subunit - state B
Authors : Liang, X.; Zuo, M.; Zhang, Y.; Li, N.; Ma, C.; Dong, M.; Gao, N.
Deposited on : 2020-01-20
Resolution : 3.13 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.13 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.










Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	14478 (2.63 - 3.63)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	477	
2	1	658	
3	2	5070	






Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	3	534	
5	5	120	
6	6	245	
7	8	156	
8	A	217	
9	B	403	
10	C	159	
11	D	427	
12	E	115	
13	F	117	
14	G	266	
15	H	123	
16	I	192	
17	K	105	
18	L	148	
19	M	97	
20	N	178	
21	O	70	
22	P	51	
23	Q	211	
24	S	215	
25	T	125	
26	U	204	
27	V	203	
28	W	106	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	X	92	
30	Y	184	
31	Z	188	
32	a	196	
33	b	176	
34	c	160	
35	d	128	
36	e	140	
37	f	157	
38	g	156	
39	h	145	
40	i	136	
41	l	137	
42	m	257	
43	r	297	
44	t	135	
45	u	110	
46	v	288	
47	w	248	
48	z	394	

2 Entry composition

There are 50 unique types of molecules in this entry. The entry contains 141172 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Zinc finger protein 622.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	0	190	Total	C	N	O	S	0	0
			1537	968	266	287	16		

- Molecule 2 is a protein called Large subunit GTPase 1 homolog.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	1	247	Total	C	N	O	0	0
			988	494	247	247		

- Molecule 3 is a RNA chain called 28S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	2	3482	Total	C	N	O	P	0	0
			74786	33362	13689	24254	3481		

- Molecule 4 is a protein called 60S ribosomal export protein NMD3.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	3	255	Total	C	N	O	S	0	0
			2053	1305	358	373	17		

There are 31 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
3	504	GLY	-	expression tag	UNP Q96D46
3	505	SER	-	expression tag	UNP Q96D46
3	506	GLU	-	expression tag	UNP Q96D46
3	507	ASN	-	expression tag	UNP Q96D46
3	508	LEU	-	expression tag	UNP Q96D46
3	509	TYR	-	expression tag	UNP Q96D46
3	510	PHE	-	expression tag	UNP Q96D46
3	511	GLN	-	expression tag	UNP Q96D46
3	512	GLY	-	expression tag	UNP Q96D46

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
3	513	ASP	-	expression tag	UNP Q96D46
3	514	TYR	-	expression tag	UNP Q96D46
3	515	LYS	-	expression tag	UNP Q96D46
3	516	ASP	-	expression tag	UNP Q96D46
3	517	HIS	-	expression tag	UNP Q96D46
3	518	ASP	-	expression tag	UNP Q96D46
3	519	GLY	-	expression tag	UNP Q96D46
3	520	ASP	-	expression tag	UNP Q96D46
3	521	TYR	-	expression tag	UNP Q96D46
3	522	LYS	-	expression tag	UNP Q96D46
3	523	ASP	-	expression tag	UNP Q96D46
3	524	HIS	-	expression tag	UNP Q96D46
3	525	ASP	-	expression tag	UNP Q96D46
3	526	ILE	-	expression tag	UNP Q96D46
3	527	ASP	-	expression tag	UNP Q96D46
3	528	TYR	-	expression tag	UNP Q96D46
3	529	LYS	-	expression tag	UNP Q96D46
3	530	ASP	-	expression tag	UNP Q96D46
3	531	ASP	-	expression tag	UNP Q96D46
3	532	ASP	-	expression tag	UNP Q96D46
3	533	ASP	-	expression tag	UNP Q96D46
3	534	LYS	-	expression tag	UNP Q96D46

- Molecule 5 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	5	120	Total	C	N	O	P	0	0
			2558	1141	456	842	119		

- Molecule 6 is a protein called Eukaryotic translation initiation factor 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	6	224	Total	C	N	O	S	0	0
			1704	1060	294	339	11		

- Molecule 7 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	8	155	Total	C	N	O	P	0	0
			3294	1471	583	1086	154		

- Molecule 8 is a protein called 60S ribosomal protein L10a.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	A	212	Total	C	N	O	S	0	0
			1708	1092	308	300	8		

- Molecule 9 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	B	402	Total	C	N	O	S	0	0
			3238	2060	608	556	14		

- Molecule 10 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	C	92	Total	C	N	O	S	0	0
			757	471	166	117	3		

- Molecule 11 is a protein called 60S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	D	357	Total	C	N	O	S	0	0
			2846	1791	569	472	14		

- Molecule 12 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	E	94	Total	C	N	O	S	0	0
			732	465	130	131	6		

- Molecule 13 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	F	109	Total	C	N	O	S	0	0
			868	544	179	139	6		

- Molecule 14 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	G	231	Total	C	N	O	S	0	0
			1853	1180	359	310	4		

- Molecule 15 is a protein called 60S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	H	122	Total	C	N	O	S	0	0
			1015	641	205	168	1		

- Molecule 16 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	I	190	Total	C	N	O	S	0	0
			1518	956	284	272	6		

- Molecule 17 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	K	102	Total	C	N	O	S	0	0
			832	521	177	129	5		

- Molecule 18 is a protein called 60S ribosomal protein L27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	L	147	Total	C	N	O	S	0	0
			1162	736	237	186	3		

- Molecule 19 is a protein called 60S ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	M	86	Total	C	N	O	S	0	0
			705	434	155	111	5		

- Molecule 20 is a protein called 60S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	N	162	Total	C	N	O	S	0	0
			1302	823	244	230	5		

- Molecule 21 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	O	68	Total	C	N	O	S	0	0
			559	360	101	97	1		

- Molecule 22 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	P	50	Total	C	N	O	S	0	0
			444	281	98	64	1		

- Molecule 23 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	Q	210	Total	C	N	O	S	0	0
			1701	1064	352	281	4		

- Molecule 24 is a protein called 60S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	S	134	Total	C	N	O	S	0	0
			1103	707	212	177	7		

- Molecule 25 is a protein called 60S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	T	107	Total	C	N	O	S	0	0
			888	560	171	155	2		

- Molecule 26 is a protein called 60S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	U	203	Total	C	N	O	S	0	0
			1701	1072	359	266	4		

- Molecule 27 is a protein called 60S ribosomal protein L13a.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	V	199	Total	C	N	O	S	0	0
			1634	1053	319	257	5		

- Molecule 28 is a protein called 60S ribosomal protein L36a.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	W	105	Total	C	N	O	S	0	0
			862	542	175	139	6		

- Molecule 29 is a protein called 60S ribosomal protein L37a.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	X	91	Total	C	N	O	S	0	0
			708	445	136	120	7		

- Molecule 30 is a protein called 60S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	Y	153	Total	C	N	O	S	0	0
			1242	776	241	216	9		

- Molecule 31 is a protein called 60S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Z	187	Total	C	N	O	S	0	0
			1513	944	314	250	5		

- Molecule 32 is a protein called 60S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	a	145	Total	C	N	O	S	0	0
			1217	759	262	187	9		

- Molecule 33 is a protein called 60S ribosomal protein L18a.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	b	175	Total	C	N	O	S	0	0
			1453	925	283	235	10		

- Molecule 34 is a protein called 60S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	c	157	Total	C	N	O	S	0	0
			1284	815	250	214	5		

- Molecule 35 is a protein called 60S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	d	99	Total	C	N	O	S	0	0
			808	518	141	147	2		

- Molecule 36 is a protein called 60S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	e	129	Total	C	N	O	S	0	0
			969	613	182	169	5		

- Molecule 37 is a protein called 60S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	f	62	Total	C	N	O	S	0	0
			519	332	101	83	3		

- Molecule 38 is a protein called 60S ribosomal protein L23a.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	g	117	Total	C	N	O	S	0	0
			958	612	179	166	1		

- Molecule 39 is a protein called 60S ribosomal protein L26.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	h	134	Total	C	N	O	S	0	0
			1115	700	226	186	3		

- Molecule 40 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	i	135	Total	C	N	O	S	0	0
			1107	714	208	182	3		

- Molecule 41 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	l	125	Total	C	N	O	S	0	0
			1002	622	207	168	5		

- Molecule 42 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	m	248	Total	C	N	O	S	0	0
			1898	1189	389	314	6		

- Molecule 43 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	r	275	Total	C	N	O	S	0	0
			2237	1414	405	404	14		

- Molecule 44 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	t	128	Total	C	N	O	S	0	0
			1053	667	216	165	5		

- Molecule 45 is a protein called 60S ribosomal protein L35a.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	u	109	Total	C	N	O	S	0	0
			876	555	174	144	3		

- Molecule 46 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	v	235	Total	C	N	O	S	0	0
			1897	1217	360	316	4		

- Molecule 47 is a protein called 60S ribosomal protein L7.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	w	225	Total	C	N	O	S	1	0
			1878	1207	361	301	9		

- Molecule 48 is a protein called Proliferation-associated protein 2G4.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	z	354	Total	C	N	O	S	13	0
			2837	1792	483	543	19		

- Molecule 49 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
49	2	236	Total	Mg	0
			236	236	
49	5	3	Total	Mg	0
			3	3	
49	8	1	Total	Mg	0
			1	1	


Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
49	F	1	Total 1	Mg 1	0
49	a	1	Total 1	Mg 1	0
49	c	1	Total 1	Mg 1	0
49	m	2	Total 2	Mg 2	0
49	w	1	Total 1	Mg 1	0

- Molecule 50 is water.

Mol	Chain	Residues	Atoms		AltConf
50	2	7	Total 7	O 7	0








- Molecule 5: 5S rRNA

Chain 5: 




- Molecule 6: Eukaryotic translation initiation factor 6

Chain 6: 




- Molecule 7: 5.8S rRNA

Chain 8: 





- Molecule 8: 60S ribosomal protein L10a


Chain A: 





- Molecule 9: 60S ribosomal protein L3




- Molecule 10: 60S ribosomal protein L29



- Molecule 11: 60S ribosomal protein L4




- Molecule 12: 60S ribosomal protein L30




- Molecule 13: 60S ribosomal protein L34

Chain F: 




- Molecule 14: 60S ribosomal protein L7a

Chain G: 




- Molecule 15: 60S ribosomal protein L35

Chain H: 




- Molecule 16: 60S ribosomal protein L9

Chain I: 




- Molecule 17: 60S ribosomal protein L36

Chain K: 



- Molecule 18: 60S ribosomal protein L27a


Chain L: 



- Molecule 19: 60S ribosomal protein L37




- Molecule 20: 60S ribosomal protein L11




- Molecule 21: 60S ribosomal protein L38



- Molecule 22: 60S ribosomal protein L39




- Molecule 23: 60S ribosomal protein L13



- Molecule 24: 60S ribosomal protein L14

Chain S:  50% 12% 38%




- Molecule 25: 60S ribosomal protein L31

Chain T:  5% 74% 10% 14%



- Molecule 26: 60S ribosomal protein L15

Chain U:  81% 18%




- Molecule 27: 60S ribosomal protein L13a

Chain V:  86% 11%



- Molecule 28: 60S ribosomal protein L36a

Chain W:  9% 79% 20%




- Molecule 29: 60S ribosomal protein L37a


Chain X:  80% 18%




- Molecule 30: 60S ribosomal protein L17




- Molecule 31: 60S ribosomal protein L18




- Molecule 32: 60S ribosomal protein L19



- Molecule 33: 60S ribosomal protein L18a




- Molecule 34: 60S ribosomal protein L21




- Molecule 35: 60S ribosomal protein L22






- Molecule 36: 60S ribosomal protein L23

Chain e: 73% 19% 8%




- Molecule 37: 60S ribosomal protein L24

Chain f: 29% 10% 61%




- Molecule 38: 60S ribosomal protein L23a

Chain g: 67% 8% 25%




- Molecule 39: 60S ribosomal protein L26

Chain h: 74% 18% 8%



- Molecule 40: 60S ribosomal protein L27

Chain i:  85% 15%




- Molecule 41: 60S ribosomal protein L28

Chain l:  79% 12% 9%




- Molecule 42: 60S ribosomal protein L8

Chain m:  84% 12%




- Molecule 43: 60S ribosomal protein L5

Chain r:  6% 77% 15% 7%



- Molecule 44: 60S ribosomal protein L32

Chain t:  80% 15% 5%



- Molecule 45: 60S ribosomal protein L35a

Chain u:  81% 17%

S361	A362	ARG	L301
		THR	L302
LYS	LYS	ARG	Q303
THR	THR	LYS	P304
GLN	GLN	THR	F305
LYS	LYS	LYS	N306
LYS	LYS	LYS	V307
LYS	LYS	LYS	L308
LYS	LYS	LYS	Y309
LYS	LYS	LYS	E310
ALA	ALA	LYS	K311
SER	SER	ALA	E312
THR	THR	SER	G313
THR	THR	THR	E314
GLU	GLU	ALA	F315
ASN	ASN	GLU	V316
ALA	ALA	ASN	A317
THR	THR	ALA	Q318
SER	SER	THR	F319
GLY	GLY	GLU	K320
GLU	GLU	THR	F321
LEU	LEU	GLU	T322
GLU	GLU	GLU	V323
ASN	ASN	GLU	L324
GLU	GLU	ASN	L325
ALA	ALA	GLU	M326
GLY	GLY	ALA	P327
ASP	ASP	GLY	N328
		ASP	G329
			P330
			M331
			R332
			L333
			T334
			S335
			G336
			P337
			F338
			E339
			P340
			D341
			L342
			Y343
			K344
			S345
			E346
			M347
			E348
			V349
			Q350
			L351
			A352
			E353
			L354
			K355
			A356
			L357
			L358
			Q359
			S360

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	18819	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	64	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.551	Depositor
Minimum map value	-0.234	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.014	Depositor
Recommended contour level	0.07	Depositor
Map size (Å)	507.84, 507.84, 507.84	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.058, 1.058, 1.058	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: B8Q, B8W, OMG, 7MG, E7G, OMC, 5MC, A2M, PSU, B9B, UR3, MG, M7A, 2MG, B9H, MHG, 1MA, B8K, B8H, 6MZ, BGH, P4U, P7G, 5MU, B8T, E6G, I4U, OMU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.36	0/1569	0.76	3/2098 (0.1%)
2	1	0.49	0/976	1.01	1/1199 (0.1%)
3	2	0.56	2/81127 (0.0%)	0.52	10/126475 (0.0%)
4	3	0.40	0/2096	0.68	2/2832 (0.1%)
5	5	0.44	0/2858	0.47	0/4455
6	6	0.37	0/1728	0.69	0/2352
7	8	1.58	6/3678 (0.2%)	0.55	3/5728 (0.1%)
8	A	0.41	0/1736	0.90	4/2328 (0.2%)
9	B	0.50	0/3306	0.74	0/4424
10	C	0.36	0/769	0.62	0/1014
11	D	0.54	0/2900	0.70	0/3895
12	E	0.46	0/742	0.68	0/996
13	F	0.50	0/878	0.68	0/1170
14	G	0.44	0/1886	0.67	0/2539
15	H	0.45	0/1023	0.66	0/1351
16	I	0.41	0/1537	0.66	0/2066
17	K	0.41	0/843	0.65	0/1115
18	L	0.54	0/1191	0.61	0/1591
19	M	0.57	0/720	0.81	0/952
20	N	0.35	0/1323	0.75	0/1768
21	O	0.38	0/565	0.62	0/750
22	P	0.57	0/454	0.75	0/599
23	Q	0.48	0/1732	0.67	0/2315
24	S	0.46	0/1125	0.65	0/1505
25	T	0.48	0/903	0.66	0/1216
26	U	0.56	0/1746	0.70	2/2338 (0.1%)
27	V	0.52	0/1666	0.65	1/2228 (0.0%)
28	W	0.46	0/876	0.71	0/1156
29	X	0.50	0/718	0.69	0/953
30	Y	0.52	0/1268	0.65	0/1701
31	Z	0.56	0/1537	0.75	2/2052 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	a	0.46	0/1233	0.62	0/1633
33	b	0.48	0/1493	0.60	0/2003
34	c	0.47	0/1312	0.65	0/1753
35	d	0.41	0/822	0.76	0/1103
36	e	0.46	0/983	0.70	0/1319
37	f	0.40	0/532	0.65	1/708 (0.1%)
38	g	0.47	0/975	0.63	0/1312
39	h	0.49	0/1132	0.69	0/1504
40	i	0.45	0/1130	0.73	0/1507
41	l	0.50	0/1017	0.66	0/1364
42	m	0.55	0/1936	0.77	2/2596 (0.1%)
43	r	0.40	0/2281	0.66	0/3058
44	t	0.55	0/1071	0.70	0/1429
45	u	0.55	0/895	0.72	0/1198
46	v	0.42	0/1935	0.76	2/2596 (0.1%)
47	w	0.51	0/1916	0.69	0/2553
48	z	0.66	0/2911	0.77	0/3913
All	All	0.58	8/149050 (0.0%)	0.60	33/218710 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	1	0	2
8	A	0	3
9	B	0	1
12	E	0	1
20	N	0	1
21	O	0	1
23	Q	0	1
26	U	0	1
30	Y	0	1
34	c	0	1
35	d	0	1
40	i	0	1
41	l	0	1
42	m	0	1
45	u	0	2
46	v	0	2
47	w	0	1
All	All	0	22

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	2	417	G	C2-N2	66.47	2.67	1.34
7	8	16	G	N3-C4	43.38	2.22	1.35
7	8	16	G	C2-N3	42.76	2.18	1.32
7	8	16	G	C6-N1	35.44	2.10	1.39
7	8	16	G	N1-C2	34.78	2.07	1.37

The worst 5 of 33 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	170	GLY	N-CA-C	11.45	128.02	110.96
8	A	172	VAL	N-CA-C	8.19	118.25	110.30
8	A	171	HIS	N-CA-C	8.03	120.88	110.53
3	2	417	G	N1-C2-N3	-7.38	101.76	123.90
8	A	14	VAL	N-CA-C	-7.02	105.88	112.83

There are no chirality outliers.

5 of 22 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	1	502	ARG	Peptide
2	1	503	PRO	Peptide
8	A	158	GLN	Peptide
8	A	46	ASP	Peptide
8	A	82	ILE	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	1537	0	1491	21	0
2	1	988	0	236	0	0
3	2	74786	0	37567	384	0
4	3	2053	0	2058	41	0
5	5	2558	0	1296	13	0
6	6	1704	0	1677	25	0
7	8	3294	0	1674	38	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	A	1708	0	1815	43	0
9	B	3238	0	3376	36	0
10	C	757	0	818	10	0
11	D	2846	0	3017	25	0
12	E	732	0	767	9	0
13	F	868	0	963	12	0
14	G	1853	0	1987	24	0
15	H	1015	0	1148	11	0
16	I	1518	0	1601	19	0
17	K	832	0	917	7	0
18	L	1162	0	1213	13	0
19	M	705	0	739	11	0
20	N	1302	0	1337	20	0
21	O	559	0	624	12	0
22	P	444	0	483	5	0
23	Q	1701	0	1818	24	0
24	S	1103	0	1160	18	0
25	T	888	0	930	8	0
26	U	1701	0	1749	26	0
27	V	1634	0	1778	14	0
28	W	862	0	933	14	0
29	X	708	0	757	13	0
30	Y	1242	0	1268	14	0
31	Z	1513	0	1628	24	0
32	a	1217	0	1339	11	0
33	b	1453	0	1490	14	0
34	c	1284	0	1352	11	0
35	d	808	0	831	13	0
36	e	969	0	1031	18	0
37	f	519	0	533	10	0
38	g	958	0	1027	16	0
39	h	1115	0	1205	18	0
40	i	1107	0	1182	12	0
41	l	1002	0	1068	11	0
42	m	1898	0	1993	17	0
43	r	2237	0	2253	33	0
44	t	1053	0	1147	13	0
45	u	876	0	912	9	0
46	v	1897	0	2046	44	0
47	w	1878	0	2009	19	0
48	z	2837	0	2868	47	0
49	2	236	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
49	5	3	0	0	0	0
49	8	1	0	0	0	0
49	F	1	0	0	0	0
49	a	1	0	0	0	0
49	c	1	0	0	0	0
49	m	2	0	0	0	0
49	w	1	0	0	0	0
50	2	7	0	0	0	0
All	All	141172	0	103111	1031	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 1031 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:2:1860:B8H:C5	3:2:1860:B8H:C4	1.81	1.59
3:2:4296:B8H:C5	3:2:4296:B8H:C4	1.80	1.56
7:8:16:G:C4	7:8:16:G:C5	1.95	1.43
7:8:16:G:C5	7:8:16:G:C6	2.08	1.41
8:A:171:HIS:CD2	8:A:174:MET:HG3	1.53	1.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	184/477 (39%)	158 (86%)	25 (14%)	1 (0%)	24	54
2	1	223/658 (34%)	183 (82%)	40 (18%)	0	100	100
4	3	251/534 (47%)	227 (90%)	23 (9%)	1 (0%)	30	59

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	6	222/245 (91%)	208 (94%)	14 (6%)	0	100	100
8	A	210/217 (97%)	184 (88%)	22 (10%)	4 (2%)	6	24
9	B	400/403 (99%)	372 (93%)	28 (7%)	0	100	100
10	C	88/159 (55%)	84 (96%)	4 (4%)	0	100	100
11	D	355/427 (83%)	326 (92%)	28 (8%)	1 (0%)	36	64
12	E	92/115 (80%)	82 (89%)	10 (11%)	0	100	100
13	F	107/117 (92%)	104 (97%)	3 (3%)	0	100	100
14	G	229/266 (86%)	212 (93%)	17 (7%)	0	100	100
15	H	120/123 (98%)	114 (95%)	6 (5%)	0	100	100
16	I	188/192 (98%)	169 (90%)	19 (10%)	0	100	100
17	K	100/105 (95%)	92 (92%)	7 (7%)	1 (1%)	12	38
18	L	145/148 (98%)	131 (90%)	14 (10%)	0	100	100
19	M	84/97 (87%)	79 (94%)	5 (6%)	0	100	100
20	N	160/178 (90%)	146 (91%)	14 (9%)	0	100	100
21	O	66/70 (94%)	64 (97%)	2 (3%)	0	100	100
22	P	48/51 (94%)	45 (94%)	3 (6%)	0	100	100
23	Q	208/211 (99%)	188 (90%)	20 (10%)	0	100	100
24	S	132/215 (61%)	125 (95%)	7 (5%)	0	100	100
25	T	105/125 (84%)	96 (91%)	9 (9%)	0	100	100
26	U	201/204 (98%)	190 (94%)	9 (4%)	2 (1%)	12	38
27	V	197/203 (97%)	189 (96%)	8 (4%)	0	100	100
28	W	103/106 (97%)	95 (92%)	8 (8%)	0	100	100
29	X	89/92 (97%)	85 (96%)	4 (4%)	0	100	100
30	Y	151/184 (82%)	140 (93%)	11 (7%)	0	100	100
31	Z	185/188 (98%)	174 (94%)	11 (6%)	0	100	100
32	a	143/196 (73%)	136 (95%)	7 (5%)	0	100	100
33	b	173/176 (98%)	163 (94%)	10 (6%)	0	100	100
34	c	155/160 (97%)	145 (94%)	9 (6%)	1 (1%)	21	50
35	d	97/128 (76%)	87 (90%)	10 (10%)	0	100	100
36	e	127/140 (91%)	119 (94%)	8 (6%)	0	100	100
37	f	60/157 (38%)	57 (95%)	3 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
38	g	115/156 (74%)	104 (90%)	11 (10%)	0	100	100
39	h	132/145 (91%)	123 (93%)	9 (7%)	0	100	100
40	i	133/136 (98%)	125 (94%)	7 (5%)	1 (1%)	16	44
41	l	123/137 (90%)	116 (94%)	6 (5%)	1 (1%)	16	44
42	m	246/257 (96%)	221 (90%)	24 (10%)	1 (0%)	30	59
43	r	273/297 (92%)	252 (92%)	21 (8%)	0	100	100
44	t	126/135 (93%)	115 (91%)	11 (9%)	0	100	100
45	u	107/110 (97%)	97 (91%)	8 (8%)	2 (2%)	6	24
46	v	231/288 (80%)	206 (89%)	24 (10%)	1 (0%)	30	59
47	w	224/248 (90%)	211 (94%)	13 (6%)	0	100	100
48	z	363/394 (92%)	354 (98%)	9 (2%)	0	100	100
All	All	7471/9370 (80%)	6893 (92%)	561 (8%)	17 (0%)	44	70

5 of 17 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
46	v	226	ARG
4	3	331	ALA
8	A	28	PHE
8	A	159	MET
8	A	169	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	165/404 (41%)	164 (99%)	1 (1%)	78	80
4	3	235/485 (48%)	231 (98%)	4 (2%)	53	70
6	6	194/213 (91%)	194 (100%)	0	100	100
8	A	191/196 (97%)	186 (97%)	5 (3%)	40	64
9	B	348/349 (100%)	340 (98%)	8 (2%)	44	66

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
10	C	77/126 (61%)	77 (100%)	0	100	100
11	D	298/348 (86%)	297 (100%)	1 (0%)	86	85
12	E	79/97 (81%)	76 (96%)	3 (4%)	29	56
13	F	94/100 (94%)	93 (99%)	1 (1%)	65	75
14	G	195/223 (87%)	193 (99%)	2 (1%)	68	76
15	H	109/110 (99%)	109 (100%)	0	100	100
16	I	169/171 (99%)	166 (98%)	3 (2%)	51	69
17	K	86/89 (97%)	85 (99%)	1 (1%)	63	74
18	L	120/121 (99%)	119 (99%)	1 (1%)	73	78
19	M	73/80 (91%)	72 (99%)	1 (1%)	59	72
20	N	136/149 (91%)	132 (97%)	4 (3%)	37	61
21	O	63/65 (97%)	63 (100%)	0	100	100
22	P	47/48 (98%)	47 (100%)	0	100	100
23	Q	176/177 (99%)	176 (100%)	0	100	100
24	S	114/161 (71%)	113 (99%)	1 (1%)	70	77
25	T	98/110 (89%)	96 (98%)	2 (2%)	48	68
26	U	171/172 (99%)	171 (100%)	0	100	100
27	V	171/174 (98%)	167 (98%)	4 (2%)	44	66
28	W	93/94 (99%)	93 (100%)	0	100	100
29	X	74/75 (99%)	73 (99%)	1 (1%)	59	72
30	Y	134/163 (82%)	133 (99%)	1 (1%)	76	79
31	Z	164/165 (99%)	161 (98%)	3 (2%)	51	69
32	a	131/175 (75%)	131 (100%)	0	100	100
33	b	156/157 (99%)	152 (97%)	4 (3%)	40	64
34	c	138/140 (99%)	137 (99%)	1 (1%)	76	79
35	d	89/115 (77%)	89 (100%)	0	100	100
36	e	100/107 (94%)	98 (98%)	2 (2%)	48	68
37	f	54/126 (43%)	53 (98%)	1 (2%)	50	69
38	g	105/133 (79%)	105 (100%)	0	100	100
39	h	124/135 (92%)	124 (100%)	0	100	100
40	i	117/118 (99%)	117 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
41	l	109/121 (90%)	106 (97%)	3 (3%)	38	62
42	m	190/199 (96%)	185 (97%)	5 (3%)	40	64
43	r	232/250 (93%)	231 (100%)	1 (0%)	84	84
44	t	114/121 (94%)	112 (98%)	2 (2%)	51	69
45	u	88/89 (99%)	86 (98%)	2 (2%)	44	66
46	v	208/252 (82%)	205 (99%)	3 (1%)	59	72
47	w	195/215 (91%)	193 (99%)	2 (1%)	68	76
48	z	316/336 (94%)	314 (99%)	2 (1%)	78	80
All	All	6340/7454 (85%)	6265 (99%)	75 (1%)	61	74

5 of 75 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
41	l	78	VAL
47	w	70[A]	ARG
42	m	45	VAL
44	t	45	VAL
14	G	211	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 117 such sidechains are listed below:

Mol	Chain	Res	Type
22	P	25	GLN
47	w	63	GLN
28	W	18	HIS
47	w	24	ASN
43	r	57	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
3	2	3464/5070 (68%)	917 (26%)	23 (0%)
5	5	119/120 (99%)	20 (16%)	0
7	8	153/156 (98%)	35 (22%)	0
All	All	3736/5346 (69%)	972 (26%)	23 (0%)

5 of 972 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
3	2	2	G
3	2	10	A
3	2	18	C
3	2	25	A
3	2	39	A

5 of 23 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
3	2	3614	G
3	2	4378	A
3	2	3788	C
3	2	4600	G
3	2	1633	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

98 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	B8T	2	4671	3	19,22,23	3.27	8 (42%)	26,31,34	1.12	1 (3%)
3	B8K	2	3897	3	24,28,29	4.32	16 (66%)	30,42,45	2.51	12 (40%)
3	A2M	2	2363	3,49	22,25,26	3.60	10 (45%)	31,36,39	2.70	11 (35%)
3	OMU	2	4306	3	19,22,23	2.75	7 (36%)	26,31,34	1.74	5 (19%)
3	A2M	2	1871	3	22,25,26	3.54	10 (45%)	31,36,39	2.44	9 (29%)
3	OMG	2	4196	3	23,26,27	2.37	8 (34%)	33,38,41	1.88	8 (24%)
3	PSU	2	1582	3	18,21,22	1.07	1 (5%)	22,30,33	1.76	4 (18%)
3	PSU	2	4628	3	18,21,22	0.99	1 (5%)	22,30,33	1.87	4 (18%)
3	PSU	2	4500	3	18,21,22	1.09	3 (16%)	22,30,33	1.99	5 (22%)
3	A2M	2	4523	3	22,25,26	3.51	10 (45%)	31,36,39	2.54	12 (38%)
3	B8W	2	2380	3	23,26,27	3.66	10 (43%)	33,38,41	2.58	12 (36%)
3	OMU	2	4620	3	19,22,23	2.82	8 (42%)	26,31,34	2.02	8 (30%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	P7G	2	3880	3	24,28,29	4.22	11 (45%)	27,41,44	1.71	5 (18%)
3	B9B	2	237	3	25,28,29	3.47	12 (48%)	35,40,43	2.51	13 (37%)
3	A2M	2	398	3	22,25,26	3.44	9 (40%)	31,36,39	2.56	8 (25%)
3	BGH	2	3899	3	25,29,30	4.17	16 (64%)	31,43,46	2.53	12 (38%)
3	PSU	2	4450	3	18,21,22	1.07	2 (11%)	22,30,33	2.02	5 (22%)
3	I4U	2	4194	3	21,24,25	4.84	16 (76%)	27,34,37	1.60	6 (22%)
3	PSU	2	1683	3	18,21,22	1.13	1 (5%)	22,30,33	1.84	3 (13%)
3	OMG	2	373	3	23,26,27	2.19	7 (30%)	33,38,41	1.83	8 (24%)
3	E6G	2	4355	3	24,27,28	3.59	11 (45%)	34,39,42	2.59	14 (41%)
3	B8H	2	4296	3	19,22,23	6.83	7 (36%)	22,32,35	2.40	5 (22%)
3	1MA	2	1322	3,49	21,25,26	2.68	6 (28%)	31,37,40	1.80	6 (19%)
3	PSU	2	4636	3	18,21,22	1.17	3 (16%)	22,30,33	1.95	4 (18%)
3	PSU	2	3715	3	18,21,22	1.04	1 (5%)	22,30,33	1.49	3 (13%)
3	B8T	2	4483	3	19,22,23	3.47	8 (42%)	26,31,34	0.84	1 (3%)
3	5MU	2	4083	3	19,22,23	4.68	7 (36%)	28,32,35	3.85	10 (35%)
3	UR3	2	4597	3	19,22,23	2.78	6 (31%)	26,32,35	1.24	2 (7%)
3	5MC	2	4335	3	18,22,23	3.29	7 (38%)	26,32,35	1.16	2 (7%)
3	B9H	2	2786	3	20,25,26	2.69	5 (25%)	22,35,38	2.62	7 (31%)
3	OMC	2	2365	3,49	19,22,23	2.69	7 (36%)	26,31,34	0.72	0
3	OMC	2	2804	3	19,22,23	2.64	7 (36%)	26,31,34	0.81	0
3	OMG	2	1316	3,49	23,26,27	2.30	9 (39%)	33,38,41	1.99	10 (30%)
3	2MG	2	729	3	23,26,27	2.71	7 (30%)	32,38,41	2.23	8 (25%)
3	P4U	2	1348	3	21,24,25	3.50	8 (38%)	27,33,36	1.14	2 (7%)
3	OMG	2	1522	3	23,26,27	2.29	6 (26%)	33,38,41	1.86	10 (30%)
3	OMG	2	4370	3	23,26,27	2.23	8 (34%)	33,38,41	1.81	8 (24%)
3	OMG	2	1625	3,49	23,26,27	2.22	7 (30%)	33,38,41	1.93	8 (24%)
3	B9B	2	1574	3	25,28,29	3.56	12 (48%)	35,40,43	2.35	14 (40%)
3	PSU	2	2508	3	18,21,22	1.03	1 (5%)	22,30,33	1.58	3 (13%)
3	5MC	2	3782	3,49	18,22,23	3.31	7 (38%)	26,32,35	1.15	3 (11%)
3	OMC	2	3887	3	19,22,23	2.84	7 (36%)	26,31,34	1.00	1 (3%)
3	7MG	2	1605	3	22,26,27	2.99	10 (45%)	29,39,42	2.04	9 (31%)
3	UR3	2	4530	3	19,22,23	2.75	7 (36%)	26,32,35	1.45	5 (19%)
3	E7G	2	1797	3	24,27,28	3.54	11 (45%)	30,40,43	2.21	9 (30%)
3	B8W	2	4529	3	23,26,27	3.89	10 (43%)	33,38,41	3.30	16 (48%)
3	7MG	2	4550	3	22,26,27	3.11	10 (45%)	29,39,42	2.05	10 (34%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	B9B	2	2754	3	25,28,29	3.46	11 (44%)	35,40,43	2.34	12 (34%)
3	PSU	2	4442	3	18,21,22	1.20	1 (5%)	22,30,33	1.65	4 (18%)
3	OMG	2	4623	3	23,26,27	2.25	8 (34%)	33,38,41	1.85	9 (27%)
3	PSU	2	4403	3	18,21,22	1.07	1 (5%)	22,30,33	1.57	5 (22%)
3	B8H	2	1860	3	19,22,23	6.84	7 (36%)	22,32,35	2.50	5 (22%)
3	OMG	2	4494	3	23,26,27	2.22	8 (34%)	33,38,41	1.93	8 (24%)
3	B8W	2	4129	3	23,26,27	3.76	8 (34%)	33,38,41	3.06	14 (42%)
3	OMG	2	2050	3	23,26,27	2.23	7 (30%)	33,38,41	1.90	8 (24%)
3	OMG	2	4637	3	23,26,27	2.28	6 (26%)	33,38,41	1.98	7 (21%)
3	A2M	2	1524	3	22,25,26	3.51	10 (45%)	31,36,39	2.70	13 (41%)
3	B8W	2	4472	3	23,26,27	3.73	9 (39%)	33,38,41	2.43	12 (36%)
3	2MG	2	4872	3	23,26,27	2.55	8 (34%)	32,38,41	2.26	12 (37%)
3	B8K	2	4690	3	24,28,29	4.33	16 (66%)	30,42,45	2.55	12 (40%)
3	PSU	2	3729	3	18,21,22	1.03	2 (11%)	22,30,33	1.74	4 (18%)
3	PSU	2	4531	3	18,21,22	1.04	1 (5%)	22,30,33	1.83	4 (18%)
3	B8W	2	4185	3	23,26,27	3.70	10 (43%)	33,38,41	2.63	13 (39%)
3	2MG	2	978	3	23,26,27	2.68	9 (39%)	32,38,41	2.29	10 (31%)
3	OMG	2	2773	3	23,26,27	2.34	9 (39%)	33,38,41	1.89	9 (27%)
3	P7G	2	1909	3	24,28,29	4.26	11 (45%)	27,41,44	1.76	3 (11%)
3	A2M	2	1534	3,49	22,25,26	3.59	11 (50%)	31,36,39	2.64	12 (38%)
3	5MC	2	4447	3,49	18,22,23	3.17	7 (38%)	26,32,35	1.67	2 (7%)
3	OMG	2	4870	3	23,26,27	2.39	9 (39%)	33,38,41	2.04	11 (33%)
3	OMC	2	3869	3	19,22,23	2.74	7 (36%)	26,31,34	0.75	0
3	OMG	2	1883	3	23,26,27	2.24	6 (26%)	33,38,41	1.84	8 (24%)
3	A2M	2	3723	3	22,25,26	3.55	11 (50%)	31,36,39	2.43	9 (29%)
3	A2M	2	1326	3,49	22,25,26	3.46	9 (40%)	31,36,39	2.53	9 (29%)
3	MHG	2	4371	3	29,32,33	3.68	12 (41%)	34,46,49	2.20	10 (29%)
3	E7G	2	2297	3	24,27,28	3.43	11 (45%)	30,40,43	2.17	9 (30%)
3	OMG	2	3792	3	23,26,27	2.25	7 (30%)	33,38,41	1.82	8 (24%)
3	UR3	2	1866	3	19,22,23	3.01	6 (31%)	26,32,35	1.65	4 (15%)
3	OMG	2	2364	3	23,26,27	2.14	7 (30%)	33,38,41	1.94	9 (27%)
3	A2M	2	3825	3	22,25,26	3.54	10 (45%)	31,36,39	2.55	9 (29%)
3	PSU	2	4293	3	18,21,22	1.12	2 (11%)	22,30,33	1.76	4 (18%)
3	OMG	2	2424	3,49	23,26,27	2.34	8 (34%)	33,38,41	1.82	7 (21%)
3	PSU	2	1677	3	18,21,22	1.31	3 (16%)	22,30,33	2.08	5 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	A2M	2	2401	3	22,25,26	3.48	10 (45%)	31,36,39	2.58	9 (29%)
3	A2M	2	3718	3	22,25,26	3.52	10 (45%)	31,36,39	2.52	10 (32%)
3	A2M	2	3867	3	22,25,26	3.50	10 (45%)	31,36,39	2.49	9 (29%)
3	M7A	2	4564	3	20,25,26	1.90	4 (20%)	28,37,40	3.91	7 (25%)
3	OMC	2	2861	3	19,22,23	2.76	7 (36%)	26,31,34	0.66	0
3	OMC	2	3701	3,49	19,22,23	2.61	8 (42%)	26,31,34	0.95	1 (3%)
3	I4U	2	1659	3,49	21,24,25	4.57	15 (71%)	27,34,37	1.31	3 (11%)
3	B8Q	2	1456	3	17,22,23	2.85	4 (23%)	22,32,35	2.24	6 (27%)
3	2MG	2	1517	3	23,26,27	2.64	8 (34%)	32,38,41	2.79	9 (28%)
3	OMC	2	2422	3,49	19,22,23	2.76	7 (36%)	26,31,34	1.43	3 (11%)
3	OMC	2	3909	3	19,22,23	2.96	8 (42%)	26,31,34	1.44	4 (15%)
3	OMC	2	4536	3	19,22,23	2.73	7 (36%)	26,31,34	0.75	0
3	A2M	2	4571	3	22,25,26	3.63	11 (50%)	31,36,39	2.46	10 (32%)
3	A2M	2	3785	3	22,25,26	3.45	10 (45%)	31,36,39	2.76	12 (38%)
3	6MZ	2	4220	3	22,25,26	2.52	4 (18%)	30,36,39	3.47	11 (36%)
3	7MG	2	2522	3	22,26,27	3.14	10 (45%)	29,39,42	2.01	7 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '–' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	B8T	2	4671	3	–	0/7/27/28	0/2/2/2
3	B8K	2	3897	3	–	3/11/41/42	0/3/3/3
3	A2M	2	2363	3,49	–	0/9/27/28	0/3/3/3
3	OMU	2	4306	3	–	1/9/27/28	0/2/2/2
3	A2M	2	1871	3	–	2/9/27/28	0/3/3/3
3	OMG	2	4196	3	–	2/9/27/28	0/3/3/3
3	PSU	2	1582	3	–	0/7/25/26	0/2/2/2
3	PSU	2	4628	3	–	0/7/25/26	0/2/2/2
3	PSU	2	4500	3	–	3/7/25/26	0/2/2/2
3	A2M	2	4523	3	–	2/9/27/28	0/3/3/3
3	B8W	2	2380	3	–	4/9/27/28	0/3/3/3
3	OMU	2	4620	3	–	1/9/27/28	0/2/2/2
3	P7G	2	3880	3	–	4/10/40/41	0/3/3/3
3	B9B	2	237	3	–	5/11/29/30	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	A2M	2	398	3	-	2/9/27/28	0/3/3/3
3	BGH	2	3899	3	-	0/13/43/44	0/3/3/3
3	PSU	2	4450	3	-	5/7/25/26	0/2/2/2
3	I4U	2	4194	3	-	0/9/29/30	0/2/2/2
3	PSU	2	1683	3	-	0/7/25/26	0/2/2/2
3	OMG	2	373	3	-	1/9/27/28	0/3/3/3
3	E6G	2	4355	3	-	5/10/28/29	0/3/3/3
3	B8H	2	4296	3	-	2/7/25/26	0/2/2/2
3	1MA	2	1322	3,49	-	1/7/25/26	0/3/3/3
3	PSU	2	4636	3	-	4/7/25/26	0/2/2/2
3	PSU	2	3715	3	-	0/7/25/26	0/2/2/2
3	B8T	2	4483	3	-	0/7/27/28	0/2/2/2
3	5MU	2	4083	3	-	0/7/25/26	0/2/2/2
3	UR3	2	4597	3	-	0/7/25/26	0/2/2/2
3	5MC	2	4335	3	-	0/7/25/26	0/2/2/2
3	B9H	2	2786	3	-	2/12/47/48	0/2/2/2
3	OMC	2	2365	3,49	-	0/9/27/28	0/2/2/2
3	OMC	2	2804	3	-	0/9/27/28	0/2/2/2
3	OMG	2	1316	3,49	-	0/9/27/28	0/3/3/3
3	2MG	2	729	3	-	2/9/27/28	0/3/3/3
3	P4U	2	1348	3	-	1/10/29/30	0/2/2/2
3	OMG	2	1522	3	-	0/9/27/28	0/3/3/3
3	OMG	2	4370	3	-	1/9/27/28	0/3/3/3
3	OMG	2	1625	3,49	-	2/9/27/28	0/3/3/3
3	B9B	2	1574	3	-	3/11/29/30	0/3/3/3
3	PSU	2	2508	3	-	0/7/25/26	0/2/2/2
3	5MC	2	3782	3,49	-	0/7/25/26	0/2/2/2
3	OMC	2	3887	3	-	1/9/27/28	0/2/2/2
3	7MG	2	1605	3	-	0/7/37/38	0/3/3/3
3	UR3	2	4530	3	-	1/7/25/26	0/2/2/2
3	E7G	2	1797	3	-	2/9/39/40	0/3/3/3
3	B8W	2	4529	3	-	2/9/27/28	0/3/3/3
3	7MG	2	4550	3	-	2/7/37/38	0/3/3/3
3	B9B	2	2754	3	-	5/11/29/30	0/3/3/3
3	PSU	2	4442	3	-	0/7/25/26	0/2/2/2
3	OMG	2	4623	3	-	0/9/27/28	0/3/3/3
3	PSU	2	4403	3	-	5/7/25/26	0/2/2/2
3	B8H	2	1860	3	-	2/7/25/26	0/2/2/2
3	OMG	2	4494	3	-	1/9/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	B8W	2	4129	3	-	2/9/27/28	0/3/3/3
3	OMG	2	2050	3	-	0/9/27/28	0/3/3/3
3	OMG	2	4637	3	-	2/9/27/28	0/3/3/3
3	A2M	2	1524	3	-	3/9/27/28	0/3/3/3
3	B8W	2	4472	3	-	4/9/27/28	0/3/3/3
3	2MG	2	4872	3	-	2/9/27/28	0/3/3/3
3	B8K	2	4690	3	-	0/11/41/42	0/3/3/3
3	PSU	2	3729	3	-	2/7/25/26	0/2/2/2
3	PSU	2	4531	3	-	1/7/25/26	0/2/2/2
3	B8W	2	4185	3	-	2/9/27/28	0/3/3/3
3	2MG	2	978	3	-	2/9/27/28	0/3/3/3
3	OMG	2	2773	3	-	2/9/27/28	0/3/3/3
3	P7G	2	1909	3	-	3/10/40/41	0/3/3/3
3	A2M	2	1534	3,49	-	2/9/27/28	0/3/3/3
3	5MC	2	4447	3,49	-	4/7/25/26	0/2/2/2
3	OMG	2	4870	3	-	3/9/27/28	0/3/3/3
3	OMC	2	3869	3	-	0/9/27/28	0/2/2/2
3	OMG	2	1883	3	-	2/9/27/28	0/3/3/3
3	A2M	2	3723	3	-	0/9/27/28	0/3/3/3
3	A2M	2	1326	3,49	-	1/9/27/28	0/3/3/3
3	MHG	2	4371	3	-	8/16/46/47	0/3/3/3
3	E7G	2	2297	3	-	3/9/39/40	0/3/3/3
3	OMG	2	3792	3	-	0/9/27/28	0/3/3/3
3	UR3	2	1866	3	-	2/7/25/26	0/2/2/2
3	OMG	2	2364	3	-	2/9/27/28	0/3/3/3
3	A2M	2	3825	3	-	1/9/27/28	0/3/3/3
3	PSU	2	4293	3	-	0/7/25/26	0/2/2/2
3	OMG	2	2424	3,49	-	2/9/27/28	0/3/3/3
3	PSU	2	1677	3	-	4/7/25/26	0/2/2/2
3	A2M	2	2401	3	-	2/9/27/28	0/3/3/3
3	A2M	2	3718	3	-	0/9/27/28	0/3/3/3
3	A2M	2	3867	3	-	2/9/27/28	0/3/3/3
3	M7A	2	4564	3	-	0/7/37/38	0/3/3/3
3	OMC	2	2861	3	-	0/9/27/28	0/2/2/2
3	OMC	2	3701	3,49	-	4/9/27/28	0/2/2/2
3	I4U	2	1659	3,49	-	3/9/29/30	0/2/2/2
3	B8Q	2	1456	3	-	0/7/42/43	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	2MG	2	1517	3	-	1/9/27/28	0/3/3/3
3	OMC	2	2422	3,49	-	2/9/27/28	0/2/2/2
3	OMC	2	3909	3	-	2/9/27/28	0/2/2/2
3	OMC	2	4536	3	-	0/9/27/28	0/2/2/2
3	A2M	2	4571	3	-	0/9/27/28	0/3/3/3
3	A2M	2	3785	3	-	3/9/27/28	0/3/3/3
3	6MZ	2	4220	3	-	2/9/27/28	0/3/3/3
3	7MG	2	2522	3	-	0/7/37/38	0/3/3/3

The worst 5 of 762 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	2	1860	B8H	C6-C5	-16.87	1.11	1.34
3	2	4296	B8H	C6-C5	-16.85	1.11	1.34
3	2	4296	B8H	C4-N3	-16.48	1.08	1.38
3	2	1860	B8H	C4-N3	-16.25	1.08	1.38
3	2	1860	B8H	C4-C5	12.98	1.81	1.44

The worst 5 of 702 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	2	4564	M7A	C5-C6-N6	13.91	147.49	123.74
3	2	4083	5MU	C5-C4-N3	12.98	126.39	115.31
3	2	4564	M7A	N6-C6-N1	-11.44	93.29	118.35
3	2	4220	6MZ	C4-N9-C1'	-10.12	102.49	126.59
3	2	4220	6MZ	C1'-N9-C8	9.82	149.30	127.14

There are no chirality outliers.

5 of 159 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	2	237	B9B	C5-C6-O6-C61
3	2	237	B9B	N1-C6-O6-C61
3	2	237	B9B	O4'-C4'-C5'-O5'
3	2	1348	P4U	N3-C4-O4-C41
3	2	1574	B9B	C5-C6-O6-C61

There are no ring outliers.

29 monomers are involved in 35 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	2	3897	B8K	1	0
3	2	2363	A2M	1	0
3	2	4306	OMU	2	0
3	2	1871	A2M	1	0
3	2	4196	OMG	1	0
3	2	4523	A2M	1	0
3	2	2380	B8W	2	0
3	2	4620	OMU	1	0
3	2	3899	BGH	2	0
3	2	4296	B8H	1	0
3	2	4370	OMG	1	0
3	2	1605	7MG	1	0
3	2	4529	B8W	1	0
3	2	4442	PSU	2	0
3	2	1860	B8H	1	0
3	2	4129	B8W	1	0
3	2	4637	OMG	1	0
3	2	1524	A2M	1	0
3	2	4472	B8W	1	0
3	2	4690	B8K	2	0
3	2	4185	B8W	1	0
3	2	2773	OMG	1	0
3	2	4447	5MC	1	0
3	2	3723	A2M	2	0
3	2	1326	A2M	1	0
3	2	3718	A2M	1	0
3	2	2422	OMC	1	0
3	2	4571	A2M	1	0
3	2	2522	7MG	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 246 ligands modelled in this entry, 246 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-0963. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 253



Y Index: 201




Z Index: 251


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.07. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1084 nm^3 ; this corresponds to an approximate mass of 979 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.319 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-0963 and PDB model 6LSR. Per-residue inclusion information can be found in section [3](#) on page [14](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.07 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.07).

9.4 Atom inclusion ⓘ



At the recommended contour level, 82% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.07) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8380	 0.5320
0	 0.5020	 0.4460
1	 0.3130	 0.2480
2	 0.8730	 0.5340
3	 0.8300	 0.5350
5	 0.9430	 0.5660
6	 0.6740	 0.4860
8	 0.9210	 0.5590
A	 0.3870	 0.3470
B	 0.8710	 0.5770
C	 0.8140	 0.5190
D	 0.9140	 0.5890
E	 0.8010	 0.5350
F	 0.8950	 0.5820
G	 0.8060	 0.5430
H	 0.8470	 0.5710
I	 0.8080	 0.5500
K	 0.8300	 0.5470
L	 0.9340	 0.6080
M	 0.9520	 0.6010
N	 0.6780	 0.4610
O	 0.7510	 0.5350
P	 0.9290	 0.5950
Q	 0.8430	 0.5670
S	 0.8770	 0.5680
T	 0.8440	 0.5730
U	 0.9590	 0.6120
V	 0.9130	 0.5880
W	 0.8450	 0.5550
X	 0.8470	 0.5610
Y	 0.9100	 0.5940
Z	 0.9320	 0.5970
a	 0.8980	 0.5770
b	 0.9210	 0.5870
c	 0.8710	 0.5710



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
d	 0.7220	 0.4980
e	 0.8810	 0.5780
f	 0.8120	 0.5590
g	 0.8690	 0.5640
h	 0.8770	 0.5760
i	 0.8160	 0.5560
l	 0.8990	 0.5810
m	 0.9320	 0.5970
r	 0.7870	 0.5330
t	 0.9350	 0.5980
u	 0.9530	 0.6020
v	 0.7760	 0.5240
w	 0.9040	 0.5830
z	 0.0120	 0.0190