



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 09:08 PM UTC

PDB ID : 7LS0 / pdb_00007ls0
Title : Structure of the Human ALK GRD bound to AUG
Authors : Stayrook, S.; Li, T.; Klein, D.E.
Deposited on : 2021-02-17
Resolution : 3.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2469 (3.10-3.02)
Clashscore	190562	2569 (3.10-3.02)
Ramachandran outliers	187476	2424 (3.10-3.02)
Sidechain outliers	187428	2423 (3.10-3.02)
RSRZ outliers	180081	2469 (3.10-3.02)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	451	0% 70% 10% • 20%
1	B	451	2% 67% 12% • 20%
1	C	451	2% 66% 13% • 20%
1	D	451	69% 10% 20%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 10672 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALK tyrosine kinase receptor fused with ALK and LTK ligand 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	361	Total	C	N	O	S	0	0	0
			2658	1656	479	505	18			
1	B	362	Total	C	N	O	S	0	0	0
			2658	1654	479	507	18			
1	C	362	Total	C	N	O	S	0	0	0
			2662	1658	478	508	18			
1	D	361	Total	C	N	O	S	0	0	0
			2654	1653	477	507	17			

There are 120 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	663	GLY	-	expression tag	UNP Q9UM73
A	664	HIS	-	expression tag	UNP Q9UM73
A	665	HIS	-	expression tag	UNP Q9UM73
A	666	HIS	-	expression tag	UNP Q9UM73
A	667	HIS	-	expression tag	UNP Q9UM73
A	668	HIS	-	expression tag	UNP Q9UM73
A	669	HIS	-	expression tag	UNP Q9UM73
A	670	HIS	-	expression tag	UNP Q9UM73
A	671	HIS	-	expression tag	UNP Q9UM73
A	672	ILE	-	expression tag	UNP Q9UM73
A	673	GLU	-	expression tag	UNP Q9UM73
A	674	GLY	-	expression tag	UNP Q9UM73
A	675	ARG	-	expression tag	UNP Q9UM73
A	676	SER	-	expression tag	UNP Q9UM73
A	677	LEU	-	expression tag	UNP Q9UM73
A	1031	GLY	-	linker	UNP Q9UM73
A	1032	GLY	-	linker	UNP Q9UM73
A	1033	SER	-	linker	UNP Q9UM73
A	1034	GLY	-	linker	UNP Q9UM73
A	1035	GLY	-	linker	UNP Q9UM73

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1036	SER	-	linker	UNP Q9UM73
A	1037	GLY	-	linker	UNP Q9UM73
A	1038	GLY	-	linker	UNP Q9UM73
A	1039	SER	-	linker	UNP Q9UM73
A	1040	GLY	-	linker	UNP Q9UM73
A	1041	GLY	-	linker	UNP Q9UM73
A	1042	SER	-	linker	UNP Q9UM73
A	1043	GLY	-	linker	UNP Q9UM73
A	1044	GLY	-	linker	UNP Q9UM73
A	1045	ALA	-	linker	UNP Q9UM73
B	663	GLY	-	expression tag	UNP Q9UM73
B	664	HIS	-	expression tag	UNP Q9UM73
B	665	HIS	-	expression tag	UNP Q9UM73
B	666	HIS	-	expression tag	UNP Q9UM73
B	667	HIS	-	expression tag	UNP Q9UM73
B	668	HIS	-	expression tag	UNP Q9UM73
B	669	HIS	-	expression tag	UNP Q9UM73
B	670	HIS	-	expression tag	UNP Q9UM73
B	671	HIS	-	expression tag	UNP Q9UM73
B	672	ILE	-	expression tag	UNP Q9UM73
B	673	GLU	-	expression tag	UNP Q9UM73
B	674	GLY	-	expression tag	UNP Q9UM73
B	675	ARG	-	expression tag	UNP Q9UM73
B	676	SER	-	expression tag	UNP Q9UM73
B	677	LEU	-	expression tag	UNP Q9UM73
B	1031	GLY	-	linker	UNP Q9UM73
B	1032	GLY	-	linker	UNP Q9UM73
B	1033	SER	-	linker	UNP Q9UM73
B	1034	GLY	-	linker	UNP Q9UM73
B	1035	GLY	-	linker	UNP Q9UM73
B	1036	SER	-	linker	UNP Q9UM73
B	1037	GLY	-	linker	UNP Q9UM73
B	1038	GLY	-	linker	UNP Q9UM73
B	1039	SER	-	linker	UNP Q9UM73
B	1040	GLY	-	linker	UNP Q9UM73
B	1041	GLY	-	linker	UNP Q9UM73
B	1042	SER	-	linker	UNP Q9UM73
B	1043	GLY	-	linker	UNP Q9UM73
B	1044	GLY	-	linker	UNP Q9UM73
B	1045	ALA	-	linker	UNP Q9UM73
C	663	GLY	-	expression tag	UNP Q9UM73
C	664	HIS	-	expression tag	UNP Q9UM73

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	665	HIS	-	expression tag	UNP Q9UM73
C	666	HIS	-	expression tag	UNP Q9UM73
C	667	HIS	-	expression tag	UNP Q9UM73
C	668	HIS	-	expression tag	UNP Q9UM73
C	669	HIS	-	expression tag	UNP Q9UM73
C	670	HIS	-	expression tag	UNP Q9UM73
C	671	HIS	-	expression tag	UNP Q9UM73
C	672	ILE	-	expression tag	UNP Q9UM73
C	673	GLU	-	expression tag	UNP Q9UM73
C	674	GLY	-	expression tag	UNP Q9UM73
C	675	ARG	-	expression tag	UNP Q9UM73
C	676	SER	-	expression tag	UNP Q9UM73
C	677	LEU	-	expression tag	UNP Q9UM73
C	1031	GLY	-	linker	UNP Q9UM73
C	1032	GLY	-	linker	UNP Q9UM73
C	1033	SER	-	linker	UNP Q9UM73
C	1034	GLY	-	linker	UNP Q9UM73
C	1035	GLY	-	linker	UNP Q9UM73
C	1036	SER	-	linker	UNP Q9UM73
C	1037	GLY	-	linker	UNP Q9UM73
C	1038	GLY	-	linker	UNP Q9UM73
C	1039	SER	-	linker	UNP Q9UM73
C	1040	GLY	-	linker	UNP Q9UM73
C	1041	GLY	-	linker	UNP Q9UM73
C	1042	SER	-	linker	UNP Q9UM73
C	1043	GLY	-	linker	UNP Q9UM73
C	1044	GLY	-	linker	UNP Q9UM73
C	1045	ALA	-	linker	UNP Q9UM73
D	663	GLY	-	expression tag	UNP Q9UM73
D	664	HIS	-	expression tag	UNP Q9UM73
D	665	HIS	-	expression tag	UNP Q9UM73
D	666	HIS	-	expression tag	UNP Q9UM73
D	667	HIS	-	expression tag	UNP Q9UM73
D	668	HIS	-	expression tag	UNP Q9UM73
D	669	HIS	-	expression tag	UNP Q9UM73
D	670	HIS	-	expression tag	UNP Q9UM73
D	671	HIS	-	expression tag	UNP Q9UM73
D	672	ILE	-	expression tag	UNP Q9UM73
D	673	GLU	-	expression tag	UNP Q9UM73
D	674	GLY	-	expression tag	UNP Q9UM73
D	675	ARG	-	expression tag	UNP Q9UM73
D	676	SER	-	expression tag	UNP Q9UM73

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	677	LEU	-	expression tag	UNP Q9UM73
D	1031	GLY	-	linker	UNP Q9UM73
D	1032	GLY	-	linker	UNP Q9UM73
D	1033	SER	-	linker	UNP Q9UM73
D	1034	GLY	-	linker	UNP Q9UM73
D	1035	GLY	-	linker	UNP Q9UM73
D	1036	SER	-	linker	UNP Q9UM73
D	1037	GLY	-	linker	UNP Q9UM73
D	1038	GLY	-	linker	UNP Q9UM73
D	1039	SER	-	linker	UNP Q9UM73
D	1040	GLY	-	linker	UNP Q9UM73
D	1041	GLY	-	linker	UNP Q9UM73
D	1042	SER	-	linker	UNP Q9UM73
D	1043	GLY	-	linker	UNP Q9UM73
D	1044	GLY	-	linker	UNP Q9UM73
D	1045	ALA	-	linker	UNP Q9UM73

- Molecule 2 is CITRIC ACID (CCD ID: CIT) (formula: $C_6H_8O_7$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 13 6 7	0	0
2	A	1	Total C O 13 6 7	0	0

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	D	1	14	8	1	5	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ALK tyrosine kinase receptor fused with ALK and LTK ligand 2



- Molecule 1: ALK tyrosine kinase receptor fused with ALK and LTK ligand 2




- Molecule 1: ALK tyrosine kinase receptor fused with ALK and LTK ligand 2



- Molecule 1: ALK tyrosine kinase receptor fused with ALK and LTK ligand 2

Chain D:



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	66.26Å 177.75Å 94.86Å 90.00° 104.80° 90.00°	Depositor
Resolution (Å)	49.77 – 3.05 49.77 – 3.05	Depositor EDS
% Data completeness (in resolution range)	99.5 (49.77-3.05) 99.7 (49.77-3.05)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.41 (at 3.07Å)	Xtriage
Refinement program	PHENIX dev_3915	Depositor
R, R_{free}	0.238 , 0.288 0.236 , 0.287	Depositor DCC
R_{free} test set	1946 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	70.9	Xtriage
Anisotropy	0.481	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 61.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	10672	wwPDB-VP
Average B, all atoms (Å ²)	76.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, CIT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.29	0/2720	0.50	2/3672 (0.1%)
1	B	0.28	0/2720	0.53	0/3675
1	C	0.27	0/2724	0.50	1/3679 (0.0%)
1	D	0.25	0/2716	0.46	0/3669
All	All	0.27	0/10880	0.50	3/14695 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	928	CYS	CB-CA-C	-5.87	109.83	116.63
1	A	928	CYS	CB-CA-C	-5.11	109.71	117.07
1	A	928	CYS	N-CA-C	-5.00	104.68	108.78

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2658	0	2552	31	0
1	B	2658	0	2536	37	0
1	C	2662	0	2552	41	0
1	D	2654	0	2542	33	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	26	0	10	0	0
3	D	14	0	13	0	0
All	All	10672	0	10205	137	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:962:LEU:H	1:C:962:LEU:HD23	1.18	1.02
1:A:980:ASN:HD22	1:A:1084:ARG:HD2	1.26	1.00
1:A:980:ASN:ND2	1:A:1084:ARG:HD2	1.88	0.87
1:A:760:LEU:HB2	1:A:967:THR:HG22	1.63	0.80
1:C:962:LEU:H	1:C:962:LEU:CD2	1.96	0.79
1:A:980:ASN:HD22	1:A:1084:ARG:CD	1.96	0.78
1:D:698:GLN:HE21	1:D:714:VAL:HG23	1.51	0.74
1:B:760:LEU:HB2	1:B:967:THR:HG22	1.68	0.74
1:B:705:TYR:HA	1:D:788:GLN:HE21	1.53	0.73
1:C:1079:LEU:HD21	1:C:1098:LEU:HB3	1.72	0.71
1:C:962:LEU:HD23	1:C:962:LEU:N	2.02	0.69
1:C:954:ASP:OD2	1:C:971:LYS:NZ	2.26	0.69
1:B:708:SER:HB2	1:D:788:GLN:HE22	1.59	0.68
1:D:1083:THR:HG22	1:D:1085:ASP:H	1.58	0.68
1:C:855:THR:HB	1:C:857:HIS:CE1	2.29	0.68
1:B:848:ALA:H	1:B:951:ASP:HB3	1.61	0.66
1:B:1079:LEU:HD11	1:B:1098:LEU:HD22	1.77	0.65
1:B:723:ILE:HG12	1:B:774:LEU:HD12	1.79	0.65
1:C:1079:LEU:HD11	1:C:1098:LEU:HD22	1.80	0.63
1:B:736:ILE:HA	1:B:981:ILE:HG22	1.81	0.63
1:C:831:LYS:O	1:C:834:VAL:HG12	1.99	0.62
1:C:760:LEU:HB2	1:C:967:THR:HG22	1.81	0.62
1:B:929:SER:HB2	1:B:946:ASN:OD1	2.00	0.62
1:C:747:GLY:H	1:C:849:TYR:HA	1.65	0.60
1:A:896:LEU:HA	1:A:900:ALA:HB2	1.83	0.60
1:D:896:LEU:HA	1:D:900:ALA:HB2	1.84	0.59
1:D:1079:LEU:HD21	1:D:1098:LEU:HB3	1.84	0.59
1:A:793:VAL:HG22	1:A:798:ASN:HB3	1.84	0.59
1:A:720:LEU:HA	1:A:723:ILE:HD12	1.85	0.59
1:C:972:VAL:HG11	1:C:1098:LEU:HG	1.85	0.58
1:C:1083:THR:HG22	1:C:1085:ASP:H	1.69	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:792:LYS:HB3	1:B:798:ASN:HB2	1.84	0.57
1:D:929:SER:HB2	1:D:946:ASN:OD1	2.03	0.57
1:C:910:MET:HA	1:C:914:GLY:HA2	1.85	0.57
1:C:859:GLU:OE1	1:C:1101:ARG:HD2	2.03	0.57
1:B:1059:LEU:HD11	1:B:1095:CYS:HB3	1.86	0.56
1:B:929:SER:HB2	1:B:946:ASN:ND2	2.22	0.55
1:C:960:SER:OG	1:C:962:LEU:HD21	2.08	0.54
1:C:804:GLU:HG2	1:C:811:VAL:HG13	1.90	0.54
1:B:929:SER:HB2	1:B:946:ASN:CG	2.33	0.53
1:C:904:HIS:HA	1:C:918:ARG:HG2	1.89	0.53
1:B:683:TRP:HB3	1:B:710:LEU:HD13	1.89	0.53
1:B:726:TRP:CZ3	1:B:981:ILE:HD11	2.44	0.53
1:B:896:LEU:HA	1:B:900:ALA:HB2	1.91	0.53
1:A:791:GLN:HE21	1:A:795:ILE:HG23	1.72	0.53
1:D:929:SER:HB2	1:D:946:ASN:CG	2.34	0.52
1:B:707:ASN:HB2	1:D:789:LEU:HD22	1.91	0.52
1:B:1079:LEU:HD23	1:B:1099:LEU:HD23	1.91	0.52
1:D:1068:PHE:O	1:D:1070:PRO:HD3	2.09	0.52
1:C:877:ALA:HB2	1:C:928:CYS:HB2	1.91	0.51
1:A:801:ILE:O	1:A:805:ILE:HG13	2.10	0.51
1:D:818:GLY:N	1:D:928:CYS:O	2.36	0.51
1:B:708:SER:HB2	1:D:788:GLN:NE2	2.27	0.50
1:A:774:LEU:HD22	1:A:826:TYR:HD1	1.76	0.50
1:C:883:TRP:O	1:C:897:GLN:HG2	2.11	0.49
1:C:905:SER:HB3	1:C:910:MET:HE2	1.94	0.49
1:B:929:SER:HB2	1:B:946:ASN:HD21	1.76	0.49
1:C:960:SER:CB	1:C:962:LEU:HD21	2.43	0.49
1:A:913:TRP:CD1	1:A:913:TRP:N	2.79	0.48
1:C:855:THR:HB	1:C:857:HIS:HE1	1.78	0.48
1:D:859:GLU:OE2	1:D:1101:ARG:HD2	2.13	0.48
1:D:683:TRP:HB3	1:D:710:LEU:HD13	1.96	0.48
1:C:762:ILE:HD11	1:C:966:TYR:CD1	2.49	0.48
1:C:720:LEU:HA	1:C:723:ILE:HD13	1.96	0.47
1:A:774:LEU:HG	1:A:921:PHE:HE2	1.79	0.47
1:C:960:SER:OG	1:C:962:LEU:CD2	2.62	0.47
1:A:762:ILE:HD11	1:A:964:ILE:HB	1.97	0.46
1:A:937:TYR:HB2	1:A:958:PHE:HB2	1.96	0.46
1:D:904:HIS:O	1:D:926:GLY:HA3	2.15	0.46
1:D:913:TRP:H	1:D:913:TRP:CD1	2.33	0.46
1:B:859:GLU:OE1	1:B:1101:ARG:NH1	2.47	0.46
1:C:747:GLY:HA3	1:C:849:TYR:CD2	2.50	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:835:PRO:HG2	1:C:897:GLN:HE22	1.80	0.46
1:A:777:GLN:HB2	1:A:921:PHE:H	1.81	0.46
1:C:960:SER:HB2	1:C:962:LEU:HD21	1.97	0.46
1:C:746:GLY:C	1:C:748:LYS:H	2.23	0.46
1:A:973:MET:HE2	1:A:976:HIS:O	2.15	0.46
1:D:929:SER:HB2	1:D:946:ASN:ND2	2.30	0.46
1:B:793:VAL:HG22	1:B:798:ASN:HB3	1.98	0.46
1:D:1079:LEU:HD11	1:D:1098:LEU:HD22	1.97	0.46
1:C:954:ASP:N	1:C:954:ASP:OD1	2.48	0.45
1:B:713:GLU:O	1:B:725:ILE:HD12	2.17	0.45
1:A:1074:LYS:HD2	1:A:1074:LYS:H	1.82	0.45
1:D:819:GLY:HA2	1:D:917:THR:HG21	1.98	0.45
1:C:1059:LEU:O	1:C:1063:THR:HG23	2.17	0.45
1:A:828:PHE:HE2	1:A:830:MET:HE2	1.82	0.45
1:A:894:LYS:HB2	1:A:901:THR:H	1.81	0.45
1:D:937:TYR:HB2	1:D:958:PHE:HB2	1.99	0.45
1:D:913:TRP:CD1	1:D:913:TRP:N	2.84	0.44
1:C:884:ASN:CG	1:C:897:GLN:HG3	2.42	0.44
1:D:1071:LYS:HD2	1:D:1071:LYS:HA	1.87	0.44
1:B:1074:LYS:O	1:B:1078:ARG:HG2	2.17	0.44
1:B:691:SER:HA	1:B:777:GLN:HG2	1.98	0.44
1:A:1079:LEU:O	1:A:1083:THR:HG22	2.17	0.44
1:B:906:CYS:HB3	1:B:928:CYS:HB2	1.94	0.44
1:C:1062:LEU:HD13	1:C:1099:LEU:HB2	1.99	0.44
1:A:917:THR:OG1	1:A:927:GLY:O	2.36	0.44
1:B:1083:THR:HG22	1:B:1085:ASP:H	1.82	0.44
1:A:774:LEU:HG	1:A:921:PHE:CE2	2.53	0.43
1:D:731:THR:HG23	1:D:766:GLU:HA	1.99	0.43
1:A:1084:ARG:HH11	1:A:1084:ARG:HG3	1.82	0.43
1:B:720:LEU:HA	1:B:723:ILE:HD12	2.00	0.43
1:B:913:TRP:CD1	1:B:913:TRP:N	2.87	0.43
1:B:1079:LEU:HD21	1:B:1098:LEU:HB3	1.99	0.43
1:B:777:GLN:HB2	1:B:921:PHE:HB3	1.99	0.43
1:A:731:THR:HB	1:A:767:LYS:H	1.83	0.43
1:A:877:ALA:HB1	1:A:927:GLY:HA2	2.00	0.42
1:A:877:ALA:HB2	1:A:928:CYS:H	1.84	0.42
1:D:935:GLY:O	1:D:955:GLY:HA3	2.19	0.42
1:C:687:THR:HG23	1:C:689:GLY:H	1.83	0.42
1:D:919:GLY:H	1:D:926:GLY:HA2	1.83	0.42
1:D:727:LYS:HE3	1:D:768:ASP:HA	2.02	0.42
1:D:736:ILE:HG23	1:D:981:ILE:HG12	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:840:ILE:HB	1:C:958:PHE:HB3	2.02	0.42
1:D:723:ILE:HG13	1:D:774:LEU:HD12	2.01	0.42
1:B:774:LEU:HD22	1:B:826:TYR:HD2	1.85	0.42
1:C:731:THR:HG23	1:C:766:GLU:HA	2.00	0.42
1:B:904:HIS:HA	1:B:918:ARG:HG2	2.02	0.41
1:D:1070:PRO:HD2	1:D:1072:CYS:H	1.85	0.41
1:A:787:ASN:HD21	1:C:706:GLN:HB3	1.84	0.41
1:A:1084:ARG:HG3	1:A:1084:ARG:NH1	2.36	0.41
1:B:763:PHE:HE2	1:B:960:SER:HB3	1.85	0.41
1:D:780:GLU:HB2	1:D:918:ARG:O	2.20	0.41
1:D:698:GLN:NE2	1:D:714:VAL:HG23	2.27	0.41
1:C:927:GLY:HA2	1:C:932:GLY:N	2.36	0.41
1:B:771:LEU:HD12	1:B:771:LEU:HA	1.84	0.41
1:B:1063:THR:OG1	1:B:1066:LEU:HD13	2.19	0.41
1:B:1066:LEU:HG	1:B:1103:ALA:HB2	2.02	0.41
1:C:910:MET:HE1	1:C:916:GLU:HG3	2.02	0.41
1:C:913:TRP:H	1:C:913:TRP:CD1	2.37	0.41
1:C:860:ARG:HD2	1:C:956:VAL:HG22	2.02	0.41
1:D:874:SER:HG	1:D:879:GLY:H	1.63	0.41
1:D:1084:ARG:HA	1:D:1087:THR:OG1	2.21	0.41
1:A:1093:LYS:HD2	1:A:1093:LYS:H	1.85	0.41
1:A:821:GLY:HA3	1:A:933:GLY:O	2.21	0.40
1:A:920:GLY:H	1:A:924:GLY:HA3	1.84	0.40
1:B:815:ALA:HB1	1:B:928:CYS:SG	2.62	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	357/451 (79%)	334 (94%)	21 (6%)	2 (1%)	21 48

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	358/451 (79%)	340 (95%)	18 (5%)	0	100	100
1	C	358/451 (79%)	335 (94%)	22 (6%)	1 (0%)	36	63
1	D	357/451 (79%)	333 (93%)	23 (6%)	1 (0%)	36	63
All	All	1430/1804 (79%)	1342 (94%)	84 (6%)	4 (0%)	36	63

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	1070	PRO
1	D	1070	PRO
1	A	1107	VAL
1	A	972	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	271/345 (79%)	268 (99%)	3 (1%)	65	76
1	B	270/345 (78%)	260 (96%)	10 (4%)	30	57
1	C	272/345 (79%)	261 (96%)	11 (4%)	28	56
1	D	271/345 (79%)	267 (98%)	4 (2%)	57	73
All	All	1084/1380 (79%)	1056 (97%)	28 (3%)	40	65

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	913	TRP
1	A	972	VAL
1	A	1108	CYS
1	B	714	VAL
1	B	717	GLU
1	B	777	GLN
1	B	791	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	825	THR
1	B	871	ASN
1	B	906	CYS
1	B	913	TRP
1	B	985	LEU
1	B	1087	THR
1	C	703	ASN
1	C	777	GLN
1	C	805	ILE
1	C	912	LYS
1	C	913	TRP
1	C	928	CYS
1	C	929	SER
1	C	953	GLU
1	C	954	ASP
1	C	962	LEU
1	C	1071	LYS
1	D	737	SER
1	D	777	GLN
1	D	901	THR
1	D	913	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	787	ASN
1	A	791	GLN
1	A	886	ASN
1	A	897	GLN
1	A	980	ASN
1	A	1082	ASN
1	B	694	HIS
1	B	702	ASN
1	B	799	ASN
1	B	886	ASN
1	B	980	ASN
1	C	703	ASN
1	C	798	ASN
1	C	808	ASN
1	C	812	HIS
1	D	698	GLN
1	D	788	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	812	HIS
1	D	904	HIS
1	D	1061	HIS
1	D	1082	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	D	1201	1	14,14,15	0.26	0	17,19,21	0.65	1 (5%)
2	CIT	A	1202	-	12,12,12	1.06	0	17,17,17	1.45	2 (11%)
2	CIT	A	1201	-	12,12,12	1.04	0	17,17,17	1.47	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	D	1201	1	-	0/6/23/26	0/1/1/1
2	CIT	A	1202	-	-	0/16/16/16	-
2	CIT	A	1201	-	-	2/16/16/16	-

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1201	CIT	O6-C6-C3	3.83	120.50	113.14
2	A	1202	CIT	O6-C6-C3	3.48	119.82	113.14
2	A	1202	CIT	O2-C1-C2	2.06	120.86	114.35
3	D	1201	NAG	C1-O5-C5	2.03	114.90	112.19

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1201	CIT	O1-C1-C2-C3
2	A	1201	CIT	O2-C1-C2-C3

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	361/451 (80%)	-0.02	5 (1%) 73 51	32, 67, 106, 131	0
1	B	362/451 (80%)	0.08	9 (2%) 58 35	33, 64, 109, 137	0
1	C	362/451 (80%)	0.23	10 (2%) 55 32	38, 85, 152, 192	0
1	D	361/451 (80%)	-0.05	1 (0%) 90 80	30, 61, 103, 144	0
All	All	1446/1804 (80%)	0.06	25 (1%) 69 46	30, 69, 123, 192	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	1082	ASN	5.4
1	B	839	ILE	4.4
1	C	838	LEU	3.8
1	B	731	THR	3.6
1	C	967	THR	3.4
1	C	813	GLU	3.3
1	B	749	ASN	3.2
1	C	984	TYR	2.7
1	C	985	LEU	2.7
1	C	811	VAL	2.6
1	C	781	ASP	2.6
1	B	855	THR	2.5
1	A	1067	TYR	2.4
1	A	838	LEU	2.3
1	B	740	GLY	2.3
1	D	974	GLU	2.2
1	C	760	LEU	2.2
1	B	853	THR	2.2
1	B	980	ASN	2.2
1	C	966	TYR	2.1
1	B	1068	PHE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	778	GLN	2.1
1	A	717	GLU	2.1
1	B	757	VAL	2.0
1	A	684	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	D	1201	14/15	0.71	0.11	111,143,152,152	0
2	CIT	A	1202	13/13	0.74	0.16	115,117,127,145	0
2	CIT	A	1201	13/13	0.79	0.13	81,98,103,103	0

6.5 Other polymers [i](#)

There are no such residues in this entry.