



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 12:06 PM UTC

PDB ID : 5LTT / pdb_00005ltt
Title : Yeast 20S proteasome with human beta5i (1-138; R57T)in complex with PR-924
Authors : Groll, M.; Huber, E.M.
Deposited on : 2016-09-07
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	2% 98% .
1	O	250	3% 98% .
2	B	258	6% 87% 7% 5%
2	P	258	5% 88% 6% 5%
3	C	254	13% 87% 6% . 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	
4	D	260	
4	R	260	
5	E	234	
5	S	234	
6	F	288	
6	T	288	
7	G	252	
7	U	252	
8	H	232	
8	V	232	
9	I	205	
9	W	205	
10	J	198	
10	X	198	
11	K	211	
11	Y	211	
12	L	222	
12	Z	222	
13	M	246	
13	a	246	
14	N	196	
14	b	196	

2 Entry composition

There are 19 unique types of molecules in this entry. The entry contains 49881 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	226	Total	C	N	O	S	0	0	0
			1719	1082	298	332	7			
8	V	226	Total	C	N	O	S	0	0	0
			1719	1082	298	332	7			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-8, Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	211	Total	C	N	O	S	0	0	0
			1636	1033	279	312	12			
11	Y	211	Total	C	N	O	S	0	0	0
			1636	1033	279	312	12			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	57	THR	ARG	engineered mutation	UNP P28062
Y	57	THR	ARG	engineered mutation	UNP P28062

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			
12	Z	222	Total	C	N	O	S	0	1	0
			1764	1120	305	335	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	1	0
			1832	1159	315	351	7			
13	a	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			


- Molecule 15 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	G	1	Total	Mg	0	0
			1	1		
15	I	2	Total	Mg	0	0
			2	2		
15	J	1	Total	Mg	0	0
			1	1		
15	K	1	Total	Mg	0	0
			1	1		
15	L	1	Total	Mg	0	0
			1	1		
15	N	1	Total	Mg	0	0
			1	1		
15	Z	1	Total	Mg	0	0
			1	1		

- Molecule 16 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	G	1	Total	Cl	0	0
			1	1		
16	U	1	Total	Cl	0	0
			1	1		

- Molecule 17 is N-[(3-methyl-1H-inden-2-yl)carbonyl]-D-alanyl-N-[(2S,4R)-5-hydroxy-4-methyl-3-oxo-1-phenylpentan-2-yl]-L-tryptophanamide (CCD ID: 39V) (formula: C₃₇H₄₀N₄O₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
17	K	1	Total	C	N	O	0	0
			46	37	4	5		
17	Y	1	Total	C	N	O	0	0
			46	37	4	5		

- Molecule 18 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
18	K	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
18	Y	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 19 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	A	16	Total	O	0	0
			16	16		
19	B	16	Total	O	0	0
			16	16		
19	C	11	Total	O	0	0
			11	11		
19	D	11	Total	O	0	0
			11	11		
19	E	6	Total	O	0	0
			6	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
19	F	16	Total O 16 16	0	0
19	G	13	Total O 13 13	0	0
19	H	16	Total O 16 16	0	0
19	I	19	Total O 19 19	0	0
19	J	12	Total O 12 12	0	0
19	K	15	Total O 15 15	0	0
19	L	20	Total O 20 20	0	0
19	M	15	Total O 15 15	0	0
19	N	15	Total O 15 15	0	0
19	O	10	Total O 10 10	0	0
19	P	10	Total O 10 10	0	0
19	Q	9	Total O 9 9	0	0
19	R	12	Total O 12 12	0	0
19	S	7	Total O 7 7	0	0
19	T	19	Total O 19 19	0	0
19	U	20	Total O 20 20	0	0
19	V	11	Total O 11 11	0	0
19	W	7	Total O 7 7	0	0
19	X	19	Total O 19 19	0	0
19	Y	10	Total O 10 10	0	0
19	Z	15	Total O 15 15	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	a	20	Total	O	0	0
			20	20		
19	b	20	Total	O	0	0
			20	20		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2





- Molecule 1: Proteasome subunit alpha type-2




- Molecule 2: Proteasome subunit alpha type-3




- Molecule 2: Proteasome subunit alpha type-3






- Molecule 3: Proteasome subunit alpha type-4











• Molecule 3: Proteasome subunit alpha type-4



• Molecule 4: Proteasome subunit alpha type-5





• Molecule 4: Proteasome subunit alpha type-5




• Molecule 5: Proteasome subunit alpha type-6




• Molecule 5: Proteasome subunit alpha type-6




- Molecule 6: Probable proteasome subunit alpha type-7




- Molecule 6: Probable proteasome subunit alpha type-7




- Molecule 7: Proteasome subunit alpha type-1




- Molecule 7: Proteasome subunit alpha type-1




- Molecule 8: Proteasome subunit beta type-2




- Molecule 8: Proteasome subunit beta type-2




- Molecule 9: Proteasome subunit beta type-3




- Molecule 9: Proteasome subunit beta type-3




- Molecule 10: Proteasome subunit beta type-4




- Molecule 10: Proteasome subunit beta type-4




- Molecule 11: Proteasome subunit beta type-8, Proteasome subunit beta type-5




- Molecule 11: Proteasome subunit beta type-8, Proteasome subunit beta type-5




- Molecule 12: Proteasome subunit beta type-6




- Molecule 12: Proteasome subunit beta type-6




- Molecule 13: Proteasome subunit beta type-7




- Molecule 13: Proteasome subunit beta type-7



- Molecule 14: Proteasome subunit beta type-1



- Molecule 14: Proteasome subunit beta type-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	135.85Å 300.35Å 145.58Å 90.00° 113.36° 90.00°	Depositor
Resolution (Å)	15.00 – 2.70 15.00 – 2.70	Depositor EDS
% Data completeness (in resolution range)	95.6 (15.00-2.70) 95.1 (15.00-2.70)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.64 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.223 , 0.247 0.231 , 0.254	Depositor DCC
R_{free} test set	13882 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	53.9	Xtriage
Anisotropy	0.069	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 52.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	49881	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, 39V, MG, MES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.40	0/1952	0.68	0/2642
1	O	0.40	0/1952	0.68	0/2642
2	B	0.41	0/1934	0.67	0/2618
2	P	0.40	0/1934	0.67	0/2618
3	C	0.40	0/1910	0.69	1/2586 (0.0%)
3	Q	0.40	0/1910	0.69	1/2586 (0.0%)
4	D	0.39	0/1837	0.65	0/2475
4	R	0.39	0/1837	0.65	0/2475
5	E	0.40	0/1800	0.65	0/2433
5	S	0.39	0/1800	0.64	0/2433
6	F	0.40	0/1932	0.69	0/2609
6	T	0.40	0/1932	0.70	0/2609
7	G	0.39	0/1945	0.67	0/2634
7	U	0.39	0/1945	0.67	0/2634
8	H	0.37	0/1750	0.67	1/2373 (0.0%)
8	V	0.38	0/1750	0.67	0/2373
9	I	0.35	0/1611	0.68	0/2174
9	W	0.34	0/1611	0.68	0/2174
10	J	0.42	0/1589	0.84	6/2142 (0.3%)
10	X	0.39	0/1589	0.82	6/2142 (0.3%)
11	K	0.57	0/1673	0.76	1/2259 (0.0%)
11	Y	0.43	0/1673	0.74	1/2259 (0.0%)
12	L	0.39	0/1795	0.71	2/2420 (0.1%)
12	Z	0.44	2/1806 (0.1%)	0.88	8/2435 (0.3%)
13	M	0.44	0/1866	0.92	5/2528 (0.2%)
13	a	0.40	0/1855	0.67	0/2514
14	N	0.37	0/1541	0.70	0/2087
14	b	0.37	0/1541	0.70	0/2087
All	All	0.40	2/50270 (0.0%)	0.71	32/67961 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
10	J	0	2
10	X	0	2
All	All	0	4

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	Z	108[A]	HIS	CA-C	5.85	1.60	1.52
12	Z	108[B]	HIS	CA-C	5.85	1.60	1.52

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	M	190[A]	ARG	CA-C-O	15.68	139.52	120.55
13	M	190[B]	ARG	CA-C-O	15.68	139.52	120.55
12	Z	108[A]	HIS	CA-C-O	15.13	136.77	120.58
12	Z	108[B]	HIS	CA-C-O	15.13	136.77	120.58
13	M	35	ARG	N-CA-C	11.79	123.68	111.07
10	J	149	ARG	NE-CZ-NH1	-11.23	110.27	121.50
13	M	190[A]	ARG	N-CA-C	10.92	126.67	112.26
13	M	190[B]	ARG	N-CA-C	10.92	126.67	112.26
10	X	95	ARG	NE-CZ-NH1	-10.65	110.85	121.50
10	J	95	ARG	NE-CZ-NH2	-10.23	109.99	119.20
10	J	149	ARG	NE-CZ-NH2	10.16	128.34	119.20
10	X	95	ARG	NE-CZ-NH2	10.00	128.20	119.20
10	X	149	ARG	NE-CZ-NH2	-10.00	110.20	119.20
10	J	95	ARG	CD-NE-CZ	9.79	138.11	124.40
10	J	149	ARG	CD-NE-CZ	9.43	137.61	124.40
10	X	149	ARG	CD-NE-CZ	9.02	137.03	124.40
10	X	95	ARG	CD-NE-CZ	8.48	136.27	124.40
11	K	27	SER	N-CA-C	7.51	119.55	111.36
12	Z	108[A]	HIS	CA-C-N	-6.58	112.84	122.65
12	Z	108[A]	HIS	C-N-CA	-6.58	112.84	122.65
12	Z	108[B]	HIS	CA-C-N	-6.58	112.84	122.65
12	Z	108[B]	HIS	C-N-CA	-6.58	112.84	122.65
10	X	149	ARG	NE-CZ-NH1	6.52	128.02	121.50
12	Z	103	PHE	CA-C-N	5.97	125.93	119.78
12	Z	103	PHE	C-N-CA	5.97	125.93	119.78
10	J	95	ARG	NE-CZ-NH1	5.89	127.39	121.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	L	103	PHE	CA-C-N	5.79	125.74	119.78
12	L	103	PHE	C-N-CA	5.79	125.74	119.78
3	Q	201	VAL	N-CA-C	5.70	116.44	110.62
3	C	201	VAL	N-CA-C	5.63	116.36	110.62
11	Y	30	ARG	N-CA-C	5.56	120.03	108.53
8	H	91	GLN	N-CA-C	5.34	118.95	111.90

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
10	J	149	ARG	Sidechain
10	J	95	ARG	Sidechain
10	X	149	ARG	Sidechain
10	X	95	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	0	0
1	O	1915	0	1929	1	0
2	B	1904	0	1904	5	0
2	P	1904	0	1904	5	0
3	C	1881	0	1895	10	0
3	Q	1881	0	1895	7	0
4	D	1813	0	1797	3	0
4	R	1813	0	1797	3	0
5	E	1773	0	1775	2	0
5	S	1773	0	1775	2	0
6	F	1892	0	1883	1	0
6	T	1892	0	1883	2	0
7	G	1907	0	1901	3	0
7	U	1907	0	1901	5	0
8	H	1719	0	1719	6	0
8	V	1719	0	1719	4	0
9	I	1581	0	1574	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	W	1581	0	1574	8	0
10	J	1561	0	1569	12	0
10	X	1561	0	1569	9	0
11	K	1636	0	1572	22	0
11	Y	1636	0	1573	16	0
12	L	1757	0	1711	11	0
12	Z	1764	0	1718	7	0
13	M	1832	0	1845	3	0
13	a	1824	0	1832	2	0
14	N	1512	0	1481	5	0
14	b	1512	0	1481	6	0
15	G	1	0	0	0	0
15	I	2	0	0	0	0
15	J	1	0	0	0	0
15	K	1	0	0	0	0
15	L	1	0	0	0	0
15	N	1	0	0	0	0
15	Z	1	0	0	0	0
16	G	1	0	0	0	0
16	U	1	0	0	0	0
17	K	46	0	39	3	0
17	Y	46	0	39	10	0
18	K	12	0	13	0	0
18	Y	12	0	13	1	0
19	A	16	0	0	0	0
19	B	16	0	0	0	0
19	C	11	0	0	0	0
19	D	11	0	0	0	0
19	E	6	0	0	0	0
19	F	16	0	0	0	0
19	G	13	0	0	0	0
19	H	16	0	0	0	0
19	I	19	0	0	0	0
19	J	12	0	0	0	0
19	K	15	0	0	0	0
19	L	20	0	0	0	0
19	M	15	0	0	0	0
19	N	15	0	0	0	0
19	O	10	0	0	0	0
19	P	10	0	0	0	0
19	Q	9	0	0	0	0
19	R	12	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	S	7	0	0	0	0
19	T	19	0	0	0	0
19	U	20	0	0	1	0
19	V	11	0	0	0	0
19	W	7	0	0	0	0
19	X	19	0	0	0	0
19	Y	10	0	0	0	0
19	Z	15	0	0	0	0
19	a	20	0	0	0	0
19	b	20	0	0	0	0
All	All	49881	0	49209	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:J:22:THR:O	10:J:23:ARG:NH1	2.03	0.91
11:Y:33:LYS:HZ3	17:Y:301:39V:H38	1.37	0.89
11:Y:33:LYS:NZ	17:Y:301:39V:H38	1.89	0.87
12:Z:108[A]:HIS:CA	12:Z:109:THR:N	2.42	0.81
17:Y:301:39V:N28	17:Y:301:39V:H41	2.04	0.72
17:Y:301:39V:H41	17:Y:301:39V:C26	2.26	0.65
10:X:23:ARG:NH2	11:Y:119:THR:OG1	2.28	0.64
10:J:23:ARG:HD3	11:K:115:ASP:OD2	2.01	0.60
9:I:38:LYS:NZ	11:Y:208:ASN:O	2.35	0.60
11:K:18:SER:OG	11:K:30:ARG:HA	2.00	0.60
17:K:301:39V:H9	12:L:132:GLU:HB2	1.82	0.59
11:Y:20:ALA:HB3	11:Y:28:ALA:HB3	1.85	0.58
14:b:152:VAL:HA	14:b:175:MET:HE1	1.84	0.58
14:N:152:VAL:HA	14:N:175:MET:HE1	1.86	0.57
11:K:20:ALA:HB3	11:K:28:ALA:HB3	1.87	0.57
11:K:50:ALA:HB2	12:L:128:VAL:HG23	1.86	0.57
7:U:23:PHE:O	7:U:26:THR:HB	2.07	0.55
7:G:23:PHE:O	7:G:26:THR:HB	2.06	0.54
11:K:208:ASN:O	9:W:38:LYS:NZ	2.40	0.54
11:Y:9:GLN:HB3	11:Y:10:HIS:HD2	1.72	0.54
17:Y:301:39V:H9	12:Z:132:GLU:HG2	1.89	0.54
10:J:177:LYS:NZ	10:X:169:GLU:O	2.41	0.54
11:Y:18:SER:OG	11:Y:30:ARG:HA	2.07	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:J:169:GLU:O	10:X:177:LYS:NZ	2.42	0.52
9:W:9:GLY:HA3	9:W:41:LYS:HE2	1.91	0.52
10:J:1:MET:HG2	10:J:34:LYS:HE3	1.90	0.52
10:J:23:ARG:HH11	10:J:23:ARG:HG3	1.74	0.52
10:X:1:MET:HG2	10:X:34:LYS:HE3	1.91	0.52
11:Y:144:LYS:HB2	11:Y:147:LEU:HD13	1.92	0.52
10:J:23:ARG:NH1	10:J:23:ARG:HG3	2.25	0.51
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.58	0.51
3:C:201:VAL:O	3:C:202:GLN:CB	2.58	0.51
11:K:144:LYS:HB2	11:K:147:LEU:HD13	1.92	0.51
13:M:35:ARG:HG2	13:M:36:PHE:CE2	2.46	0.51
4:D:89:VAL:HG12	11:K:61:LYS:HG3	1.93	0.50
9:I:9:GLY:HA3	9:I:41:LYS:HE2	1.92	0.50
11:K:50:ALA:N	12:L:130:SER:HB3	2.27	0.50
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.42	0.50
11:Y:1:THR:HG22	11:Y:2:THR:N	2.25	0.50
11:K:9:GLN:HB3	11:K:10:HIS:CD2	2.47	0.49
4:R:89:VAL:HG12	11:Y:61:LYS:HG3	1.95	0.49
2:P:50:LYS:O	2:P:51:VAL:C	2.55	0.49
14:b:83:LYS:HG3	14:b:119:VAL:CG2	2.42	0.49
12:Z:31:THR:HG23	12:Z:36:ASN:HD21	1.77	0.49
14:N:176:VAL:HG12	14:N:178:LEU:HD13	1.95	0.49
11:K:50:ALA:HA	12:L:130:SER:HB3	1.95	0.49
17:Y:301:39V:O3	17:Y:301:39V:H6	2.12	0.49
2:B:50:LYS:O	2:B:51:VAL:C	2.55	0.48
11:Y:9:GLN:HB3	11:Y:10:HIS:CD2	2.47	0.48
12:L:31:THR:HG23	12:L:36:ASN:HD21	1.78	0.48
14:b:176:VAL:HG12	14:b:178:LEU:HD13	1.95	0.48
11:K:50:ALA:CA	12:L:130:SER:HB3	2.44	0.48
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.97	0.47
8:H:3:ILE:HG22	8:H:99:ILE:HD12	1.97	0.47
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.97	0.47
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.51	0.46
11:Y:33:LYS:HZ1	17:Y:301:39V:H38	1.75	0.46
14:N:133:PHE:HA	14:b:132:THR:O	2.16	0.46
3:C:99:GLU:HG3	11:K:81:LYS:CD	2.45	0.46
2:B:217:LYS:C	2:B:219:ALA:H	2.24	0.46
11:K:1:THR:HG22	11:K:2:THR:N	2.30	0.46
4:D:160:ASN:HB3	4:D:179:TRP:CE2	2.51	0.46
10:J:23:ARG:HH11	10:J:23:ARG:CG	2.28	0.45
3:Q:201:VAL:O	3:Q:202:GLN:HB3	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:L:13:LEU:HD11	12:L:150:LEU:HD21	1.98	0.45
8:H:50:ALA:CB	9:I:126:ILE:HG23	2.46	0.45
3:C:201:VAL:O	3:C:202:GLN:HB3	2.17	0.45
11:K:18:SER:OG	11:K:29:LEU:O	2.35	0.45
17:K:301:39V:H6	17:K:301:39V:O3	2.17	0.45
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.81	0.45
9:I:20:VAL:HG23	9:I:189:ILE:HB	1.98	0.45
2:P:217:LYS:C	2:P:219:ALA:H	2.24	0.45
9:W:20:VAL:HG23	9:W:189:ILE:HB	1.99	0.45
4:R:160:ASN:HB3	4:R:179:TRP:CE2	2.52	0.45
11:Y:19:ARG:O	17:Y:301:39V:H39	2.17	0.45
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.17	0.45
3:C:51:LYS:O	3:C:52:LEU:HB2	2.17	0.44
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.82	0.44
9:W:20:VAL:HG13	9:W:118:PRO:HB3	1.99	0.44
3:Q:51:LYS:O	3:Q:52:LEU:HB2	2.16	0.44
11:Y:9:GLN:HB2	11:Y:145:TRP:O	2.18	0.44
5:E:12:PHE:H	6:F:19:GLN:HE22	1.66	0.44
2:B:47:ALA:HB1	2:B:64:LYS:HD2	2.00	0.44
10:J:3:ILE:HG23	10:J:18:SER:HB3	2.00	0.44
12:L:148:PRO:HB2	9:W:148:MET:SD	2.58	0.44
8:H:53:GLU:O	8:H:57:GLN:HG2	2.17	0.44
5:S:12:PHE:H	6:T:19:GLN:HE22	1.66	0.44
8:V:53:GLU:O	8:V:57:GLN:HG2	2.18	0.44
12:Z:42:LYS:HD2	12:Z:55:ASN:HD22	1.83	0.44
9:I:20:VAL:HG13	9:I:118:PRO:HB3	2.00	0.44
2:P:47:ALA:HB1	2:P:64:LYS:HD2	2.00	0.44
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.99	0.44
12:Z:13:LEU:HD11	12:Z:150:LEU:HD21	1.99	0.44
12:L:8:ASN:HA	12:L:30:ILE:O	2.17	0.43
10:J:25:ILE:O	10:X:139:TYR:OH	2.33	0.43
12:L:42:LYS:HD2	12:L:55:ASN:HD22	1.83	0.43
8:H:163:ILE:HG23	8:H:170:GLY:HA2	2.00	0.43
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.99	0.43
11:K:38:ASN:OD1	11:K:38:ASN:C	2.62	0.43
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.49	0.43
9:W:10:ILE:HG21	9:W:141:ALA:HB3	2.00	0.43
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.49	0.43
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.48	0.43
10:X:3:ILE:HG23	10:X:18:SER:HB3	2.01	0.43
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:J:139:TYR:OH	10:X:25:ILE:O	2.33	0.43
11:K:30:ARG:O	11:K:30:ARG:HG2	2.18	0.43
17:Y:301:39V:O32	18:Y:302:MES:O3S	2.37	0.43
3:C:99:GLU:HG3	11:K:81:LYS:HD2	2.01	0.42
11:Y:38:ASN:OD1	11:Y:38:ASN:C	2.62	0.42
7:G:78:ILE:N	7:G:79:PRO:CD	2.82	0.42
11:K:9:GLN:HB2	11:K:145:TRP:O	2.18	0.42
7:U:230:GLU:HG2	19:U:403:HOH:O	2.19	0.42
11:Y:104:TRP:CE2	11:Y:181:GLU:HB3	2.55	0.42
11:K:104:TRP:CE2	11:K:181:GLU:HB3	2.54	0.42
7:U:78:ILE:N	7:U:79:PRO:CD	2.82	0.42
10:X:148:TYR:O	10:X:149:ARG:HD3	2.18	0.42
4:D:91:HIS:HB3	4:D:99:ILE:CG2	2.50	0.42
9:I:10:ILE:HG21	9:I:141:ALA:HB3	2.01	0.42
17:K:301:39V:O40	17:K:301:39V:N28	2.52	0.42
9:W:101:PRO:HB3	9:W:126:ILE:HD12	2.00	0.42
9:I:101:PRO:HB3	9:I:126:ILE:HD12	2.00	0.42
17:Y:301:39V:H39	17:Y:301:39V:H26	1.70	0.42
13:M:17:ASP:OD1	13:M:18:ASN:N	2.52	0.42
13:M:127:LEU:HG	13:M:142:LEU:HD12	2.02	0.42
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.20	0.42
8:V:163:ILE:HG23	8:V:170:GLY:HA2	2.01	0.42
11:K:50:ALA:CB	12:L:128:VAL:HG23	2.50	0.42
3:C:99:GLU:HG3	11:K:81:LYS:NZ	2.35	0.41
3:Q:149:GLU:HB2	3:Q:150:PRO:HD2	2.02	0.41
3:C:35:LYS:HG2	3:C:158:SER:O	2.20	0.41
2:P:50:LYS:HD3	2:P:50:LYS:HA	1.88	0.41
4:R:91:HIS:HB3	4:R:99:ILE:CG2	2.50	0.41
3:C:169:VAL:HG23	3:C:196:SER:HB2	2.01	0.41
13:a:127:LEU:HG	13:a:142:LEU:HD12	2.01	0.41
6:T:202:ASP:OD1	6:T:202:ASP:N	2.54	0.41
14:b:35:THR:HG21	14:b:45:ARG:HE	1.85	0.41
11:K:197:TRP:CE2	9:W:200:LYS:HE3	2.56	0.41
3:C:149:GLU:HB2	3:C:150:PRO:HD2	2.03	0.41
13:a:17:ASP:OD1	13:a:18:ASN:N	2.53	0.41
8:V:22:GLN:HG3	8:V:27:ALA:HB2	2.03	0.41
3:Q:169:VAL:HG23	3:Q:196:SER:HB2	2.01	0.40
5:S:87:LEU:HD21	5:S:107:ALA:HB1	2.03	0.40
14:N:132:THR:O	14:b:133:PHE:HA	2.21	0.40
8:H:102:GLY:HA2	8:H:178:MET:SD	2.60	0.40
2:B:221:ASP:O	2:B:223:GLU:N	2.55	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:87:LEU:HD21	5:E:107:ALA:HB1	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	240 (97%)	7 (3%)	1 (0%)	30	54
1	O	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	30	54
2	B	242/258 (94%)	234 (97%)	4 (2%)	4 (2%)	7	19
2	P	242/258 (94%)	234 (97%)	4 (2%)	4 (2%)	7	19
3	C	238/254 (94%)	233 (98%)	3 (1%)	2 (1%)	16	37
3	Q	238/254 (94%)	233 (98%)	3 (1%)	2 (1%)	16	37
4	D	231/260 (89%)	226 (98%)	5 (2%)	0	100	100
4	R	231/260 (89%)	226 (98%)	5 (2%)	0	100	100
5	E	229/234 (98%)	221 (96%)	8 (4%)	0	100	100
5	S	229/234 (98%)	222 (97%)	7 (3%)	0	100	100
6	F	241/288 (84%)	238 (99%)	3 (1%)	0	100	100
6	T	241/288 (84%)	238 (99%)	3 (1%)	0	100	100
7	G	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
7	U	239/252 (95%)	238 (100%)	1 (0%)	0	100	100
8	H	224/232 (97%)	217 (97%)	7 (3%)	0	100	100
8	V	224/232 (97%)	217 (97%)	7 (3%)	0	100	100
9	I	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	190 (98%)	3 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
10	X	193/198 (98%)	190 (98%)	3 (2%)	0	100	100
11	K	209/211 (99%)	203 (97%)	6 (3%)	0	100	100
11	Y	209/211 (99%)	205 (98%)	4 (2%)	0	100	100
12	L	220/222 (99%)	214 (97%)	6 (3%)	0	100	100
12	Z	221/222 (100%)	215 (97%)	6 (3%)	0	100	100
13	M	232/246 (94%)	225 (97%)	7 (3%)	0	100	100
13	a	231/246 (94%)	224 (97%)	7 (3%)	0	100	100
14	N	194/196 (99%)	187 (96%)	7 (4%)	0	100	100
14	b	194/196 (99%)	187 (96%)	7 (4%)	0	100	100
All	All	6284/6612 (95%)	6123 (97%)	147 (2%)	14 (0%)	43	68

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
3	C	202	GLN
2	P	51	VAL
3	Q	202	GLN
1	A	2	THR
2	B	218	GLY
2	B	222	GLY
1	O	2	THR
2	P	218	GLY
2	P	222	GLY
2	B	220	ASN
3	C	205	ALA
2	P	220	ASN
3	Q	205	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	205 (98%)	4 (2%)	50	77
1	O	209/209 (100%)	205 (98%)	4 (2%)	50	77
2	B	203/216 (94%)	197 (97%)	6 (3%)	36	66
2	P	203/216 (94%)	197 (97%)	6 (3%)	36	66
3	C	212/226 (94%)	202 (95%)	10 (5%)	23	51
3	Q	212/226 (94%)	202 (95%)	10 (5%)	23	51
4	D	194/215 (90%)	185 (95%)	9 (5%)	24	51
4	R	194/215 (90%)	186 (96%)	8 (4%)	27	56
5	E	190/193 (98%)	185 (97%)	5 (3%)	40	70
5	S	190/193 (98%)	185 (97%)	5 (3%)	40	70
6	F	201/239 (84%)	196 (98%)	5 (2%)	42	71
6	T	201/239 (84%)	196 (98%)	5 (2%)	42	71
7	G	206/210 (98%)	199 (97%)	7 (3%)	32	62
7	U	206/210 (98%)	199 (97%)	7 (3%)	32	62
8	H	185/190 (97%)	181 (98%)	4 (2%)	45	74
8	V	185/190 (97%)	179 (97%)	6 (3%)	34	64
9	I	172/173 (99%)	170 (99%)	2 (1%)	63	84
9	W	172/173 (99%)	170 (99%)	2 (1%)	63	84
10	J	173/175 (99%)	168 (97%)	5 (3%)	37	67
10	X	173/175 (99%)	169 (98%)	4 (2%)	44	73
11	K	170/170 (100%)	165 (97%)	5 (3%)	37	67
11	Y	170/170 (100%)	165 (97%)	5 (3%)	37	67
12	L	185/185 (100%)	181 (98%)	4 (2%)	45	74
12	Z	186/185 (100%)	183 (98%)	3 (2%)	55	80
13	M	200/208 (96%)	195 (98%)	5 (2%)	42	71
13	a	199/208 (96%)	194 (98%)	5 (2%)	42	71
14	N	162/162 (100%)	159 (98%)	3 (2%)	50	77
14	b	162/162 (100%)	159 (98%)	3 (2%)	50	77
All	All	5324/5542 (96%)	5177 (97%)	147 (3%)	38	68

All (147) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	55	LEU
2	B	79	LEU
2	B	102	ASN
2	B	113	ARG
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	51	LYS
3	C	98	LEU
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	213	VAL
3	C	240	GLU
4	D	40	LEU
4	D	51	LEU
4	D	99	ILE
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	55	LEU
5	E	71	LEU
5	E	188	LEU
6	F	123	ASN
6	F	172	LEU
6	F	181	GLU
6	F	221	ASN
6	F	240	GLN
7	G	26	THR
7	G	83	ASN
7	G	115	LEU
7	G	122	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	G	125	MET
7	G	235	ARG
7	G	236	LEU
8	H	53	GLU
8	H	55	VAL
8	H	68	LEU
8	H	196	ARG
9	I	37	ASN
9	I	171	LEU
10	J	1	MET
10	J	3	ILE
10	J	23	ARG
10	J	35	THR
10	J	99	GLN
11	K	4	LEU
11	K	12	VAL
11	K	18	SER
11	K	97	MET
11	K	147	LEU
12	L	23	LEU
12	L	49	ASN
12	L	132	GLU
12	L	150	LEU
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	187	ARG
14	N	9	LYS
14	N	119	VAL
14	N	178	LEU
1	O	1	MET
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	55	LEU
2	P	79	LEU
2	P	102	ASN
2	P	113	ARG
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	Q	38	ASN
3	Q	51	LYS
3	Q	98	LEU
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	213	VAL
3	Q	240	GLU
4	R	40	LEU
4	R	99	ILE
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	55	LEU
5	S	71	LEU
5	S	188	LEU
6	T	123	ASN
6	T	172	LEU
6	T	181	GLU
6	T	221	ASN
6	T	240	GLN
7	U	26	THR
7	U	83	ASN
7	U	115	LEU
7	U	122	ARG
7	U	125	MET
7	U	235	ARG
7	U	236	LEU
8	V	3	ILE
8	V	22	GLN
8	V	53	GLU
8	V	55	VAL
8	V	68	LEU
8	V	196	ARG
9	W	37	ASN
9	W	171	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	X	1	MET
10	X	3	ILE
10	X	35	THR
10	X	99	GLN
11	Y	4	LEU
11	Y	12	VAL
11	Y	18	SER
11	Y	106	LYS
11	Y	147	LEU
12	Z	23	LEU
12	Z	49	ASN
12	Z	150	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	187	ARG
14	b	9	LYS
14	b	119	VAL
14	b	178	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (110) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	HIS
2	B	119	GLN
2	B	123	GLN
2	B	124	HIS
2	B	232	GLN
3	C	17	GLN
3	C	116	GLN
3	C	120	GLN
3	C	147	GLN
3	C	160	GLN
3	C	165	ASN
4	D	15	GLN
4	D	91	HIS
4	D	100	ASN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	151	ASN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	123	ASN
7	G	28	GLN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	175	ASN
8	H	86	HIS
8	H	165	ASN
9	I	63	ASN
9	I	88	GLN
10	J	55	GLN
10	J	61	GLN
10	J	63	ASN
10	J	147	HIS
11	K	85	ASN
11	K	142	ASN
11	K	175	ASN
11	K	187	HIS
12	L	3	ASN
12	L	49	ASN
12	L	70	ASN
12	L	79	HIS
12	L	80	ASN
12	L	152	ASN
12	L	153	GLN
12	L	155	ASN
12	L	158	ASN
12	L	197	GLN
13	M	48	ASN
13	M	108	ASN
13	M	149	HIS
14	N	38	HIS
14	N	141	ASN
14	N	161	GLN
1	O	94	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	P	20	GLN
2	P	119	GLN
2	P	123	GLN
2	P	124	HIS
2	P	232	GLN
3	Q	17	GLN
3	Q	116	GLN
3	Q	120	GLN
3	Q	147	GLN
3	Q	160	GLN
3	Q	165	ASN
4	R	15	GLN
4	R	100	ASN
5	S	68	HIS
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	151	ASN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	123	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	175	ASN
7	U	184	HIS
7	U	212	ASN
8	V	22	GLN
9	W	44	HIS
9	W	63	ASN
9	W	88	GLN
10	X	55	GLN
10	X	63	ASN
11	Y	85	ASN
11	Y	142	ASN
11	Y	175	ASN
12	Z	3	ASN
12	Z	49	ASN
12	Z	155	ASN
12	Z	158	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	Z	197	GLN
13	a	48	ASN
13	a	102	GLN
13	a	108	ASN
13	a	149	HIS
14	b	38	HIS
14	b	141	ASN
14	b	161	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 10 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
18	MES	K	303	-	12,12,12	2.22	1 (8%)	15,16,16	1.38	2 (13%)
17	39V	Y	301	11	48,50,50	3.96	16 (33%)	61,70,70	1.62	8 (13%)
18	MES	Y	302	-	12,12,12	2.31	1 (8%)	15,16,16	1.09	0
17	39V	K	301	11	48,50,50	3.84	17 (35%)	61,70,70	1.88	17 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	MES	K	303	-	-	0/6/14/14	0/1/1/1
17	39V	Y	301	11	-	12/42/54/54	0/5/5/5
18	MES	Y	302	-	-	2/6/14/14	0/1/1/1
17	39V	K	301	11	-	13/42/54/54	0/5/5/5

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	K	301	39V	C51-C50	-11.26	1.36	1.51
17	Y	301	39V	O32-C31	11.10	1.38	1.21
17	Y	301	39V	C51-C50	-10.44	1.38	1.51
17	K	301	39V	C67-C66	-9.54	1.28	1.44
17	Y	301	39V	C67-C68	-9.25	1.29	1.41
17	K	301	39V	C67-C68	-8.54	1.30	1.41
17	Y	301	39V	C67-C66	-8.51	1.30	1.44
17	K	301	39V	C57-C58	-7.70	1.30	1.44
18	Y	302	MES	C8-S	-7.65	1.66	1.77
17	Y	301	39V	C51-C52	-7.51	1.37	1.50
17	Y	301	39V	C57-C58	-7.35	1.30	1.44
17	K	301	39V	O32-C31	7.30	1.32	1.21
18	K	303	MES	C8-S	-7.27	1.67	1.77
17	K	301	39V	C51-C52	-7.00	1.38	1.50
17	Y	301	39V	C63-C67	-6.49	1.30	1.39
17	K	301	39V	C63-C67	-6.39	1.30	1.39
17	K	301	39V	C57-C52	-6.12	1.31	1.39
17	Y	301	39V	C30-C41	-5.43	1.38	1.51
17	Y	301	39V	C57-C52	-5.34	1.32	1.39
17	Y	301	39V	C56-C57	-5.05	1.32	1.39
17	K	301	39V	C30-C41	-5.04	1.39	1.51
17	Y	301	39V	C60-C68	-5.01	1.31	1.39
17	K	301	39V	C60-C68	-4.99	1.31	1.39
17	K	301	39V	C56-C57	-4.93	1.32	1.39
17	K	301	39V	C53-C52	-4.77	1.31	1.39
17	Y	301	39V	C53-C52	-4.71	1.32	1.39
17	K	301	39V	C68-N69	-4.04	1.31	1.37
17	K	301	39V	C65-C66	-3.99	1.30	1.36
17	Y	301	39V	C65-N69	-3.95	1.30	1.37
17	Y	301	39V	C68-N69	-3.94	1.31	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	Y	301	39V	C65-C66	-3.91	1.31	1.36
17	K	301	39V	C65-N69	-3.68	1.31	1.37
17	Y	301	39V	C50-C58	-2.42	1.31	1.36
17	K	301	39V	C50-C58	-2.36	1.31	1.36
17	K	301	39V	C37-C31	2.29	1.59	1.52

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	Y	301	39V	O32-C31-C37	-6.56	109.44	121.30
17	K	301	39V	O32-C31-C37	-5.81	110.80	121.30
17	K	301	39V	C30-C29-N28	-4.31	101.91	110.83
17	K	301	39V	C67-C66-C65	3.92	110.17	106.16
17	Y	301	39V	C67-C66-C65	3.82	110.06	106.16
17	Y	301	39V	C66-C65-N69	-3.70	106.25	110.31
17	K	301	39V	C63-C67-C68	3.53	122.50	118.84
17	K	301	39V	C57-C58-C50	3.38	111.24	109.11
17	K	301	39V	C66-C65-N69	-3.14	106.86	110.31
17	K	301	39V	C54-C55-C56	-3.09	116.43	120.24
17	K	301	39V	C41-C30-C29	2.85	120.94	113.36
17	Y	301	39V	C62-C61-C60	-2.62	117.00	120.24
17	Y	301	39V	C54-C55-C56	-2.58	117.06	120.24
17	K	301	39V	C52-C57-C58	-2.30	107.44	109.46
18	K	303	MES	O3S-S-C8	2.26	110.43	106.00
17	Y	301	39V	C30-C41-C46	-2.25	116.71	120.90
17	Y	301	39V	C63-C67-C68	2.25	121.17	118.84
17	K	301	39V	C62-C61-C60	-2.23	117.48	120.24
18	K	303	MES	O2S-S-C8	2.22	110.08	106.73
17	K	301	39V	C59-C58-C57	-2.20	120.87	124.76
17	K	301	39V	C63-C67-C66	-2.14	130.66	133.85
17	K	301	39V	C68-N69-C65	-2.08	107.23	109.08
17	K	301	39V	C30-C41-C46	-2.07	117.05	120.90
17	Y	301	39V	C13-C11-N1	-2.07	106.46	111.59
17	K	301	39V	C44-C45-C46	-2.06	117.70	120.24
17	K	301	39V	C56-C57-C58	-2.01	129.30	132.78
17	K	301	39V	C45-C46-C41	2.01	123.44	120.61

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
17	K	301	39V	C29-C31-C37-C38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	K	301	39V	O32-C31-C37-C38
17	Y	301	39V	C31-C37-C39-O40
17	Y	301	39V	C38-C37-C39-O40
17	K	301	39V	C29-C30-C41-C42
17	K	301	39V	C29-C30-C41-C46
17	Y	301	39V	C29-C30-C41-C42
17	Y	301	39V	C29-C30-C41-C46
17	Y	301	39V	N1-C11-C13-N15
17	Y	301	39V	O32-C31-C37-C38
17	K	301	39V	N1-C11-C13-N15
17	Y	301	39V	N1-C11-C13-O14
17	K	301	39V	N28-C29-C30-C41
18	Y	302	MES	C8-C7-N4-C5
17	K	301	39V	N1-C11-C13-O14
17	K	301	39V	N28-C29-C31-C37
17	Y	301	39V	N28-C29-C31-C37
18	Y	302	MES	C8-C7-N4-C3
17	K	301	39V	C12-C11-C13-N15
17	Y	301	39V	C12-C11-C13-O14
17	Y	301	39V	C12-C11-C13-N15
17	K	301	39V	C30-C29-C31-O32
17	K	301	39V	C12-C11-C13-O14
17	K	301	39V	C31-C29-C30-C41
17	K	301	39V	C29-C31-C37-C39
17	Y	301	39V	C13-C11-N1-C2
17	Y	301	39V	C30-C29-C31-O32


There are no ring outliers.


3 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	Y	301	39V	10	0
18	Y	302	MES	1	0
17	K	301	39V	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring

in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	0.17	6 (2%) 59 56	33, 51, 86, 127	0
1	O	250/250 (100%)	0.17	8 (3%) 50 46	38, 57, 100, 133	0
2	B	244/258 (94%)	0.36	15 (6%) 27 24	37, 57, 101, 157	0
2	P	244/258 (94%)	0.41	14 (5%) 29 26	41, 60, 105, 159	0
3	C	240/254 (94%)	0.66	33 (13%) 6 5	37, 65, 134, 172	0
3	Q	240/254 (94%)	0.96	47 (19%) 3 2	37, 75, 159, 203	0
4	D	235/260 (90%)	0.42	9 (3%) 44 40	42, 62, 97, 144	0
4	R	235/260 (90%)	0.67	21 (8%) 15 13	55, 72, 112, 144	0
5	E	231/234 (98%)	0.41	8 (3%) 47 43	43, 63, 101, 138	0
5	S	231/234 (98%)	0.44	9 (3%) 43 39	42, 64, 103, 134	0
6	F	243/288 (84%)	0.23	11 (4%) 38 34	35, 53, 104, 128	0
6	T	243/288 (84%)	0.40	14 (5%) 29 25	37, 59, 115, 149	0
7	G	241/252 (95%)	0.14	5 (2%) 63 61	32, 51, 88, 145	0
7	U	241/252 (95%)	0.13	8 (3%) 49 45	35, 51, 89, 129	0
8	H	226/232 (97%)	0.18	5 (2%) 62 59	36, 49, 84, 148	0
8	V	226/232 (97%)	0.18	8 (3%) 47 43	38, 53, 89, 171	0
9	I	204/205 (99%)	-0.01	3 (1%) 72 70	36, 49, 82, 100	0
9	W	204/205 (99%)	0.03	2 (0%) 79 78	37, 51, 84, 98	0
10	J	195/198 (98%)	0.09	4 (2%) 63 61	34, 52, 77, 114	0
10	X	195/198 (98%)	0.19	6 (3%) 51 48	37, 55, 80, 135	0
11	K	211/211 (100%)	0.28	5 (2%) 59 56	30, 57, 90, 108	0
11	Y	211/211 (100%)	0.29	5 (2%) 59 56	38, 56, 91, 115	0
12	L	222/222 (100%)	0.32	11 (4%) 34 30	38, 53, 95, 126	0
12	Z	222/222 (100%)	0.31	9 (4%) 41 37	30, 53, 96, 130	1 (0%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	0.01	6 (2%)	57 54	31, 49, 74, 92	1 (0%)
13	a	233/246 (94%)	0.04	5 (2%)	63 61	32, 50, 75, 93	0
14	N	196/196 (100%)	-0.08	2 (1%)	79 78	31, 44, 74, 100	0
14	b	196/196 (100%)	-0.11	2 (1%)	79 78	34, 46, 75, 107	0
All	All	6342/6612 (95%)	0.27	281 (4%)	39 35	30, 55, 100, 203	2 (0%)

All (281) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
8	V	223	ILE	7.2
2	B	218	GLY	6.9
3	Q	50	LEU	6.8
12	Z	174	TYR	6.6
10	X	1	MET	6.0
12	L	174	TYR	5.6
8	H	223	ILE	5.1
6	T	243	ILE	4.9
3	C	205	ALA	4.8
3	Q	240	GLU	4.8
2	P	218	GLY	4.8
10	J	1	MET	4.7
3	Q	225	GLU	4.5
6	T	204	LYS	4.3
3	Q	49	THR	4.3
3	C	225	GLU	4.2
5	E	207	VAL	4.2
2	P	219	ALA	4.1
2	B	219	ALA	4.1
3	Q	205	ALA	4.0
3	C	234	ILE	4.0
3	Q	48	SER	3.9
4	D	241	ALA	3.8
12	Z	165	ASN	3.8
6	F	215	CYS	3.7
4	R	112	ALA	3.7
13	a	1	THR	3.7
5	E	122	TYR	3.7
4	D	240	ALA	3.7
12	Z	172	LEU	3.6
12	L	136	CYS	3.6
2	B	51	VAL	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	Q	186	VAL	3.6
3	Q	238	LYS	3.6
3	C	238	LYS	3.5
1	A	1	MET	3.5
1	A	201	GLU	3.5
4	R	241	ALA	3.5
1	O	53	SER	3.5
3	Q	51	LYS	3.4
2	B	222	GLY	3.4
2	P	51	VAL	3.4
7	U	179	LYS	3.4
4	D	167	GLY	3.4
9	W	127	GLY	3.4
6	T	205	GLU	3.4
12	L	166	GLY	3.4
3	Q	228	ASN	3.4
6	F	176	VAL	3.4
9	W	1	SER	3.3
3	Q	236	GLN	3.3
3	Q	204	GLY	3.3
11	Y	146	ASP	3.3
6	F	243	ILE	3.3
3	C	203	THR	3.2
5	E	173	ARG	3.2
3	C	232	THR	3.2
6	T	14	ASP	3.2
3	C	51	LYS	3.2
1	O	2	THR	3.2
4	R	237	GLU	3.2
3	C	186	VAL	3.2
3	Q	175	LYS	3.1
12	L	163	GLY	3.1
5	S	179	ILE	3.1
3	C	201	VAL	3.1
2	B	93	HIS	3.1
6	T	178	HIS	3.1
6	T	215	CYS	3.1
3	Q	206	LYS	3.1
5	E	190	LYS	3.1
3	Q	231	VAL	3.1
4	R	113	LEU	3.1
4	R	117	GLU	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	P	222	GLY	3.1
12	L	165	ASN	3.0
3	Q	46	ARG	3.0
4	R	125	LEU	3.0
3	C	236	GLN	3.0
3	Q	207	ASN	3.0
2	B	217	LYS	3.0
13	M	121	SER	3.0
7	U	24	LYS	3.0
3	C	58	THR	3.0
8	V	224	GLN	2.9
3	Q	234	ILE	2.9
2	B	1	GLY	2.9
13	M	1	THR	2.9
3	C	206	LYS	2.9
4	R	238	LYS	2.9
4	R	116	GLY	2.9
3	Q	209	GLU	2.9
6	T	206	LYS	2.9
4	R	114	ARG	2.9
3	Q	180	LYS	2.9
11	K	147	LEU	2.9
3	C	235	GLU	2.9
3	C	59	PRO	2.9
3	C	229	GLN	2.9
6	T	244	ASN	2.9
8	V	9	ASN	2.9
3	Q	200	VAL	2.9
6	T	203	ASN	2.8
11	Y	208	ASN	2.8
12	L	172	LEU	2.8
2	P	1	GLY	2.8
4	R	1	ASP	2.8
13	M	47	ASP	2.8
12	Z	169	LYS	2.8
6	F	202	ASP	2.8
4	R	239	GLU	2.8
12	L	173	LYS	2.7
3	Q	38	ASN	2.7
1	A	4	ARG	2.7
7	U	242	GLN	2.7
2	P	52	THR	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	231	VAL	2.7
3	Q	232	THR	2.7
4	R	240	ALA	2.7
14	b	103	ASP	2.7
6	F	59	LYS	2.7
5	E	233	ILE	2.7
2	B	220	ASN	2.7
5	S	173	ARG	2.7
10	X	195	PHE	2.7
2	P	59	ASP	2.7
6	T	202	ASP	2.7
8	H	208	GLY	2.6
2	P	240	LYS	2.6
11	K	49	ALA	2.6
3	C	53	GLN	2.6
3	C	50	LEU	2.6
11	K	144	LYS	2.6
7	U	182	ILE	2.6
6	F	241	LYS	2.6
3	Q	188	GLU	2.6
4	R	217	GLN	2.6
6	F	244	ASN	2.6
6	F	2	THR	2.5
12	L	164	THR	2.5
5	S	175	LEU	2.5
8	V	222	ASP	2.5
12	L	106	TYR	2.5
7	G	242	GLN	2.5
3	C	48	SER	2.5
3	C	210	ILE	2.5
10	X	193	ASP	2.5
3	Q	183	PRO	2.5
10	X	174	MET	2.5
3	C	233	GLN	2.5
12	Z	173	LYS	2.4
2	P	40	SER	2.4
8	V	226	GLU	2.4
1	O	202	GLY	2.4
2	P	180	LYS	2.4
3	Q	229	GLN	2.4
6	F	206	LYS	2.4
8	H	20	SER	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
12	Z	162	PRO	2.4
5	S	170	TYR	2.4
4	D	224	ASP	2.4
1	O	1	MET	2.4
3	Q	239	GLN	2.4
3	C	185	THR	2.4
2	P	93	HIS	2.4
1	O	184	GLU	2.4
3	Q	216	ASP	2.4
10	J	2	ASP	2.4
3	Q	52	LEU	2.3
4	R	183	LEU	2.3
3	Q	171	GLU	2.3
11	K	146	ASP	2.3
3	C	204	GLY	2.3
4	R	78	ARG	2.3
8	H	224	GLN	2.3
2	P	241	THR	2.3
11	K	180	THR	2.3
3	C	207	ASN	2.3
3	C	239	GLN	2.3
4	D	219	GLY	2.3
10	J	195	PHE	2.3
3	Q	208	ILE	2.3
3	C	240	GLU	2.3
3	Q	214	LYS	2.3
8	V	53	GLU	2.3
4	R	224	ASP	2.3
9	I	130	ASP	2.3
10	X	11	ASP	2.3
12	L	162	PRO	2.3
13	M	69	ASP	2.3
3	C	222	LEU	2.3
3	Q	203	THR	2.3
5	S	54	GLU	2.3
1	A	58	SER	2.3
3	Q	215	PRO	2.3
6	T	237	ASP	2.3
12	Z	106	TYR	2.2
5	E	188	LEU	2.2
5	E	9	THR	2.2
6	T	2	THR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
6	T	201	GLU	2.2
13	M	190[A]	ARG	2.2
4	D	53	SER	2.2
5	S	231	LYS	2.2
3	Q	237	GLU	2.2
8	H	215	GLU	2.2
2	P	225	TYR	2.2
3	Q	182	PRO	2.2
3	C	202	GLN	2.2
1	O	52	SER	2.2
3	Q	223	SER	2.2
4	D	125	LEU	2.2
7	G	179	LYS	2.2
2	B	239	VAL	2.2
11	Y	179	VAL	2.2
13	a	43	ILE	2.2
3	Q	99	GLU	2.2
12	Z	136	CYS	2.2
2	B	225	TYR	2.2
1	O	231	LYS	2.2
2	B	205	LEU	2.2
14	N	103	ASP	2.2
1	A	62	SER	2.2
9	I	126	ILE	2.2
6	F	205	GLU	2.1
8	V	215	GLU	2.1
2	P	60	THR	2.1
3	Q	211	THR	2.1
7	G	68	ARG	2.1
4	R	203	LYS	2.1
11	Y	144	LYS	2.1
3	Q	198	LEU	2.1
1	A	167	GLY	2.1
5	E	123	GLY	2.1
7	G	2	GLY	2.1
13	a	69	ASP	2.1
12	L	156	PHE	2.1
4	R	230	GLU	2.1
6	T	241	LYS	2.1
13	a	171	GLN	2.1
3	Q	201	VAL	2.1
4	R	2	ARG	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
14	b	107	LYS	2.1
4	D	183	LEU	2.1
3	Q	189	CYS	2.1
5	S	209	ASN	2.1
3	C	230	TYR	2.1
3	C	219	ILE	2.1
2	B	221	ASP	2.1
2	B	57	GLU	2.1
3	C	171	GLU	2.1
3	Q	226	GLU	2.1
4	R	242	GLU	2.1
5	S	203	GLU	2.1
7	U	168	GLU	2.1
3	Q	191	LYS	2.1
14	N	107	LYS	2.1
3	C	198	LEU	2.1
10	J	163	LEU	2.1
13	M	38	GLY	2.1
6	F	14	ASP	2.0
10	X	2	ASP	2.0
12	Z	167	LYS	2.0
2	B	54	THR	2.0
3	C	49	THR	2.0
3	Q	222	LEU	2.0
11	Y	65	LEU	2.0
3	Q	57	ILE	2.0
4	R	99	ILE	2.0
7	U	177	PHE	2.0
8	V	196	ARG	2.0
13	a	190	ARG	2.0
4	D	242	GLU	2.0
7	U	183	ASP	2.0
9	I	131	GLU	2.0
3	Q	37	LYS	2.0
5	S	171	LEU	2.0
2	B	243	ILE	2.0
7	U	2	GLY	2.0
1	O	4	ARG	2.0
7	G	3	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
18	MES	K	303	12/12	0.82	0.22	58,60,74,79	12
17	39V	Y	301	46/46	0.86	0.12	42,53,68,70	0
17	39V	K	301	46/46	0.89	0.11	38,51,61,62	0
18	MES	Y	302	12/12	0.90	0.17	51,55,72,73	0
15	MG	I	302	1/1	0.92	0.12	46,46,46,46	0
15	MG	Z	301	1/1	0.93	0.06	55,55,55,55	0
15	MG	J	201	1/1	0.94	0.07	49,49,49,49	0
15	MG	I	301	1/1	0.95	0.07	50,50,50,50	0
15	MG	G	301	1/1	0.95	0.05	45,45,45,45	0
15	MG	L	301	1/1	0.97	0.08	54,54,54,54	0
16	CL	G	302	1/1	0.97	0.06	34,34,34,34	0
15	MG	N	201	1/1	0.97	0.07	44,44,44,44	0
15	MG	K	302	1/1	0.98	0.10	50,50,50,50	0
16	CL	U	301	1/1	0.98	0.04	44,44,44,44	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 39V Y 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 39V K 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.