



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2026 – 04:43 PM UTC

PDB ID : 1LUG / pdb_00001lug
Title : Full Matrix Error Analysis of Carbonic Anhydrase
Authors : Merritt, E.A.; Le Trong, I.; Behnke, C.A.
Deposited on : 2002-05-22
Resolution : 0.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 0.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	1090 (1.00-0.92)
Ramachandran outliers	187476	1032 (1.00-0.92)
Sidechain outliers	187428	1033 (1.00-0.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	259	83%15%..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	SUA	A	1002[B]	-	X	-	-

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 2516 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Carbonic Anhydrase II.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	259	Total	C	N	O	S	0	16	0
			2120	1361	363	393	3			


- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is MERCURY (II) ION (CCD ID: HG) (formula: Hg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Hg	0	0
			1	1		

- Molecule 4 is MERCURIBENZOIC ACID (CCD ID: MBO) (formula: C₇H₅HgO₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	Hg	O	0	1
			20	14	2	4		

- Molecule 5 is (4-SULFAMOYL-PHENYL)-THIOCARBAMIC ACID O-(2-THIOPHEN-3-Y L-ETHYL) ESTER (CCD ID: SUA) (formula: $C_{13}H_{14}N_2O_3S_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	S	0	1
			18	11	2	3	2		

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	1
			12	6	6		
6	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	337	Total	O	0	1
			338	338		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: Carbonic Anhydrase II

Chain A:  83% 15% ..



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	42.06Å 41.31Å 71.87Å 90.00° 104.23° 90.00°	Depositor
Resolution (Å)	15.00 – 0.95	Depositor
% Data completeness (in resolution range)	(Not available) (15.00-0.95)	Depositor
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	SHELXL-97	Depositor
R, R_{free}	0.119 , 0.141	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2516	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SUA, MBO, HG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.68	34/2251 (1.5%)	1.86	69/3045 (2.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	3	HIS	CA-C	13.12	1.70	1.52
1	A	27	ARG	CD-NE	-13.11	1.27	1.46
1	A	3	HIS	C-O	11.77	1.38	1.24
1	A	76	LYS	C-N	-9.80	1.20	1.33
1	A	76	LYS	CA-C	-8.73	1.48	1.52
1	A	9	LYS	CA-CB	8.11	1.66	1.53
1	A	168	THR	CA-C	7.76	1.62	1.52
1	A	3	HIS	CA-CB	7.03	1.65	1.53
1	A	235	GLU	C-N	-6.83	1.25	1.33
1	A	168	THR	N-CA	-6.81	1.37	1.45
1	A	60	LEU	N-CA	-6.58	1.38	1.46
1	A	15	HIS	CG-CD2	-6.43	1.28	1.35
1	A	19	ASP	CG-OD1	-6.42	1.13	1.25
1	A	76	LYS	C-O	6.33	1.32	1.24
1	A	14	GLU	CD-OE2	5.98	1.36	1.25
1	A	2	SER	CB-OG	5.89	1.53	1.42
1	A	181	ARG	CZ-NH1	5.83	1.41	1.32
1	A	112[A]	LYS	CG-CD	-5.82	1.34	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	112[B]	LYS	CG-CD	-5.82	1.34	1.52
1	A	57	LEU	CA-C	-5.82	1.45	1.52
1	A	63	GLY	C-N	-5.78	1.25	1.33
1	A	64[A]	HIS	ND1-CE1	5.61	1.38	1.32
1	A	64[B]	HIS	ND1-CE1	5.61	1.38	1.32
1	A	89	ARG	CZ-NH2	-5.60	1.26	1.33
1	A	80	LYS	CB-CG	-5.50	1.35	1.52
1	A	78	VAL	N-CA	-5.49	1.39	1.46
1	A	129[A]	ASP	CA-CB	5.38	1.63	1.53
1	A	129[B]	ASP	CA-CB	5.38	1.63	1.53
1	A	158	LYS	CE-NZ	5.21	1.65	1.49
1	A	46	PRO	CA-C	5.19	1.59	1.52
1	A	3	HIS	CG-CD2	5.16	1.41	1.35
1	A	58	ARG	CA-CB	-5.07	1.45	1.53
1	A	231	ASN	C-N	5.03	1.45	1.33
1	A	46	PRO	C-O	-5.02	1.18	1.23

All (69) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	2	SER	CA-C-N	20.07	159.88	121.54
1	A	2	SER	C-N-CA	20.07	159.88	121.54
1	A	3	HIS	CA-C-O	-19.39	92.78	120.51
1	A	74	GLN	OE1-CD-NE2	12.29	134.89	122.60
1	A	129[A]	ASP	CA-CB-CG	-12.12	100.48	112.60
1	A	129[B]	ASP	CA-CB-CG	-12.12	100.48	112.60
1	A	3	HIS	N-CA-CB	11.27	129.54	110.49
1	A	76	LYS	CA-C-N	11.19	140.29	122.17
1	A	76	LYS	C-N-CA	11.19	140.29	122.17
1	A	76	LYS	O-C-N	-11.02	112.67	120.83
1	A	64[A]	HIS	ND1-CE1-NE2	9.95	118.35	108.40
1	A	64[B]	HIS	ND1-CE1-NE2	9.95	118.35	108.40
1	A	27	ARG	CG-CD-NE	9.87	133.71	112.00
1	A	75[A]	ASP	N-CA-CB	-9.58	96.85	110.46
1	A	75[B]	ASP	N-CA-CB	-9.58	96.85	110.46
1	A	3	HIS	ND1-CG-CD2	-9.47	96.63	106.10
1	A	3	HIS	CB-CA-C	-9.17	92.17	110.42
1	A	53	GLN	OE1-CD-NE2	-8.70	113.90	122.60
1	A	3	HIS	CA-C-N	8.69	137.35	121.70
1	A	3	HIS	C-N-CA	8.69	137.35	121.70
1	A	10	HIS	CE1-NE2-CD2	8.57	117.57	109.00
1	A	27	ARG	CD-NE-CZ	8.39	136.15	124.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	235	GLU	CA-C-N	8.36	128.86	119.83
1	A	235	GLU	C-N-CA	8.36	128.86	119.83
1	A	3	HIS	CG-CD2-NE2	8.33	115.53	107.20
1	A	3	HIS	CB-CG-ND1	8.02	134.73	122.70
1	A	227	LYS	CG-CD-CE	7.90	129.46	111.30
1	A	27	ARG	NE-CZ-NH1	7.62	129.12	121.50
1	A	2	SER	CA-CB-OG	-7.57	95.96	111.10
1	A	224	LYS	CB-CG-CD	7.53	128.62	111.30
1	A	10	HIS	ND1-CE1-NE2	-7.46	100.94	108.40
1	A	3	HIS	CE1-NE2-CD2	-7.36	101.64	109.00
1	A	231	ASN	CA-C-O	7.24	130.26	121.87
1	A	8	GLY	CA-C-N	7.18	129.91	120.28
1	A	8	GLY	C-N-CA	7.18	129.91	120.28
1	A	53	GLN	CA-CB-CG	-7.02	100.06	114.10
1	A	14	GLU	CG-CD-OE1	-6.98	102.36	118.40
1	A	9	LYS	O-C-N	6.93	129.46	122.12
1	A	162	VAL	O-C-N	-6.77	115.43	122.20
1	A	235	GLU	O-C-N	-6.74	114.59	120.99
1	A	64[A]	HIS	CE1-NE2-CD2	-6.65	102.35	109.00
1	A	64[B]	HIS	CE1-NE2-CD2	-6.65	102.35	109.00
1	A	36	HIS	CE1-NE2-CD2	-6.57	102.43	109.00
1	A	27	ARG	NE-CZ-NH2	-6.55	113.31	119.20
1	A	58	ARG	NE-CZ-NH1	6.43	127.93	121.50
1	A	8	GLY	O-C-N	-6.38	114.67	122.71
1	A	164	ASP	CB-CG-OD1	5.93	132.04	118.40
1	A	236	PRO	CA-N-CD	-5.86	103.80	112.00
1	A	74	GLN	CG-CD-OE1	-5.80	109.20	120.80
1	A	230	PHE	CA-CB-CG	5.71	119.51	113.80
1	A	9	LYS	CA-CB-CG	-5.65	102.81	114.10
1	A	236	PRO	N-CA-CB	5.58	108.29	103.27
1	A	36	HIS	CA-CB-CG	-5.51	108.28	113.80
1	A	10	HIS	CA-CB-CG	-5.48	108.32	113.80
1	A	171	LYS	CD-CE-NZ	5.42	129.25	111.90
1	A	181	ARG	NE-CZ-NH2	-5.41	114.33	119.20
1	A	3	HIS	CG-ND1-CE1	5.36	118.41	109.30
1	A	64[A]	HIS	CB-CG-CD2	-5.30	124.31	131.20
1	A	64[B]	HIS	CB-CG-CD2	-5.30	124.31	131.20
1	A	3	HIS	N-CA-C	-5.24	99.65	110.80
1	A	14	GLU	CB-CG-CD	5.20	121.44	112.60
1	A	178	PHE	CA-CB-CG	-5.20	108.60	113.80
1	A	229	ASN	CA-CB-CG	5.19	117.79	112.60
1	A	76	LYS	N-CA-C	5.17	116.36	108.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	132	LYS	CA-CB-CG	5.15	124.41	114.10
1	A	171	LYS	CB-CG-CD	5.14	123.13	111.30
1	A	59	ILE	O-C-N	-5.07	117.72	123.20
1	A	164	ASP	CB-CG-OD2	-5.03	106.84	118.40
1	A	122	HIS	CE1-NE2-CD2	-5.02	103.98	109.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	2	SER	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2120	0	0	4	0
2	A	1	0	0	0	0
3	A	1	0	0	0	0
4	A	20	0	0	1	0
5	A	18	0	0	0	0
6	A	18	0	0	1	0
7	A	338	0	0	4	0
All	All	2516	0	0	6	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (6) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:1205[B]:MBO:CE1	4:A:1205[B]:MBO:HG	1.91	0.77
1:A:112[B]:LYS:NZ	7:A:2228:HOH:O	2.45	0.49
1:A:80:LYS:NZ	7:A:2111:HOH:O	2.45	0.49
1:A:64[A]:HIS:CE1	7:A:2214:HOH:O	2.65	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:1004:GOL:C2	7:A:2255:HOH:O	2.61	0.47
1:A:164:ASP:OD1	1:A:164:ASP:N	2.48	0.46

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	271/259 (105%)	259 (96%)	11 (4%)	1 (0%)	30 10

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	3	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	239/224 (107%)	230 (96%)	9 (4%)	29 4

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	52	ASP
1	A	64[A]	HIS
1	A	64[B]	HIS
1	A	74	GLN
1	A	92	GLN
1	A	164	ASP
1	A	260[A]	LYS
1	A	260[B]	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 2 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	GOL	A	1003[A]	-	5,5,5	1.18	1 (20%)	5,5,5	2.77	2 (40%)
5	SUA	A	1002[B]	-	17,12,22	39.70	3 (17%)	23,17,30	21.70	10 (43%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	MBO	A	1205[B]	1	7,10,10	2.66	4 (57%)	11,13,13	1.99	5 (45%)
6	GOL	A	1003[B]	-	5,5,5	1.21	0	5,5,5	1.29	1 (20%)
6	GOL	A	1004	-	5,5,5	1.36	0	5,5,5	2.19	2 (40%)
5	SUA	A	1002[A]	3	17,17,22	3.71	3 (17%)	23,23,30	6.11	10 (43%)
4	MBO	A	1205[A]	7,1	7,10,10	3.29	5 (71%)	11,13,13	2.25	3 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	A	1003[A]	-	-	1/4/4/4	-
5	SUA	A	1002[B]	-	-	6/14/8/16	0/1/1/2
4	MBO	A	1205[B]	1	-	0/4/4/4	0/1/1/1
6	GOL	A	1003[B]	-	-	2/4/4/4	-
6	GOL	A	1004	-	-	0/4/4/4	-
5	SUA	A	1002[A]	3	-	7/14/14/16	0/1/1/2
4	MBO	A	1205[A]	7,1	-	0/4/4/4	0/1/1/1

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1002[B]	SUA	O3-C7	158.56	3.37	1.33
5	A	1002[B]	SUA	C7-S2	40.00	2.36	1.66
5	A	1002[A]	SUA	C7-N2	-10.33	1.26	1.34
5	A	1002[A]	SUA	O3-C7	10.22	1.46	1.33
5	A	1002[B]	SUA	C7-N2	6.89	1.40	1.34
4	A	1205[A]	MBO	CE4-CZ	5.07	1.60	1.49
4	A	1205[A]	MBO	OZ2-CZ	-4.93	1.15	1.30
4	A	1205[B]	MBO	CE6-CE5	4.06	1.45	1.38
4	A	1205[B]	MBO	OZ1-CZ	3.98	1.34	1.22
5	A	1002[A]	SUA	C7-S2	-3.73	1.59	1.66
4	A	1205[A]	MBO	CE3-CE2	3.16	1.43	1.38
4	A	1205[A]	MBO	OZ1-CZ	3.10	1.31	1.22
4	A	1205[B]	MBO	CE3-CE4	3.01	1.44	1.39
4	A	1205[B]	MBO	CE4-CZ	2.37	1.54	1.49
6	A	1003[A]	GOL	O1-C1	2.29	1.52	1.42
4	A	1205[A]	MBO	CE3-CE4	-2.22	1.36	1.39

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1002[B]	SUA	O3-C7-S2	-93.37	49.98	125.07
5	A	1002[B]	SUA	O3-C7-N2	-35.70	42.46	112.20
5	A	1002[B]	SUA	S2-C7-N2	-25.48	69.48	122.94
5	A	1002[A]	SUA	C8-O3-C7	21.47	135.85	119.04
5	A	1002[A]	SUA	O3-C7-N2	12.55	136.72	112.20
5	A	1002[B]	SUA	C8-O3-C7	11.99	128.43	119.04
5	A	1002[A]	SUA	O3-C7-S2	-11.01	116.21	125.07
5	A	1002[A]	SUA	S2-C7-N2	-8.09	105.97	122.94
6	A	1003[A]	GOL	O2-C2-C1	4.99	129.82	109.18
4	A	1205[A]	MBO	CE6-CE5-CE4	-4.40	116.10	120.80
5	A	1002[A]	SUA	C6-N2-C7	-3.93	123.28	130.07
4	A	1205[A]	MBO	OZ2-CZ-OZ1	3.65	131.21	123.35
4	A	1205[A]	MBO	CE5-CE6-CE1	3.47	128.20	121.53
6	A	1004	GOL	C3-C2-C1	-3.22	99.99	111.80
4	A	1205[B]	MBO	CE2-CE3-CE4	-3.20	117.38	120.80
6	A	1004	GOL	O2-C2-C3	3.19	122.38	109.18
5	A	1002[B]	SUA	C6-N2-C7	-3.17	124.59	130.07
6	A	1003[A]	GOL	O1-C1-C2	3.06	124.17	110.38
4	A	1205[B]	MBO	CE5-CE6-CE1	2.60	126.52	121.53
4	A	1205[B]	MBO	OZ1-CZ-CE4	2.40	127.75	121.46
5	A	1002[A]	SUA	C1-C2-C3	2.40	121.77	119.44
5	A	1002[B]	SUA	C1-C2-C3	2.40	121.77	119.44
5	A	1002[A]	SUA	O3-C8-C9	-2.31	100.16	108.87
5	A	1002[B]	SUA	O3-C8-C9	-2.31	100.16	108.87
5	A	1002[A]	SUA	O2-S1-N1	2.22	110.56	107.35
5	A	1002[B]	SUA	O2-S1-N1	2.22	110.56	107.35
5	A	1002[A]	SUA	O1-S1-N1	2.13	110.42	107.35
5	A	1002[B]	SUA	O1-S1-N1	2.13	110.42	107.35
6	A	1003[B]	GOL	C3-C2-C1	2.12	119.58	111.80
4	A	1205[B]	MBO	CE6-CE5-CE4	-2.12	118.53	120.80
5	A	1002[A]	SUA	C10-C9-C8	-2.11	100.08	112.24
5	A	1002[B]	SUA	C10-C9-C8	-2.11	100.08	112.24
4	A	1205[B]	MBO	CE3-CE4-CZ	-2.01	116.40	120.37

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1002[A]	SUA	N2-C7-O3-C8
5	A	1002[A]	SUA	S2-C7-O3-C8
5	A	1002[A]	SUA	C9-C8-O3-C7

Continued on next page...

Continued from previous page...




Mol	Chain	Res	Type	Atoms
5	A	1002[B]	SUA	O3-C7-N2-C6
5	A	1002[B]	SUA	S2-C7-O3-C8
6	A	1003[A]	GOL	C1-C2-C3-O3
5	A	1002[B]	SUA	C1-C6-N2-C7
5	A	1002[B]	SUA	C5-C6-N2-C7
6	A	1003[B]	GOL	C1-C2-C3-O3
6	A	1003[B]	GOL	O2-C2-C3-O3
5	A	1002[A]	SUA	O3-C7-N2-C6
5	A	1002[A]	SUA	S2-C7-N2-C6
5	A	1002[A]	SUA	C4-C3-S1-O2
5	A	1002[B]	SUA	C4-C3-S1-O2
5	A	1002[A]	SUA	C2-C3-S1-O2
5	A	1002[B]	SUA	C2-C3-S1-O2


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1205[B]	MBO	1	0
6	A	1004	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	76:LYS	C	77:ALA	N	1.20

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.